

PCTWORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification⁶ : C12N 15/12, C07K 14/47, 16/18, C12Q 1/68		A2	(11) International Publication Number: WO 99/33982
			(43) International Publication Date: 8 July 1999 (08.07.99)
(21) International Application Number: PCT/US98/27610 (22) International Filing Date: 22 December 1998 (22.12.98) (30) Priority Data: 60/068,755 23 December 1997 (23.12.97) US 60/080,664 3 April 1998 (03.04.98) US 60/105,234 21 October 1998 (21.10.98) US 60/105,877 27 October 1998 (27.10.98) US 09/217,471 21 December 1998 (21.12.98) US (71) Applicants: CHIRON CORPORATION [US/US]; 4560 Horton Street – R440, Emeryville, CA 94608 (US). HYSEQ INC. [US/US]; 675 Almanor Avenue, Sunnyvale, CA 94086 (US). (72) Inventors: WILLIAMS, Lewis, T.; 3 Miroflores, Tiburon, CA 94920 (US). ESCOBEDO, Jaime; 1470 Lavorna Road, Alamo, CA 94507 (US). INNIS, Michael, A.; 315 Constance Place, Moraga, CA 94556 (US). GARCIA, Pablo, Dominguez; 882 Chenery Street, San Francisco, CA 94131 (US). SUDDUTH-KLINGER, Julie; 280 Lexington Road, Kensington, CA 94707 (US). REINHARD, Christoph; 1633 Clinton Avenue, Alameda, CA 94501 (US). GIESE, Klaus; Chausseetrase 92, D-10115 Berlin (DE). RANDAZZO, Filippo; Apt. 403, 690 Chestnut Street, San Francisco, CA 94133 (US). KENNEDY, Giulia, C.; 360 Castenada Av-			enue, San Francisco, CA 94116 (US). POT, David; 1565 5th Avenue #102, San Francisco, CA 94112 (US). KASSAM, Altaf; 2659 Harold Street, Oakland, CA 94602 (US). LAMSON, George; 232 Sandringham Drive, Moraga, CA 94556 (US). DRMANAC, Radoje; 850 East Greenwich Place, Palo Alto, CA 94303 (US). CRKVENJAKOV, Radomir; 762 Haverhill Drive, Sunnyvale, CA 94068 (US). DICKSON, Mark; 1411 Gabilan Drive #B, Hollister, CA 95025 (US). DRMANAC, Snezana; 850 East Greenwich Place, Palo Alto, CA 94303 (US). LABAT, Ivan; 140 Acalanes Drive, Sunnyvale, CA 94086 (US). LESHKOWITZ, Dena; 678 Durshire Way, Sunnyvale, CA 94087 (US). KITA, David; 899 Bounty Drive, Foster City, CA 94404 (US). GARCIA, Veronica; Apartment 412, 396 Ano Nuevo, Sunnyvale, CA 94086 (US). JONES, Lee, William; 396 Ano Nuevo #412, Sunnyvale, CA 94086 (US). STACHE-CRAIN, Birgit; 345 South Mary Avenue, Sunnyvale, CA 94086 (US). (74) Agent: BLACKBURN, Robert, P.; Chiron Corporation, P.O. Box 8097, Emeryville, CA 94662-8097 (US). (81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published <i>Without international search report and to be republished upon receipt of that report.</i>
(54) Title: HUMAN GENES AND GENE EXPRESSION PRODUCTS I			
(57) Abstract This invention relates to novel human polynucleotides and variants thereof, their encoded polypeptides and variants thereof, to genes corresponding to these polynucleotides and to proteins expressed by the genes. The invention also relates to diagnostic and therapeutic agents employing such novel human polynucleotides, their corresponding genes or gene products, e.g., these genes and proteins, including probes, antisense constructs, and antibodies.			

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

WO 99/33982

PCT/US98/27610

NOVEL HUMAN GENES AND GENE EXPRESSION PRODUCTS ICross-References to Related Applications

This application is a continuation-in-part of U.S. provisional patent application serial
5 no. 60/068,755, filed December 23, 1997, and of U.S. provisional patent application serial
no. 60/080,664, filed April 3, 1998, and of U.S. provisional patent application serial no.
60/105,234, filed October 21, 1998, each of which applications are incorporated herein by
reference.

10 Field of the Invention

The present invention relates to novel polynucleotides, particularly to novel
polynucleotides of human origin that are expressed in a selected cell type, are differentially
expressed in one cell type relative to another cell type (*e.g.*, in cancerous cells, or in cells of a
specific tissue origin) and/or share homology to polynucleotides encoding a gene product
15 having an identified functional domain and/or activity.

Background of the Invention

Identification of novel polynucleotides, particularly those that encode an expressed
gene product, is important in the advancement of drug discovery, diagnostic technologies,
20 and the understanding of the progression and nature of complex diseases such as cancer.
Identification of genes expressed in different cell types isolated from sources that differ in
disease state or stage, developmental stage, exposure to various environmental factors, the
tissue of origin, the species from which the tissue was isolated, and the like is key to
identifying the genetic factors that are responsible for the phenotypes associated with these
25 various differences

This invention provides novel human polynucleotides, the polypeptides encoded by
these polynucleotides, and the genes and proteins corresponding to these novel
polynucleotides.

30 Summary of the Invention

This invention relates to novel human polynucleotides and variants thereof, their
encoded polypeptides and variants thereof, to genes corresponding to these polynucleotides

WO 99/33982

PCT/US98/27610

and to proteins expressed by the genes. The invention also relates to diagnostic and therapeutic agents employing such novel human polynucleotides, their corresponding genes or gene products, *e.g.*, these genes and proteins, including probes, antisense constructs, and antibodies.

5 Accordingly, in one embodiment, the present invention features a library of polynucleotides, the library comprising the sequence information of at least one of SEQ ID NOS:1-844. In related aspects, the invention features a library provided on a nucleic acid array, or in a computer-readable format.

 In one embodiment, the library is comprises a differentially expressed polynucleotide
10 comprising a sequence selected from the group consisting of SEQ ID NOS:9, 39, 42, 52, 62, 74, 119, 172, 317, and 379. In specific related embodiments, the library comprises: 1) a polynucleotide that is differentially expressed in a human breast cancer cell, where the polynucleotide comprises a sequence selected from the group consisting of SEQ ID NOS: 4, 9, 39, 42, 52, 62, 65, 66, 68, 74, 81, 114, 123, 144, 130, 157, 162, 172, 178, 183, 202, 214,
15 219, 223, 258, 298, 317, 338, 379, 384, 386, and 388; 2) a polynucleotide differentially expressed in a human colon cancer cell, where the polynucleotide comprises a sequence selected from the group consisting of SEQ ID NOS: 1, 39, 52, 97, 119, 134, 172, 176, 241, 288, 317, 357, 362, and 374; or 3) a polynucleotide differentially expressed in a human lung cancer cell, where the polynucleotide comprises a sequence selected from the group
20 consisting of SEQ ID NOS: 9, 34, 42, 62, 74, 106, 119, 135, 154, 160, 260, 308, 323, 349, 361, 369, 371, 379, 395, 381, and 400.

 In another aspect, the invention features an isolated polynucleotide comprising a nucleotide sequence having at least 90% sequence identity to an identifying sequence of SEQ ID NOS:1-844 or a degenerate variant thereof. In related aspects, the
25 invention features recombinant host cells and vectors comprising the polynucleotides of the invention, as well as isolated polypeptides encoded by the polynucleotides of the invention and antibodies that specifically bind such polypeptides.

 In one embodiment, the invention features an isolated polynucleotide comprising a sequence encoding a polypeptide of a protein family selected from the group consisting of:
30 4 transmembrane segments integral membrane proteins, 7 transmembrane receptors, ATPases associated with various cellular activities (AAA), eukaryotic aspartyl proteases,

WO 99/33982**PCT/US98/27610**

GATA family of transcription factors, G-protein alpha subunit, phorbol esters/diacylglycerol binding proteins, protein kinase, protein phosphatase 2C, protein tyrosine phosphatase, trypsin, wnt family of developmental signaling proteins, and WW/rsp5/WWP domain containing proteins. In a specific related embodiment, the invention features a

5 polynucleotide comprising a sequence of one of SEQ ID NOS: 24, 41, 101, 157, 291, 305, 315, 341, 63, 116, 134, 136, 151, 384, 404, 308, 213, 367, 188, 251, 202, 315, 367, 397, 256, 382, 169, 23, 291, 324, 330, 341, 353, 188, 379 , and 395.

In another embodiment, the invention features a polynucleotide comprising a sequence encoding a polypeptide having a functional domain selected from the group
10 consisting of: Ank repeat, basic region plus leucine zipper transcription factors, bromodomain, EF-hand, SH3 domain, WD domain/G-beta repeats, zinc finger (C2H2 type), zinc finger (CCHC class), and zinc-binding metalloprotease domain. In a specific related embodiment, the invention features a polynucleotide comprising a sequence of one of SEQ ID NOS: 116, 251, 374, 97, 136, 242, 379, 306, 386, 18, 335, 61, 306, 386, 322, 306, and
15 395.

In another aspect, the invention features a method of detecting differentially expressed genes correlated with a cancerous state of a mammalian cell, where the method comprises the step of detecting at least one differentially expressed gene product in a test sample derived from a cell suspected of being cancerous, where the gene product is encoded
20 by a gene corresponding to a sequence of at least one of SEQ ID NOS:4, 9, 39, 42, 52, 62, 65, 66, 68, 74, 81, 114, 123, 144, 130, 157, 162, 172, 178, 183, 202, 214, 219, 223, 258, 298, 317, 338, 379, 384, 386, 388, 1, 39, 52, 97, 119, 134, 172, 176, 241, 288, 317, 357, 362, 374, 9, 34, 42, 62, 74, 106, 119, 135, 154, 160, 260, 308, 323, 349, 361, 369, 371, 379, 395, 381, and 400. Detection of the differentially expressed gene product is correlated with a
25 cancerous state of the cell from which the test sample was derived. In one embodiment, the detecting is by hybridization of the test sample to a reference array, wherein the reference array comprises an identifying sequence of at least one of SEQ ID NOS:1-844.

In one embodiment of the method of the invention, the cell is a breast tissue derived cell, and the differentially expressed gene product is encoded by a gene corresponding to a
30 sequence of at least one of SEQ ID NOS: 4, 9, 39, 42, 52, 62, 65, 66, 68, 74, 81, 114, 123,

WO 99/33982

PCT/US98/27610

144, 130, 157, 162, 172, 178, 183, 202, 214, 219, 223, 258, 298, 317, 338, 379, 384, 386,
and 388.

In another embodiment of the method of the invention, the cell is a colon tissue
derived cell, and differentially expressed gene product is encoded by a gene corresponding to
5 a sequence of at least one of SEQ ID NOS: 1, 39, 52, 97, 119, 134, 172, 176, 241, 288, 317,
357, 362, and 374.

In yet another embodiment of the method of the invention, the cell is a lung tissue
derived cell, and differentially expressed gene product is encoded by a gene corresponding to
a sequence of at least one of SEQ ID NOS: 9, 34, 42, 62, 74, 106, 119, 135, 154, 160, 260,
10 308, 323, 349, 361, 369, 371, 379, 395, 381, and 400.

Other aspects and embodiments of the invention will be readily apparent to the
ordinarily skilled artisan upon reading the description provided herein.

Detailed Description of the Invention

15 The invention relates to polynucleotides comprising the disclosed nucleotide
sequences, to full length cDNA, mRNA and genes corresponding to these sequences, and to
polypeptides and proteins encoded by these polynucleotides and genes.

Also included are polynucleotides that encode polypeptides and proteins encoded by
the polynucleotides of the Sequence Listing. The various polynucleotides that can encode
20 these polypeptides and proteins differ because of the degeneracy of the genetic code, in that
most amino acids are encoded by more than one triplet codon. The identity of such codons
is well-known in this art, and this information can be used for the construction of the
polynucleotides within the scope of the invention.

Polynucleotides encoding polypeptides and proteins that are variants of the
25 polypeptides and proteins encoded by the polynucleotides and related cDNA and genes are
also within the scope of the invention. The variants differ from wild type protein in having
one or more amino acid substitutions that either enhance, add, or diminish a biological
activity of the wild type protein. Once the amino acid change is selected, a polynucleotide
encoding that variant is constructed according to the invention.

30 The following detailed description describes the polynucleotide compositions
encompassed by the invention, methods for obtaining cDNA or genomic DNA encoding a
full-length gene product, expression of these polynucleotides and genes, identification of

WO 99/33982

PCT/US98/27610

structural motifs of the polynucleotides and genes, identification of the function of a gene product encoded by a gene corresponding to a polynucleotide of the invention, use of the provided polynucleotides as probes and in mapping and in tissue profiling, use of the corresponding polypeptides and other gene products to raise antibodies, and use of the

5 polynucleotides and their encoded gene products for therapeutic and diagnostic purposes.

I. Polynucleotide Compositions

The scope of the invention with respect to polynucleotide compositions includes, but is not necessarily limited to, polynucleotides having a sequence set forth in any one of SEQ ID

10 NOS:1-844; polynucleotides obtained from the biological materials described herein or other biological sources (particularly human sources) by hybridization under stringent conditions (particularly conditions of high stringency); genes corresponding to the provided polynucleotides; variants of the provided polynucleotides and their corresponding genes, particularly those variants that retain a biological activity of the encoded gene product (*e.g.*,

15 a biological activity ascribed to a gene product corresponding to the provided polynucleotides as a result of the assignment of the gene product to a protein family(ies) and/or identification of a functional domain present in the gene product). Other nucleic acid compositions contemplated by and within the scope of the present invention will be readily apparent to one of ordinary skill in the art when provided with the disclosure here.

20 The invention features polynucleotides that are expressed in cells of human tissue, specifically human colon, breast, and/or lung tissue. Novel nucleic acid compositions of the invention of particular interest comprise a sequence set forth in any one of SEQ ID NOS:1-844 or an identifying sequence thereof. An "identifying sequence" is a contiguous sequence of residues at least about 10 nt to about 20 nt in length, usually at least about 50 nt to about

25 100 nt in length, that uniquely identifies a polynucleotide sequence, *e.g.*, exhibits less than 90%, usually less than about 80% to about 85% sequence identity to any contiguous nucleotide sequence of more than about 20 nt. Thus, the subject novel nucleic acid compositions include full length cDNAs or mRNAs that encompass an identifying sequence of contiguous nucleotides from any one of SEQ ID NOS:1-844.

30 The polynucleotides of the invention also include polynucleotides having sequence similarity or sequence identity. Nucleic acids having sequence similarity are detected by

WO 99/33982

PCT/US98/27610

hybridization under low stringency conditions, for example, at 50°C and 10XSSC (0.9 M saline/0.09 M sodium citrate) and remain bound when subjected to washing at 55°C in 1XSSC. Sequence identity can be determined by hybridization under stringent conditions, for example, at 50°C or higher and 0.1XSSC (9 mM saline/0.9 mM sodium citrate).

- 5 Hybridization methods and conditions are well known in the art, see, *e.g.*, U.S. Patent No. 5,707,829. Nucleic acids that are substantially identical to the provided polynucleotide sequences, *e.g.* allelic variants, genetically altered versions of the gene, *etc.*, bind to the provided polynucleotide sequences (SEQ ID NOS:1-844) under stringent hybridization conditions. By using probes, particularly labeled probes of DNA sequences, one can isolate
- 10 homologous or related genes. The source of homologous genes can be any species, *e.g.* primate species, particularly human; rodents, such as rats and mice, canines, felines, bovines, ovines, equines, yeast, nematodes, *etc.*

Preferably, hybridization is performed using at least 15 contiguous nucleotides of at least one of SEQ ID NOS: 1-844. That is, when at least 15 contiguous nucleotides of one of

15 the disclosed SEQ ID NOS. is used as a probe, the probe will preferentially hybridize with a gene or mRNA (of the biological material) comprising the complementary sequence, allowing the identification and retrieval of the nucleic acids of the biological material that uniquely hybridize to the selected probe. Probes from more than one SEQ ID NO. will hybridize with the same gene or mRNA if the cDNA from which they were derived

20 corresponds to one mRNA. Probes of more than 15 nucleotides can be used, but 15 nucleotides represents enough sequence for unique identification.

The polynucleotides of the invention also include naturally occurring variants of the nucleotide sequences (*e.g.*, degenerate variants, allelic variants, *etc.*). Variants of the polynucleotides of the invention are identified by hybridization of putative variants with

25 nucleotide sequences disclosed herein, preferably by hybridization under stringent conditions. For example, by using appropriate wash conditions, variants of the polynucleotides of the invention can be identified where the allelic variant exhibits at most about 25-30% base pair mismatches relative to the selected polynucleotide probe. In general, allelic variants contain 15-25% base pair mismatches, and can contain as little as even 5-15%, or 2-5%, or 1-2%

30 base pair mismatches, as well as a single base-pair mismatch.

WO 99/33982

PCT/US98/27610

The invention also encompasses homologs corresponding to the polynucleotides of SEQ ID NOS:1-844, where the source of homologous genes can be any mammalian species, *e.g.*, primate species, particularly human; rodents, such as rats, canines, felines, bovines, ovines, equines, yeast, nematodes, etc. Between mammalian species, *e.g.*, human and mouse, homologs have substantial sequence similarity, *e.g.*, at least 75% sequence identity, usually at least 90%, more usually at least 95% between nucleotide sequences. Sequence similarity is calculated based on a reference sequence, which may be a subset of a larger sequence, such as a conserved motif, coding region, flanking region, *etc.* A reference sequence will usually be at least about 18 contiguous nt long, more usually at least about 30 nt long, and may extend to the complete sequence that is being compared. Algorithms for sequence analysis are known in the art, such as BLAST, described in Altschul *et al.*, *J. Mol. Biol.* (1990) 215:403-10.

In general, variants of the invention have a sequence identity greater than at least about 65%, preferably at least about 75%, more preferably at least about 85%, and can be greater than at least about 90% or more as determined by the Smith-Waterman homology search algorithm as implemented in MPSRCH program (Oxford Molecular). For the purposes of this invention, a preferred method of calculating percent identity is the Smith-Waterman algorithm, using the following. Global DNA sequence identity must be greater than 65% as determined by the Smith-Waterman homology search algorithm as implemented in MPSRCH program (Oxford Molecular) using an affine gap search with the following search parameters: gap open penalty, 12; and gap extension penalty, 1.

The subject nucleic acids can be cDNAs or genomic DNAs, as well as fragments thereof, particularly fragments that encode a biologically active gene product and/or are useful in the methods disclosed herein (*e.g.*, in diagnosis, as a unique identifier of a differentially expressed gene of interest, *etc.*). The term "cDNA" as used herein is intended to include all nucleic acids that share the arrangement of sequence elements found in native mature mRNA species, where sequence elements are exons and 3' and 5' non-coding regions. Normally mRNA species have contiguous exons, with the intervening introns, when present, being removed by nuclear RNA splicing, to create a continuous open reading frame encoding a polypeptide of the invention.

WO 99/33982

PCT/US98/27610

A genomic sequence of interest comprises the nucleic acid present between the initiation codon and the stop codon, as defined in the listed sequences, including all of the introns that are normally present in a native chromosome. It can further include the 3' and 5' untranslated regions found in the mature mRNA. It can further include specific

5 transcriptional and translational regulatory sequences, such as promoters, enhancers, *etc.*, including about 1 kb, but possibly more, of flanking genomic DNA at either the 5' and 3' end of the transcribed region. The genomic DNA can be isolated as a fragment of 100 kbp or smaller; and substantially free of flanking chromosomal sequence. The genomic DNA flanking the coding region, either 3' and 5', or internal regulatory sequences as sometimes

10 found in introns, contains sequences required for proper tissue, stage-specific, or disease-state specific expression.

The nucleic acid compositions of the subject invention can encode all or a part of the subject differentially expressed polypeptides. Double or single stranded fragments can be obtained from the DNA sequence by chemically synthesizing oligonucleotides in accordance

15 with conventional methods, by restriction enzyme digestion, by PCR amplification, *etc.* Isolated polynucleotides and polynucleotide fragments of the invention comprise at least about 10, about 15, about 20, about 35, about 50, about 100, about 150 to about 200, about 250 to about 300, or about 350 contiguous nucleotides selected from the polynucleotide sequences as shown in SEQ ID NOS:1-844. For the most part, fragments will be of at least

20 15 nt, usually at least 18 nt or 25 nt, and up to at least about 50 contiguous nt in length or more. In a preferred embodiment, the polynucleotide molecules comprise a contiguous sequence of at least twelve nucleotides selected from the group consisting of the polynucleotides shown in SEQ ID NOS:1-844.

Probes specific to the polynucleotides of the invention can be generated using the

25 polynucleotide sequences disclosed in SEQ ID NOS:1-844. The probes are preferably at least about 12, 15, 16, 18, 20, 22, 24, or 25 nucleotide fragment of a corresponding contiguous sequence of SEQ ID NOS:1-844, and can be less than 2, 1, 0.5, 0.1, or 0.05 kb in length. The probes can be synthesized chemically or can be generated from longer polynucleotides using restriction enzymes. The probes can be labeled, for example, with a

30 radioactive, biotinylated, or fluorescent tag. Preferably, probes are designed based upon an identifying sequence of a polynucleotide of one of SEQ ID NOS:1-844. More preferably,

WO 99/33982

PCT/US98/27610

probes are designed based on a contiguous sequence of one of the subject polynucleotides that remain unmasked following application of a masking program for masking low complexity (*e.g.*, XBLAST) to the sequence., *i.e.*, one would select an unmasked region, as indicated by the polynucleotides outside the poly-n stretches of the masked sequence
5 produced by the masking program.

The polynucleotides of the subject invention are isolated and obtained in substantial purity, generally as other than an intact chromosome. Usually, the polynucleotides, either as DNA or RNA, will be obtained substantially free of other naturally-occurring nucleic acid sequences, generally being at least about 50%, usually at least about 90% pure and are
10 typically "recombinant", *e.g.*, flanked by one or more nucleotides with which it is not normally associated on a naturally occurring chromosome.

The polynucleotides of the invention can be provided as a linear molecule or within a circular molecule. They can be provided within autonomously replicating molecules (vectors) or within molecules without replication sequences. They can be regulated by their
15 own or by other regulatory sequences, as is known in the art. The polynucleotides of the invention can be introduced into suitable host cells using a variety of techniques which are available in the art, such as transferrin polycation-mediated DNA transfer, transfection with naked or encapsulated nucleic acids, liposome-mediated DNA transfer, intracellular transportation of DNA-coated latex beads, protoplast fusion, viral infection, electroporation,
20 gene gun, calcium phosphate-mediated transfection, and the like.

The subject nucleic acid compositions can be used to, for example, produce polypeptides, as probes for the detection of mRNA of the invention in biological samples (*e.g.*, extracts of human cells) to generate additional copies of the polynucleotides, to generate ribozymes or antisense oligonucleotides, and as single stranded DNA probes or as
25 triple-strand forming oligonucleotides. The probes described herein can be used to, for example, determine the presence or absence of the polynucleotide sequences as shown in SEQ ID NOS:1-844 or variants thereof in a sample. These and other uses are described in more detail below.

WO 99/33982

PCT/US98/27610

Use of Polynucleotides to Obtain Full-Length cDNA and Full-Length Human Gene and Promoter Region

Full-length cDNA molecules comprising the disclosed polynucleotides are obtained as follows. A polynucleotide having a sequence of one of SEQ ID NOS:1-844, or a portion thereof comprising at least 12, 15, 18, or 20 nucleotides, is used as a hybridization probe to detect hybridizing members of a cDNA library using probe design methods, cloning methods, and clone selection techniques such as those described in U.S. Patent No. 5,654,173. Libraries of cDNA are made from selected tissues, such as normal or tumor tissue, or from tissues of a mammal treated with, for example, a pharmaceutical agent. Preferably, the tissue is the same as the tissue from which the polynucleotides of the invention were isolated, as both the polynucleotides described herein and the cDNA represent expressed genes. Most preferably, the cDNA library is made from the biological material described herein in the Examples. Alternatively, many cDNA libraries are available commercially. (Sambrook *et al.*, *Molecular Cloning: A Laboratory Manual*, 2nd Ed., (1989) Cold Spring Harbor Press, Cold Spring Harbor, NY). The choice of cell type for library construction can be made after the identity of the protein encoded by the gene corresponding to the polynucleotide of the invention is known. This will indicate which tissue and cell types are likely to express the related gene, and thus represent a suitable source for the mRNA for generating the cDNA. Where the provided polynucleotides are isolated from cDNA libraries, the libraries are prepared from mRNA of human colon cells, more preferably, human colon cancer cells, even more preferably, from a highly metastatic colon cell, Km12L4-A.

Techniques for producing and probing nucleic acid sequence libraries are described, for example, in Sambrook *et al.*, *Molecular Cloning: A Laboratory Manual*, 2nd Ed., (1989) Cold Spring Harbor Press, Cold Spring Harbor, NY. The cDNA can be prepared by using primers based on sequence from SEQ ID NOS:1-844. In one embodiment, the cDNA library can be made from only poly-adenylated mRNA. Thus, poly-T primers can be used to prepare cDNA from the mRNA.

Members of the library that are larger than the provided polynucleotides, and preferably that encompass the complete coding sequence of the native message, are obtained. In order to confirm that the entire cDNA has been obtained, RNA protection experiments

WO 99/33982

PCT/US98/27610

are performed as follows. Hybridization of a full-length cDNA to an mRNA will protect the RNA from RNase degradation. If the cDNA is not full length, then the portions of the mRNA that are not hybridized will be subject to RNase degradation. This is assayed, as is known in the art, by changes in electrophoretic mobility on polyacrylamide gels, or by
5 detection of released monoribonucleotides. Sambrook *et al.*, *Molecular Cloning: A Laboratory Manual, 2nd Ed.*, (1989) Cold Spring Harbor Press, Cold Spring Harbor, NY. In order to obtain additional sequences 5' to the end of a partial cDNA, 5' RACE (*PCR Protocols: A Guide to Methods and Applications*, (1990) Academic Press, Inc.) is performed.

Genomic DNA is isolated using the provided polynucleotides in a manner similar to
10 the isolation of full-length cDNAs. Briefly, the provided polynucleotides, or portions thereof, are used as probes to libraries of genomic DNA. Preferably, the library is obtained from the cell type that was used to generate the polynucleotides of the invention, but this is not essential. Most preferably, the genomic DNA is obtained from the biological material described herein in the Examples. Such libraries can be in vectors suitable for carrying large
15 segments of a genome, such as P1 or YAC, as described in detail in Sambrook *et al.*, 9.4-9.30. In addition, genomic sequences can be isolated from human BAC libraries, which are commercially available from Research Genetics, Inc., Huntsville, Alabama, USA, for example. In order to obtain additional 5' or 3' sequences, chromosome walking is performed, as described in Sambrook *et al.*, such that adjacent and overlapping fragments of genomic
20 DNA are isolated. These are mapped and pieced together, as is known in the art, using restriction digestion enzymes and DNA ligase.

Using the polynucleotide sequences of the invention, corresponding full-length genes can be isolated using both classical and PCR methods to construct and probe cDNA libraries.

Using either method, Northern blots, preferably, are performed on a number of cell types to
25 determine which cell lines express the gene of interest at the highest level. Classical methods of constructing cDNA libraries are taught in Sambrook *et al.*, *supra*. With these methods, cDNA can be produced from mRNA and inserted into viral or expression vectors. Typically, libraries of mRNA comprising poly(A) tails can be produced with poly(T) primers. Similarly, cDNA libraries can be produced using the instant sequences as primers.

30 PCR methods are used to amplify the members of a cDNA library that comprise the desired insert. In this case, the desired insert will contain sequence from the full length

WO 99/33982

PCT/US98/27610

cDNA that corresponds to the instant polynucleotides. Such PCR methods include gene trapping and RACE methods. Gene trapping entails inserting a member of a cDNA library into a vector. The vector then is denatured to produce single stranded molecules. Next, a substrate-bound probe, such a biotinylated oligo, is used to trap cDNA inserts of interest.

- 5 Biotinylated probes can be linked to an avidin-bound solid substrate. PCR methods can be used to amplify the trapped cDNA. To trap sequences corresponding to the full length genes, the labeled probe sequence is based on the polynucleotide sequences of the invention. Random primers or primers specific to the library vector can be used to amplify the trapped cDNA. Such gene trapping techniques are described in Gruber *et al.*, WO 95/04745 and
- 10 Gruber *et al.*, U.S. Pat. No. 5,500,356. Kits are commercially available to perform gene trapping experiments from, for example, Life Technologies, Gaithersburg, Maryland, USA.

- “Rapid amplification of cDNA ends,” or RACE, is a PCR method of amplifying cDNAs from a number of different RNAs. The cDNAs are ligated to an oligonucleotide linker, and amplified by PCR using two primers. One primer is based on sequence from the
- 15 instant polynucleotides, for which full length sequence is desired, and a second primer comprises sequence that hybridizes to the oligonucleotide linker to amplify the cDNA. A description of this methods is reported in WO 97/19110. In preferred embodiments of RACE, a common primer is designed to anneal to an arbitrary adaptor sequence ligated to cDNA ends (Apte and Siebert, *Biotechniques* (1993) 15:890-893; Edwards *et al.*, *Nuc. Acids*
- 20 *Res.* (1991) 19:5227-5232). When a single gene-specific RACE primer is paired with the common primer, preferential amplification of sequences between the single gene specific primer and the common primer occurs. Commercial cDNA pools modified for use in RACE are available.

- Another PCR-based method generates full-length cDNA library with anchored ends
- 25 without needing specific knowledge of the cDNA sequence. The method uses lock-docking primers (I-VI), where one primer, poly TV (I-III) locks over the polyA tail of eukaryotic mRNA producing first strand synthesis and a second primer, polyGH (IV-VI) locks onto the polyC tail added by terminal deoxynucleotidyl transferase (TdT). This method is described in WO 96/40998.

- 30 The promoter region of a gene generally is located 5' to the initiation site for RNA polymerase II. Hundreds of promoter regions contain the “TATA” box, a sequence such as

WO 99/33982

PCT/US98/27610

TATTA or TATAA, which is sensitive to mutations. The promoter region can be obtained by performing 5' RACE using a primer from the coding region of the gene. Alternatively, the cDNA can be used as a probe for the genomic sequence, and the region 5' to the coding region is identified by "walking up." If the gene is highly expressed or differentially expressed, the promoter from the gene can be of use in a regulatory construct for a heterologous gene.

Once the full-length cDNA or gene is obtained, DNA encoding variants can be prepared by site-directed mutagenesis, described in detail in Sambrook *et al.*, 15.3-15.63. The choice of codon or nucleotide to be replaced can be based on disclosure herein on optional changes in amino acids to achieve altered protein structure and/or function.

As an alternative method to obtaining DNA or RNA from a biological material, nucleic acid comprising nucleotides having the sequence of one or more polynucleotides of the invention can be synthesized. Thus, the invention encompasses nucleic acid molecules ranging in length from 15 nucleotides (corresponding to at least 15 contiguous nucleotides of one of SEQ ID NOS: 1-844) up to a maximum length suitable for one or more biological manipulations, including replication and expression, of the nucleic acid molecule. The invention includes but is not limited to (a) nucleic acid having the size of a full gene, and comprising at least one of SEQ ID NOS: 1-844; (b) the nucleic acid of (a) also comprising at least one additional gene, operably linked to permit expression of a fusion protein; (c) an expression vector comprising (a) or (b); (d) a plasmid comprising (a) or (b); and (e) a recombinant viral particle comprising (a) or (b). Once provided with the polynucleotides disclosed herein, construction or preparation of (a) - (e) are well within the skill in the art.

The sequence of a nucleic acid comprising at least 15 contiguous nucleotides of at least any one of SEQ ID NOS: 1-844, preferably the entire sequence of at least any one of SEQ ID NOS: 1-844, is not limited and can be any sequence of A, T, G, and/or C (for DNA) and A, U, G, and/or C (for RNA) or modified bases thereof, including inosine and pseudouridine. The choice of sequence will depend on the desired function and can be dictated by coding regions desired, the intron-like regions desired, and the regulatory regions desired. Where the entire sequence of any one of SEQ ID NOS: 1-844 is within the nucleic acid, the nucleic acid obtained is referred to herein as a polynucleotide comprising the sequence of any one of SEQ ID NOS: 1-844.

WO 99/33982

PCT/US98/27610

II. Expression of Polypeptide Encoded by Full-Length cDNA or Full-Length Gene

The provided polynucleotide (*e.g.*, a polynucleotide having a sequence of one of SEQ ID NOS:1-844), the corresponding cDNA, or the full-length gene is used to express a partial
5 or complete gene product.

Constructs of polynucleotides having sequences of SEQ ID NOS:1-844 can be generated synthetically. Alternatively, single-step assembly of a gene and entire plasmid from large numbers of oligodeoxyribonucleotides is described by, *e.g.*, Stemmer *et al.*, *Gene (Amsterdam)* (1995) 164(1):49-53. In this method, assembly PCR (the synthesis of long
10 DNA sequences from large numbers of oligodeoxyribonucleotides (oligos)) is described. The method is derived from DNA shuffling (Stemmer, *Nature* (1994) 370:389-391), and does not rely on DNA ligase, but instead relies on DNA polymerase to build increasingly longer DNA fragments during the assembly process. For example, a 1.1-kb fragment containing the TEM-1 beta-lactamase-encoding gene (*bla*) can be assembled in a single
15 reaction from a total of 56 oligos, each 40 nucleotides (nt) in length. The synthetic gene can be PCR amplified and cloned in a vector containing the tetracycline-resistance gene (Tc-R) as the sole selectable marker. Without relying on ampicillin (Ap) selection, 76% of the Tc-R colonies were Ap-R, making this approach a general method for the rapid and cost-effective synthesis of any gene.

20 Appropriate polynucleotide constructs are purified using standard recombinant DNA techniques as described in, for example, Sambrook *et al.*, *Molecular Cloning: A Laboratory Manual, 2nd Ed.*, (1989) Cold Spring Harbor Press, Cold Spring Harbor, NY, and under current regulations described in United States Dept. of HHS, National Institute of Health (NIH) Guidelines for Recombinant DNA Research. The gene product encoded by a
25 polynucleotide of the invention is expressed in any expression system, including, for example, bacterial, yeast, insect, amphibian and mammalian systems. Suitable vectors and host cells are described in U.S. Patent No. 5,654,173.

Bacteria. Expression systems in bacteria include those described in Chang *et al.*, *Nature* (1978) 275:615; Goeddel *et al.*, *Nature* (1979) 281:544; Goeddel *et al.*, *Nucleic Acids
30 Res.* (1980) 8:4057; EP 0 036,776; U.S. Patent No. 4,551,433; DeBoer *et al.*, *Proc. Natl. Acad. Sci. (USA)* (1983) 80:21-25; and Siebenlist *et al.*, *Cell* (1980) 20:269.

WO 99/33982

PCT/US98/27610

Yeast. Expression systems in yeast include those described in Hinnen *et al.*, *Proc. Natl. Acad. Sci. (USA)* (1978) 75:1929; Ito *et al.*, *J. Bacteriol.* (1983) 153:163; Kurtz *et al.*, *Mol. Cell. Biol.* (1986) 6:142; Kunze *et al.*, *J. Basic Microbiol.* (1985) 25:141; Gleeson *et al.*, *J. Gen. Microbiol.* (1986) 132:3459; Roggenkamp *et al.*, *Mol. Gen. Genet.* (1986) 202:302; Das *et al.*, *J. Bacteriol.* (1984) 158:1165; De Louvencourt *et al.*, *J. Bacteriol.* (1983) 154:737; Van den Berg *et al.*, *Bio/Technology* (1990) 8:135; Kunze *et al.*, *J. Basic Microbiol.* (1985) 25:141; Cregg *et al.*, *Mol. Cell. Biol.* (1985) 5:3376; U.S. Patent Nos. 4,837,148 and 4,929,555; Beach and Nurse, *Nature* (1981) 300:706; Davidow *et al.*, *Curr. Genet.* (1985) 10:380; Gaillardin *et al.*, *Curr. Genet.* (1985) 10:49; Ballance *et al.*, *Biochem. Biophys. Res. Commun.* (1983) 112:284-289; Tilburn *et al.*, *Gene* (1983) 26:205-221; Yelton *et al.*, *Proc. Natl. Acad. Sci. (USA)* (1984) 81:1470-1474; Kelly and Hynes, *EMBO J.* (1985) 4:475479; EP 0 244,234; and WO 91/00357.

Insect Cells. Expression of heterologous genes in insects is accomplished as described in U.S. Patent No. 4,745,051; Friesen *et al.*, "The Regulation of Baculovirus Gene Expression", in: *The Molecular Biology Of Baculoviruses* (1986) (W. Doerfler, ed.); EP 0 127,839; EP 0 155,476; and Vlak *et al.*, *J. Gen. Virol.* (1988) 69:765-776; Miller *et al.*, *Ann. Rev. Microbiol.* (1988) 42:177; Carbonell *et al.*, *Gene* (1988) 73:409; Maeda *et al.*, *Nature* (1985) 315:592-594; Lebacq-Verheyden *et al.*, *Mol. Cell. Biol.* (1988) 8:3129; Smith *et al.*, *Proc. Natl. Acad. Sci. (USA)* (1985) 82:8844; Miyajima *et al.*, *Gene* (1987) 58:273; and Martin *et al.*, *DNA* (1988) 7:99. Numerous baculoviral strains and variants and corresponding permissive insect host cells from hosts are described in Luckow *et al.*, *Bio/Technology* (1988) 6:47-55, Miller *et al.*, *Generic Engineering* (1986) 8:277-279, and Maeda *et al.*, *Nature* (1985) 315:592-594.

Mammalian Cells. Mammalian expression is accomplished as described in Dijkema *et al.*, *EMBO J.* (1985) 4:761, Gorman *et al.*, *Proc. Natl. Acad. Sci. (USA)* (1982) 79:6777, Boshart *et al.*, *Cell* (1985) 41:521 and U.S. Patent No. 4,399,216. Other features of mammalian expression are facilitated as described in Ham and Wallace, *Meth. Enz.* (1979) 58:44, Barnes and Sato, *Anal. Biochem.* (1980) 102:255, U.S. Patent Nos. 4,767,704, 4,657,866, 4,927,762, 4,560,655, WO 90/103430, WO 87/00195, and U.S. RE 30,985.

Polynucleotide molecules comprising a polynucleotide sequence provided herein propagated by placing the molecule in a vector. Viral and non-viral vectors are used,

WO 99/33982

PCT/US98/27610

including plasmids. The choice of plasmid will depend on the type of cell in which propagation is desired and the purpose of propagation. Certain vectors are useful for amplifying and making large amounts of the desired DNA sequence. Other vectors are suitable for expression in cells in culture. Still other vectors are suitable for transfer and expression in cells in a whole animal or person. The choice of appropriate vector is well within the skill of the art. Many such vectors are available commercially. The partial or full-length polynucleotide is inserted into a vector typically by means of DNA ligase attachment to a cleaved restriction enzyme site in the vector. Alternatively, the desired nucleotide sequence can be inserted by homologous recombination in vivo. Typically this is accomplished by attaching regions of homology to the vector on the flanks of the desired nucleotide sequence. Regions of homology are added by ligation of oligonucleotides, or by polymerase chain reaction using primers comprising both the region of homology and a portion of the desired nucleotide sequence, for example.

The polynucleotides set forth in SEQ ID NOS:1-844 or their corresponding full-length polynucleotides are linked to regulatory sequences as appropriate to obtain the desired expression properties. These can include promoters (attached either at the 5' end of the sense strand or at the 3' end of the antisense strand), enhancers, terminators, operators, repressors, and inducers. The promoters can be regulated or constitutive. In some situations it may be desirable to use conditionally active promoters, such as tissue-specific or developmental stage-specific promoters. These are linked to the desired nucleotide sequence using the techniques described above for linkage to vectors. Any techniques known in the art can be used.

When any of the above host cells, or other appropriate host cells or organisms, are used to replicate and/or express the polynucleotides or nucleic acids of the invention, the resulting replicated nucleic acid, RNA, expressed protein or polypeptide, is within the scope of the invention as a product of the host cell or organism. The product is recovered by any appropriate means known in the art.

Once the gene corresponding to a selected polynucleotide is identified, its expression can be regulated in the cell to which the gene is native. For example, an endogenous gene of a cell can be regulated by an exogenous regulatory sequence as disclosed in U.S. Patent No. 5,641,670.

III. Identification of Functional and Structural Motifs of Novel Genes

A. Screening Polynucleotide Sequences and Amino Acid Sequences Against Publicly Available Databases

5 Translations of the nucleotide sequence of the provided polynucleotides, cDNAs or full genes can be aligned with individual known sequences. Similarity with individual sequences can be used to determine the activity of the polypeptides encoded by the polynucleotides of the invention. For example, sequences that show similarity with a chemokine sequence can exhibit chemokine activities. Also, sequences exhibiting similarity
10 with more than one individual sequence can exhibit activities that are characteristic of either or both individual sequences.

 The full length sequences and fragments of the polynucleotide sequences of the nearest neighbors can be used as probes and primers to identify and isolate the full length sequence corresponding to provided polynucleotides. The nearest neighbors can indicate a
15 tissue or cell type to be used to construct a library for the full-length sequences corresponding to the provided polynucleotides..

 Typically, a selected polynucleotide is translated in all six frames to determine the best alignment with the individual sequences. The sequences disclosed herein in the Sequence Listing are in a 5' to 3' orientation and translation in three frames can be sufficient
20 (with a few specific exceptions as described in the Examples). These amino acid sequences are referred to, generally, as query sequences, which will be aligned with the individual sequences. Databases with individual sequences are described in "Computer Methods for Macromolecular Sequence Analysis" *Methods in Enzymology* (1996) 266, Doolittle, Academic Press, Inc., a division of Harcourt Brace & Co., San Diego, California, USA.
25 Databases include Genbank, EMBL, and DNA Database of Japan (DDBJ).

 Query and individual sequences can be aligned using the methods and computer programs described above, and include BLAST, available over the world wide web at <http://www.ncbi.nlm.nih.gov/BLAST/>. Another alignment algorithm is Fasta, available in the Genetics Computing Group (GCG) package, Madison, Wisconsin, USA, a wholly owned
30 subsidiary of Oxford Molecular Group, Inc. Other techniques for alignment are described in Doolittle, *supra*. Preferably, an alignment program that permits gaps in the sequence is

WO 99/33982

PCT/US98/27610

utilized to align the sequences. The Smith-Waterman is one type of algorithm that permits gaps in sequence alignments. See *Meth. Mol. Biol.* (1997) 70: 173-187. Also, the GAP program using the Needleman and Wunsch alignment method can be utilized to align sequences. An alternative search strategy uses MPSRCH software, which runs on a

5 MASPAR computer. MPSRCH uses a Smith-Waterman algorithm to score sequences on a massively parallel computer. This approach improves ability to identify sequences that are distantly related matches, and is especially tolerant of small gaps and nucleotide sequence errors. Amino acid sequences encoded by the provided polynucleotides can be used to search both protein and DNA databases.

10 Results of individual and query sequence alignments can be divided into three categories, high similarity, weak similarity, and no similarity. Individual alignment results ranging from high similarity to weak similarity provide a basis for determining polypeptide activity and/or structure. Parameters for categorizing individual results include: percentage of the alignment region length where the strongest alignment is found, percent sequence

15 identity, and p value.

 The percentage of the alignment region length is calculated by counting the number of residues of the individual sequence found in the region of strongest alignment, *e.g.*, contiguous region of the individual sequence that contains the greatest number of residues that are identical to the residues of the corresponding region of the aligned query sequence.

20 This number is divided by the total residue length of the query sequence to calculate a percentage. For example, a query sequence of 20 amino acid residues might be aligned with a 20 amino acid region of an individual sequence. The individual sequence might be identical to amino acid residues 5, 9-15, and 17-19 of the query sequence. The region of strongest alignment is thus the region stretching from residue 9-19, an 11 amino acid stretch.

25 The percentage of the alignment region length is: 11 (length of the region of strongest alignment) divided by (query sequence length) 20 or 55%.

 Percent sequence identity is calculated by counting the number of amino acid matches between the query and individual sequence and dividing total number of matches by the number of residues of the individual sequences found in the region of strongest

30 alignment. Thus, the percent identity in the example above would be 10 matches divided by 11 amino acids, or approximately, 90.9%

WO 99/33982

PCT/US98/27610

P value is the probability that the alignment was produced by chance. For a single alignment, the p value can be calculated according to Karlin *et al.*, *Proc. Natl. Acad. Sci.* (1990) 87:2264 and Karlin *et al.*, *Proc. Natl. Acad. Sci.* (1993) 90. The p value of multiple alignments using the same query sequence can be calculated using an heuristic approach
5 described in Altschul *et al.*, *Nat. Genet.* (1994) 6:119. Alignment programs such as BLAST program can calculate the p value.

Another factor to consider for determining identity or similarity is the location of the similarity or identity. Strong local alignment can indicate similarity even if the length of alignment is short. Sequence identity scattered throughout the length of the query sequence
10 also can indicate a similarity between the query and profile sequences. The boundaries of the region where the sequences align can be determined according to Doolittle, *supra*; BLAST or FAST programs; or by determining the area where sequence identity is highest.

High Similarity. In general, in alignment results considered to be of high similarity, the percent of the alignment region length is typically at least about 55% of total length
15 query sequence; more typically, at least about 58%; even more typically; at least about 60% of the total residue length of the query sequence. Usually, percent length of the alignment region can be as much as about 62%; more usually, as much as about 64%; even more usually, as much as about 66%. Further, for high similarity, the region of alignment, typically, exhibits at least about 75% of sequence identity; more typically, at least about
20 78%; even more typically; at least about 80% sequence identity. Usually, percent sequence identity can be as much as about 82%; more usually, as much as about 84%; even more usually, as much as about 86%.

The p value is used in conjunction with these methods. If high similarity is found, the query sequence is considered to have high similarity with a profile sequence when the p
25 value is less than or equal to about 10^{-2} ; more usually; less than or equal to about 10^{-3} ; even more usually; less than or equal to about 10^{-4} . More typically, the p value is no more than about 10^{-5} ; more typically; no more than or equal to about 10^{-10} ; even more typically; no more than or equal to about 10^{-15} for the query sequence to be considered high similarity.

Weak Similarity. In general, where alignment results considered to be of weak
30 similarity, there is no minimum percent length of the alignment region nor minimum length of alignment. A better showing of weak similarity is considered when the region of

WO 99/33982

PCT/US98/27610

alignment is, typically, at least about 15 amino acid residues in length; more typically, at least about 20; even more typically, at least about 25 amino acid residues in length. Usually, length of the alignment region can be as much as about 30 amino acid residues; more usually, as much as about 40; even more usually, as much as about 60 amino acid residues.

- 5 Further, for weak similarity, the region of alignment, typically, exhibits at least about 35% of sequence identity; more typically, at least about 40%; even more typically, at least about 45% sequence identity. Usually, percent sequence identity can be as much as about 50%; more usually, as much as about 55%; even more usually, as much as about 60%.

- 10 If low similarity is found, the query sequence is considered to have weak similarity with a profile sequence when the p value is usually less than or equal to about 10^{-2} ; more usually; less than or equal to about 10^{-3} ; even more usually; less than or equal to about 10^{-4} . More typically, the p value is no more than about 10^{-5} ; more usually; no more than or equal to about 10^{-10} ; even more usually; no more than or equal to about 10^{-15} for the query sequence to be considered weak similarity.

- 15 Similarity Determined by Sequence Identity Alone. Sequence identity alone can be used to determine similarity of a query sequence to an individual sequence and can indicate the activity of the sequence. Such an alignment, preferably, permits gaps to align sequences. Typically, the query sequence is related to the profile sequence if the sequence identity over the entire query sequence is at least about 15%; more typically, at least about 20%; even
20 more typically, at least about 25%; even more typically, at least about 50%. Sequence identity alone as a measure of similarity is most useful when the query sequence is usually, at least 80 residues in length; more usually, 90 residues; even more usually, at least 95 amino acid residues in length. More typically, similarity can be concluded based on sequence identity alone when the query sequence is preferably 100 residues in length; more preferably,
25 120 residues in length; even more preferably, 150 amino acid residues in length.

Determining Activity from Alignments with Profile and Multiple Aligned Sequences.

- Translations of the provided polynucleotides can be aligned with amino acid profiles that define either protein families or common motifs. Also, translations of the provided polynucleotides can be aligned to multiple sequence alignments (MSA) comprising the
30 polypeptide sequences of members of protein families or motifs. Similarity or identity with profile sequences or MSAs can be used to determine the activity of the gene products (e.g.,

WO 99/33982

PCT/US98/27610

polypeptides) encoded by the provided polynucleotides or corresponding cDNA or genes.

For example, sequences that show an identity or similarity with a chemokine profile or MSA can exhibit chemokine activities.

Profiles can be designed manually by (1) creating an MSA, which is an alignment of the amino acid sequence of members that belong to the family and (2) constructing a statistical representation of the alignment. Such methods are described, for example, in Birney *et al.*, *Nucl. Acid Res.* (1996) 24(14): 2730-2739. MSAs of some protein families and motifs are publicly available. For example, <http://genome.wustl.edu/Pfam/> includes MSAs of 547 different families and motifs. These MSAs are described also in Sonnhammer *et al.*, *Proteins* (1997) 28: 405-420. Other sources over the world wide web include the site at <http://www.embl-heidelberg.de/argos/ali/ali.htm1>; alternatively, a message can be sent to ALI@EMBL-HEIDELBERG.DE for the information. A brief description of these MSAs is reported in Pascarella *et al.*, *Prot. Eng.* (1996) 9(3):249-251. Techniques for building profiles from MSAs are described in Sonnhammer *et al.*, *supra*; Birney *et al.*, *supra*; and "Computer Methods for Macromolecular Sequence Analysis," *Methods in Enzymology* (1996) 266, Doolittle, Academic Press, Inc., a division of Harcourt Brace & Co., San Diego, California, USA.

Similarity between a query sequence and a protein family or motif can be determined by (a) comparing the query sequence against the profile and/or (b) aligning the query sequence with the members of the family or motif. Typically, a program such as Searchwise is used to compare the query sequence to the statistical representation of the multiple alignment, also known as a profile. The program is described in Birney *et al.*, *supra*. Other techniques to compare the sequence and profile are described in Sonnhammer *et al.*, *supra* and Doolittle, *supra*.

Next, methods described by Feng *et al.*, *J. Mol. Evol.* (1987) 25:351 and Higgins *et al.*, *CABIOS* (1989) 5:151 can be used to align the query sequence with the members of a family or motif, also known as a MSA. Computer programs, such as PILEUP, can be used. See Feng *et al.*, *infra*. In general, the following factors are used to determine if a similarity between a query sequence and a profile or MSA exists: (1) number of conserved residues found in the query sequence, (2) percentage of conserved residues found in the query sequence, (3) number of frameshifts, and (4) spacing between conserved residues.

WO 99/33982

PCT/US98/27610

Some alignment programs that both translate and align sequences can make any number of frameshifts when translating the nucleotide sequence to produce the best alignment. The fewer frameshifts needed to produce an alignment, the stronger the similarity or identity between the query and profile or MSAs. For example, a weak
5 similarity resulting from no frameshifts can be a better indication of activity or structure of a query sequence, than a strong similarity resulting from two frameshifts. Preferably, three or fewer frameshifts are found in an alignment; more preferably two or fewer frameshifts; even more preferably, one or fewer frameshifts; even more preferably, no frameshifts are found in an alignment of query and profile or MSAs.

10 Conserved residues are those amino acids found at a particular position in all or some of the family or motif members. For example, most chemokines contain four conserved cysteines. Alternatively, a position is considered conserved if only a certain class of amino acids is found in a particular position in all or some of the family members. For example, the N-terminal position can contain a positively charged amino acid, such as lysine, arginine,
15 or histidine.

Typically, a residue of a polypeptide is conserved when a class of amino acids or a single amino acid is found at a particular position in at least about 40% of all class members; more typically, at least about 50%; even more typically, at least about 60% of the members. Usually, a residue is conserved when a class or single amino acid is found in at least about
20 70% of the members of a family or motif; more usually, at least about 80%; even more usually, at least about 90%; even more usually, at least about 95%.

A residue is considered conserved when three unrelated amino acids are found at a particular position in the some or all of the members; more usually, two unrelated amino acids. These residues are conserved when the unrelated amino acids are found at particular
25 positions in at least about 40% of all class member; more typically, at least about 50%; even more typically, at least about 60% of the members. Usually, a residue is conserved when a class or single amino acid is found in at least about 70% of the members of a family or motif; more usually, at least about 80%; even more usually, at least about 90%; even more usually, at least about 95%.

30 A query sequence has similarity to a profile or MSA when the query sequence comprises at least about 25% of the conserved residues of the profile or MSA; more usually,

WO 99/33982

PCT/US98/27610

at least about 30%; even more usually; at least about 40%. Typically, the query sequence has a stronger similarity to a profile sequence or MSA when the query sequence comprises at least about 45% of the conserved residues of the profile or MSA; more typically, at least about 50%; even more typically; at least about 55%.

5 B. Screening Polynucleotide and Amino Acid Sequences Against Protein Profiles

 The identify and function of the gene that correlates to a polynucleotide described herein can be determined by screening the polynucleotides or their corresponding amino acid sequences against profiles of protein families. Such profiles focus on common structural motifs among proteins of each family. Publicly available profiles are described above in
10 Section IVA. Additional or alternative profiles are described below.

 In comparing a novel polynucleotide with known sequences, several alignment tools are available. Examples include PileUp, which creates a multiple sequence alignment, and is described in Feng *et al.*, *J. Mol. Evol.* (1987) 25:351. Another method, GAP, uses the
15 alignment method of Needleman *et al.*, *J. Mol. Biol.* (1970) 48:443. GAP is best suited for global alignment of sequences. A third method, BestFit, functions by inserting gaps to maximize the number of matches using the local homology algorithm of Smith *et al.*, *Adv. Appl. Math.* (1981) 2:482. Exemplary protein profiles are provided below and in the examples.

20 Chemokines. Chemokines are a family of proteins that have been implicated in lymphocyte trafficking, inflammatory diseases, angiogenesis, hematopoiesis, and viral infection. See, for example, Rollins, *Blood* (1997) 90(3):909-928, and Wells *et al.*, *J. Leuk. Biol.* (1997) 61:545-550. U.S. Patent No. 5,605,817 discloses DNA encoding a chemokine expressed in fetal spleen. U.S. Patent No. 5,656,724 discloses chemokine-like proteins and
25 methods of use. U.S. Patent No. 5,602,008 discloses DNA encoding a chemokine expressed by liver.

 Chemokine mutants are polypeptides having an amino acid sequence that possesses at least one amino acid substitution, addition, or deletion as compared to native chemokines. Fragments possess the same amino acid sequence of the native chemokines; mutants can
30 lack the amino and/or carboxyl terminal sequences. Fusions are mutants, fragments, or native chemokines that also include amino and/or carboxyl terminal amino acid extensions.

WO 99/33982

PCT/US98/27610

The number or type of the amino acid changes is not critical, nor is the length or number of the amino acid deletions, or amino acid extensions that are incorporated in the chemokines as compared to the native chemokine amino acid sequences. A polynucleotide encoding one of these variant polypeptides will retain at least about 80% amino acid identity with at least one known chemokine. Preferably, these polypeptides will retain at least about 85% amino acid sequence identity, more preferably, at least about 90%; even more preferably, at least about 95%. In addition, the variants exhibit at least 80%; preferably about 90%; more preferably about 95% of at least one activity exhibited by a native chemokine, which includes immunological, biological, receptor binding, and signal transduction functions.

Assays for chemotaxis relating to neutrophils are described in Walz *et al.*, *Biochem. Biophys. Res. Commun.* (1987) 149:755, Yoshimura *et al.*, *Proc. Natl. Acad. Sci. (USA)* (1987) 84:9233, and Schroder *et al.*, *J. Immunol.* (1987) 139:3474; to lymphocytes, Larsen *et al.*, *Science* (1989) 243:1464, Carr *et al.*, *Proc. Natl. Acad. Sci. (USA)* (1994) 91:3652; to tumor-infiltrating lymphocytes, Liao *et al.*, *J. Exp. Med.* (1995) 182:1301; to hematopoietic progenitors, Aiuti *et al.*, *J. Exp. Med.* (1997) 185:111; to monocytes, Valente *et al.*, *Biochem.* (1988) 27:4162; and to natural killer cells, Loetscher *et al.*, *J. Immunol.* (1996) 156:322, and Allavena *et al.*, *Eur. J. Immunol.* (1994) 24:3233.

Assays for determining the biological activity of attracting eosinophils are described in Dahinden *et al.*, *J. Exp. Med.* (1994) 179:751, Weber *et al.*, *J. Immunol.* (1995) 154:4166, and Noso *et al.*, *Biochem. Biophys. Res. Commun.* (1994) 200:1470; for attracting dendritic cells, Sozzani *et al.*, *J. Immunol.* (1995) 155:3292; for attracting basophils, in Dahinden *et al.*, *J. Exp. Med.* (1994) 179:751, Alam *et al.*, *J. Immunol.* (1994) 152:1298, Alam *et al.*, *J. Exp. Med.* (1992) 176:781; and for activating neutrophils, Maghazaci *et al.*, *Eur. J. Immunol.* (1996) 26:315, and Taub *et al.*, *J. Immunol.* (1995) 155:3877. Native chemokines can act as mitogens for fibroblasts, assayed as described in Mullenbach *et al.*, *J. Biol. Chem.* (1986) 261:719.

Native chemokines exhibit binding activity with a number of receptors. Description of such receptors and assays to detect binding are described in, for example, Murphy *et al.*, *Science* (1991) 253:1280; Combadiere *et al.*, *J. Biol. Chem.* (1995) 270:29671; Daugherty *et al.*, *J. Exp. Med.* (1996) 183:2349; Samson *et al.*, *Biochem.* (1996) 35:3362; Raport *et al.*, *J.*

WO 99/33982

PCT/US98/27610

Biol. Chem. (1996) 271:17161; Combadiere *et al.*, *J. Leukoc. Biol.* (1996) 60:147; Baba *et al.*, *J. Biol. Chem.* (1997) 23:14893; Yosida *et al.*, *J. Biol. Chem.* (1997) 272:13803; Arvannitakis *et al.*, *Nature* (1997) 385:347, and other assays are known in the art.

Assays for kinase activation of chemokines are described by Yen *et al.*, *J. Leukoc. Biol.* (1997) 61:529; Dubois *et al.*, *J. Immunol.* (1996) 156:1356; Turner *et al.*, *J. Immunol.* (1995) 155:2437. Assays for inhibition of angiogenesis or cell proliferation are described in Maione *et al.*, *Science* (1990) 247:77. Glycosaminoglycan production can be induced by native chemokines, assayed as described in Castor *et al.*, *Proc. Natl. Acad. Sci. (USA)* (1983) 80:765. Chemokine-mediated histamine release from basophils is assayed as described in Dahinden *et al.*, *J. Exp. Med.* (1989) 170:1787; and White *et al.*, *Immunol. Lett.* (1989) 22:151. Heparin binding is described in Luster *et al.*, *J. Exp. Med.* (1995) 182:219.

Chemokines can possess dimerization activity, which can be assayed according to Burrows *et al.*, *Biochem.* (1994) 33:12741; and Zhang *et al.*, *Mol. Cell. Biol.* (1995) 15:4851. Native chemokines can play a role in the inflammatory response of viruses. This activity can be assayed as described in Bleul *et al.*, *Nature* (1996) 382:829; and Oberlin *et al.*, *Nature* (1996) 382:833. Exocytosis of monocytes can be promoted by native chemokines. The assay for such activity is described in Uguccioni *et al.*, *Eur. J. Immunol.* (1995) 25:64. Native chemokines also can inhibit hematopoietic stem cell proliferation. The method for testing for such activity is reported in Graham *et al.*, *Nature* (1990) 344:442.

Death Domain Proteins. Several protein families contain death domain motifs (Feinstein and Kimchi, *TIBS Letters* (1995) 20:242). Some death domain containing proteins are implicated in cytotoxic intracellular signaling (Cleveland *et al.*, *Cell* (1995) 81:479, Pan *et al.*, *Science* (1997) 276:111; Duan *et al.*, *Nature* (1997) 385:86-89, and Chinnaiyan *et al.*, *Science* (1996) 274:990). U.S. Patent No. 5,563,039 describes a protein homologous to TRADD (Tumor Necrosis Factor Receptor-1 Associated Death Domain containing protein), and modifications of the active domain of TRADD that retain the functional characteristics of the protein, as well as apoptosis assays for testing the function of such death domain containing proteins. U.S. Patent No. 5,658,883 discloses biologically active TGF-B1 peptides. U.S. Patent No. 5,674,734 discloses RIP, which contains a C-terminal death domain and an N-terminal kinase domain.

WO 99/33982

PCT/US98/27610

Leukemia Inhibitory Factor (LIF). An LIF profile is constructed from sequences of leukemia inhibitor factor, CT-1 (cardiotrophin-1), CNTF (ciliary neurotrophic factor), OSM (oncostatin M), and IL-6 (interleukin-6). This profile encompasses a family of secreted cytokines that have pleiotropic effects on many cell types including hepatocytes, osteoclasts, neuronal cells and cardiac myocytes, and can be used to detect additional genes encoding such proteins. These molecules are all structurally related and share a common co-receptor gp130 which mediates intracellular signal transduction by cytoplasmic tyrosine kinases such as src.

Novel proteins related to this family are also likely to be secreted, to activate gp130 and to function in the development of a variety of cell types. Thus new members of this family would be candidates to be developed as growth or survival factors for the cell types that they stimulate. For more details on this family of cytokines, see Pennica *et al.*, *Cytokine and Growth Factor Reviews* (1996) 7:81-91. U.S. Patent No. 5,420,247 discloses LIF receptor and fusion proteins. U.S. Patent No. 5,443,825 discloses human LIF.

Angiopoietin. Angiopoietin-1 is a secreted ligand of the TIE-2 tyrosine kinase; it functions as an angiogenic factor critical for normal vascular development. Angiopoietin-2 is a natural antagonist of angiopoietin-1 and thus functions as an anti-angiogenic factor. These two proteins are structurally similar and activate the same receptor (Folkman *et al.*, *Cell* (1996) 87:1153, and Davis *et al.*, *Cell* (1996) 87:1161). The angiopoietin molecules are composed of two domains: a coiled-coil region and a region related to fibrinogen. The fibrinogen domain is found in many molecules including ficolin and tesascin, and is well defined structurally with many members.

Receptor Protein-Tyrosine Kinases. Receptor Protein-Tyrosine Kinases or RPTKs are described in Lindberg, *Annu. Rev. Cell Biol.* (1994) 10:251-337.

Growth Factors: (Epidermal Growth Factor) EGF and (Fibroblast Growth Factor) FGF. For a discussion of growth factor superfamilies, see *Growth Factors: A Practical Approach*, (Appendix A1) (1993) McKay and Leigh, Oxford University Press, NY, 237-243. U.S. Patent No. 4,444,760 discloses acidic brain fibroblast growth factor, which is active in the promotion of cell division and wound healing. U.S. Patent No. 5,439,818 discloses DNA encoding human recombinant basic fibroblast growth factor, which is active in wound healing. U.S. Patent No. 5,604,293 discloses recombinant human basic fibroblast growth

WO 99/33982

PCT/US98/27610

factor, which is useful for wound healing. U.S. Patent No. 5,410,832 discloses brain-derived and recombinant acidic fibroblast growth factor, which act as mitogens for mesoderm and neuroectoderm-derived cells in culture, and promote wound healing in soft tissue, cartilaginous tissue and musculo-skeletal tissue. U.S. Patent No. 5,387,673 discloses

5 biologically active fragments of FGF.

Proteins of the TNF Family. A profile derived from the TNF family is created by aligning sequences of the following TNF family members: nerve growth factor (NGF), lymphotoxin, Fas ligand, tumor necrosis factor (TNF α), CD40 ligand, TRAIL, ox40 ligand, 4-1BB ligand, CD27 ligand, and CD30 ligand. The profile is designed to identify sequences

10 of proteins that constitute new members or homologues of this family of proteins. U.S. Patent No. 5,606,023 discloses mutant TNF proteins; U.S. Patent No. 5,597,899 and U.S. Patent No. 5,486,463 disclose TNF muteins; and U.S. Patent No. 5,652,353 discloses DNA encoding TNF α muteins.

Members of the TNF family of proteins have been show in vitro to multimerize, as

15 described in Burrows *et al.*, *Biochem.* (1994) 33:12741 and Zhang *et al.*, *Mol. Cell. Biol.* (1995) 15:4851 and bind receptors as described in Browning *et al.*, *J. Immunol.* (1994) 147:1230, Androlewicz *et al.*, *J. Biol. Chem.* (1992) 267:2542, and Crowe *et al.*, *Science* (1994) 264:707.

In vivo, TNFs proteolytically cleave a target protein as described in Kriegel *et al.*, *Cell* (1988) 53:45 and Mohler *et al.*, *Nature* (1994) 370:218 and demonstrate cell proliferation and differentiation activity. T-cell or thymocyte proliferation is assayed as described in Armitage *et al.*, *Eur. J. Immunol.* (1992) 22:447; Current Protocols in Immunology, ed. J.E. Coligan *et al.*, 3.1-3.19; Takai *et al.*, *J. Immunol.* (1986) 137:3494-3500, Bertagnoli *et al.*, *J. Immunol.* (1990) 145:1706, Bertagnoli *et al.*, *J. Immunol.* (1991)

25 133:327, Bertagnoli *et al.*, *J. Immunol.* (1992) 149:3778, and Bowman *et al.*, *J. Immunol.* (1994) 152:1756. B cell proliferation and Ig secretion are assayed as described in Maliszewski, *J. Immunol.* (1990) 144:3028, and Assays for B Cell Function: In Vitro Antibody Production, Mond and Brunswick, Current Protocols in Immunol., Coligan Ed vol 1 pp 3.8.1-3.8.16, John Wiley and Sons, Toronto 1994, Kehrl *et al.*, *Science* (1987) 238:1144

30 and Boussiotis *et al.*, *PNAS USA* (1994) 91:7007. Other in vivo activities include upregulation of cell surface antigens, upregulation of costimulatory molecules, and cellular

WO 99/33982

PCT/US98/27610

aggregation/adhesion as described in Barrett *et al.*, *J. Immunol.* (1991) 146:1722; Bjorck *et al.*, *Eur. J. Immunol.* (1993) 23:1771; Clark *et al.*, *Annu Rev. Immunol.* (1991) 9:97; Ranheim *et al.*, *J. Exp. Med.* (1994) 177:925; Yellin, *J. Immunol.* (1994) 153:666; and Gruss *et al.*, *Blood* (1994) 84:2305.

5 Proliferation and differentiation of hematopoietic and lymphopoietic cells has also been shown in vivo for TNFs, using assays for embryonic differentiation and hematopoiesis as described in Johansson *et al.*, *Cellular Biology* (1995) 15:141, Keller *et al.*, *Mol. Cell. Biol.* (1993) 13:473, McClanahan *et al.*, *Blood* (1993) 81:2903 and using assays to detect stem cell survival and differentiation as described in Culture of Hematopoietic Cells, Freshney *et al.* eds, pp 1-21, 23-29, 139-162, 163-179, and 265-268, Wiley-Liss, Inc., New York, NY, 1994, and Hirajama *et al.*, *PNAS USA* (1992) 89:5907.

In vivo activities of TNFs also include lymphocyte survival and apoptosis, assayed as described in Darzynkewicz *et al.*, *Cytometry* (1992) 13:795; Gorczca *et al.*, *Leukemia* (1993) 7:659; Itoh *et al.*, *Cell* (1991) 66:233; Zacharduk, *J. Immunol.* (1990) 145:4037; Zamai *et al.*, *Cytometry* (1993) 14:891; and Gorczyca *et al.*, *Int'l J. Oncol.* (1992) 1:639. Some members of the TNF family are cleaved from the cell surface; others remain membrane bound. The three-dimensional structure of TNF is discussed in Sprang and Eck, Tumor Necrosis Factors; *supra*.

TNF proteins include a transmembrane domain. The protein is cleaved into a shorter soluble version, as described in Kriegler *et al.*, *Cell* (1988) 53:45, Perez *et al.*, *Cell* (1990) 63:251, and Shaw *et al.*, *Cell* (1986) 46:659. The transmembrane domain is between amino acid 46 and 77 and the cytoplasmic domain is between position 1 and 45 on the human form of TNF α . The 3-dimensional motifs of TNF include a sandwich of two pleated β sheets. Each sheet is composed of anti-parallel β strands. β strands facing each other on opposite sites of the sandwich are connected by short polypeptide loops, as described in Van Ostade *et al.*, *Protein Engineering* (1994) 7(1):5, and Sprang *et al.*, Tumor Necrosis Factors; *supra*. Residues of the TNF family proteins that are involved in the β sheet secondary structure have been identified as described in Van Ostade *et al.*, *Protein Eng.* (1994) 7(1):5, and Sprang *et al.*, *supra*.

30 TNF receptors are disclosed in U.S. Patent No. 5,395,760. A profile derived from the TNF receptor family is created by aligning sequences of the TNF receptor family, including

WO 99/33982

PCT/US98/27610

Apo1/Fas, TNFR I and II, death receptor 3 (DR3), CD40, ox40, CD27, and CD30. Thus, the profile is designed to identify from the polynucleotides of the invention sequences of proteins that constitute new members or homologues of this family of proteins.

Tumor necrosis factor receptors exist in two forms in humans: p55 TNFR and p75 TNFR, both of which provide intracellular signals upon binding with a ligand. The extracellular domains of these receptor proteins are cysteine rich. The receptors can remain membrane bound, although some forms of the receptors are cleaved forming soluble receptors. The regulation, diagnostic, prognostic, and therapeutic value of soluble TNF receptors is discussed in Aderka, *Cytokine and Growth Factor Reviews*, (1996) 7(3):231.

PDGF Family. U.S. Patent No. 5,326,695 discloses platelet derived growth factor agonists; bioactive portions of PDGF-B are used as agonists. U.S. Patent No. 4,845,075 discloses biologically active B-chain homodimers, and also includes variants and derivatives of the PDGF-B chain. U.S. Patent No. 5,128,321 discloses PDGF analogs and methods of use. Proteins having the same bioactivity as PDGF are disclosed, including A and B chain proteins.

Kinase (Including MKK) Family. U.S. Patent No. 5,650,501 discloses serine/threonine kinase, associated with mitotic and meiotic cell division; the protein has a kinase domain in its N-terminal and 3 PEST regions in the C-terminus. U.S. Patent No. 5,605,825 discloses human PAK65, a serine protein kinase.

The foregoing discussion provides a few examples of the protein profiles that can be compared with the polynucleotides of the invention. One skilled in the art can use these and other protein profiles to identify the genes that correlate with the provided polynucleotides.

C. Identification of Secreted & Membrane-Bound Polypeptides

Both secreted and membrane-bound polypeptides of the present invention are of particular interest. For example, levels of secreted polypeptides can be assayed in body fluids that are convenient, such as blood, urine, prostatic fluid and semen. Membrane-bound polypeptides are useful for constructing vaccine antigens or inducing an immune response. Such antigens would comprise all or part of the extracellular region of the membrane-bound polypeptides. Because both secreted and membrane-bound polypeptides comprise a fragment of contiguous hydrophobic amino acids, hydrophobicity predicting algorithms can be used to identify such polypeptides.

WO 99/33982

PCT/US98/27610

A signal sequence is usually encoded by both secreted and membrane-bound polypeptide genes to direct a polypeptide to the surface of the cell. The signal sequence usually comprises a stretch of hydrophobic residues. Such signal sequences can fold into helical structures. Membrane-bound polypeptides typically comprise at least one

5 transmembrane region that possesses a stretch of hydrophobic amino acids that can transverse the membrane. Some transmembrane regions also exhibit a helical structure. Hydrophobic fragments within a polypeptide can be identified by using computer algorithms. Such algorithms include Hopp & Woods, *Proc. Natl. Acad. Sci. USA* (1981) 78:3824-3828; Kyte & Doolittle, *J. Mol. Biol.* (1982) 157: 105-132; and RAOAR algorithm,

10 Degli Esposti *et al.*, *Eur. J. Biochem.* (1990) 190: 207-219.

Another method of identifying secreted and membrane-bound polypeptides is to translate the polynucleotides of the invention in all six frames and determine if at least 8 contiguous hydrophobic amino acids are present. Those translated polypeptides with at least 8; more typically, 10; even more typically, 12 contiguous hydrophobic amino acids are

15 considered to be either a putative secreted or membrane bound polypeptide. Hydrophobic amino acids include alanine, glycine, histidine, isoleucine, leucine, lysine, methionine, phenylalanine, proline, threonine, tryptophan, tyrosine, and valine.

IV. Identification of the Function of an Expression Product of a Full-Length Gene

20 Corresponding to a Polynucleotide

Ribozymes, antisense constructs, and dominant negative mutants can be used to determine function of the expression product of a gene corresponding to a polynucleotide provided herein. These methods and compositions are particularly useful where the provided novel polynucleotide exhibits no significant or substantial homology to a sequence encoding

25 a gene of known function. Antisense molecules and ribozymes can be constructed from synthetic polynucleotides. Typically, the phosphoramidite method of oligonucleotide synthesis is used. See Beaucage *et al.*, *Tet. Lett.* (1981) 22:1859 and U.S. Patent No. 4,668,777. Automated devices for synthesis are available to create oligonucleotides using this chemistry. Examples of such devices include Biosearch 8600, Models 392 and 394 by

30 Applied Biosystems, a division of Perkin-Elmer Corp., Foster City, California, USA; and Expedite by Perceptive Biosystems, Framingham, Massachusetts, USA. Synthetic RNA,

WO 99/33982

PCT/US98/27610

phosphate analog oligonucleotides, and chemically derivatized oligonucleotides can also be produced, and can be covalently attached to other molecules. RNA oligonucleotides can be synthesized, for example, using RNA phosphoramidites. This method can be performed on an automated synthesizer, such as Applied Biosystems, Models 392 and 394, Foster City,
5 California, USA. See Applied Biosystems User Bulletin 53 and Ogilvie *et al.*, *Pure & Applied Chem.* (1987) 59:325.

Phosphorothioate oligonucleotides can also be synthesized for antisense construction. A sulfurizing reagent, such as tetraethylthiuram disulfide (TETD) in acetonitrile can be used to convert the internucleotide cyanoethyl phosphite to the phosphorothioate triester within 15
10 minutes at room temperature. TETD replaces the iodine reagent, while all other reagents used for standard phosphoramidite chemistry remain the same. Such a synthesis method can be automated using Models 392 and 394 by Applied Biosystems, for example.

Oligonucleotides of up to 200 nucleotides can be synthesized, more typically, 100 nucleotides, more typically 50 nucleotides; even more typically 30 to 40 nucleotides. These
15 synthetic fragments can be annealed and ligated together to construct larger fragments. See, for example, Sambrook *et al.*, *supra*.

A. Ribozymes

Trans-cleaving catalytic RNAs (ribozymes) are RNA molecules possessing endoribonuclease activity. Ribozymes are specifically designed for a particular target, and
20 the target message must contain a specific nucleotide sequence. They are engineered to cleave any RNA species site-specifically in the background of cellular RNA. The cleavage event renders the mRNA unstable and prevents protein expression. Importantly, ribozymes can be used to inhibit expression of a gene of unknown function for the purpose of determining its function in an in vitro or in vivo context, by detecting the phenotypic effect.

25 One commonly used ribozyme motif is the hammerhead, for which the substrate sequence requirements are minimal. Design of the hammerhead ribozyme is disclosed in Usman *et al.*, *Current Opin. Struct. Biol.* (1996) 6:527. Usman also discusses the therapeutic uses of ribozymes. Ribozymes can also be prepared and used as described in Long *et al.*, *FASEB J.* (1993) 7:25; Symons, *Ann. Rev. Biochem.* (1992) 61:641; Perrotta *et al.*, *Biochem.* (1992) 31:16; Ojwang *et al.*, *Proc. Natl. Acad. Sci. (USA)* (1992) 89:10802;
30 and U.S. Patent No. 5,254,678. Ribozyme cleavage of HIV-I RNA is described in U.S.

WO 99/33982

PCT/US98/27610

Patent No. 5,144,019; methods of cleaving RNA using ribozymes is described in U.S. Patent No. 5,116,742; and methods for increasing the specificity of ribozymes are described in U.S. Patent No. 5,225,337 and Koizumi *et al.*, *Nucleic Acid Res.* (1989) 17:7059. Preparation and use of ribozyme fragments in a hammerhead structure are also described by Koizumi *et al.*, *Nucleic Acids Res.* (1989) 17:7059. Preparation and use of ribozyme fragments in a hairpin structure are described by Chowrira and Burke, *Nucleic Acids Res.* (1992) 20:2835. Ribozymes can also be made by rolling transcription as described in Daubendiek and Kool, *Nat. Biotechnol.* (1997) 15(3):273.

The hybridizing region of the ribozyme can be modified or can be prepared as a branched structure as described in Horn and Urdea, *Nucleic Acids Res.* (1989) 17:6959. The basic structure of the ribozymes can also be chemically altered in ways familiar to those skilled in the art, and chemically synthesized ribozymes can be administered as synthetic oligonucleotide derivatives modified by monomeric units. In a therapeutic context, liposome mediated delivery of ribozymes improves cellular uptake, as described in Birikh *et al.*, *Eur. J. Biochem.* (1997) 245:1.

Using the polynucleotide sequences of the invention and methods known in the art, ribozymes are designed to specifically bind and cut the corresponding mRNA species. Ribozymes thus provide a means to inhibit the expression of any of the proteins encoded by the disclosed polynucleotides or their full-length genes. The full-length gene need not be known in order to design and use specific inhibitory ribozymes. In the case of a polynucleotide or full-length cDNA of unknown function, ribozymes corresponding to that nucleotide sequence can be tested in vitro for efficacy in cleaving the target transcript. Those ribozymes that effect cleavage in vitro are further tested in vivo. The ribozyme can also be used to generate an animal model for a disease, as described in Birikh *et al.*, *supra*. An effective ribozyme is used to determine the function of the gene of interest by blocking its transcription and detecting a change in the cell. Where the gene is found to be a mediator in a disease, an effective ribozyme is designed and delivered in a gene therapy for blocking transcription and expression of the gene.

Therapeutic and functional genomic applications of ribozymes proceed beginning with knowledge of a portion of the coding sequence of the gene to be inhibited. Thus, for many genes, a partial polynucleotide sequence provides adequate sequence for constructing

WO 99/33982

PCT/US98/27610

an effective ribozyme. A target cleavage site is selected in the target sequence, and a ribozyme is constructed based on the 5' and 3' nucleotide sequences that flank the cleavage site. Retroviral vectors are engineered to express monomeric and multimeric hammerhead ribozymes targeting the mRNA of the target coding sequence. These monomeric and multimeric ribozymes are tested in vitro for an ability to cleave the target mRNA. A cell line is stably transduced with the retroviral vectors expressing the ribozymes, and the transduction is confirmed by Northern blot analysis and reverse-transcription polymerase chain reaction (RT-PCR). The cells are screened for inactivation of the target mRNA by such indicators as reduction of expression of disease markers or reduction of the gene product of the target mRNA.

B. Antisense

Antisense nucleic acids are designed to specifically bind to RNA, resulting in the formation of RNA-DNA or RNA-RNA hybrids, with an arrest of DNA replication, reverse transcription or messenger RNA translation. Antisense polynucleotides based on a selected polynucleotide sequence can interfere with expression of the corresponding gene. Antisense polynucleotides are typically generated within the cell by expression from antisense constructs that contain the antisense strand as the transcribed strand. Antisense polynucleotides based on the disclosed polynucleotides will bind and/or interfere with the translation of mRNA comprising a sequence complementary to the antisense polynucleotide. The expression products of control cells and cells treated with the antisense construct are compared to detect the protein product of the gene corresponding to the polynucleotide upon which the antisense construct is based. The protein is isolated and identified using routine biochemical methods.

One rationale for using antisense methods to determine the function of the gene corresponding to a disclosed polynucleotide is the biological activity of antisense therapeutics. Antisense therapy for a variety of cancers is in clinical phase and has been discussed extensively in the literature. Reed reviewed antisense therapy directed at the Bcl-2 gene in tumors; gene transfer-mediated overexpression of Bcl-2 in tumor cell lines conferred resistance to many types of cancer drugs. (Reed, J.C., *N.C.I.* (1997) 89:988). The potential for clinical development of antisense inhibitors of *ras* is discussed by Cowsert, L.M., *Anti-Cancer Drug Design* (1997) 12:359. Additional important antisense targets include

WO 99/33982

PCT/US98/27610

leukemia (Geurtz, A.M., *Anti-Cancer Drug Design* (1997) 12:341); human C-ref kinase (Monia, B.P., *Anti-Cancer Drug Design* (1997) 12:327); and protein kinase C (McGraw *et al.*, *Anti-Cancer Drug Design* (1997) 12:315).

Given the extensive background literature and clinical experience in antisense therapy, one skilled in the art can use selected polynucleotides of the invention as additional potential therapeutics. The choice of polynucleotide can be narrowed by first testing them for binding to "hot spot" regions of the genome of cancerous cells. If a polynucleotide is identified as binding to a "hot spot", testing the polynucleotide as an antisense compound in the corresponding cancer cells clearly is warranted.

Ogunbiyi *et al.*, *Gastroenterology* (1997) 113(3):761 describe prognostic use of allelic loss in colon cancer; Barks *et al.*, *Genes, Chromosomes, and Cancer* (1997) 19(4):278 describe increased chromosome copy number detected by FISH in malignant melanoma; Nishizake *et al.*, *Genes, Chromosomes, and Cancer* (1997) 19(4):267 describe genetic alterations in primary breast cancer and their metastases and direct comparison using modified comparative genome hybridization; and Elo *et al.*, *Cancer Research* (1997) 57(16):3356 disclose that loss of heterozygosity at 16z24.1-q24.2 is significantly associated with metastatic and aggressive behavior of prostate cancer.

C. Dominant Negative Mutations

As an alternative method for identifying function of the gene corresponding to a polynucleotide disclosed herein, dominant negative mutations are readily generated for corresponding proteins that are active as homomultimers. A mutant polypeptide will interact with wild-type polypeptides (made from the other allele) and form a non-functional multimer. Thus, a mutation is in a substrate-binding domain, a catalytic domain, or a cellular localization domain. Preferably, the mutant polypeptide will be overproduced.

Point mutations are made that have such an effect. In addition, fusion of different polypeptides of various lengths to the terminus of a protein can yield dominant negative mutants. General strategies are available for making dominant negative mutants (see, *e.g.*, Herskowitz, *Nature* (1987) 329:219). Such techniques can be used to create loss of function mutations, which are useful for determining protein function.

WO 99/33982

PCT/US98/27610

V. Construction of Polypeptides of the Invention and Variants Thereof

The polypeptides of the invention include those encoded by the disclosed polynucleotides. These polypeptides can also be encoded by nucleic acids that, by virtue of the degeneracy of the genetic code, are not identical in sequence to the disclosed polynucleotides. Thus, the invention includes within its scope a polypeptide encoded by a polynucleotide having the sequence of any one of SEQ ID NOS: 1-844 or a variant thereof.

In general, the term "polypeptide" as used herein refers to both the full length polypeptide encoded by the recited polynucleotide, the polypeptide encoded by the gene represented by the recited polynucleotide, as well as portions or fragments thereof.

"Polypeptides" also includes variants of the naturally occurring proteins, where such variants are homologous or substantially similar to the naturally occurring protein, and can be of an origin of the same or different species as the naturally occurring protein (*e.g.*, human, murine, or some other species that naturally expresses the recited polypeptide, usually a mammalian species). In general, variant polypeptides have a sequence that has at least about 80%, usually at least about 90%, and more usually at least about 98% sequence identity with a differentially expressed polypeptide of the invention, as measured by BLAST using the parameters described above. The variant polypeptides can be naturally or non-naturally glycosylated, *i.e.*, the polypeptide has a glycosylation pattern that differs from the glycosylation pattern found in the corresponding naturally occurring protein.

The invention also encompasses homologs of the disclosed polypeptides (or fragments thereof) where the homologs are isolated from other species, *i.e.* other animal or plant species, where such homologs, usually mammalian species, *e.g.* rodents, such as mice, rats; domestic animals, *e.g.*, horse, cow, dog, cat; and humans. By homolog is meant a polypeptide having at least about 35%, usually at least about 40% and more usually at least about 60% amino acid sequence identity a particular differentially expressed protein as identified above, where sequence identity is determined using the BLAST algorithm, with the parameters described *supra*.

In general, the polypeptides of the subject invention are provided in a non-naturally occurring environment, *e.g.* are separated from their naturally occurring environment. In certain embodiments, the subject protein is present in a composition that is enriched for the protein as compared to a control. As such, purified polypeptide is provided, where by

WO 99/33982

PCT/US98/27610

purified is meant that the protein is present in a composition that is substantially free of non-differentially expressed polypeptides, where by substantially free is meant that less than 90%, usually less than 60% and more usually less than 50% of the composition is made up of non-differentially expressed polypeptides.

5 Also within the scope of the invention are variants; variants of polypeptides include mutants, fragments, and fusions. Mutants can include amino acid substitutions, additions or deletions. The amino acid substitutions can be conservative amino acid substitutions or substitutions to eliminate non-essential amino acids, such as to alter a glycosylation site, a phosphorylation site or an acetylation site, or to minimize misfolding by substitution or
10 deletion of one or more cysteine residues that are not necessary for function. Conservative amino acid substitutions are those that preserve the general charge, hydrophobicity/hydrophilicity, and/or steric bulk of the amino acid substituted. For example, substitutions between the following groups are conservative: Gly/Ala, Val/Ile/Leu, Asp/Glu, Lys/Arg, Asn/Gln, Ser/Cys, Thr, and Phe/Trp/Tyr.

15 Variants can be designed so as to retain biological activity of a particular region of the protein (*e.g.*, a functional domain and/or, where the polypeptide is a member of a protein family, a region associated with a consensus sequence). In a non-limiting example, Osawa *et al.*, *Biochem. Mol. Int.* (1994) 34:1003, discusses the actin binding region of a protein from several different species. The actin binding regions of the these species are considered
20 homologous based on the fact that they have amino acids that fall within "homologous residue groups." Homologous residues are judged according to the following groups (using single letter amino acid designations): STAG; ILVMF; HRK; DEQN; and FYW. For example, and S, a T, an A or a G can be in a position and the function (in this case actin binding) is retained.

25 Additional guidance on amino acid substitution is available from studies of protein evolution. Go *et al.*, *Int. J. Peptide Protein Res.* (1980) 15:211, classified amino acid residue sites as interior or exterior depending on their accessibility. More frequent substitution on exterior sites was confirmed to be general in eight sets of homologous protein families regardless of their biological functions and the presence or absence of a prosthetic group.
30 Virtually all types of amino acid residues had higher mutabilities on the exterior than in the interior. No correlation between mutability and polarity was observed of amino acid

WO 99/33982

PCT/US98/27610

residues in the interior and exterior, respectively. Amino acid residues were classified into one of three groups depending on their polarity: polar (Arg, Lys, His, Gln, Asn, Asp, and Glu); weak polar (Ala, Pro, Gly, Thr, and Ser), and nonpolar (Cys, Val, Met, Ile, Leu, Phe, Tyr, and Trp). Amino acid replacements during protein evolution were very conservative: 5 88% and 76% of them in the interior or exterior, respectively, were within the same group of the three. Inter-group replacements are such that weak polar residues are replaced more often by nonpolar residues in the interior and more often by polar residues on the exterior.

Additional guidance for production of polypeptide variants is provided in Querol *et al.*, *Prot. Eng.* (1996) 9:265, which provides general rules for amino acid substitutions to 10 enhance protein thermostability. New glycosylation sites can be introduced as discussed in Olsen and Thomsen, *J. Gen. Microbiol.* (1991) 137:579. An additional disulfide bridge can be introduced, as discussed by Perry and Wetzel, *Science* (1984) 226:555; Pantoliano *et al.*, *Biochemistry* (1987) 26:2077; Matsumura *et al.*, *Nature* (1989) 342:291; Nishikawa *et al.*, *Protein Eng.* (1990) 3:443; Takagi *et al.*, *J. Biol. Chem.* (1990) 265:6874; Clarke *et al.*, 15 *Biochemistry* (1993) 32:4322; and Wakarchuk *et al.*, *Protein Eng.* (1994) 7:1379. Metal binding sites can be introduced, according to Toma *et al.*, *Biochemistry* (1991) 30:97, and Haezebrouck *et al.*, *Protein Eng.* (1993) 6:643. Substitutions with prolines in loops can be made according to Masul *et al.*, *Appl. Env. Microbiol.* (1994) 60:3579; and Hardy *et al.*, *FEBS Lett.* 317:89.

20 Cysteine-depleted muteins are considered variants within the scope of the invention. These variants can be constructed according to methods disclosed in U.S. Patent No. 4,959,314, which discloses substitution of cysteines with other amino acids, and methods for assaying biological activity and effect of the substitution. Such methods are suitable for proteins according to this invention that have cysteine residues suitable for such 25 substitutions, for example to eliminate disulfide bond formation.

Variants also include fragments of the polypeptides disclosed herein, particularly biologically active fragments and/or fragments corresponding to functional domains. Fragments of interest will typically be at least about 10 aa to at least about 15 aa in length, usually at least about 50 aa in length, and can be as long as 300 aa in length or longer, but 30 will usually not exceed about 1000 aa in length, where the fragment will have a stretch of

WO 99/33982

PCT/US98/27610

amino acids that is identical to a polypeptide encoded by a polynucleotide having a sequence of any SEQ ID NOS:1-844, or a homolog thereof.

The protein variants described herein are encoded by polynucleotides that are within the scope of the invention. The genetic code can be used to select the appropriate codons to construct the corresponding variants.

VI. Computer-Related Embodiments

In general, a library of polynucleotides is a collection of sequence information, which information is provided in either biochemical form (*e.g.*, as a collection of polynucleotide molecules), or in electronic form (*e.g.*, as a collection of polynucleotide sequences stored in a computer-readable form, as in a computer system and/or as part of a computer program). The sequence information of the polynucleotides can be used in a variety of ways, *e.g.*, as a resource for gene discovery, as a representation of sequences expressed in a selected cell type (*e.g.*, cell type markers), and/or as markers of a given disease or disease state. In general, a disease marker is a representation of a gene product that is present in all affected by disease either at an increased or decreased level relative to a normal cell (*e.g.*, a cell of the same or similar type that is not substantially affected by disease). For example, a polynucleotide sequence in a library can be a polynucleotide that represents an mRNA, polypeptide, or other gene product encoded by the polynucleotide, that is either overexpressed or underexpressed in a breast ductal cell affected by cancer relative to a normal (*i.e.*, substantially disease-free) breast cell.

The nucleotide sequence information of the library can be embodied in any suitable form, *e.g.*, electronic or biochemical forms. For example, a library of sequence information embodied in electronic form includes an accessible computer data file (or, in biochemical form, a collection of nucleic acid molecules) that contains the representative nucleotide sequences of genes that are differentially expressed (*e.g.*, overexpressed or underexpressed) as between, for example, i) a cancerous cell and a normal cell; ii) a cancerous cell and a dysplastic cell; iii) a cancerous cell and a cell affected by a disease or condition other than cancer; iv) a metastatic cancerous cell and a normal cell and/or non-metastatic cancerous cell; v) a malignant cancerous cell and a non-malignant cancerous cell (or a normal cell) and/or vi) a dysplastic cell relative to a normal cell. Other combinations and comparisons of

WO 99/33982

PCT/US98/27610

cells affected by various diseases or stages of disease will be readily apparent to the ordinarily skilled artisan. Biochemical embodiments of the library include a collection of nucleic acids that have the sequences of the genes in the library, where the nucleic acids can correspond to the entire gene in the library or to a fragment thereof, as described in greater
5 detail below.

The polynucleotide libraries of the subject invention include sequence information of a plurality of polynucleotide sequences, where at least one of the polynucleotides has a sequence of any of SEQ ID NOS:1-844. By plurality is meant at least 2, usually at least 3 and can include up to all of SEQ ID NOS:1-844. The length and number of polynucleotides
10 in the library will vary with the nature of the library, *e.g.*, if the library is an oligonucleotide array, a cDNA array, a computer database of the sequence information, etc.

Where the library is an electronic library, the nucleic acid sequence information can be present in a variety of media. "Media" refers to a manufacture, other than an isolated nucleic acid molecule, that contains the sequence information of the present invention. Such
15 a manufacture provides the genome sequence or a subset thereof in a form that can be examined by means not directly applicable to the sequence as it exists in a nucleic acid. For example, the nucleotide sequence of the present invention, *e.g.* the nucleic acid sequences of any of the polynucleotides of SEQ ID NOS:1-844, can be recorded on computer readable media, *e.g.* any medium that can be read and accessed directly by a computer. Such media
20 include, but are not limited to: magnetic storage media, such as a floppy disc, a hard disc storage medium, and a magnetic tape; optical storage media such as CD-ROM; electrical storage media such as RAM and ROM; and hybrids of these categories such as magnetic/optical storage media. One of skill in the art can readily appreciate how any of the presently known computer readable mediums can be used to create a manufacture
25 comprising a recording of the present sequence information. "Recorded" refers to a process for storing information on computer readable medium, using any such methods as known in the art. Any convenient data storage structure can be chosen, based on the means used to access the stored information. A variety of data processor programs and formats can be used for storage, *e.g.* word processing text file, database format, *etc.* In addition to the sequence
30 information, electronic versions of the libraries of the invention can be provided in conjunction or connection with other computer-readable information and/or other types of

WO 99/33982

PCT/US98/27610

computer-readable files (*e.g.*, searchable files, executable files, *etc.*, including, but not limited to, for example, search program software, *etc.*).

By providing the nucleotide sequence in computer readable form, the information can be accessed for a variety of purposes. Computer software to access sequence information is publicly available. For example, the BLAST (Altschul *et al.*, *supra.*) and BLAZE (Brutlag *et al. Comp. Chem.* (1993) 17:203) search algorithms on a Sybase system can be used to identify open reading frames (ORFs) within the genome that contain homology to ORFs from other organisms.

As used herein, "a computer-based system" refers to the hardware means, software means, and data storage means used to analyze the nucleotide sequence information of the present invention. The minimum hardware of the computer-based systems of the present invention comprises a central processing unit (CPU), input means, output means, and data storage means. A skilled artisan can readily appreciate that any one of the currently available computer-based systems are suitable for use in the present invention. The data storage means can comprise any manufacture comprising a recording of the present sequence information as described above, or a memory access means that can access such a manufacture.

"Search means" refers to one or more programs implemented on the computer-based system, to compare a target sequence or target structural motif with the stored sequence information. Search means are used to identify fragments or regions of the genome that match a particular target sequence or target motif. A variety of known algorithms are publicly known and commercially available, *e.g.* MacPattern (EMBL), BLASTN and BLASTX (NCBI). A "target sequence" can be any DNA or amino acid sequence of six or more nucleotides or two or more amino acids, preferably from about 10 to 100 amino acids or from about 30 to 300 nucleotide residues.

A "target structural motif," or "target motif," refers to any rationally selected sequence or combination of sequences in which the sequence(s) are chosen based on a three-dimensional configuration that is formed upon the folding of the target motif, or on consensus sequences of regulatory or active sites. There are a variety of target motifs known in the art. Protein target motifs include, but are not limited to, enzyme active sites and signal sequences. Nucleic acid target motifs include, but are not limited to, hairpin structures,

WO 99/33982

PCT/US98/27610

promoter sequences and other expression elements such as binding sites for transcription factors.

5 A variety of structural formats for the input and output means can be used to input and output the information in the computer-based systems of the present invention. One format for an output means ranks fragments of the genome possessing varying degrees of homology to a target sequence or target motif. Such presentation provides a skilled artisan with a ranking of sequences and identifies the degree of sequence similarity contained in the identified fragment.

10 A variety of comparing means can be used to compare a target sequence or target motif with the data storage means to identify sequence fragments of the genome. A skilled artisan can readily recognize that any one of the publicly available homology search programs can be used as the search means for the computer based systems of the present invention.

As discussed above, the "library" of the invention also encompasses biochemical
15 libraries of the polynucleotides of SEQ ID NOS:1-844, *e.g.*, collections of nucleic acids representing the provided polynucleotides. The biochemical libraries can take a variety of forms, *e.g.*, a solution of cDNAs, a pattern of probe nucleic acids stably associated with a surface of a solid support (*i.e.*, an array) and the like. Of particular interest are nucleic acid arrays in which one or more of SEQ ID NOS:1-844 is represented on the array. By array is
20 meant a an article of manufacture that has at least a substrate with at least two distinct nucleic acid targets on one of its surfaces, where the number of distinct nucleic acids can be considerably higher, typically being at least 10 nt, usually at least 20 nt and often at least 25 nt. A variety of different array formats have been developed and are known to those of skill in the art, including those described in 5,242,974; 5,384,261; 5,405,783; 5,412,087;
25 5,424,186; 5,429,807; 5,436,327; 5,445,934; 5,472,672; 5,527,681; 5,529,756; 5,545,531; 5,554,501; 5,556,752; 5,561,071; 5,599,895; 5,624,711; 5,639,603; 5,658,734; WO 93/17126; WO 95/11995; WO 95/35505; EP 742287; and EP 799897. The arrays of the subject invention find use in a variety of applications, including gene expression analysis, drug screening, mutation analysis and the like, as disclosed in the above-listed exemplary
30 patent documents.

WO 99/33982

PCT/US98/27610

In addition to the above nucleic acid libraries, analogous libraries of polypeptides are also provided, where the where the polypeptides of the library will represent at least a portion of the polypeptides encoded by SEQ ID NOS:1-844.

5 VII. Utilities

A. Use of Polynucleotide Probes in Mapping, and in Tissue Profiling

Polynucleotide probes, generally comprising at least 12 contiguous nucleotides of a polynucleotide as shown in the Sequence Listing, are used for a variety of purposes, such as chromosome mapping of the polynucleotide and detection of transcription levels. Additional
10 disclosure about preferred regions of the disclosed polynucleotide sequences is found in the Examples. A probe that hybridizes specifically to a polynucleotide disclosed herein should provide a detection signal at least 5-, 10-, or 20-fold higher than the background hybridization provided with other unrelated sequences.

Probes in Detection of Expression Levels. Nucleotide probes are used to detect
15 expression of a gene corresponding to the provided polynucleotide. The references describe an example of a sandwich nucleotide hybridization assay. For example, in Northern blots, mRNA is separated electrophoretically and contacted with a probe. A probe is detected as hybridizing to an mRNA species of a particular size. The amount of hybridization is quantitated to determine relative amounts of expression, for example under a particular
20 condition. Probes are also used to detect products of amplification by polymerase chain reaction. The products of the reaction are hybridized to the probe and hybrids are detected. Probes are used for in situ hybridization to cells to detect expression. Probes can also be used *in vivo* for diagnostic detection of hybridizing sequences. Probes are typically labeled with a radioactive isotope. Other types of detectable labels can be used such as
25 chromophores, fluors, and enzymes. Other examples of nucleotide hybridization assays are described in WO92/02526 and U.S. Patent No. 5,124,246.

Alternatively, the Polymerase Chain Reaction (PCR) is another means for detecting small amounts of target nucleic acids (see, *e.g.*, Mullis *et al.*, *Meth. Enzymol.* (1987) 155:335; U.S. Patent No. 4,683,195; and U.S. Patent No. 4,683,202). Two primer
30 polynucleotides nucleotides hybridize with the target nucleic acids and are used to prime the reaction. The primers can be composed of sequence within or 3' and 5' to the polynucleotides of the Sequence Listing. Alternatively, if the primers are 3' and 5' to these

WO 99/33982

PCT/US98/27610

polynucleotides, they need not hybridize to them or the complements. A thermostable polymerase creates copies of target nucleic acids from the primers using the original target nucleic acids as a template. After a large amount of target nucleic acids is generated by the polymerase, it is detected by methods such as Southern blots. When using the Southern blot method, the labeled probe will hybridize to a polynucleotide of the Sequence Listing or complement.

Furthermore, mRNA or cDNA can be detected by traditional blotting techniques described in Sambrook *et al.*, "Molecular Cloning: A Laboratory Manual" (New York, Cold Spring Harbor Laboratory, 1989). mRNA or cDNA generated from mRNA using a polymerase enzyme can be purified and separated using gel electrophoresis. The nucleic acids on the gel are then blotted onto a solid support, such as nitrocellulose. The solid support is exposed to a labeled probe and then washed to remove any unhybridized probe. Next, the duplexes containing the labeled probe are detected. Typically, the probe is labeled with radioactivity.

Mapping. Polynucleotides of the present invention are used to identify a chromosome on which the corresponding gene resides. Such mapping can be useful in identifying the function of the polynucleotide-related gene by its proximity to other genes with known function. Function can also be assigned to the polynucleotide-related gene when particular syndromes or diseases map to the same chromosome. For example, use of polynucleotide probes in identification and quantification of nucleic acid sequence aberrations is described in U.S. Patent No. 5,783,387.

For example, fluorescence in situ hybridization (FISH) on normal metaphase spreads facilitates comparative genomic hybridization to allow total genome assessment of changes in relative copy number of DNA sequences. See Schwartz and Samad, *Curr. Opin.*

Biotechnol. (1994) 8:70; Kallioniemi *et al.*, *Sem. Cancer Biol.* (1993) 4:41; Valdes *et al.*, *Methods in Molecular Biology* (1997) 68:1, Boultonwood, ed., Human Press, Totowa, NJ.

Preparations of human metaphase chromosomes are prepared using standard cytogenetic techniques from human primary tissues or cell lines. Nucleotide probes comprising at least 12 contiguous nucleotides selected from the nucleotide sequence shown in the Sequence Listing are used to identify the corresponding chromosome. The nucleotide probes are labeled, for example, with a radioactive, fluorescent, biotinylated, or chemiluminescent label,

WO 99/33982

PCT/US98/27610

and detected by well known methods appropriate for the particular label selected. Protocols for hybridizing nucleotide probes to preparations of metaphase chromosomes are also well known in the art. A nucleotide probe will hybridize specifically to nucleotide sequences in the chromosome preparations that are complementary to the nucleotide sequence of the probe.

Polynucleotides are mapped to particular chromosomes using, for example, radiation hybrids or chromosome-specific hybrid panels. See Leach *et al.*, *Advances in Genetics*, (1995) 33:63-99; Walter *et al.*, *Nature Genetics* (1994) 7:22; Walter and Goodfellow, *Trends in Genetics* (1992) 9:352. Panels for radiation hybrid mapping are available from Research Genetics, Inc., Huntsville, Alabama, USA. Databases for markers using various panels are available via the world wide web at <http://F/shgc-www.stanford.edu>; and <http://www-genome.wi.mit.edu/cgi-bin/contig/rhmapper.pl>. The statistical program RHMAP can be used to construct a map based on the data from radiation hybridization with a measure of the relative likelihood of one order versus another. RHMAP is available via the world wide web at <http://www.sph.umich.edu/group/statgen/software>.

In addition, commercial programs are available for identifying regions of chromosomes commonly associated with disease, such as cancer. Polynucleotides based on the polynucleotides of the invention can be used to probe these regions. For example, if through profile searching a provided polynucleotide is identified as corresponding to a gene encoding a kinase, its ability to bind to a cancer-related chromosomal region will suggest its role as a kinase in one or more stages of tumor cell development/growth. Although some experimentation would be required to elucidate the role, the polynucleotide constitutes a new material for isolating a specific protein that has potential for developing a cancer diagnostic or therapeutic.

Tissue Typing or Profiling. Expression of specific mRNA corresponding to the provided polynucleotides can vary in different cell types and can be tissue-specific. This variation of mRNA levels in different cell types can be exploited with nucleic acid probe assays to determine tissue types. For example, PCR, branched DNA probe assays, or blotting techniques utilizing nucleic acid probes substantially identical or complementary to polynucleotides listed in the Sequence Listing can determine the presence or absence of the corresponding cDNA or mRNA.

WO 99/33982

PCT/US98/27610

For example, a metastatic lesion is identified by its developmental organ or tissue source by identifying the expression of a particular marker of that organ or tissue. If a polynucleotide is expressed only in a specific tissue type, and a metastatic lesion is found to express that polynucleotide, then the developmental source of the lesion has been identified.

- 5 Expression of a particular polynucleotide is assayed by detection of either the corresponding mRNA or the protein product. Immunological methods, such as antibody staining, are used to detect a particular protein product. Hybridization methods can be used to detect particular mRNA species, including but not limited to in situ hybridization and Northern blotting.

- Use of Polymorphisms. A polynucleotide of the invention will be useful in forensics, genetic analysis, mapping, and diagnostic applications if the corresponding region of a gene is polymorphic in the human population. Particular polymorphic forms of the provided polynucleotides can be used to either identify a sample as deriving from a suspect or rule out the possibility that the sample derives from the suspect. Any means for detecting a polymorphism in a gene are used, including but not limited to electrophoresis of protein polymorphic variants, differential sensitivity to restriction enzyme cleavage, and hybridization to allele-specific probes.

B. Antibody Production

- Expression products of a polynucleotide of the invention, the corresponding mRNA or cDNA, or the corresponding complete gene are prepared and used for raising antibodies for experimental, diagnostic, and therapeutic purposes. For polynucleotides to which a corresponding gene has not been assigned, this provides an additional method of identifying the corresponding gene. The polynucleotide or related cDNA is expressed as described above, and antibodies are prepared. These antibodies are specific to an epitope on the polypeptide encoded by the polynucleotide, and can precipitate or bind to the corresponding native protein in a cell or tissue preparation or in a cell-free extract of an in vitro expression system.

- Immunogens for raising antibodies are prepared by mixing the polypeptides encoded by the polynucleotides of the present invention with adjuvants. Alternatively, polypeptides are made as fusion proteins to larger immunogenic proteins. Polypeptides are also covalently linked to other larger immunogenic proteins, such as keyhole limpet hemocyanin. Immunogens are typically administered intradermally, subcutaneously, or intramuscularly.

WO 99/33982

PCT/US98/27610

Immunogens are administered to experimental animals such as rabbits, sheep, and mice, to generate antibodies. Optionally, the animal spleen cells are isolated and fused with myeloma cells to form hybridomas which secrete monoclonal antibodies. Such methods are well known in the art. According to another method known in the art, the selected polynucleotide is administered directly, such as by intramuscular injection, and expressed in vivo. The expressed protein generates a variety of protein-specific immune responses, including production of antibodies, comparable to administration of the protein.

Preparations of polyclonal and monoclonal antibodies specific for polypeptides encoded by a selected polynucleotide are made using standard methods known in the art.

The antibodies specifically bind to epitopes present in the polypeptides encoded by polynucleotides disclosed in the Sequence Listing. Typically, at least 6, 8, 10, or 12 contiguous amino acids are required to form an epitope. However, epitopes which involve non-contiguous amino acids may require more, for example at least 15, 25, or 50 amino acids. A short sequence of a polynucleotide may then be unsuitable for use as an epitope to raise antibodies for identifying the corresponding novel protein, because of the potential for cross-reactivity with a known protein. However, the antibodies can be useful for other purposes, particularly if they identify common structural features of a known protein and a novel polypeptide encoded by a polynucleotide of the invention.

Antibodies that specifically bind to human polypeptides encoded by the provided polypeptides should provide a detection signal at least 5-, 10-, or 20-fold higher than a detection signal provided with other proteins when used in Western blots or other immunochemical assays. Preferably, antibodies that specifically polypeptides of the invention do not bind to other proteins in immunochemical assays at detectable levels and can immunoprecipitate the specific polypeptide from solution.

To test for the presence of serum antibodies to the polypeptide of the invention in a human population, human antibodies are purified by methods well known in the art. Preferably, the antibodies are affinity purified by passing antiserum over a column to which the corresponding selected polypeptide or fusion protein is bound. The bound antibodies can then be eluted from the column, for example using a buffer with a high salt concentration.

WO 99/33982

PCT/US98/27610

In addition to the antibodies discussed above, genetically engineered antibody derivatives are made, such as single chain antibodies, according to methods well known in the art.

C. Use of Polynucleotides to Construct Arrays for Diagnostics

- 5 Polynucleotide arrays provide a high throughput technique that can assay a large number of polynucleotide sequences in a sample. This technology can be used as a diagnostic and as a tool to test for differential expression to determine function of an encoded protein. Arrays can be created by spotting polynucleotide probes onto a substrate (*e.g.*, glass, nitrocellulose, *etc.*) in a two-dimensional matrix or array having bound probes.
- 10 The probes can be bound to the substrate by either covalent bonds or by non-specific interactions, such as hydrophobic interactions. Samples of polynucleotides can be detectably labeled (*e.g.*, using radioactive or fluorescent labels) and then hybridized to the probes. Double stranded polynucleotides, comprising the labeled sample polynucleotides bound to probe polynucleotides, can be detected once the unbound portion of the sample is washed
- 15 away. Techniques for constructing arrays and methods of using these arrays are described in EP No. 0 799 897; PCT No. WO 97/29212; PCT No. WO 97/27317; EP No. 0 785 280; PCT No. WO 97/02357; U.S. Pat. No. 5,593,839; U.S. Pat. No. 5,578,832; EP No. 0 728 520; U.S. Pat. No. 5,599,695; EP No. 0 721 016; U.S. Pat. No. 5,556,752; PCT No. WO 95/22058; and U.S. Pat. No. 5,631,734.
- 20 As discussed in some detail above, arrays can be used to examine differential expression of genes and can be used to determine gene function. For example, arrays of the instant polynucleotide sequences can be used to determine if any of the provided polynucleotides are differentially expressed between a test cell and control cell (*e.g.*, cancer cells and normal cells). For example, high expression of a particular message in a cancer
- 25 cell, which is not observed in a corresponding normal cell, can indicate a cancer specific protein. Exemplary uses of arrays are further described in, for example, Pappalarado *et al.*, *Sem. Radiation Oncol.* (1998) 8:217; and Ramsay *Nature Biotechnol.* (1998) 16:40.

D. Differential Expression

- The polynucleotides of the invention can also be used to detect differences in
- 30 expression levels between two cells, *e.g.*, as a method to identify abnormal or diseased tissue in a human. For polynucleotides corresponding to profiles of protein families as described

WO 99/33982

PCT/US98/27610

above, the choice of tissue can be selected according to the putative biological function. In general, the expression of a gene corresponding to a specific polynucleotide is compared between a first tissue that is suspected of being diseased and a second, normal tissue of the human. The tissue suspected of being abnormal or diseased can be derived from a different
5 tissue type of the human, but preferably it is derived from the same tissue type; for example an intestinal polyp or other abnormal growth should be compared with normal intestinal tissue. The normal tissue can be the same tissue as that of the test sample, or any normal tissue of the patient, especially those that express the polynucleotide-related gene of interest (*e.g.*, brain, thymus, testis, heart, prostate, placenta, spleen, small intestine, skeletal muscle,
10 pancreas, and the mucosal lining of the colon). A difference between the polynucleotide-related gene, mRNA, or protein in the two tissues which are compared, for example in molecular weight, amino acid or nucleotide sequence, or relative abundance, indicates a change in the gene, or a gene which regulates it, in the tissue of the human that was suspected of being diseased. Examples of detection of differential expression and its use in
15 diagnosis of cancer are described in U.S. Patent Nos. 5,688,641 and 5,677,125.

The polynucleotide-related genes in the two tissues are compared by any means known in the art. For example, the two genes can be sequenced, and the sequence of the gene in the tissue suspected of being diseased compared with the gene sequence in the normal tissue. The genes corresponding to a provided polynucleotide, or portions thereof, in
20 the two tissues are amplified, for example using nucleotide primers based on the nucleotide sequence shown in the Sequence Listing, using the polymerase chain reaction. The amplified genes or portions of genes are hybridized to detectably labeled nucleotide probes selected from a nucleotide sequence shown in the Sequence Listing. A difference in the nucleotide sequence of the isolated gene in the tissue suspected of being diseased compared
25 with the normal nucleotide sequence suggests a role of the gene product encoded by the subject polynucleotide in the disease, and provides guidance for preparing a therapeutic agent.

Alternatively, mRNA corresponding to a provided polynucleotide in the two tissues is compared. PolyA⁺ RNA is isolated from the two tissues as is known in the art. For
30 example, one of skill in the art can readily determine differences in the size or amount of mRNA transcripts between the two tissues using Northern blots and detectably labeled

WO 99/33982

PCT/US98/27610

nucleotide probes selected from the nucleotide sequence shown in the Sequence Listing.

Increased or decreased expression of a given mRNA in a tissue sample suspected of being diseased, compared with the expression of the same mRNA in a normal tissue, suggests that the expressed protein has a role in the disease, and also provides a lead for preparing a

5 therapeutic agent.

The comparison can also be accomplished by analyzing polypeptides between the matched samples. The sizes of the proteins in the two tissues are compared, for example, using antibodies of the present invention to detect polypeptides in Western blots of protein extracts from the two tissues. Other changes, such as expression levels and subcellular
10 localization, can also be detected immunologically, using antibodies to the corresponding protein. A higher or lower level of expression of a given polypeptide in a tissue suspected of being diseased, compared with the same protein expression level in a normal tissue, is indicative that the expressed protein has a role in the disease, and provides guidance for preparing a therapeutic agent.

15 Similarly, comparison of polynucleotide sequences or of gene expression products, *e.g.*, mRNA and protein, between a human tissue that is suspected of being diseased and a normal tissue of a human, are used to follow disease progression or remission in the human. Such comparisons are made as described above. For example, increased or decreased expression of a gene corresponding to an inventive polynucleotide in the tissue suspected of
20 being neoplastic can indicate the presence of neoplastic cells in the tissue. The degree of increased expression of a given gene in the neoplastic tissue relative to expression of the same gene in normal tissue, or differences in the amount of increased expression of a given gene in the neoplastic tissue over time, is used to assess the progression of the neoplasia in that tissue or to monitor the response of the neoplastic tissue to a therapeutic protocol over
25 time.

The expression pattern of any two cell types can be compared, such as low and high metastatic tumor cell lines, malignant or non-malignant cells, or cells from tissue which have and have not been exposed to a therapeutic agent. A genetic predisposition to disease in a human is detected by comparing expression levels of an mRNA or protein corresponding to
30 a polynucleotide of the invention in a fetal tissue with levels associated in normal fetal tissue. Fetal tissues that are used for this purpose include, but are not limited to, amniotic

WO 99/33982

PCT/US98/27610

fluid, chorionic villi, blood, and the blastomere of an in vitro-fertilized embryo. The comparable normal polynucleotide-related gene is obtained from any tissue. The mRNA or protein is obtained from a normal tissue of a human in which the polynucleotide-related gene is expressed. Differences such as alterations in the nucleotide sequence or size of the same product of the fetal polynucleotide-related gene or mRNA, or alterations in the molecular weight, amino acid sequence, or relative abundance of fetal protein, can indicate a germline mutation in the polynucleotide-related gene of the fetus, which indicates a genetic predisposition to disease. Particular diagnostic and prognostic uses of the disclosed polynucleotides are described in more detail below.

10 E. Diagnostic, Prognostic, and Other Uses Based On Differential Expression

In general, diagnostic methods of the invention for involve detection of a level or amount of a gene product, particularly a differentially expressed gene product, in a test sample obtained from a patient suspected of having or being susceptible to a disease (*e.g.*, breast cancer, lung cancer, colon cancer and/or metastatic forms thereof), and comparing the
15 detected levels to those levels found in normal cells (*e.g.*, cells substantially unaffected by cancer) and/or other control cells (*e.g.*, to differentiate a cancerous cell from a cell affected by dysplasia). Furthermore, the severity of the disease can be assessed by comparing the detected levels of a differentially expressed gene product with those levels detected in samples representing the levels of differentially gene product associated with varying
20 degrees of severity of disease.

The term “differentially expressed gene” is intended to encompass a polynucleotide that can, for example, include an open reading frame encoding a gene product (*e.g.*, a polypeptide), and/or introns of such genes and adjacent 5' and 3' non-coding nucleotide sequences involved in the regulation of expression, up to about 20 kb beyond the coding
25 region, but possibly further in either direction. The gene can be introduced into an appropriate vector for extrachromosomal maintenance or for integration into a host genome. In general, a difference in expression level associated with a decrease in expression level of at least about 25%, usually at least about 50% to 75%, more usually at least about 90% or more is indicative of a differentially expressed gene of interest, *i.e.*, a gene that is
30 underexpressed or down-regulated in the test sample relative to a control sample. Furthermore, a difference in expression level associated with an increase in expression of at

WO 99/33982

PCT/US98/27610

least about 25%, usually at least about 50% to 75%, more usually at least about 90% and can be at least about 1 ½-fold, usually at least about 2-fold to about 10-fold, and can be about 100-fold to about 1,000-fold increase relative to a control sample is indicative of a differentially expressed gene of interest, *i.e.*, an overexpressed or up-regulated gene.

5 "Differentially expressed polynucleotide" as used herein means a nucleic acid molecule (RNA or DNA) having a sequence that represents a differentially expressed gene, *e.g.*, the differentially expressed polynucleotide comprises a sequence (*e.g.*, an open reading frame encoding a gene product) that uniquely identifies a differentially expressed gene so that detection of the differentially expressed polynucleotide in a sample is correlated with the
10 presence of a differentially expressed gene in a sample. "Differentially expressed polynucleotides" is also meant to encompass fragments of the disclosed polynucleotides, *e.g.*, fragments retaining biological activity, as well as nucleic acids homologous, substantially similar, or substantially identical (*e.g.*, having about 90% sequence identity) to the disclosed polynucleotides.

15 Methods of the subject invention useful in diagnosis or prognosis typically involve comparison of the abundance of a selected differentially expressed gene product in a sample of interest with that of a control to determine any relative differences in the expression of the gene product, where the difference can be measured qualitatively and/or quantitatively. Quantitation can be accomplished, for example, by comparing the level of expression
20 product detected in the sample with the amounts of product present in a standard curve. A comparison can be made visually; by using a technique such as densitometry, with or without computerized assistance; by preparing a representative library of cDNA clones of mRNA isolated from a test sample, sequencing the clones in the library to determine that number of cDNA clones corresponding to the same gene product, and analyzing the number
25 of clones corresponding to that same gene product relative to the number of clones of the same gene product in a control sample; or by using an array to detect relative levels of hybridization to a selected sequence or set of sequences, and comparing the hybridization pattern to that of a control. The differences in expression are then correlated with the presence or absence of an abnormal expression pattern. A variety of different methods for
30 determining the nucleic acid abundance in a sample are known to those of skill in the art, where particular methods of interest include those described in: Pietu *et al.* *Genome Res.*

WO 99/33982

PCT/US98/27610

(1996) 6:492; Zhao *et al.*, *Gene* (1995) 156:207; Soares, *Curr. Opin. Biotechnol.* (1977) 8: 542; Raval, *J. Pharmacol Toxicol Methods* (1994) 32:125; Chalifour *et al.*, *Anal. Biochem* (1994) 216:299; Stolz *et al.*, *Mol. Biotechnol.* (1996) 6:225; Hong *et al.*, *Biosci. Reports* (1982) 2:907; and McGraw, *Anal. Biochem.* (1984) 143:298. Also of interest are the
5 methods disclosed in WO 97/27317, the disclosure of which is herein incorporated by reference.

In general, diagnostic assays of the invention involve detection of a gene product of a the polynucleotide sequence (*e.g.*, mRNA or polypeptide) that corresponds to a sequence of SEQ ID NOS:1-844. The patient from whom the sample is obtained can be apparently
10 healthy, susceptible to disease (*e.g.*, as determined by family history or exposure to certain environmental factors), or can already be identified as having a condition in which altered expression of a gene product of the invention is implicated.

In the assays of the invention, the diagnosis can be determined based on detected gene product expression levels of a gene product encoded by at least one, preferably at least
15 two or more, at least 3 or more, or at least 4 or more of the polynucleotides having a sequence set forth in SEQ ID NOS:1-844, and can involve detection of expression of genes corresponding to all of SEQ ID NOS:1-844 and/or additional sequences that can serve as additional diagnostic markers and/or reference sequences. Where the diagnostic method is designed to detect the presence or susceptibility of a patient to cancer, the assay preferably
20 involves detection of a gene product encoded by a gene corresponding to a polynucleotide that is differentially expressed in cancer. For example, a higher level of expression of a polynucleotide corresponding to SEQ ID NO:52 relative to a level associated with a normal sample can indicate the presence of cancer in the patient from whom the sample is derived. In another example, detection of a lower level of a polynucleotide corresponding to SEQ ID
25 NO:39 relative to a normal level is indicative of the presence of cancer in the patient. Further examples of such differentially expressed polynucleotides are described in the Examples below. Given the provided polynucleotides and information regarding their relative expression levels provided herein, assays using such polynucleotides and detection of their expression levels in diagnosis and prognosis will be readily apparent to the ordinarily
30 skilled artisan.

WO 99/33982

PCT/US98/27610

Any of a variety of detectable labels can be used in connection with the various embodiments of the diagnostic methods of the invention. Suitable detectable labels include fluorochromes, (e.g. fluorescein isothiocyanate (FITC), rhodamine, Texas Red, phycoerythrin, allophycocyanin, 6-carboxyfluorescein (6-FAM), 2',7'-dimethoxy-4',5'-dichloro-6-carboxyfluorescein (JOE), 6-carboxy-X-rhodamine (ROX), 6-carboxy-2',4',7',4,7-hexachlorofluorescein (HEX), 5-carboxyfluorescein (5-FAM) or N,N,N',N'-tetramethyl-6-carboxyrhodamine (TAMRA)), radioactive labels, (e.g. ^{32}P , ^{35}S , ^3H , *etc.*), and the like. The detectable label can involve a two stage systems (e.g., biotin-avidin, hapten-anti-hapten antibody, *etc.*)

Reagents specific for the polynucleotides and polypeptides of the invention, such as antibodies and nucleotide probes, can be supplied in a kit for detecting the presence of an expression product in a biological sample. The kit can also contain buffers or labeling components, as well as instructions for using the reagents to detect and quantify expression products in the biological sample. Exemplary embodiments of the diagnostic methods of the invention are described below in more detail.

Polypeptide detection in diagnosis. In one embodiment, the test sample is assayed for the level of a differentially expressed polypeptide. Diagnosis can be accomplished using any of a number of methods to determine the absence or presence or altered amounts of the differentially expressed polypeptide in the test sample. For example, detection can utilize staining of cells or histological sections with labeled antibodies, performed in accordance with conventional methods. Cells can be permeabilized to stain cytoplasmic molecules. In general, antibodies that specifically bind a differentially expressed polypeptide of the invention are added to a sample, and incubated for a period of time sufficient to allow binding to the epitope, usually at least about 10 minutes. The antibody can be detectably labeled for direct detection (e.g., using radioisotopes, enzymes, fluorescers, chemiluminescers, and the like), or can be used in conjunction with a second stage antibody or reagent to detect binding (e.g., biotin with horseradish peroxidase-conjugated avidin, a secondary antibody conjugated to a fluorescent compound, e.g. fluorescein, rhodamine, Texas red, *etc.*). The absence or presence of antibody binding can be determined by various methods, including flow cytometry of dissociated cells, microscopy, radiography, scintillation counting, *etc.* Any suitable alternative methods can of qualitative or quantitative

WO 99/33982

PCT/US98/27610

detection of levels or amounts of differentially expressed polypeptide can be used, for example ELISA, western blot, immunoprecipitation, radioimmunoassay, etc.

In general, the detected level of differentially expressed polypeptide in the test sample is compared to a level of the differentially expressed gene product in a reference or control sample, *e.g.*, in a normal cell (negative control) or in a cell having a known disease state (positive control). For example, a higher level of expression of a polypeptide encoded by SEQ ID NO:52 relative to a level associated with a normal sample can indicate the presence of cancer in the patient from whom the sample is derived. In another example, detection of a lower level of the polypeptide encoded by SEQ ID NO:39 relative to a normal level is indicative of the presence of cancer in the patient.

mRNA detection. The diagnostic methods of the invention can also or alternatively involve detection of mRNA encoded by a gene corresponding to a differentially expressed polynucleotides of the invention. Any suitable qualitative or quantitative methods known in the art for detecting specific mRNAs can be used. mRNA can be detected by, for example, *in situ* hybridization in tissue sections, by reverse transcriptase-PCR, or in Northern blots containing poly A⁺ mRNA. One of skill in the art can readily use these methods to determine differences in the size or amount of mRNA transcripts between two samples. For example, the level of mRNA of the invention in a tissue sample suspected of being cancerous or dysplastic is compared with the expression of the mRNA in a reference sample, *e.g.*, a positive or negative control sample (*e.g.*, normal tissue, cancerous tissue, *etc.*). In a specific non-limiting example, a higher level of mRNA corresponding to SEQ ID NO:52 relative to a level associated with a normal sample can indicate the presence of cancer in the patient from whom the sample is derived. In another example, detection of a lower level of mRNA corresponding to SEQ ID NO:39 relative to a normal level is indicative of the presence of cancer in the patient.

Any suitable method for detecting and comparing mRNA expression levels in a sample can be used in connection with the diagnostic methods of the invention (see, *e.g.*, U.S. 5,804,382). For example, mRNA expression levels in a sample can be determined by generation of a library of expressed sequence tags (ESTs) from the sample, where the EST library is representative of sequences present in the sample (Adams, et al., (1991) *Science* 252:1651). Enumeration of the relative representation of ESTs within the library can be used

WO 99/33982

PCT/US98/27610

to approximate the relative representation of the gene transcript within the starting sample. The results of EST analysis of a test sample can then be compared to EST analysis of a reference sample to determine the relative expression levels of a selected polynucleotide, particularly a polynucleotide corresponding to one or more of the differentially expressed genes described herein.

Alternatively, gene expression in a test sample can be performed using serial analysis of gene expression (SAGE) methodology (Velculescu et al., *Science* (1995) 270:484). In short, SAGE involves the isolation of short unique sequence tags from a specific location within each transcript (*e.g.*, a sequence of any one of SEQ ID NOS:1-6). The sequence tags are concatenated, cloned, and sequenced. The frequency of particular transcripts within the starting sample is reflected by the number of times the associated sequence tag is encountered with the sequence population.

Gene expression in a test sample can also be analyzed using differential display (DD) methodology. In DD, fragments defined by specific sequence delimiters (*e.g.*, restriction enzyme sites) are used as unique identifiers of genes, coupled with information about fragment length or fragment location within the expressed gene. The relative representation of an expressed gene with a sample can then be estimated based on the relative representation of the fragment associated with that gene within the pool of all possible fragments. Methods and compositions for carrying out DD are well known in the art, see, *e.g.*, U.S. 5,776,683; and U.S. 5,807,680.

Alternatively, gene expression in a sample using hybridization analysis, which is based on the specificity of nucleotide interactions. Oligonucleotides or cDNA can be used to selectively identify or capture DNA or RNA of specific sequence composition, and the amount of RNA or cDNA hybridized to a known capture sequence determined qualitatively or quantitatively, to provide information about the relative representation of a particular message within the pool of cellular messages in a sample. Hybridization analysis can be designed to allow for concurrent screening of the relative expression of hundreds to thousands of genes by using, for example, array-based technologies having high density formats, including filters, microscope slides, or microchips, or solution-based technologies that use spectroscopic analysis (*e.g.*, mass spectrometry). One exemplary use of arrays in the diagnostic methods of the invention is described below in more detail.

WO 99/33982

PCT/US98/27610

Use of a single gene in diagnostic applications. The diagnostic methods of the invention can focus on the expression of a single differentially expressed gene. For example, the diagnostic method can involve detecting a differentially expressed gene, or a polymorphism of such a gene (*e.g.*, a polymorphism in an coding region or control region), that is associated with disease. Disease-associated polymorphisms can include deletion or truncation of the gene, mutations that alter expression level and/or affect activity of the encoded protein, *etc.*

Changes in the promoter or enhancer sequence that affect expression levels of an differentially gene can be compared to expression levels of the normal allele by various methods known in the art. Methods for determining promoter or enhancer strength include quantitation of the expressed natural protein; insertion of the variant control element into a vector with a reporter gene such as β -galactosidase, luciferase, chloramphenicol acetyltransferase, *etc.* that provides for convenient quantitation; and the like.

A number of methods are available for analyzing nucleic acids for the presence of a specific sequence, *e.g.* a disease associated polymorphism. Where large amounts of DNA are available, genomic DNA is used directly. Alternatively, the region of interest is cloned into a suitable vector and grown in sufficient quantity for analysis. Cells that express a differentially expressed gene can be used as a source of mRNA, which can be assayed directly or reverse transcribed into cDNA for analysis. The nucleic acid can be amplified by conventional techniques, such as the polymerase chain reaction (PCR), to provide sufficient amounts for analysis, and a detectable label can be included in the amplification reaction (*e.g.*, using a detectably labeled primer or detectably labeled oligonucleotides) to facilitate detection. The use of the polymerase chain reaction is described in Saiki, *et al.*, *Science* (1985) 239:487, and a review of techniques can be found in Sambrook, *et al.*, *Molecular Cloning: A Laboratory Manual*, (1989) pp. 14.2. Alternatively, various methods are known in the art that utilize oligonucleotide ligation as a means of detecting polymorphisms, for examples see Riley *et al.*, *Nucl. Acids Res.* (1990) 18:2887; and Delahunty *et al.*, *Am. J. Hum. Genet.* (1996) 58:1239.

The sample nucleic acid, *e.g.* amplified or cloned fragment, is analyzed by one of a number of methods known in the art. The nucleic acid can be sequenced by dideoxy or other methods, and the sequence of bases compared to a selected sequence, *e.g.*, to a wild-type

WO 99/33982

PCT/US98/27610

sequence. Hybridization with the polymorphic or variant sequence can also be used to determine its presence in a sample (*e.g.*, by Southern blot, dot blot, *etc.*). The hybridization pattern of a polymorphic or variant sequence and a control sequence to an array of oligonucleotide probes immobilized on a solid support, as described in US 5,445,934, or in
5 WO 95/35505, can also be used as a means of identifying polymorphic or variant sequences associated with disease. Single strand conformational polymorphism (SSCP) analysis, denaturing gradient gel electrophoresis (DGGE), and heteroduplex analysis in gel matrices are used to detect conformational changes created by DNA sequence variation as alterations in electrophoretic mobility. Alternatively, where a polymorphism creates or destroys a
10 recognition site for a restriction endonuclease, the sample is digested with that endonuclease, and the products size fractionated to determine whether the fragment was digested. Fractionation is performed by gel or capillary electrophoresis, particularly acrylamide or agarose gels.

Screening for mutations in an differentially expressed gene can be based on the
15 functional or antigenic characteristics of the protein. Protein truncation assays are useful in detecting deletions that can affect the biological activity of the protein. Various immunoassays designed to detect polymorphisms in proteins can be used in screening. Where many diverse genetic mutations lead to a particular disease phenotype, functional protein assays have proven to be effective screening tools. The activity of the encoded
20 protein can be determined by comparison with the wild-type protein.

Pattern matching in diagnosis using arrays. In another embodiment, the diagnostic and/or prognostic methods of the invention involve detection of expression of a selected set of genes in a test sample to produce a test expression pattern (TEP). The TEP is compared to a reference expression pattern (REP), which is generated by detection of expression of the
25 selected set of genes in a reference sample (*e.g.*, a positive or negative control sample). The selected set of genes includes at least one of the genes of the invention, which genes correspond to the polynucleotide sequences of SEQ ID NOS:1-844. Of particular interest is a selected set of genes that includes gene differentially expressed in the disease for which the test sample is to be screened.

30 "Reference sequences" or "reference polynucleotides" as used herein in the context of differential gene expression analysis and diagnosis/prognosis refers to a selected set of

WO 99/33982

PCT/US98/27610

polynucleotides, which selected set includes at least one or more of the differentially expressed polynucleotides described herein. A plurality of reference sequences, preferably comprising positive and negative control sequences, can be included as reference sequences. Additional suitable reference sequences are found in Genbank, Unigene, and other

5 nucleotide sequence databases (including, *e.g.*, expressed sequence tag (EST), partial, and full-length sequences).

"Reference array" means an array having reference sequences for use in hybridization with a sample, where the reference sequences include all, at least one of, or any subset of the differentially expressed polynucleotides described herein. Usually such an array will include

10 at least 3 different reference sequences, and can include any one or all of the provided differentially expressed sequences. Arrays of interest can further comprise sequences, including polymorphisms, of other genetic sequences, particularly other sequences of interest for screening for a disease or disorder (*e.g.*, cancer, dysplasia, or other related or unrelated diseases, disorders, or conditions). The oligonucleotide sequence on the array will usually

15 be at least about 12 nt in length, and can be of about the length of the provided sequences, or can extend into the flanking regions to generate fragments of 100 nt to 200 nt in length or more.

A "reference expression pattern" or "REP" as used herein refers to the relative levels of expression of a selected set of genes, particularly of differentially expressed genes, that is

20 associated with a selected cell type, *e.g.*, a normal cell, a cancerous cell, a cell exposed to an environmental stimulus, and the like. A "test expression pattern" or "TEP" refers to relative levels of expression of a selected set of genes, particularly of differentially expressed genes, in a test sample (*e.g.*, a cell of unknown or suspected disease state, from which mRNA is isolated).

"Diagnosis" as used herein generally includes determination of a subject's

25 susceptibility to a disease or disorder, determination as to whether a subject is presently affected by a disease or disorder, as well as to the prognosis of a subject affected by a disease or disorder (*e.g.*, identification of pre-metastatic or metastatic cancerous states, stages of cancer, or responsiveness of cancer to therapy). The present invention particularly

30 encompasses diagnosis of subjects in the context of breast cancer (*e.g.*, carcinoma in situ (*e.g.*, ductal carcinoma in situ), estrogen receptor (ER)-positive breast cancer, ER-negative

WO 99/33982

PCT/US98/27610

breast cancer, or other forms and/or stages of breast cancer), lung cancer (*e.g.*, small cell carcinoma, non-small cell carcinoma, mesothelioma, and other forms and/or stages of lung cancer), and colon cancer (*e.g.*, adenomatous polyp, colorectal carcinoma, and other forms and/or stages of colon cancer).

5 "Sample" or "biological sample" as used throughout here are generally meant to refer to samples of biological fluids or tissues, particularly samples obtained from tissues, especially from cells of the type associated with the disease for which the diagnostic application is designed (*e.g.*, ductal adenocarcinoma), and the like. "Samples" is also meant to encompass derivatives and fractions of such samples (*e.g.*, cell lysates). Where the sample
10 is solid tissue, the cells of the tissue can be dissociated or tissue sections can be analyzed.

 REPs can be generated in a variety of ways according to methods well known in the art. For example, REPs can be generated by hybridizing a control sample to an array having a selected set of polynucleotides (particularly a selected set of differentially expressed polynucleotides), acquiring the hybridization data from the array, and storing the data in a
15 format that allows for ready comparison of the REP with a TEP. Alternatively, all expressed sequences in a control sample can be isolated and sequenced, *e.g.*, by isolating mRNA from a control sample, converting the mRNA into cDNA, and sequencing the cDNA. The resulting sequence information roughly or precisely reflects the identity and relative number of expressed sequences in the sample. The sequence information can then be stored in a
20 format (*e.g.*, a computer-readable format) that allows for ready comparison of the REP with a TEP. The REP can be normalized prior to or after data storage, and/or can be processed to selectively remove sequences of expressed genes that are of less interest or that might complicate analysis (*e.g.*, some or all of the sequences associated with housekeeping genes can be eliminated from REP data).

25 TEPs can be generated in a manner similar to REPs, *e.g.*, by hybridizing a test sample to an array having a selected set of polynucleotides, particularly a selected set of differentially expressed polynucleotides, acquiring the hybridization data from the array, and storing the data in a format that allows for ready comparison of the TEP with a REP. The REP and TEP to be used in a comparison can be generated simultaneously, or the TEP can
30 be compared to previously generated and stored REPs.

WO 99/33982

PCT/US98/27610

In one embodiment of the invention, comparison of a TEP with a REP involves hybridizing a test sample with a reference array, where the reference array has one or more reference sequences for use in hybridization with a sample. The reference sequences include all, at least one of, or any subset of the differentially expressed polynucleotides described

5 herein. Hybridization data for the test sample is acquired, the data normalized, and the produced TEP compared with a REP generated using an array having the same or similar selected set of differentially expressed polynucleotides. Probes that correspond to sequences differentially expressed between the two samples will show decreased or increased hybridization efficiency for one of the samples relative to the other.

10 Reference arrays can be produced according to any suitable methods known in the art. For example, methods of producing large arrays of oligonucleotides are described in U.S. 5,134,854, and U.S. 5,445,934 using light-directed synthesis techniques. Using a computer controlled system, a heterogeneous array of monomers is converted, through simultaneous coupling at a number of reaction sites, into a heterogeneous array of polymers.

15 Alternatively, microarrays are generated by deposition of pre-synthesized oligonucleotides onto a solid substrate, for example as described in PCT published application no. WO 95/35505.

Methods for collection of data from hybridization of samples with a reference arrays are also well known in the art. For example, the polynucleotides of the reference and test

20 samples can be generated using a detectable fluorescent label, and hybridization of the polynucleotides in the samples detected by scanning the microarrays for the presence of the detectable label. Methods and devices for detecting fluorescently marked targets on devices are known in the art. Generally, such detection devices include a microscope and light source for directing light at a substrate. A photon counter detects fluorescence from the

25 substrate, while an x-y translation stage varies the location of the substrate. A confocal detection device that can be used in the subject methods is described in U.S. Patent no. 5,631,734. A scanning laser microscope is described in Shalon et al., *Genome Res.* (1996) 6:639. A scan, using the appropriate excitation line, is performed for each fluorophore used. The digital images generated from the scan are then combined for subsequent analysis. For

30 any particular array element, the ratio of the fluorescent signal from one sample (e.g., a test

WO 99/33982

PCT/US98/27610

sample) is compared to the fluorescent signal from another sample (*e.g.*, a reference sample), and the relative signal intensity determined.

Methods for analyzing the data collected from hybridization to arrays are well known in the art. For example, where detection of hybridization involves a fluorescent label, data analysis can include the steps of determining fluorescent intensity as a function of substrate position from the data collected, removing outliers, *i.e.* data deviating from a predetermined statistical distribution, and calculating the relative binding affinity of the targets from the remaining data. The resulting data can be displayed as an image with the intensity in each region varying according to the binding affinity between targets and probes.

In general, the test sample is classified as having a gene expression profile corresponding to that associated with a disease or non-disease state by comparing the TEP generated from the test sample to one or more REPs generated from reference samples (*e.g.*, from samples associated with cancer or specific stages of cancer, dysplasia, samples affected by a disease other than cancer, normal samples, *etc.*). The criteria for a match or a substantial match between a TEP and a REP include expression of the same or substantially the same set of reference genes, as well as expression of these reference genes at substantially the same levels (*e.g.*, no significant difference between the samples for a signal associated with a selected reference sequence after normalization of the samples, or at least no greater than about 25% to about 40% difference in signal strength for a given reference sequence. In general, a pattern match between a TEP and a REP includes a match in expression, preferably a match in qualitative or quantitative expression level, of at least one of, all or any subset of the differentially expressed genes of the invention.

Pattern matching can be performed manually, or can be performed using a computer program. Methods for preparation of substrate matrices (*e.g.*, arrays), design of oligonucleotides for use with such matrices, labeling of probes, hybridization conditions, scanning of hybridized matrices, and analysis of patterns generated, including comparison analysis, are described in, for example, U.S. 5,800,992.

F. Use of the Polynucleotides of the Invention in Cancer

Oncogenesis involves the unbridled growth, dedifferentiation and abnormal migration of cells. Cancerous cells can have the ability to compress, invade, and destroy normal tissue. Cancerous cells may also metastasize to other parts of the body via the

WO 99/33982

PCT/US98/27610

bloodstream or the lymph system and colonize in these other areas. Different cancers are classified by the cell from which the cancerous cell is derived and from its cellular morphology and/or state of differentiation.

Somatic genetic abnormalities cause cancer initiation and progression. Cancer
5 generally is clonally formed, *i.e.* gain of function of oncogenes and loss of function of tumor suppressor genes within a single cell transform the cell to be cancerous, and that single cell grows and divides to form a cancerous lesion. The genes known to be involved in cancer initiation and progression are involved in numerous cellular functions, including developmental differentiation, cell cycle regulation, cell signaling, immunological response,
10 DNA replication, and DNA repair.

The identification and characterization of genetic or biochemical markers in blood or tissues that will detect the earliest changes along the carcinogenesis pathway and monitor the efficacy of various therapies and preventive interventions is a major goal of cancer research. Scientists have identified genetic changes in stool specimens that indicate the stages of colon
15 cancer, and other biomarkers such as gene mutations, hormone receptors, proteins that inhibit metastasis, and enzymes that metabolize drugs are all being used to determine the severity and predict the course of breast, prostate, lung, and other cancers.

Recent advances in the pathogenesis of certain cancers has been helpful in determining patient treatment. The level of expression of certain polynucleotides can be
20 indicative of a poorer prognosis, and therefore warrant more aggressive chemo- or radio-therapy for a patient. The correlation of novel surrogate tumor specific features with response to treatment and outcome in patients has defined certain prognostic indicators that allow the design of tailored therapy based on the molecular profile of the tumor. These therapies include antibody targeting and gene therapy. Moreover, a promising level of one
25 or more marker polynucleotides can provide impetus for not aggressively treating a particular patient, thus sparing the patient the deleterious side effects of aggressive therapy. Determining expression of certain polynucleotides and comparison of a patients profile with known expression in normal tissue and variants of the disease allows a determination of the best possible treatment for a patient, both in terms of specificity of treatment and in terms of
30 comfort level of the patient.

WO 99/33982

PCT/US98/27610

Surrogate tumor markers, such as polynucleotide expression, can also be used to better classify, and thus diagnose and treat, different forms and disease states of cancer. Two classifications widely used in oncology that can benefit from identification of the expression levels of the polynucleotides of the invention are staging of the cancerous disorder, and grading the nature of the cancerous tissue.

Staging. Staging is a process used by physicians to describe how advanced the cancerous state is in a patient. Staging assists the physician in determining a prognosis, planning treatment and evaluating the results of such treatment. Different staging systems are used for different types of cancer, but each generally involves the following determinations: the type of tumor, indicated by T; whether the cancer has metastasized to nearby lymph nodes, indicated by N; and whether the cancer has metastasized to more distant parts of the body, indicated by M. This system of staging is called the TNM system. Generally, if a cancer is only detectable in the area of the primary lesion without having spread to any lymph nodes it is called Stage I. If it has spread only to the closest lymph nodes, it is called Stage II. In Stage III, the cancer has generally spread to the lymph nodes in near proximity to the site of the primary lesion. Cancers that have spread to a distant part of the body, such as the liver, bone, brain or another site, are called Stage IV, the most advanced stage.

Currently, the determination of staging is done using pathological techniques and is based more on the presence or absence of malignant tissue rather than the characteristics of the tumor type. Presence or absence of malignant tissue is based primarily on the gross morphology of the cells in the areas biopsied. The polynucleotides of the invention can facilitate fine-tuning of the staging process by identifying markers for the aggressivity of a cancer, *e.g.* the metastatic potential, as well as the presence in different areas of the body. Thus, a Stage II cancer with a polynucleotide signifying a high metastatic potential cancer can be used to change a borderline Stage II tumor to a Stage III tumor, justifying more aggressive therapy. Conversely, the presence of a polynucleotide signifying a lower metastatic potential allows more conservative staging of a tumor.

Grading of cancers. Grade is a term used to describe how closely a tumor resembles normal tissue of its same type. Based on the microscopic appearance of a tumor, pathologists will identify the grade of a tumor based on parameters such as cell morphology,

WO 99/33982

PCT/US98/27610

cellular organization, and other markers of differentiation. As a general rule, the grade of a tumor corresponds to its rate of growth or aggressiveness. That is, undifferentiated or high-grade tumors grow more quickly than well differentiated or low-grade tumors. Information about tumor grade is useful in planning treatment and predicting prognosis.

5 The American Joint Commission on Cancer has recommended the following guidelines for grading tumors: 1) GX Grade cannot be assessed; 2) G1 Well differentiated; G2 Moderately well differentiated; 3) G3 Poorly differentiated; 4) G4 Undifferentiated. Although grading is used by pathologists to describe most cancers, it plays a more important role in treatment planning for certain types than for others. An example is the Gleason

10 system that is specific for prostate cancer, which uses grade numbers to describe the degree of differentiation. Lower Gleason scores indicate well-differentiated cells. Intermediate scores denote tumors with moderately differentiated cells. Higher scores describe poorly differentiated cells. Grade is also important in some types of brain tumors and soft tissue sarcomas.

15 The polynucleotides of the invention can be especially valuable in determining the grade of the tumor, as they not only can aid in determining the differentiation status of the cells of a tumor, they can also identify factors other than differentiation that are valuable in determining the aggressivity of a tumor, such as metastatic potential.

Familial Cancer Genes. A number of cancer syndromes are linked to Mendelian

20 inheritance of a predisposition to develop particular cancers. The following table contains a list of cancer types that can be inherited, and for which the gene or genes responsible have been identified. Most of the cancer types listed can occur as part of several different genetic conditions, each caused by alterations in a different gene.

Cancer Type	Genetic Condition	Gene
Brain	Li-Fraumeni syndrome	TP53
	Neurofibromatosis 1	NF1
	Neurofibromatosis 2	NF2
	von Hippel-Lindau syndrome	VHL
	Tuberous sclerosis 2	TSC2
Breast	Hereditary breast/ovarian cancer 1	BRCA1
	Hereditary breast/ovarian cancer 2	BRCA2
	Li-Fraumeni syndrome	TP53
	Ataxia telangiectasia	ATM
Colon	Familial adenomatous polyposis (FAP)	APC
	Hereditary non-polyposis colon cancer (HNPCC) 1	HMSH2
	Hereditary non-polyposis colon cancer (HNPCC) 2	hMLH1

WO 99/33982

PCT/US98/27610

Cancer Type	Genetic Condition	Gene
	Hereditary non-polyposis colon cancer (HNPCC) 3	hPMS1
	Hereditary non-polyposis colon cancer (HNPCC) 4	hPMS2
Endocrine (parathyroid, pituitary, GI endocrine)	Multiple endocrine neoplasia 1 (MEN1)	MEN1
Endocrine (pheochromocytoma, medullary thyroid)	Multiple endocrine neoplasia 2 (MEN2)	RET
Endometrial	Hereditary non-polyposis colon cancer (HNPCC) 1	hMSH2
	Hereditary non-polyposis colon cancer (HNPCC) 2	hMLH1
	Hereditary non-polyposis colon cancer (HNPCC) 3	hPMS1
	Hereditary non-polyposis colon cancer (HNPCC) 4	hPMS2
Eye	Hereditary retinoblastoma	RB1
Hematologic (lymphomas and leukemia)	Li-Fraumeni syndrome	TP53
	Ataxia telangiectasia	ATM
Kidney	Hereditary Wilms' tumor	WT1
	von Hippel-Lindau syndrome	VHL
	Tuberous sclerosis 2	TSC2
Ovary	Hereditary breast/ovarian cancer 1	BRCA1
	Hereditary breast/ovarian cancer 2	BRCA2
Sarcoma	Hereditary retinoblastoma	RB1
	Li-Fraumeni syndrome	TP53
	Neurofibromatosis 1	NF1
Skin	Hereditary melanoma 1	CDKN2
	Hereditary melanoma 2	CDK4
	Basal cell naevus (Gorlin) syndrome	PTCH
Stomach	Hereditary non-polyposis colon cancer (HNPCC) 1	hMSH2
	Hereditary non-polyposis colon cancer (HNPCC) 2	hMLH1
	Hereditary non-polyposis colon cancer (HNPCC) 3	hPMS1
	Hereditary non-polyposis colon cancer (HNPCC) 4	hPMS2

The polynucleotides of the invention can be especially useful to monitor patients having any of the above syndromes to detect potentially malignant events at a molecular level before they are detectable at a gross morphological level. As can be seen from the table, a number of genes are involved in multiple forms of cancer. Thus, a polynucleotide of the invention identified as important for metastatic colon cancer can also have clinical implications for a patient diagnosed with stomach cancer or endometrial cancer.

Lung Cancer. Lung cancer is one of the most common cancers in the United States, accounting for about 15 percent of all cancer cases, or 170,000 new cases each year. At this time, over half of the lung cancer cases in the United States are in men, but the number found in women is increasing and will soon equal that in men. Today more women die of lung cancer than of breast cancer. Lung cancer is especially difficult to diagnose and treat because of the large size of the lungs, which allows cancer to develop for years undetected.

WO 99/33982

PCT/US98/27610

In fact, lung cancer can spread outside the lungs without causing any symptoms. Adding to the confusion, the most common symptom of lung cancer, a persistent cough, can often be mistaken for a cold or bronchitis.

Although there are more than a dozen different kinds of lung cancer, the two main types of lung cancer are small cell and nonsmall cell, which encompass about 90% of all lung cancer cases. Small cell carcinoma (also called oat cell carcinoma), which usually starts in one of the larger bronchial tubes, grows fairly rapidly, and is likely to be large by the time of diagnosis. Nonsmall cell lung cancer (NSCLC) is made up of three general subtypes of lung cancer. Epidermoid carcinoma (also called squamous cell carcinoma) usually starts in one of the larger bronchial tubes and grows relatively slowly. The size of these tumors can range from very small to quite large. Adenocarcinoma starts growing near the outside surface of the lung and can vary in both size and growth rate. Some slowly growing adenocarcinomas are described as alveolar cell cancer. Large cell carcinoma starts near the surface of the lung, grows rapidly, and the growth is usually fairly large when diagnosed. Other less common forms of lung cancer are carcinoid, cylindroma, mucoepidermoid, and malignant mesothelioma.

Currently, CT scans, MRIs, X-rays, sputum cytology, and biopsies are used to diagnose nonsmall cell lung cancer. The form and cellular origin of the lung cancer is diagnosed primarily through biopsy from either a surgical biopsy or a needle aspiration of lung tissue, and usually the biopsy is prompted from an abnormality identified on an X-ray. In some cases, sputum cytology can reveal lung cancers in patients with normal X-rays or can determine the type of lung cancer, but because it cannot pinpoint the tumor's location, a positive sputum cytology test is usually followed by further tests. Since these tests are based in large part on gross morphology of the tissue, the diagnosis of a particular kind of tumor is largely subjective, and the diagnosis can vary significantly between clinicians.

The polynucleotides of the invention can be used to distinguish types of lung cancer as well as identifying traits specific to a certain patient's cancer. For example, if the patient's biopsy expresses a polynucleotide that is associated with a low metastatic potential, it may justify leaving a larger portion of the patient's lung in surgery to remove the lesion. Alternatively, a smaller lesion with expression of a polynucleotide that is associated with high metastatic potential may justify a more radical removal of lung tissue and/or the

WO 99/33982

PCT/US98/27610

surrounding lymph nodes, even if no metastasis can be identified through pathological examination.

Similarly, the expression of polynucleotides of the invention can be used in the diagnosis, prognosis and management of colorectal cancer. The differential expression of a polynucleotide in hyperplasia can be used as a diagnostic marker for metastatic lung cancer. The polynucleotides of the invention that would be especially useful for this purpose are those that exhibit differential expression between high metastatic versus low metastatic lung cancer, *i.e.* SEQ ID NOS: 9, 34, 42, 62, 74, 106, 119, 135, 154, 160, 260, 308, 323, 349, 361, 369, 371, 381, 395, and 400. Detection of malignant lung cancer with a higher metastatic potential can be determined using expression levels of any of these sequences alone or in combination with the levels of expression of other known genes.

Breast Cancer. The National Cancer Institute (NCI) estimates that about 1 in 8 women in the United States will develop breast cancer during her lifetime. Clinical breast examination and mammography are recommended as combined modalities for breast cancer screening, and the nature of the cancer will often depend upon the location of the tumor and the cell type from which the tumor is derived. The majority of breast cancers are adenocarcinomas subtypes, which can be summarized as follows:

Ductal carcinoma in situ (DCIS): Ductal carcinoma in situ is the most common type of noninvasive breast cancer. In DCIS, the malignant cells have not metastasized through the walls of the ducts into the fatty tissue of the breast. Comedocarcinoma is a type of DCIS that is more likely than other types of DCIS to come back in the same area after lumpectomy. It is more closely linked to eventual development of invasive ductal carcinoma than other forms of DCIS.

Infiltrating (or invasive) ductal carcinoma (IDC): this type of cancer has metastasized through the wall of the duct and invaded the fatty tissue of the breast. At this point, it has the potential to use the lymphatic system and bloodstream for metastasis to more distant parts of the body. Infiltrating ductal carcinoma accounts for about 80% of breast cancers.

Lobular carcinoma in situ (LCIS): While not a true cancer, LCIS (also called lobular neoplasia) is sometimes classified as a type of noninvasive breast cancer. It does not penetrate through the wall of the lobules. Although it does not itself usually become an

WO 99/33982

PCT/US98/27610

invasive cancer, women with this condition have a higher risk of developing an invasive breast cancer in the same breast, or in the opposite breast.

Infiltrating (or invasive) lobular carcinoma (ILC): ILC is similar to IDC, in that it has the potential metastasize elsewhere in the body. About 10% to 15% of invasive breast
5 cancers are invasive lobular carcinomas. ILC can be more difficult to detect by mammogram than IDC.

Inflammatory breast cancer: This rare type of invasive breast cancer accounts for about 1% of all breast cancers and is extremely aggressive. Multiple skin symptoms associated with this cancer are caused by cancer cells blocking lymph vessels or channels in
10 the skin over the breast.

Medullary carcinoma: This special type of infiltrating breast cancer has a relatively well defined, distinct boundary between tumor tissue and normal tissue. It accounts for about 5% of breast cancers. The prognosis for this kind of breast cancer is better than for other types of invasive breast cancer.

15 Mucinous carcinoma: This rare type of invasive breast cancer originates from mucus-producing cells. The prognosis for mucinous carcinoma is better than for the more common types of invasive breast cancer.

Paget's disease of the nipple: This type of breast cancer starts in the ducts and spreads to the skin of the nipple and the areola. It is a rare type of breast cancer, occurring in only
20 1% of all cases. Paget's disease can be associated with in situ carcinoma, or with infiltrating breast carcinoma. If no lump can be felt in the breast tissue, and the biopsy shows DCIS but no invasive cancer, the prognosis is excellent.

Phyllodes tumor: This very rare type of breast tumor forms from the stroma of the breast, in contrast to carcinomas which develop in the ducts or lobules. Phyllodes (also
25 spelled phylloides) tumors are usually benign, but are malignant on rare occasions. Nevertheless, malignant phyllodes tumors are very rare and less than 10 women per year in the US die of this disease. Benign phyllodes tumors are successfully treated by removing the mass and a narrow margin of normal breast tissue.

Tubular carcinoma: Accounting for about 2% of all breast cancers, tubular
30 carcinomas are a special type of infiltrating breast carcinoma. They have a better prognosis than usual infiltrating ductal or lobular carcinomas.

WO 99/33982

PCT/US98/27610

High-quality mammography combined with clinical breast exam remains the only screening method clearly tied to reduction in breast cancer mortality. Lower dose x-rays, digitized computer rather than film images, and the use of computer programs to assist diagnosis, are almost ready for widespread dissemination. Other technologies also are being developed, including magnetic resonance imaging and ultrasound. In addition, a very low radiation exposure technique, positron emission tomography has the potential for detecting early breast cancer.

It is also possible to differentiate between non-cancerous breast tissue and malignant breast tissue by analyzing differential gene expression between tissues. In addition, there may be several possible alterations that lead to the various possible types of breast cancer. The different types of breast tumors (*e.g.*, invasive vs. non-invasive, ductal vs. axillary lymph node) can be differentiable from one another by the identification of the differences in genes expressed by different types of breast tumor tissues (Porter-Jordan *et al.*, *Hematol Oncol Clin North Am* (1994) 8:73). Breast cancer can thus be generally diagnosed by detection of expression of a gene or genes associated with breast tumors. Where enough information is available about the differential gene expression between various types of breast tumor tissues, the specific type of breast tumor can also be diagnosed.

For example, increased estrogen receptor (ER) expression in normal breast epithileum, while not itself indicative of malignant tissue, is a known risk marker for development of breast cancer. Khan SA *et al.*, *Cancer Res* (1994) 54:993. Malignant breast cancer is often divided into two groups, ER-positive and ER-negative, based on the estrogen receptor status of the tissue. The ER status represents different survival length and response to hormone therapy, and is thought to represent either: 1) an indicator of different stages of the disease, or 2) an indicator that allows differentiation between two similar but distinct diseases. K. Zhu *et al.*, *Med. Hypoth.* (1997) 49:69. A number of other genes are known to vary expression between either different stages of cancer or different types of similar breast cancer.

Similarly, the expression of polynucleotides of the invention can be used in the diagnosis and management of breast cancer. The differential expression of a polynucleotide in human breast tumor tissue can be used as a diagnostic marker for human breast cancer. The polynucleotides of the invention that would be especially useful for this purpose are

WO 99/33982

PCT/US98/27610

those that exhibit differential expression between breast cancer tissue with a high metastatic potential and a low metastatic potential, *i.e.* SEQ ID NOS: 9, 42, 52, 62, 65, 66, 68, 114, 123, 144, 172, 178, 214, 219, 223, 258, 317, and 379. Detection of breast cancer can be determined using expression levels of any of these sequences alone or in combination.

- 5 Determination of the aggressive nature and/or the metastatic potential of a breast cancer can also be determined by comparing levels of one or more polynucleotides of the invention and comparing levels of another sequence known to vary in cancerous tissue, *e.g.* ER expression. In addition, development of breast cancer can be detected by examining the ratio of SEQ ID NO: to the levels of steroid hormones (*e.g.*, testosterone or estrogen) or to other hormones
- 10 (*e.g.*, growth hormone, insulin). Thus expression of specific marker polynucleotides can be used to discriminate between normal and cancerous breast tissue, to discriminate between breast cancers with different cells of origin, to discriminate between breast cancers with different potential metastatic rates, etc.

- Diagnosis of breast cancer can also involve comparing the expression of a
- 15 polynucleotide of the invention with the expression of other sequences in non-malignant breast tissue samples in comparison to one or more forms of the diseased tissue. A comparison of expression of one or more polynucleotides of the invention between the samples provides information on relative levels of these polynucleotides as well as the ratio of these polynucleotides to the expression of other sequences in the tissue of interest
- 20 compared to normal.

- This risk of breast cancer is elevated significantly by the presence of an inherited risk for breast cancer, such as a mutation in BRCA-1 or BRCA-2. New diagnostic tools are being developed to address the needs of higher risk patients to complement mammography and physical examinations for early detection of breast cancer, particularly among younger
- 25 women. The presence of antigen or expression markers in nipple aspirate fluid (NAF) samples collected from one or both breasts can be useful for useful for risk assessment or early cancer detection. Breast cytology and biomarkers obtained by random fine needle aspiration have been used to identify hyperplasia with atypia and overexpression of p53 and EGFR. The polynucleotides of the invention can be used in multivariate analysis with
- 30 expression studies with genes such as p53 and EGFR as risk predictors and as surrogate endpoint biomarkers for breast cancer.

WO 99/33982

PCT/US98/27610

As well as being used for diagnosis and risk assessment, the expression of certain genes can also correlated to prognosis of a disease state. The expression of particular gene have been used as prognostic indicators for breast cancer including increased expression of *c-erbB-2*, pS2, ER, progesterone receptor, epidermal growth factor receptor (EGFR), *neu*,
5 *myc*, *bcl-2*, *int2*, cytosolic tyrosine kinase, cyclin E, *prad-1*, *hst*, uPA, PAI-1, PAI-2, cathepsin D, as well as the presence of a number of cancer-specific antigens, *e.g.* CEA, CA M26, CA M29 and CA 15.3. Davis, *Br. J. Biomed Sci.* (1996) 53:157. Poor prognosis has also been linked to a decrease in expression of certain genes, such as *p53*, *Rb*, *nm23*. The expression of the polynucleotides of the invention can be of prognostic value for determining
10 the metastatic potential of a malignant breast cancer, as this molecules are differentially expressed between high and low metastatic potential tissues tumors. The levels of these polynucleotides in patients with malignant breast cancer can compared to normal tissue, malignant tissue with a known high potential metastatic level, and malignant tissue with a known lower level of metastatic potential to provide a prognosis for a particular patient.
15 Such a prognosis is predictive of the extent and nature of the cancer. The determined prognosis is useful in determining the prognosis of a patient with breast cancer, both for initial treatment of the disease and for longer-term monitoring of the same patient. If samples are taken from the same individual over a period of time, differences in polynucleotide expression that are specific to that patient can be identified and closely
20 watched.

Colon Cancer. Colorectal cancer is one of the most common neoplasms in humans and perhaps the most frequent form of hereditary neoplasia. Prevention and early detection are key factors in controlling and curing colorectal cancer. Indeed, colorectal cancer is the second most preventable cancer, after lung cancer. Colorectal cancer begins as polyps,
25 which are small, benign growths of cells that form on the inner lining of the colon. Over a period of several years, some of these polyps accumulate additional mutations and become cancerous. About 20 percent of all cases of colon cancer are thought to be related to heredity. Currently, multiple familial colorectal cancer disorders have been identified, which are summarized as follows:

30 Familial adenomatous polyposis (FAP): This condition results in a person having hundreds or even thousands of polyps in the colon and rectum that usually first appear during

WO 99/33982

PCT/US98/27610

the teenage years. Cancer nearly always develops in one or more of these polyps between the ages of 30 and 50.

Gardner's syndrome: Like FAP, Gardner's syndrome results in polyps and colorectal cancers that develop at a young age. It can also cause benign tumors of the skin, soft

5 connective tissue and bones.

Hereditary nonpolyposis colon cancer (HNPCC): People with this condition tend to develop colorectal cancer at a young age, without first having many polyps. HNPCC has an autosomal dominant pattern of inheritance with variable but high penetrance estimated to be about 90%. HNPCC underlies 0.5%-10% of all cases of colorectal cancer. An understanding

10 of the mechanisms behind the development of HNPCC is emerging, and genetic presymptomatic testing, now being conducted in research settings, soon will be available on a widespread basis for individuals identified at risk for this disease.

Familial colorectal cancer in Ashkenazi Jews: Recent research has found an inherited tendency to developing colorectal cancer among some Jews of Eastern European descent.

15 Like people with FAP, Gardner's syndrome, and HNPCC, their increased risk is due to an inherited mutation present in about 6% of American Jews.

Several tests are currently used to screen for colorectal cancer, including digital rectal examination, fecal occult blood test, sigmoidoscopy, colonoscopy, virtual colonoscopy and MRI. Each of these tests identifies potential colorectal cancer lesions, or a risk of

20 development of these lesions, at a fairly gross morphological level.

The sequential alteration of a number of genes is associated with malignant adenocarcinoma, including the genes DCC, p53, ras, and FAP. For a review, see *e.g.* Fearon ER, *et al.*, *Cell* (1990) 61(5):759; Hamilton SR *et al.*, *Cancer* (1993) 72:957; Bodmer W, *et al.*, *Nat Genet.* (1994) 4(3):217; Fearon ER, *Ann N Y Acad Sci.* (1995) 768:101. Molecular

25 genetic alterations are thus promising as potential diagnostic and prognostic indicators in colorectal carcinoma and molecular genetics of colorectal carcinoma since it is possible to differentiate between different types of colorectal neoplasias using molecular markers. Colorectal cancer can thus be generally diagnosed by detection of expression of a gene or genes associated with colorectal tumors.

30 Similarly, the expression of polynucleotides of the invention can be used in the diagnosis, prognosis and management of colorectal cancer. The differential expression of a

WO 99/33982

PCT/US98/27610

polynucleotide in hyperplasia can be used as a diagnostic marker for colon cancer. The polynucleotides of the invention that would be especially useful for this purpose are those that exhibit differential expression between malignant metastatic colon cancer and normal patient tissue, *i.e.* SEQ ID NOS: 52, 119, 172, 288. Detection of malignant colon cancer can be determined using expression levels of any of these sequences alone or in combination with the levels of expression.

Determination of the aggressive nature and/or the metastatic potential of a colon cancer can also be determined by comparing levels of one or more polynucleotides of the invention and comparing total levels of another sequence known to vary in cancerous tissue, *e.g.* p53 expression. In addition, development of colon cancer can be detected by examining the ratio of any of the polynucleotides of the invention to the levels of oncogenes (*e.g.* ras) or tumor suppressor genes (*e.g.* FAP or p53). Thus expression of specific marker polynucleotides can be used to discriminate between normal and cancerous breast tissue, to discriminate between breast cancers with different cells of origin, to discriminate between breast cancers with different potential metastatic rates, etc.

G. Use of Polynucleotides to Screen for Peptide Analogs and Antagonists

Polypeptides encoded by the instant polynucleotides and corresponding full length genes can be used to screen peptide libraries to identify binding partners, such as receptors, from among the encoded polypeptides.

A library of peptides can be synthesized following the methods disclosed in U.S. Pat. No. 5,010,175 ('175), and in WO 91/17823. As described below in brief, one prepares a mixture of peptides, which is then screened to identify the peptides exhibiting the desired signal transduction and receptor binding activity. In the '175 method, a suitable peptide synthesis support (*e.g.*, a resin) is coupled to a mixture of appropriately protected, activated amino acids. The concentration of each amino acid in the reaction mixture is balanced or adjusted in inverse proportion to its coupling reaction rate so that the product is an equimolar mixture of amino acids coupled to the starting resin. The bound amino acids are then deprotected, and reacted with another balanced amino acid mixture to form an equimolar mixture of all possible dipeptides. This process is repeated until a mixture of peptides of the desired length (*e.g.*, hexamers) is formed. Note that one need not include all amino acids in each step: one can include only one or two amino acids in some steps (*e.g.*, where it is

WO 99/33982

PCT/US98/27610

known that a particular amino acid is essential in a given position), thus reducing the complexity of the mixture. After the synthesis of the peptide library is completed, the mixture of peptides is screened for binding to the selected polypeptide. The peptides are then tested for their ability to inhibit or enhance activity. Peptides exhibiting the desired activity are then isolated and sequenced.

The method described in WO 91/17823 is similar. However, instead of reacting the synthesis resin with a mixture of activated amino acids, the resin is divided into twenty equal portions (or into a number of portions corresponding to the number of different amino acids to be added in that step), and each amino acid is coupled individually to its portion of resin.

The resin portions are then combined, mixed, and again divided into a number of equal portions for reaction with the second amino acid. In this manner, each reaction can be easily driven to completion. Additionally, one can maintain separate "subpools" by treating portions in parallel, rather than combining all resins at each step. This simplifies the process of determining which peptides are responsible for any observed receptor binding or signal transduction activity.

In such cases, the subpools containing, *e.g.*, 1-2,000 candidates each are exposed to one or more polypeptides of the invention. Each subpool that produces a positive result is then resynthesized as a group of smaller subpools (sub-subpools) containing, *e.g.*, 20-100 candidates, and reassayed. Positive sub-subpools can be resynthesized as individual compounds, and assayed finally to determine the peptides that exhibit a high binding constant. These peptides can be tested for their ability to inhibit or enhance the native activity. The methods described in WO 91/7823 and U.S. Patent No. 5,194,392 (herein incorporated by reference) enable the preparation of such pools and subpools by automated techniques in parallel, such that all synthesis and resynthesis can be performed in a matter of days.

Peptide agonists or antagonists are screened using any available method, such as signal transduction, antibody binding, receptor binding, mitogenic assays, chemotaxis assays, etc. The methods described herein are presently preferred. The assay conditions ideally should resemble the conditions under which the native activity is exhibited *in vivo*, that is, under physiologic pH, temperature, and ionic strength. Suitable agonists or antagonists will exhibit strong inhibition or enhancement of the native activity at

WO 99/33982

PCT/US98/27610

concentrations that do not cause toxic side effects in the subject. Agonists or antagonists that compete for binding to the native polypeptide can require concentrations equal to or greater than the native concentration, while inhibitors capable of binding irreversibly to the polypeptide can be added in concentrations on the order of the native concentration.

5 The end results of such screening and experimentation will be at least one novel polypeptide binding partner, such as a receptor, encoded by a gene or a cDNA corresponding to a polynucleotide of the invention, and at least one peptide agonist or antagonist of the novel binding partner. Such agonists and antagonists can be used to modulate, enhance, or inhibit receptor function in cells to which the receptor is native, or in cells that possess the
10 receptor as a result of genetic engineering. Further, if the novel receptor shares biologically important characteristics with a known receptor, information about agonist/antagonist binding can facilitate development of improved agonists/antagonists of the known receptor.

H. Pharmaceutical Compositions and Therapeutic Uses

Pharmaceutical compositions can comprise polypeptides, antibodies, or
15 polynucleotides of the claimed invention. The pharmaceutical compositions will comprise a therapeutically effective amount of either polypeptides, antibodies, or polynucleotides of the claimed invention.

 The term "therapeutically effective amount" as used herein refers to an amount of a therapeutic agent to treat, ameliorate, or prevent a desired disease or condition, or to exhibit a
20 detectable therapeutic or preventative effect. The effect can be detected by, for example, chemical markers or antigen levels. Therapeutic effects also include reduction in physical symptoms, such as decreased body temperature. The precise effective amount for a subject will depend upon the subject's size and health, the nature and extent of the condition, and the therapeutics or combination of therapeutics selected for administration. Thus, it is not useful
25 to specify an exact effective amount in advance. However, the effective amount for a given situation is determined by routine experimentation and is within the judgment of the clinician. For purposes of the present invention, an effective dose will generally be from about 0.01 mg/ kg to 50 mg/kg or 0.05 mg/kg to about 10 mg/kg of the DNA constructs in the individual to which it is administered.

30 A pharmaceutical composition can also contain a pharmaceutically acceptable carrier. The term "pharmaceutically acceptable carrier" refers to a carrier for administration of a

WO 99/33982

PCT/US98/27610

therapeutic agent, such as antibodies or a polypeptide, genes, and other therapeutic agents.

The term refers to any pharmaceutical carrier that does not itself induce the production of antibodies harmful to the individual receiving the composition, and which can be administered without undue toxicity. Suitable carriers can be large, slowly metabolized macromolecules such as proteins, polysaccharides, polylactic acids, polyglycolic acids, polymeric amino acids, amino acid copolymers, and inactive virus particles. Such carriers are well known to those of ordinary skill in the art.

Pharmaceutically acceptable salts can be used therein, for example, mineral acid salts such as hydrochlorides, hydrobromides, phosphates, sulfates, and the like; and the salts of organic acids such as acetates, propionates, malonates, benzoates, and the like. A thorough discussion of pharmaceutically acceptable excipients is available in *Remington's Pharmaceutical Sciences* (Mack Pub. Co., N.J. 1991).

Pharmaceutically acceptable carriers in therapeutic compositions can include liquids such as water, saline, glycerol and ethanol. Auxiliary substances, such as wetting or emulsifying agents, pH buffering substances, and the like, can also be present in such vehicles. Typically, the therapeutic compositions are prepared as injectables, either as liquid solutions or suspensions; solid forms suitable for solution in, or suspension in, liquid vehicles prior to injection can also be prepared. Liposomes are included within the definition of a pharmaceutically acceptable carrier.

Delivery Methods. Once formulated, the compositions of the invention can be (1) administered directly to the subject (*e.g.*, as polynucleotide or polypeptides); (2) delivered *ex vivo*, to cells derived from the subject (*e.g.*, as in *ex vivo* gene therapy); or (3) delivered *in vitro* for expression of recombinant proteins (*e.g.*, polynucleotides). Direct delivery of the compositions will generally be accomplished by injection, either subcutaneously, intraperitoneally, intravenously or intramuscularly, or delivered to the interstitial space of a tissue. The compositions can also be administered into a tumor or lesion. Other modes of administration include oral and pulmonary administration, suppositories, and transdermal applications, needles, and gene guns or hyposprays. Dosage treatment can be a single dose schedule or a multiple dose schedule.

Methods for the *ex vivo* delivery and reimplantation of transformed cells into a subject are known in the art and described in *e.g.*, International Publication No. WO

WO 99/33982

PCT/US98/27610

93/14778. Examples of cells useful in ex vivo applications include, for example, stem cells, particularly hematopoietic, lymph cells, macrophages, dendritic cells, or tumor cells. Generally, delivery of nucleic acids for both ex vivo and in vitro applications can be accomplished by, for example, dextran-mediated transfection, calcium phosphate
5 precipitation, polybrene mediated transfection, protoplast fusion, electroporation, encapsulation of the polynucleotide(s) in liposomes, and direct microinjection of the DNA into nuclei, all well known in the art.

Once a gene corresponding to a polynucleotide of the invention has been found to correlate with a proliferative disorder, such as neoplasia, dysplasia, and hyperplasia, the
10 disorder can be amenable to treatment by administration of a therapeutic agent based on the provided polynucleotide or corresponding polypeptide.

Preparation of antisense polynucleotides is discussed above. Neoplasias that are treated with the antisense composition include, but are not limited to, cervical cancers, melanomas, colorectal adenocarcinomas, Wilms' tumor, retinoblastoma, sarcomas,
15 myosarcomas, lung carcinomas, leukemias, such as chronic myelogenous leukemia, promyelocytic leukemia, monocytic leukemia, and myeloid leukemia, and lymphomas, such as histiocytic lymphoma. Proliferative disorders that are treated with the therapeutic composition include disorders such as anhydric hereditary ectodermal dysplasia, congenital alveolar dysplasia, epithelial dysplasia of the cervix, fibrous dysplasia of bone, and
20 mammary dysplasia. Hyperplasias, for example, endometrial, adrenal, breast, prostate, or thyroid hyperplasias or pseudoepitheliomatous hyperplasia of the skin, are treated with antisense therapeutic compositions based upon a polynucleotide of the invention. Even in disorders in which mutations in the corresponding gene are not implicated, downregulation or inhibition of expression of a gene corresponding to a polynucleotide of the invention can
25 have therapeutic application. For example, decreasing gene expression can help to suppress tumors in which enhanced expression of the gene is implicated.

Both the dose of the antisense composition and the means of administration are determined based on the specific qualities of the therapeutic composition, the condition, age, and weight of the patient, the progression of the disease, and other relevant factors.
30 Administration of the therapeutic antisense agents of the invention includes local or systemic administration, including injection, oral administration, particle gun or catheterized

WO 99/33982

PCT/US98/27610

administration, and topical administration. Preferably, the therapeutic antisense composition contains an expression construct comprising a promoter and a polynucleotide segment of at least 12, 22, 25, 30, or 35 contiguous nucleotides of the antisense strand of a polynucleotide disclosed herein. Within the expression construct, the polynucleotide segment is located
5 downstream from the promoter, and transcription of the polynucleotide segment initiates at the promoter.

Various methods are used to administer the therapeutic composition directly to a specific site in the body. For example, a small metastatic lesion is located and the therapeutic composition injected several times in several different locations within the body
10 of tumor. Alternatively, arteries which serve a tumor are identified, and the therapeutic composition injected into such an artery, in order to deliver the composition directly into the tumor. A tumor that has a necrotic center is aspirated and the composition injected directly into the now empty center of the tumor. The antisense composition is directly administered to the surface of the tumor, for example, by topical application of the composition. X-ray
15 imaging is used to assist in certain of the above delivery methods.

Receptor-mediated targeted delivery of therapeutic compositions containing an antisense polynucleotide, subgenomic polynucleotides, or antibodies to specific tissues is also used. Receptor-mediated DNA delivery techniques are described in, for example, Findeis *et al.*, *Trends Biotechnol.* (1993) 11:202; Chiou *et al.*, *Gene Therapeutics: Methods
20 And Applications Of Direct Gene Transfer* (J.A. Wolff, ed.) (1994); Wu *et al.*, *J. Biol. Chem.* (1988) 263:621; Wu *et al.*, *J. Biol. Chem.* (1994) 269:542; Zenke *et al.*, *Proc. Natl. Acad. Sci. (USA)* (1990) 87:3655; Wu *et al.*, *J. Biol. Chem.* (1991) 266:338. Preferably, receptor-mediated targeted delivery of therapeutic compositions containing antibodies of the invention is used to deliver the antibodies to specific tissue.

Therapeutic compositions containing antisense subgenomic polynucleotides are administered in a range of about 100 ng to about 200 mg of DNA for local administration in a gene therapy protocol. Concentration ranges of about 500 ng to about 50 mg, about 1 µg to about 2 mg, about 5 µg to about 500 µg, and about 20 µg to about 100 µg of DNA can also
25 be used during a gene therapy protocol. Factors such as method of action and efficacy of transformation and expression are considerations which will affect the dosage required for
30 ultimate efficacy of the antisense subgenomic polynucleotides. Where greater expression is

WO 99/33982

PCT/US98/27610

desired over a larger area of tissue, larger amounts of antisense subgenomic polynucleotides or the same amounts readministered in a successive protocol of administrations, or several administrations to different adjacent or close tissue portions of, for example, a tumor site, may be required to effect a positive therapeutic outcome. In all cases, routine
5 experimentation in clinical trials will determine specific ranges for optimal therapeutic effect. A more complete description of gene therapy vectors, especially retroviral vectors, is contained in U.S. Serial No. 08/869,309, which is expressly incorporated herein, and in section G below.

For polynucleotide-related genes encoding polypeptides or proteins with anti-
10 inflammatory activity, suitable use, doses, and administration are described in U.S. Patent No. 5,654,173. Therapeutic agents also include antibodies to proteins and polypeptides encoded by the polynucleotides of the invention and related genes, as described in U.S. Patent No. 5,654,173.

I. Gene Therapy

15 The therapeutic polynucleotides and polypeptides of the present invention can be utilized in gene delivery vehicles. The gene delivery vehicle can be of viral or non-viral origin (see generally, Jolly, *Cancer Gene Therapy* (1994) 1:51; Kimura, *Human Gene Therapy* (1994) 5:845; Connelly, *Human Gene Therapy* (1995) 1:185; and Kaplitt, *Nature Genetics* (1994) 6:148). Gene therapy vehicles for delivery of constructs including a coding
20 sequence of a therapeutic of the invention can be administered either locally or systemically. These constructs can utilize viral or non-viral vector approaches. Expression of such coding sequences can be induced using endogenous mammalian or heterologous promoters. Expression of the coding sequence can be either constitutive or regulated.

The present invention can employ recombinant retroviruses which are constructed to
25 carry or express a selected nucleic acid molecule of interest. Retrovirus vectors that can be employed include those described in EP 0 415 731; WO 90/07936; WO 94/03622; WO 93/25698; WO 93/25234; U.S. Patent No. 5, 219,740; WO 93/11230; WO 93/10218; Vile and Hart, *Cancer Res.* (1993) 53:3860; Vile *et al.*, *Cancer Res.* (1993) 53:962; Ram *et al.*, *Cancer Res.* (1993) 53:83; Takamiya *et al.*, *J. Neurosci. Res.* (1992) 33:493; Baba *et al.*, *J.*
30 *Neurosurg.* (1993) 79:729; U.S. Patent No. 4,777,127; GB Patent No. 2,200,651; and EP 0 345 242. Preferred recombinant retroviruses include those described in WO 91/02805.

WO 99/33982

PCT/US98/27610

Packaging cell lines suitable for use with the above-described retroviral vector constructs can be readily prepared (see, *e.g.*, WO 95/30763 and WO 92/05266), and used to create producer cell lines (also termed vector cell lines) for the production of recombinant vector particles. Within particularly preferred embodiments of the invention, packaging cell lines are made from human (such as HT1080 cells) or mink parent cell lines, thereby allowing production of recombinant retroviruses that can survive inactivation in human serum.

The present invention also employs alphavirus-based vectors that can function as gene delivery vehicles. Such vectors can be constructed from a wide variety of alphaviruses, including, for example, Sindbis virus vectors, Semliki forest virus (ATCC VR-67; ATCC VR-1247), Ross River virus (ATCC VR-373; ATCC VR-1246) and Venezuelan equine encephalitis virus (ATCC VR-923; ATCC VR-1250; ATCC VR 1249; ATCC VR-532). Representative examples of such vector systems include those described in U.S. Patent Nos. 5,091,309; 5,217,879; and 5,185,440; WO 92/10578; WO 94/21792; WO 95/27069; WO 95/27044; and WO 95/07994. Gene delivery vehicles of the present invention can also employ parvovirus such as adeno-associated virus (AAV) vectors. Representative examples include the AAV vectors disclosed by Srivastava in WO 93/09239, Samulski *et al.*, *J. Virol.* (1989) 63:3822; Mendelson *et al.*, *Virol.* (1988) 166:154; and Flotte *et al.*, *PNAS* (1993) 90:10613.

Representative examples of adenoviral vectors include those described by Berkner, *Biotechniques* (1988) 6:616; Rosenfeld *et al.*, *Science* (1991) 252:431; WO 93/19191; Kolls *et al.*, *PNAS* (1994) 91:215; Kass-Eisler *et al.*, *PNAS* (1993) 90:11498; Guzman *et al.*, *Circulation* (1993) 88:2838; Guzman *et al.*, *Cir. Res.* (1993) 73:1202; Zabner *et al.*, *Cell* (1993) 75:207; Li *et al.*, *Hum. Gene Ther.* (1993) 4:403; Cailaud *et al.*, *Eur. J. Neurosci.* (1993) 5:1287; Vincent *et al.*, *Nat. Genet.* (1993) 5:130; Jaffe *et al.*, *Nat. Genet.* (1992) 1:372; and Levrero *et al.*, *Gene* (1991) 101:195. Exemplary adenoviral gene therapy vectors employable in this invention also include those described in WO 94/12649, WO 93/03769; WO 93/19191; WO 94/28938; WO 95/11984 and WO 95/00655. Administration of DNA linked to killed adenovirus as described in Curiel, *Hum. Gene Ther.* (1992) 3:147 can be employed.

WO 99/33982

PCT/US98/27610

Other gene delivery vehicles and methods can be employed, including polycationic condensed DNA linked or unlinked to killed adenovirus alone, for example Curiel, *Hum. Gene Ther.* (1992) 3:147; ligand linked DNA, for example see Wu, *J. Biol. Chem.* (1989) 264:16985; eukaryotic cell delivery vehicles cells, for example see U.S. Pat. No. 5,814,482; 5 WO 95/07994; WO 96/17072; WO 95/30763; and WO 97/42338; deposition of photopolymerized hydrogel materials; hand-held gene transfer particle gun, as described in U.S. Patent No. 5,149,655; ionizing radiation as described in U.S. Patent No. 5,206,152 and in WO92/11033; nucleic charge neutralization or fusion with cell membranes. Additional approaches are described in Philip, *Mol. Cell Biol.* (1994) 14:2411, and in Woffendin, *Proc. Natl. Acad. Sci.* (1994) 91:1581. 10

Naked DNA can also be employed. Exemplary naked DNA introduction methods are described in WO 90/11092 and U.S. Patent No. 5,580,859. Uptake efficiency can be improved using biodegradable latex beads. DNA coated latex beads are efficiently transported into cells after endocytosis initiation by the beads. The method can be improved 15 further by treatment of the beads to increase hydrophobicity and thereby facilitate disruption of the endosome and release of the DNA into the cytoplasm. Liposomes that can act as gene delivery vehicles are described in U.S. Patent No. 5,422,120; WO 95/13796; WO 94/23697; WO 91/14445; and EP 0524968.

Further non-viral delivery suitable for use includes mechanical delivery systems such 20 as the approach described in Woffendin *et al.*, *Proc. Natl. Acad. Sci. USA* (1994) 91(24):11581. Moreover, the coding sequence and the product of expression of such can be delivered through deposition of photopolymerized hydrogel materials. Other conventional methods for gene delivery that can be used for delivery of the coding sequence include, for example, use of hand-held gene transfer particle gun, as described in U.S. Patent No. 5,149,655; use of ionizing radiation for activating transferred gene, as described in U.S. 25 Patent No. 5,206,152 and WO 92/11033.

The present invention will now be illustrated by reference to the following examples which set forth particularly advantageous embodiments. However, it should be noted that these embodiments are illustrative and are not to be construed as restricting the invention in 30 any way.

EXAMPLES

The present invention is now illustrated by reference to the following examples which set forth particularly advantageous embodiments. However, these embodiments are illustrative and are not meant to be construed as restricting the invention in any way.

5

Example 1: Source of Biological Materials and Overview of Novel Polynucleotides
Expressed by the Biological Materials

Human colon cancer cell line Km12L4-A (Morika, W. A. K. et al., *Cancer Research* (1988) 48:6863) was used to construct a cDNA library from mRNA isolated from the cells.

- 10 As described in the above overview, a total of 4,693 sequences expressed by the Km12L4-A cell line were isolated and analyzed; most sequences were about 275-300 nucleotides in length. The KM12L4-A cell line is derived from the KM12C cell line. The KM12C cell line, which is poorly metastatic (low metastatic) was established in culture from a Dukes' stage B₂ surgical specimen (Morikawa *et al. Cancer Res.* (1988) 48:6863). The KML4-A is
- 15 a highly metastatic subline derived from KM12C (Yeatman *et al. Nucl. Acids. Res.* (1995) 23:4007; Bao-Ling *et al. Proc. Annu. Meet. Am. Assoc. Cancer. Res.* (1995) 21:3269). The KM12C and KM12C-derived cell lines (*e.g.*, KM12L4, KM12L4-A, *etc.*) are well-recognized in the art as a model cell line for the study of colon cancer (see, *e.g.*, Moriakawa *et al., supra*; Radinsky *et al. Clin. Cancer Res.* (1995) 1:19; Yeatman *et al., (1995) supra*;
- 20 Yeatman *et al. Clin. Exp. Metastasis* (1996) 14:246).

The sequences were first masked to eliminate low complexity sequences using the XBLAST masking program (Claverie "Effective Large-Scale Sequence Similarity Searches," In:

Computer Methods for Macromolecular Sequence Analysis, Doolittle, ed., *Meth. Enzymol.* 266:212-227 Academic Press, NY, NY (1996); see particularly Claverie, in "Automated

- 25 DNA Sequencing and Analysis Techniques" Adams *et al., eds., Chap. 36, p. 267* Academic Press, San Diego, 1994 and Claverie *et al. Comput. Chem.* (1993) 17:191). Generally, masking does not influence the final search results, except to eliminate of relative little interest due to their low complexity, and to eliminate multiple "hits" based on similarity to repetitive regions common to multiple sequences, *e.g.*, Alu repeats. Masking resulted in the
- 30 elimination of 43 sequences. The remaining sequences were then used in a BLASTN vs. Genbank search with search parameters of greater than 70% overlap, 99% identity, and a p value of less than 1×10^{-40} , which search resulted in the discarding of 1,432 sequences. Sequences from this search also were discarded if the inclusive parameters were met, but the sequence was ribosomal or vector-derived.

WO 99/33982

PCT/US98/27610

The resulting sequences from the previous search were classified into three groups (1, 2 and 3 below) and searched in a BLASTX vs. NRP (non-redundant proteins) database search: (1) unknown (no hits in the Genbank search), (2) weak similarity (greater than 45% identity and p value of less than 1×10^{-5}), and (3) high similarity (greater than 60% overlap, greater than 80% identity, and p value less than 1×10^{-5}). This search resulted in discard of 98 sequences as having greater than 70% overlap, greater than 99% identity, and p value of less than 1×10^{-40} .

The remaining sequences were classified as unknown (no hits), weak similarity, and high similarity (parameters as above). Two searches were performed on these sequences.

First, a BLAST vs. EST database search resulted in discard of 1771 sequences (sequences with greater than 99% overlap, greater than 99% similarity and a p value of less than 1×10^{-40} ; sequences with a p value of less than 1×10^{-65} when compared to a database sequence of human origin were also excluded). Second, a BLASTN vs. Patent GeneSeq database resulted in discard of 15 sequences (greater than 99% identity; p value less than 1×10^{-40} ; greater than 99% overlap).

The remaining sequences were subjected to screening using other rules and redundancies in the dataset. Sequences with a p value of less than 1×10^{-111} in relation to a database sequence of human origin were specifically excluded. The final result provided the 404 sequences listed in the accompanying Sequence Listing. The Sequence Listing is arranged beginning with sequences with no similarity to any sequence in a database searched, and ending with sequences with the greatest similarity. Each identified polynucleotide represents sequence from at least a partial mRNA transcript. Polynucleotides that were determined to be novel were assigned a sequence identification number.

The novel polynucleotides and were assigned sequence identification numbers SEQ ID NOS: 1-404. The DNA sequences corresponding to the novel polynucleotides are provided in the Sequence Listing. The majority of the sequences are presented in the Sequence Listing in the 5' to 3' direction. A small number, 25, are listed in the Sequence Listing in the 5' to 3' direction but the sequence as written is actually 3' to 5'. These sequences are readily identified with the designation "AR" in the Sequence Name in Table 1 (inserted before the claims). The sequences correctly listed in the 5' to 3' direction in the Sequence Listing are designated "AF." The Sequence Listing filed herewith therefore contains 25 sequences listed in the reverse order, namely SEQ ID NOS:47, 97, 137, 171, 173, 179, 182, 194, 200, 202, 213, 227, 258, 264, 275, 302, 313, 324, 329, 330, 331, 338, 358, 379, and 404.

WO 99/33982

PCT/US98/27610

Because the provided polynucleotides represent partial mRNA transcripts, two or more polynucleotides of the invention may represent different regions of the same mRNA transcript and the same gene. Thus, if two or more SEQ ID NOS: are identified as belonging to the same clone, then either sequence can be used to obtain the full-length mRNA or gene.

5 In order to confirm the sequences of SEQ ID NOS:1-404, inserts of the clones corresponding to these polynucleotides were re-sequenced. These "validation" sequences are provided in SEQ ID NOS:405-800. These validation sequences were often longer than the original polynucleotide sequences. They validate, and thus often provide additional sequence information. Validation sequences can be correlated with the original sequences
10 they validate by identifying those sequences of SEQ ID NOS:1-404 and the validation sequences of SEQ ID NOS:405-800 that share the same clone name in Table 1.

Example 2: Results of Public Database Search to Identify Function of Gene Products

SEQ ID NOS:1-404, as well as the validation sequences SEQ ID NOS:405-800, were
15 translated in all three reading frames to determine the best alignment with the individual sequences. These amino acid sequences and nucleotide sequences are referred, generally, as query sequences, which are aligned with the individual sequences. Query and individual sequences were aligned using the BLAST programs, available over the world wide web at <http://www.ncbi.nlm.nih.gov/BLAST/>. Again the sequences were masked to various extents
20 to prevent searching of repetitive sequences or poly-A sequences, using the XBLAST program for masking low complexity as described above in Example 1.

Table 2 (inserted before the claims) shows the results of the alignments. Table 2 refers to each sequence by its SEQ ID NO:, the accession numbers and descriptions of nearest neighbors from the Genbank and Non-Redundant Protein searches, and the p values
25 of the search results. Table 1 identifies each SEQ ID NO: by SEQ name, clone ID, and cluster. As discussed above, a single cluster includes polynucleotides representing the same gene or gene family, and generally represents sequences encoding the same gene product.

For each of SEQ ID NOS:1-800, the best alignment to a protein or DNA sequence is included in Table 2. The activity of the polypeptide encoded by SEQ ID NOS:1-800 is the
30 same or similar to the nearest neighbor reported in Table 2. The accession number of the nearest neighbor is reported, providing a reference to the activities exhibited by the nearest neighbor. The search program and database used for the alignment also are indicated as well as a calculation of the p value.

WO 99/33982

PCT/US98/27610

Full length sequences or fragments of the polynucleotide sequences of the nearest neighbors can be used as probes and primers to identify and isolate the full length sequence of SEQ ID NOS:1-800. The nearest neighbors can indicate a tissue or cell type to be used to construct a library for the full-length sequences of SEQ ID NOS:1-800.

- 5 SEQ ID NOS:1-800 and the translations thereof may be human homologs of known genes of other species or novel allelic variants of known human genes. In such cases, these new human sequences are suitable as diagnostics or therapeutics. As diagnostics, the human sequences SEQ ID NOS:1-800 exhibit greater specificity in detecting and differentiating human cell lines and types than homologs of other species. The human polypeptides
- 10 encoded by SEQ ID NOS:1-800 are likely to be less immunogenic when administered to humans than homologs from other species. Further, on administration to humans, the polypeptides encoded by SEQ ID NOS:1-800 can show greater specificity or can be better regulated by other human proteins than are homologs from other species.

15 **Example 3: Members of Protein Families**

- After conducting a profile search as described in the specification above, several of the polynucleotides of the invention were found to encode polypeptides having characteristics of a polypeptide belonging to a known protein families (and thus represent new members of these protein families) and/or comprising a known functional domain (Table 3). Thus the
- 20 invention encompasses fragments, fusions, and variants of such polynucleotides that retain biological activity associated with the protein family and/or functional domain identified herein.

Table 3 Polynucleotides encoding gene products of a protein family or having a known functional domain(s).

SEQ ID NO:	Biological Activity (Profile hit)	Start	Stop	Dir
24	4 transmembrane segments integral membrane proteins	1218	578	rev
41	4 transmembrane segments integral membrane proteins	1086	413	rev
101	4 transmembrane segments integral membrane proteins	1206	544	rev
157	4 transmembrane segments integral membrane proteins	721	33	rev
341	4 transmembrane segments integral membrane proteins	1253	613	rev
395	4 transmembrane segments integral membrane proteins	530	10	for
395	4 transmembrane segments integral membrane proteins	696	17	for
395	4 transmembrane segments integral membrane proteins	471	39	rev
24	7 transmembrane receptor (Secretin family)	1301	491	rev
41	7 transmembrane receptor (Secretin family)	1309	10	rev
101	7 transmembrane receptor (Secretin family)	1330	296	rev
157	7 transmembrane receptor (Secretin family)	1173	249	rev
291	7 transmembrane receptor (Secretin family)	1400	269	rev

WO 99/33982

PCT/US98/27610

Table 3 Polynucleotides encoding gene products of a protein family or having a known functional domain(s).

SEQ ID NO:	Biological Activity (Profile hit)	Start	Stop	Dir
291	7 transmembrane receptor (Secretin family)	712	130	for
305	7 transmembrane receptor (Secretin family)	926	4	for
305	7 transmembrane receptor (Secretin family)	753	55	rev
315	7 transmembrane receptor (Secretin family)	1058	270	rev
341	7 transmembrane receptor (Secretin family)	1265	534	rev
116	Ank repeat	141	218	for
251	Ank repeat	290	207	for
251	Ank repeat	467	387	for
63	ATPases Associated with Various Cellular Activities	543	60	for
116	ATPases Associated with Various Cellular Activities	802	313	for
134	ATPases Associated with Various Cellular Activities	525	57	rev
136	ATPases Associated with Various Cellular Activities	712	163	for
151	ATPases Associated with Various Cellular Activities	719	73	for
151	ATPases Associated with Various Cellular Activities	386	13	for
384	ATPases Associated with Various Cellular Activities	664	140	for
404	ATPases Associated with Various Cellular Activities	704	52	for
374	Basic region plus leucine zipper transcription factors	298	146	for
97	Bromodomain (conserved sequence found in human, Drosophila and yeast proteins.)	230	63	for
136	EF-hand	121	207	for
242	EF-hand	238	155	for
379	EF-hand	212	126	for
308	Eukaryotic aspartyl proteases	1300	461	rev
213	GATA family of transcription factors	720	377	for
367	G-protein alpha subunit	971	467	rev
188	Phorbol esters/diacylglycerol binding	91	177	for
251	Phorbol esters/diacylglycerol binding	133	219	for
202	protein kinase	482	1	rev
202	protein kinase	970	1	rev
315	protein kinase	739	158	for
315	protein kinase	1023	197	for
367	protein kinase	1046	285	rev
397	protein kinase	511	6	for
256	Protein phosphatase 2C	13	90	for
256	Protein phosphatase 2C	163	86	for
382	Protein Tyrosine Phosphatase	261	2	for
306	SH3 Domain	141	296	for
386	SH3 Domain	359	209	for
169	Trypsin	764	164	rev
188	WD domain, G-beta repeats	480	382	for
188	WD domain, G-beta repeats	206	117	for
335	WD domain, G-beta repeats	3	92	for
23	wnt family of developmental signaling proteins	1151	335	rev
291	wnt family of developmental signaling proteins	779	89	rev
291	wnt family of developmental signaling proteins	1347	382	rev
324	wnt family of developmental signaling proteins	1180	499	rev
330	wnt family of developmental signaling proteins	1180	499	rev
341	wnt family of developmental signaling proteins	1399	560	rev

WO 99/33982

PCT/US98/27610

Table 3 Polynucleotides encoding gene products of a protein family or having a known functional domain(s).

SEQ ID NO:	Biological Activity (Profile hit)	Start	Stop	Dir
353	wnt family of developmental signaling proteins	880	49	rev
188	WW/rsp5/WWP domain containing proteins	431	354	for
379	WW/rsp5/WWP domain containing proteins	12	89	for
395	WW/rsp5/WWP domain containing proteins	153	76	for
395	WW/rsp5/WWP domain containing proteins	156	64	for
61	Zinc finger, C2H2 type	254	192	for
306	Zinc finger, C2H2 type	428	367	for
386	Zinc finger, C2H2 type	191	253	for
322	Zinc finger, CCHC class	553	503	for
306	Zinc-binding metalloprotease domain	101	60	rev
395	Zinc-binding metalloprotease domain	28	69	rev

Start and stop indicate the position within the individual sequences that align with the query sequence having the indicated SEQ ID NO. The direction (Dir) indicates the orientation of the query sequence with respect to the individual sequence, where forward (for) indicates that the alignment is in the same direction (left to right) as the sequence provided in the Sequence Listing and reverse (rev) indicates that the alignment is with a sequence complementary to the sequence provided in the Sequence Listing.

Some polynucleotides exhibited multiple profile hits because, for example, the particular sequence contains overlapping profile regions, and/or the sequence contains two different functional domains. These profile hits are described in more detail below.


a) Four Transmembrane Integral Membrane Proteins. SEQ ID NOS: 24, 41, 101, 157, 341, and 395 correspond to a sequence encoding a polypeptide that is a member of the 4 transmembrane segments integral membrane protein family (transmembrane 4 family). The transmembrane 4 family of proteins includes a number of evolutionarily-related eukaryotic cell surface antigens (Levy *et al.*, *J. Biol. Chem.*, (1991) 266:14597; Tomlinson *et al.*, *Eur. J. Immunol.* (1993) 23:136; Barclay *et al.* The leucocyte antigen factbooks. (1993) Academic Press, London/San Diego). The proteins belonging to this family include: 1) Mammalian antigen CD9 (MIC3), which is involved in platelet activation and aggregation; 2) Mammalian leukocyte antigen CD37, expressed on B lymphocytes; 3) Mammalian leukocyte antigen CD53 (OX-44), which is implicated in growth regulation in hematopoietic cells; 4) Mammalian lysosomal membrane protein CD63 (melanoma-associated antigen ME491; antigen AD1); 5) Mammalian antigen CD81 (cell surface protein TAPA-1), which is implicated in regulation of lymphoma cell growth; 6) Mammalian antigen CD82 (protein

WO 99/33982

PCT/US98/27610

R2; antigen C33; Kangai 1 (KAI1)), which associates with CD4 or CD8 and delivers costimulatory signals for the TCR/CD3 pathway; 7) Mammalian antigen CD151 (SFA-1; platelet-endothelial tetraspan antigen 3 (PETA-3)); 8) Mammalian cell surface glycoprotein A15 (TALLA-1; MXS1); 9) Mammalian novel antigen 2 (NAG-2); 10) Human tumor-associated antigen CO-029; 11) *Schistosoma mansoni* and *japonicum* 23 Kd surface antigen (SM23 / SJ23).

The members of the 4 transmembrane family share several characteristics. First, they all are apparently type III membrane proteins, which are integral membrane proteins containing an N-terminal membrane-anchoring domain which is not cleaved during biosynthesis and which functions both as a translocation signal and as a membrane anchor. The family members also contain three additional transmembrane regions, at least seven conserved cysteines residues, and are of approximately the same size (218 to 284 residues). These proteins are collectively know as the "transmembrane 4 superfamily" (TM4) because they span plasma membrane four times. A schematic diagram of the domain structure of these proteins is as follows:



where Cyt is the cytoplasmic domain, TMa is the transmembrane anchor; TM2 to TM4 represents transmembrane regions 2 to 4, 'C' are conserved cysteines, and '*' indicates the position of the consensus pattern. The consensus pattern spans a conserved region including two cysteines located in a short cytoplasmic loop between two transmembrane domains:
Consensus pattern: G-x(3)-[LIVMF]-x(2)-[GSA]-[LIVMF](2)-G-C-x-[GA]-[STA]- x(2)-[EG]-x(2)-[CWN]-[LIVM](2).

b) Seven Transmembrane Integral Membrane Proteins. SEQ ID NOS: 24, 41, 101, 157, 291, 305, 315, and 341 correspond to a sequence encoding a polypeptide that is a member of the seven transmembrane receptor family. G-protein coupled receptors (Strosberg, *Eur. J. Biochem.* (1991) 196:1; Kerlavage, *Curr. Opin. Struct. Biol.* (1991) 1:394; and Probst *et al.*, *DNA Cell Biol.* (1992) 11:1; and Savarese *et al.*, *Biochem. J.* (1992) 293:1) (also called R7G) are an extensive group of hormones, neurotransmitters, odorants and light receptors which transduce extracellular signals by interaction with guanine nucleotide-binding (G) proteins. The tertiary structure of these receptors is thought to be highly similar. They have seven hydrophobic regions, each of which most probably spans

WO 99/33982

PCT/US98/27610

the membrane. The N-terminus is located on the extracellular side of the membrane and is often glycosylated, while the C-terminus is cytoplasmic and generally phosphorylated.

Three extracellular loops alternate with three intracellular loops to link the seven transmembrane regions. Most, but not all of these receptors, lack a signal peptide. The most conserved parts of these proteins are the transmembrane regions and the first two cytoplasmic loops. A conserved acidic-Arg-aromatic triplet is present in the N-terminal extremity of the second cytoplasmic loop (Attwood *et al.*, *Gene* (1991) 98:153) and could be implicated in the interaction with G proteins.

To detect this widespread family of proteins a pattern is used that contains the conserved triplet and that also spans the major part of the third transmembrane helix. Additional information about the seven transmembrane receptor family, and methods for their identification and use, is found in U.S. Patent No. 5,759,804. Due in part to their expression on the cell surface and other attractive characteristics, seven transmembrane protein family members are of particular interest as drug targets, as surface antigen markers, and as drug delivery targets (*e.g.*, using antibody-drug complexes and/or use of anti-seven transmembrane protein antibodies as therapeutics in their own right).

c) Ank Repeats. SEQ ID NOS: 116 and 251 represent polynucleotides encoding Ank repeat-containing proteins. The ankyrin motif is a 33 amino acid sequence named after the protein ankyrin which has 24 tandem 33-amino-acid motifs. Ank repeats were originally identified in the cell-cycle-control protein cdc10 (Breedon *et al.*, *Nature* (1987) 329:651). Proteins containing ankyrin repeats include ankyrin, myotropin, I-kappaB proteins, cell cycle protein cdc10, the Notch receptor (Matsuno *et al.*, *Development* (1997) 124(21):4265); G9a (or BAT8) of the class III region of the major histocompatibility complex (Biochem J. 290:811-818, 1993), FABP, GABP, 53BP2, Lin12, glp-1, SW14, and SW16. The functions of the ankyrin repeats are compatible with a role in protein-protein interactions (Bork, *Proteins* (1993) 17(4):363; Lambert and Bennet, *Eur. J. Biochem.* (1993) 211:1; Kerr *et al.*, *Current Op. Cell Biol.* (1992) 4:496; Bennet *et al.*, *J. Biol. Chem.* (1980) 255:6424).

The 90 kD N-terminal domain of ankyrin contains a series of 24 33-amino-acid ank repeats. (Lux *et al.*, *Nature* (1990) 344:36-42, Lambert *et al.*, *PNAS USA* (1990) 87:1730.)

The 24 ank repeats form four folded subdomains of 6 repeats each. These four repeat subdomains mediate interactions with at least 7 different families of membrane proteins. Ankyrin contains two separate binding sites for anion exchanger dimers. One site utilizes repeat subdomain two (repeats 7-12) and the other requires both repeat subdomains 3 and 4 (repeats 13-24). Since the anion exchangers exist in dimers, ankyrin binds 4 anion

WO 99/33982

PCT/US98/27610

exchangers at the same time. (Michaely and Bennett, *J. Biol. Chem.* (1995) 270(37):22050)

The repeat motifs are involved in ankyrin interaction with tubulin, spectrin, and other membrane proteins. (Lux *et al.*, *Nature* (1990) 344:36.)

The Rel/NF-kappaB/Dorsal family of transcription factors have activity that is
5 controlled by sequestration in the cytoplasm in association with inhibitory proteins referred to as I-kappaB. (Gilmore, *Cell* (1990) 62:841; Nolan and Baltimore, *Curr Opin Genet Dev.* (1992) 2:211; Baeuerle, *Biochim Biophys Acta* (1991) 1072:63; Schmitz *et al.*, *Trends Cell Biol.* (1991) 1:130.) I-kappaB proteins contain 5 to 8 copies of 33 amino acid ankyrin repeats and certain NF-kappaB/rel proteins are also regulated by cis-acting ankyrin repeat
10 containing domains including p105NF-kappaB which contains a series of ankyrin repeats (Diehl and Hannink, *J. Virol.* (1993) 67(12):7161). The I-kappaBs and Cactus (also containing ankyrin repeats) inhibit activators through differential interactions with the Rel-homology domain. The gene family includes proto-oncogenes, thus broadly implicating I-kappaB in the control of both normal gene expression and the aberrant gene expression that
15 makes cells cancerous. (Nolan and Baltimore, *Curr Opin Genet Dev.* (1992) 2(2):211-220). In the case of rel/NF-kappaB and pp40/I-kappaB β , both the ankyrin repeats and the carboxy-terminal domain are required for inhibiting DNA-binding activity and direct association of pp40/I-kappaB β with rel/NF-kappaB protein. The ankyrin repeats and the carboxy-terminal of pp40/I-kappaB β (form a structure that associates with the rel homology domain to inhibit
20 DNA binding activity (Inoue *et al.*, *PNAS USA* (1992) 89:4333).

The 4 ankyrin repeats in the amino terminus of the transcription factor subunit GABP β are required for its interaction with the GABP α subunit to form a functional high affinity DNA-binding protein. These repeats can be crosslinked to DNA when GABP is bound to its target sequence. (Thompson *et al.*, *Science* (1991) 253:762; LaMarco *et al.*,
25 *Science* (1991) 253:789).

Myotrophin, a 12.5 kDa protein having a key role in the initiation of cardiac hypertrophy, comprises ankyrin repeats. The ankyrin repeats are characteristic of a hairpin-like protruding tip followed by a helix-turn-helix motif. The V-shaped helix-turn-helix of the repeats stack sequentially in bundles and are stabilized by compact hydrophobic cores,
30 whereas the protruding tips are less ordered.

d) ATPases Associated with Various Cellular Activities (AAA). SEQ ID NOS: 63, 116, 134, 136, 151, 384, and 404 polynucleotides encoding novel members of the "ATPases Associated with diverse cellular Activities" (AAA) protein family The AAA protein family

WO 99/33982

PCT/US98/27610

is composed of a large number of ATPases that share a conserved region of about 220 amino acids that contains an ATP-binding site (Froehlich *et al.*, *J. Cell Biol.* (1991) 114:443; Erdmann *et al.* *Cell* (1991) 64:499; Peters *et al.*, *EMBO J.* (1990) 9:1757; Kunau *et al.*, *Biochimie* (1993) 75:209-224; Confalonieri *et al.*, *BioEssays* (1995) 17:639;

- 5 <http://yeamob.pci.chemie.uni-tuebingen.de/AAA/Description.html>). The proteins that belong to this family either contain one or two AAA domains.

Proteins containing two AAA domains include: 1) Mammalian and drosophila NSF (N-ethylmaleimide-sensitive fusion protein) and the fungal homolog, SEC18, which are involved in intracellular transport between the endoplasmic reticulum and Golgi, as well as
10 between different Golgi cisternae; 2) Mammalian transitional endoplasmic reticulum ATPase (previously known as p97 or VCP), which is involved in the transfer of membranes from the endoplasmic reticulum to the golgi apparatus. This ATPase forms a ring-shaped homooligomer composed of six subunits. The yeast homolog, CDC48, plays a role in spindle pole proliferation; 3) Yeast protein PAS1 essential for peroxisome assembly and the
15 related protein PAS1 from *Pichia pastoris*; 4) Yeast protein AFG2; 5) *Sulfolobus acidocaldarius* protein SAV and *Halobacterium salinarium* cdcH, which may be part of a transduction pathway connecting light to cell division.

Proteins containing a single AAA domain include: 1) *Escherichia coli* and other bacteria ftsH (or hflB) protein. FtsH is an ATP-dependent zinc metallopeptidase that
20 degrades the heat-shock sigma-32 factor, and is an integral membrane protein with a large cytoplasmic C-terminal domain that contain both the AAA and the protease domains; 2) Yeast protein YME1, a protein important for maintaining the integrity of the mitochondrial compartment. YME1 is also a zinc-dependent protease; 3) Yeast protein AFG3 (or YTA10). This protein also contains an AAA domain followed by a zinc-dependent protease domain;
25 4) Subunits from regulatory complex of the 26S proteasome (Hilt *et al.*, *Trends Biochem. Sci.* (1996) 21:96), which is involved in the ATP-dependent degradation of ubiquitinated proteins, which subunits include: a) Mammalian 4 and homologs in other higher eukaryotes, in yeast (gene YTA5) and fission yeast (gene mts2); b) Mammalian 6 (TBP7) and homologs in other higher eukaryotes and in yeast (gene YTA2); c) Mammalian subunit 7 (MSS1) and
30 homologs in other higher eukaryotes and in yeast (gene CIM5 or YTA3); d) Mammalian subunit 8 (P45) and homologs in other higher eukaryotes and in yeast (SUG1 or CIM3 or TBY1) and fission yeast (gene let1); e) Other probable subunits include human TBP1, which influences HIV gene expression by interacting with the virus tat transactivator protein, and yeast YTA1 and YTA6; 5) Yeast protein BCS1, a mitochondrial protein essential for the

WO 99/33982

PCT/US98/27610

expression of the Rieske iron-sulfur protein; 6) Yeast protein MSP1, a protein involved in intramitochondrial sorting of proteins; 7) Yeast protein PAS8, and the corresponding proteins PAS5 from *Pichia pastoris* and PAY4 from *Yarrowia lipolytica*; 8) Mouse protein SKD1 and its fission yeast homolog (SpAC2G11.06); 9) *Caenorhabditis elegans* meiotic spindle formation protein mei-1; 10) Yeast protein SAP1; 11) Yeast protein YTA7; and 12) *Mycobacterium leprae* hypothetical protein A2126A.

In general, the AAA domains in these proteins act as ATP-dependent protein clamps (Confalonieri *et al.* (1995) *BioEssays* 17:639). In addition to the ATP-binding 'A' and 'B' motifs, which are located in the N-terminal half of this domain, there is a highly conserved region located in the central part of the domain which was used in the development of the signature pattern. The consensus pattern is: [LIVMT]-x-[LIVMT]-[LIVMF]-x-[GATMC]-[ST]-[NS]-x(4)-[LIVM]-D-x-A-[LIFA]-x-R.

e) Basic Region Plus Leucine Zipper Transcription Factors. SEQ ID NO:374 correspond to a polynucleotide encoding a novel member of the family of basic region plus leucine zipper transcription factors. The bZIP superfamily (Hurst, *Protein Prof.* (1995) 2:105; and Ellenberger, *Curr. Opin. Struct. Biol.* (1994) 4:12) of eukaryotic DNA-binding transcription factors encompasses proteins that contain a basic region mediating sequence-specific DNA-binding followed by a leucine zipper required for dimerization. Members of the family include transcription factor AP-1, which binds selectively to enhancer elements in the cis control regions of SV40 and metallothionein IIA. AP-1, also known as c-jun, is the cellular homolog of the avian sarcoma virus 17 (ASV17) oncogene v-jun.

Other members of this protein family include jun-B and jun-D, probable transcription factors that are highly similar to jun/AP-1; the fos protein, a proto-oncogene that forms a non-covalent dimer with c-jun; the fos-related proteins fra-1, and fos B; and mammalian cAMP response element (CRE) binding proteins CREB, CREM, ATF-1, ATF-3, ATF-4, ATF-5, ATF-6 and LRF-1. The consensus pattern for this protein family is: [KR]-x(1,3)-[RKSAQ]-N-x(2)-[SAQ](2)-x-[RKTAENQ]-x-R-x-[RK].

f) Bromodomain. SEQ ID NO:97 corresponds to a polynucleotide encoding a polypeptide having a bromodomain region (Haynes *et al.*, 1992, *Nucleic Acids Res.* 20:2693-2603, Tamkun *et al.*, 1992, *Cell* 68:561-572, and Tamkun, 1995, *Curr. Opin. Genet. Dev.* 5:473-477), which is a conserved region of about 70 amino acids found in the following proteins: 1) Higher eukaryotes transcription initiation factor TFIID 250 Kd subunit (TBP-associated factor p250) (gene CCG1); P250 is associated with the TFIID TATA-box binding protein and seems essential for progression of the G1 phase of the cell

WO 99/33982

PCT/US98/27610

cycle. 2) Human RING3, a protein of unknown function encoded in the MHC class II locus; 3) Mammalian CREB-binding protein (CBP), which mediates cAMP-gene regulation by binding specifically to phosphorylated CREB protein; 4) Mammalian homologs of brahma, including three brahma-like human: SNF2a(hBRM), SNF2b, and BRG1; 5) Human BS69, a protein that binds to adenovirus E1A and inhibits E1A transactivation; 6) Human peregrin (or Br140).

The bromodomain is thought to be involved in protein-protein interactions and may be important for the assembly or activity of multicomponent complexes involved in transcriptional activation. The consensus pattern, which spans a major part of the bromodomain, is: [STANVF]-x(2)-F-x(4)-[DNS]-x(5,7)-[DENQTF]-Y-[HFY]-x(2)-[LIVMFY]-x(3)-[LIVM]-x(4)-[LIVM]-x(6,8)-Y-x(12,13)-[LIVM]-x(2)-N-[SACF]-x(2)-[FY].

g) EF-Hand. SEQ ID NOS:136, 242, and 379 correspond to polynucleotides encoding a novel protein in the family of EF-hand proteins. Many calcium-binding proteins belong to the same evolutionary family and share a type of calcium-binding domain known as the EF-hand (Kawasaki *et al.*, *Protein. Prof.* (1995) 2:305-490). This type of domain consists of a twelve residue loop flanked on both sides by a twelve residue alpha-helical domain. In an EF-hand loop the calcium ion is coordinated in a pentagonal bipyramidal configuration. The six residues involved in the binding are in positions 1, 3, 5, 7, 9 and 12; these residues are denoted by X, Y, Z, -Y, -X and -Z. The invariant Glu or Asp at position 12 provides two oxygens for liganding Ca (bidentate ligand).

Proteins known to contain EF-hand regions include: Calmodulin (Ca=4, except in yeast where Ca=3) ("Ca=" indicates approximate number of EF-hand regions); diacylglycerol kinase (EC 2.7.1.107) (DGK) (Ca=2); 2) FAD-dependent glycerol-3-phosphate dehydrogenase (EC 1.1.99.5) from mammals (Ca=1); guanylate cyclase activating protein (GCAP) (Ca=3); MIF related proteins 8 (MRP-8 or CFAG) and 14 (MRP-14) (Ca=2); myosin regulatory light chains (Ca=1); oncomodulin (Ca=2); osteonectin (basement membrane protein BM-40) (SPARC); and proteins that contain an "osteonectin" domain (QR1, matrix glycoprotein SC1).

The consensus pattern includes the complete EF-hand loop as well as the first residue which follows the loop and which seem to always be hydrophobic.

Consensus pattern: D-x-[DNS]-{ILVFYW}-[DENSTG]-[DNQGHRK]-{GP}-[LIVMC]-[DENQSTAGC]-x(2)-[DE]-[LIVMFYW]

WO 99/33982

PCT/US98/27610

h) Eukaryotic Aspartyl Proteases. SEQ ID NO:308 corresponds to a gene encoding a novel eukaryotic aspartyl protease. Aspartyl proteases, known as acid proteases, (EC 3.4.23.-) are a widely distributed family of proteolytic enzymes (Foltmann B., *Essays Biochem.* (1981) 17:52; Davies D.R., *Annu. Rev. Biophys. Chem.* (1990) 19:189; Rao J.K.M., *et al.*, *Biochemistry* (1991) 30:4663) known to exist in vertebrates, fungi, plants, retroviruses and some plant viruses. Aspartate proteases of eukaryotes are monomeric enzymes which consist of two domains. Each domain contains an active site centered on a catalytic aspartyl residue. The two domains most probably evolved from the duplication of an ancestral gene encoding a primordial domain. Currently known eukaryotic aspartyl proteases include: 1) Vertebrate gastric pepsins A and C (also known as gastricsin); 2) Vertebrate chymosin (rennin), involved in digestion and used for making cheese; 3) Vertebrate lysosomal cathepsins D (EC 3.4.23.5) and E (EC 3.4.23.34); 4) Mammalian renin (EC 3.4.23.15) whose function is to generate angiotensin I from angiotensinogen in the plasma; 5) Fungal proteases such as aspergillopepsin A (EC 3.4.23.18), candidapepsin (EC 3.4.23.24), mucoropepsin (EC 3.4.23.23) (mucor rennin), endothiapepsin (EC 3.4.23.22), polyporopepsin (EC 3.4.23.29), and rhizopuspepsin (EC 3.4.23.21); and 6) Yeast saccharopepsin (EC 3.4.23.25) (proteinase A) (gene PEP4). PEP4 is implicated in posttranslational regulation of vacuolar hydrolases; 7) Yeast barrierpepsin (EC 3.4.23.35) (gene BAR1); a protease that cleaves alpha-factor and thus acts as an antagonist of the mating pheromone; and 8) Fission yeast *sxa1* which is involved in degrading or processing the mating pheromones.

Most retroviruses and some plant viruses, such as badnaviruses, encode for an aspartyl protease which is an homodimer of a chain of about 95 to 125 amino acids. In most retroviruses, the protease is encoded as a segment of a polyprotein which is cleaved during the maturation process of the virus. It is generally part of the pol polyprotein and, more rarely, of the gag polyprotein. Because the sequence around the two aspartates of eukaryotic aspartyl proteases and around the single active site of the viral proteases is conserved, a single signature pattern can be used to identify members of both groups of proteases. The consensus pattern is: [LIVMFGAC]-[LIVMTADN]-[LIVFSA]-D-[ST]-G-[STAV]-[STAPDENQ]-x-[LIVMFSTNC]-x-[LIVMFGTA], where D is the active site residue.

i) GATA Family of Transcription Factors. SEQ ID NO:213 corresponds to a novel member of the GATA family of transcription factors. The GATA family of transcription factors are proteins that bind to DNA sites with the consensus sequence (A/T)GATA(A/G), found within the regulatory region of a number of genes. Proteins currently known to belong

WO 99/33982

PCT/US98/27610

to this family are: 1) GATA-1 (Trainor, C.D., *et al.*, *Nature* (1990) 343:92) (also known as Eryf1, GF-1 or NF-E1), which binds to the GATA region of globin genes and other genes expressed in erythroid cells. It is a transcriptional activator which probably serves as a general 'switch' factor for erythroid development; 2) GATA-2 (Lee, M.E., *et al.*, *J. Biol. Chem.* (1991) 266:16188), a transcriptional activator which regulates endothelin-1 gene expression in endothelial cells; 3) GATA-3 (Ho, I.-C., *et al.*, *EMBO J.* (1991) 10:1187), a transcriptional activator which binds to the enhancer of the T-cell receptor alpha and delta genes; 4) GATA-4 (Spieth, J., *et al.*, *Mol. Cell. Biol.* (1991) 11:4651), a transcriptional activator expressed in endodermally derived tissues and heart; 5) *Drosophila* protein pannier (or DGATAa) (gene *pnr*) which acts as a repressor of the achaete-scute complex (*as-c*); 6) *Bombyx mori* BCF1 (Drevet, J.R., *et al.*, *J. Biol. Chem.* (1994) 269:10660), which regulates the expression of chorion genes; 7) *Caenorhabditis elegans* elt-1 and elt-2, transcriptional activators of genes containing the GATA region, including vitellogenin genes (Hawkins, M.G., *et al.*, *J. Biol. Chem.* (1995) 270:14666); 8) *Ustilago maydis* urbs1 (Voisard, C.P.O., *et al.*, *Mol. Cell. Biol.* (1993) 13:7091), a protein involved in the repression of the biosynthesis of siderophores; 9) Fission yeast protein GAF2.

All these transcription factors contain a pair of highly similar 'zinc finger' type domains with the consensus sequence C-x₂-C-x₁₇-C-x₂-C. Some other proteins contain a single zinc finger motif highly related to those of the GATA transcription factors. These proteins are: 1) *Drosophila* box A-binding factor (ABF) (also known as protein serpent (gene *srp*)) which may function as a transcriptional activator protein and may play a key role in the organogenesis of the fat body; 2) *Emericella nidulans* are (Arst, H.N., Jr., *et al.*, *Trends Genet.* (1989) 5:291) a transcriptional activator which mediates nitrogen metabolite repression; 3) *Neurospora crassa* nit-2 (Fu, Y.-H., *et al.*, *Mol. Cell. Biol.* (1990) 10:1056), a transcriptional activator which turns on the expression of genes coding for enzymes required for the use of a variety of secondary nitrogen sources, during conditions of nitrogen limitation; 4) *Neurospora crassa* white collar proteins 1 and 2 (WC-1 and WC-2), which control expression of light-regulated genes; 5) *Saccharomyces cerevisiae* DAL81 (or UGA43), a negative nitrogen regulatory protein; 6) *Saccharomyces cerevisiae* GLN3, a positive nitrogen regulatory protein; 7) *Saccharomyces cerevisiae* GAT1; 8) *Saccharomyces cerevisiae* GZF3.

The consensus pattern for the GATA family is: C-x-[DN]-C-x(4,5)-[ST]-x(2)-W-[HR]-[RK]-x(3)-[GN]-x(3,4)-C-N-[AS]-C, where the four C's are zinc ligands.

WO 99/33982

PCT/US98/27610

j) G-Protein Alpha Subunit. SEQ ID NO:367 corresponds to a gene encoding a novel polypeptide of the G-protein alpha subunit family. Guanine nucleotide binding proteins (G-proteins) are a family of membrane-associated proteins that couple extracellularly-activated integral-membrane receptors to intracellular effectors, such as ion channels and enzymes that vary the concentration of second messenger molecules. G-proteins are composed of 3 subunits (alpha, beta and gamma) which, in the resting state, associate as a trimer at the inner face of the plasma membrane. The alpha subunit has a molecule of guanosine diphosphate (GDP) bound to it. Stimulation of the G-protein by an activated receptor leads to its exchange for GTP (guanosine triphosphate). This results in the separation of the alpha from the beta and gamma subunits, which always remain tightly associated as a dimer. Both the alpha and beta-gamma subunits are then able to interact with effectors, either individually or in a cooperative manner. The intrinsic GTPase activity of the alpha subunit hydrolyses the bound GTP to GDP. This returns the alpha subunit to its inactive conformation and allows it to reassociate with the beta-gamma subunit, thus restoring the system to its resting state.

G-protein alpha subunits are 350-400 amino acids in length and have molecular weights in the range 40-45 kDa. Seventeen distinct types of alpha subunit have been identified in mammals. These fall into 4 main groups on the basis of both sequence similarity and function: alpha-s, alpha-q, alpha-i and alpha-12 (Simon *et al.*, *Science* (1993) 252:802). Many alpha subunits are substrates for ADP-ribosylation by cholera or pertussis toxins. They are often N-terminally acylated, usually with myristate and/or palmitoylate, and these fatty acid modifications are probably important for membrane association and high-affinity interactions with other proteins. The atomic structure of the alpha subunit of the G-protein involved in mammalian vision, transducin, has been elucidated in both GTP- and GDB-bound forms, and shows considerable similarity in both primary and tertiary structure in the nucleotide-binding regions to other guanine nucleotide binding proteins, such as p21-ras and EF-Tu.

k) Phorbol Esters/Diacylglycerol Binding. SEQ ID NO:188 and 251 represent polynucleotides encoding a protein belonging to the family including phorbol esters/diacylglycerol binding proteins. Diacylglycerol (DAG) is an important second messenger. Phorbol esters (PE) are analogues of DAG and potent tumor promoters that cause a variety of physiological changes when administered to both cells and tissues. DAG activates a family of serine/threonine protein kinases, collectively known as protein kinase C (PKC) (Azzi *et al.*, *Eur. J. Biochem.* (1992) 208:547). Phorbol esters can directly stimulate PKC. The N-terminal region of PKC, known as C1, has been shown (Ono *et al.*, *Proc. Natl.*

WO 99/33982

PCT/US98/27610

Acad. Sci. USA (1989) 86:4868) to bind PE and DAG in a phospholipid and zinc-dependent fashion. The C1 region contains one or two copies (depending on the isozyme of PKC) of a cysteine-rich domain about 50 amino-acid residues long and essential for DAG/PE-binding. Such a domain has also been found in, for example, the following proteins.

5 (1) Diacylglycerol kinase (EC 2.7.1.107) (DGK) (Sakane *et al.*, *Nature* (1990) 344:345), the enzyme that converts DAG into phosphatidate. It contains two copies of the DAG/PE-binding domain in its N-terminal section. At least five different forms of DGK are known in mammals; and

(2) N-chimaerin, a brain specific protein which shows sequence similarities with the
10 BCR protein at its C-terminal part and contains a single copy of the DAG/PE-binding domain at its N-terminal part. It has been shown (Ahmed *et al.*, *Biochem. J.* (1990) 272:767, and Ahmed *et al.*, *Biochem. J.* (1991) 280:233) to be able to bind phorbol esters.

The DAG/PE-binding domain binds two zinc ions; the ligands of these metal ions are probably the six cysteines and two histidines that are conserved in this domain. The
15 signature pattern completely spans the DAG/PE domain. The consensus pattern is: H-x-[LIVMFYW]-x(8,11)-C-x(2)-C-x(3)-[LIVMFC]-x(5,10)-C-x(2)-C-x(4)-[HD]-x(2)-C-x(5,9)-C. All the C and H are probably involved in binding zinc.

1) Protein Kinase. SEQ ID NOS:202, 315, 367, and 397 represent polynucleotides encoding protein kinases. Protein kinases catalyze phosphorylation of proteins in a variety of
20 pathways, and are implicated in cancer. Eukaryotic protein kinases (Hanks S.K., *et al.*, *FASEB J.* (1995) 9:576; Hunter T., *Meth. Enzymol.* (1991) 200:3; Hanks S.K., *et al.*, *Meth. Enzymol.* (1991) 200:38; Hanks S.K., *Curr. Opin. Struct. Biol.* (1991) 1:369; Hanks S.K., *et al.*, *Science* (1988) 241:42) are enzymes that belong to a very extensive family of proteins which share a conserved catalytic core common to both serine/threonine and tyrosine protein
25 kinases. There are a number of conserved regions in the catalytic domain of protein kinases. Two of the conserved regions are the basis for the signature pattern in the protein kinase profile. The first region, which is located in the N-terminal extremity of the catalytic domain, is a glycine-rich stretch of residues in the vicinity of a lysine residue, which has been shown to be involved in ATP binding. The second region, which is located in the
30 central part of the catalytic domain, contains a conserved aspartic acid residue which is important for the catalytic activity of the enzyme (Knighton D.R., *et al.*, *Science* (1991) 253:407). The protein kinase profile includes two signature patterns for this second region: one specific for serine/threonine kinases and the other for tyrosine kinases. A third profile is

WO 99/33982

PCT/US98/27610

based on the alignment in (Hanks S.K., *et al.*, *FASEB J.* (1995) 9:576) and covers the entire catalytic domain. The consensus patterns are as follows:

- 1) Consensus pattern: [LIV]-G-{P}-G-{P}-[FYWMGSTNH]-[SGA]-{PW}-
[LIVCAT]-{PD}-x-[GSTACLIVMFY]-x(5,18)-[LIVMFYWCSTAR]-[AIVP]-
5 [LIVMFAGCKR]-K, where K binds ATP. The majority of known protein kinases are detected by this pattern. Proteins kinases that are not detected by this consensus include viral kinases, which are quite divergent in this region and are completely missed by this pattern.
- 2) Consensus pattern: [LIVMFYC]-x-[HY]-x-D-[LIVMFY]-K-x(2)-N-
10 [LIVMFYCT](3), where D is an active site residue. This consensus sequence identifies most serine/threonine-specific protein kinases with only 10 exceptions. Half of the exceptions are viral kinases, while the other exceptions include Epstein-Barr virus BGLF4 and *Drosophila* ninaC, which have Ser and Arg, respectively, instead of the conserved Lys. These latter two protein kinases are detected by the tyrosine kinase specific pattern described below.
- 3) Consensus pattern: [LIVMFYC]-x-[HY]-x-D-[LIVMFY]-[RSTAC]-x(2)-N-
15 [LIVMFYC], where D is an active site residue. All tyrosine-specific protein kinases are detected by this consensus pattern, with the exception of human ERBB3 and mouse blk. This pattern also detects most bacterial aminoglycoside phosphotransferases (Benner S., *Nature* (1987) 329:21; Kirby R., *J. Mol. Evol.* (1992) 30:489) and herpesviruses ganciclovir
20 kinases (Littler E., *et al.*, *Nature* (1992) 358:160), which are structurally and evolutionary related to protein kinases.

The protein kinase profile also detects receptor guanylate cyclases and 2-5A-dependent ribonucleases. Sequence similarities between these two families and the eukaryotic protein kinase family have been noticed previously. The profile also detects
25 *Arabidopsis thaliana* kinase-like protein TMKL1 which seems to have lost its catalytic activity.

If a protein analyzed includes the two of the above protein kinase signatures, the probability of it being a protein kinase is close to 100%. Eukaryotic-type protein kinases have also been found in prokaryotes such as *Myxococcus xanthus* (Munoz-Dorado J., *et al.*,
30 *Cell* (1991) 67:995) and *Yersinia pseudotuberculosis*. The patterns shown above has been updated since their publication in (Bairoch A., *et al.*, *Nature* (1988) 331:22).

m) Protein Phosphatase 2C. SEQ ID NO:256 corresponds to a polynucleotide encoding a novel protein phosphatase 2C (PP2C), which is one of the four major classes of mammalian serine/threonine specific protein phosphatases. PP2C (Wenk *et al.*, *FEBS Lett.*

WO 99/33982

PCT/US98/27610

(1992) 297:135) is a monomeric enzyme of about 42 Kd which shows broad substrate specificity and is dependent on divalent cations (mainly manganese and magnesium) for its activity. Three isozymes are currently known in mammals: PP2C-alpha, -beta and -gamma.

n) Protein Tyrosine Phosphatase. SEQ ID NO:382 represents a polynucleotide
5 encoding a protein tyrosine kinase. Tyrosine specific protein phosphatases (EC 3.1.3.48) (PTPase) (Fischer *et al.*, *Science* (1991) 253:401; Charbonneau *et al.*, *Annu. Rev. Cell Biol.* (1992) 8:463; Trowbridge, *J. Biol. Chem.* (1991) 266:23517; Tonks *et al.*, *Trends Biochem. Sci.* (1989) 14:497; and Hunter, *Cell* (1989) 58:1013) catalyze the removal of a phosphate group attached to a tyrosine residue. These enzymes are very important in the control of cell
10 growth, proliferation, differentiation and transformation. Multiple forms of PTPase have been characterized and can be classified into two categories: soluble PTPases and transmembrane receptor proteins that contain PTPase domain(s).

Soluble PTPases include PTPN3 (H1) and PTPN4 (MEG), enzymes that contain an N-terminal band 4.1-like domain and could act at junctions between the membrane and
15 cytoskeleton; PTPN6 (PTP-1C; HCP; SHP) and PTPN11 (PTP-2C; SH-PTP3; Syt), enzymes that contain two copies of the SH2 domain at its N-terminal extremity.

Dual specificity PTPases include DUSP1 (PTPN10; MAP kinase phosphatase-1; MKP-1) which dephosphorylates MAP kinase on both Thr-183 and Tyr-185; and DUSP2 (PAC-1), a nuclear enzyme that dephosphorylates MAP kinases ERK1 and ERK2 on both
20 Thr and Tyr residues.

Structurally, all known receptor PTPases are made up of a variable length extracellular domain, followed by a transmembrane region and a C-terminal catalytic cytoplasmic domain. Some of the receptor PTPases contain fibronectin type III (FN-III) repeats, immunoglobulin-like domains, MAM domains or carbonic anhydrase-like domains
25 in their extracellular region. The cytoplasmic region generally contains two copies of the PTPase domain. The first seems to have enzymatic activity, while the second is inactive but seems to affect substrate specificity of the first. In these domains, the catalytic cysteine is generally conserved but some other, presumably important, residues are not.

PTPase domains consist of about 300 amino acids. There are two conserved
30 cysteines and the second one has been shown to be absolutely required for activity. Furthermore, a number of conserved residues in its immediate vicinity have also been shown to be important. The consensus pattern for PTPases is: [LIVMF]-H-C-x(2)-G-x(3)-[STC]-[STAGP]-x-[LIVMFY]; C is the active site residue.

WO 99/33982

PCT/US98/27610

o) SH3 Domain. SEQ ID NO:306 and 386 represent polynucleotides encoding SH3 domain proteins. The Src homology 3 (SH3) domain is a small protein domain of about 60 amino acid residues first identified as a conserved sequence in the non-catalytic part of several cytoplasmic protein tyrosine kinases (e.g. Src, Abl, Lck) (Mayer *et al.*, *Nature* (1988) 332:272). The domain has also been found in a variety of intracellular or membrane-associated proteins (Musacchio *et al.*, *FEBS Lett.* (1992) 307:55; Pawson *et al.*, *Curr. Biol.* (1993) 3:434; Mayer *et al.*, *Trends Cell Biol.* (1993) 3:8; and Pawson *et al.*, *Nature* (1995) 373:573).

The SH3 domain has a characteristic fold that consists of five or six beta-strands arranged as two tightly packed anti-parallel beta sheets. The linker regions may contain short helices (Kuriyan *et al.*, *Curr. Opin. Struct. Biol.* (1993) 3:828). It is believed that SH3 domain-containing proteins mediate assembly of specific protein complexes via binding to proline-rich peptides (Morton *et al.*, *Curr. Biol.* (1994) 4:615). In general, SH3 domains are found as single copies in a given protein, but there is a significant number of proteins with two SH3 domains and a few with 3 or 4 copies.

SH3 domains have been identified in, for example, protein tyrosine kinases, such as the Src, Abl, Bkt, Csk and ZAP70 families of kinases; mammalian phosphatidylinositol-specific phospholipase C-gamma-1 and -2; mammalian phosphatidyl inositol 3-kinase regulatory p85 subunit; mammalian Ras GTPase-activating protein (GAP); mammalian Vav oncoprotein, a guanine nucleotide exchange factor of the CDC24 family; *Drosophila* lethal(1)discs large-1 tumor suppressor protein (gene Dlg1); mammalian tight junction protein ZO-1; vertebrate erythrocyte membrane protein p55; *Caenorhabditis elegans* protein lin-2; rat protein CASK; and mammalian synaptic proteins SAP90/PSD-95, CHAPSYN-110/PSD-93, SAP97/DLG1 and SAP102. Novel SH3-domain containing polypeptides will facilitate elucidation of the role of such proteins in important biological pathways, such as ras activation.

p) Trypsin. SEQ ID NO:169 corresponds to a novel serine protease of the trypsin family. The catalytic activity of the serine proteases from the trypsin family is provided by a charge relay system involving an aspartic acid residue hydrogen-bonded to a histidine, which itself is hydrogen-bonded to a serine. The sequences in the vicinity of the active site serine and histidine residues are well conserved in this family of proteases (Brenner S., *Nature* (1988) 334:528). Proteases known to belong to the trypsin family include: 1) Acrosin; 2) Blood coagulation factors VII, IX, X, XI and XII, thrombin, plasminogen, and protein C; 3) Cathepsin G; 4) Chymotrypsins; 5) Complement components C1r, C1s, C2, and complement

WO 99/33982

PCT/US98/27610

factors B, D and I; 6) Complement-activating component of RA-reactive factor; 7) Cytotoxic cell proteases (granzymes A to H); 8) Duodenase I; 9) Elastases 1, 2, 3A, 3B (protease E), leukocyte (medullasin).; 10) Enterokinase (EC 3.4.21.9) (enteropeptidase); 11) Hepatocyte growth factor activator; 12) Hepsin; 13) Glandular (tissue) kallikreins (including EGF-binding protein types A, B, and C, NGF-gamma chain, gamma-renin, prostate specific antigen (PSA) and tonin); 14) Plasma kallikrein; 15) Mast cell proteases (MCP) 1 (chymase) to 8; 16) Myeloblastin (proteinase 3) (Wegener's autoantigen); 17) Plasminogen activators (urokinase-type, and tissue-type); 18) Trypsins I, II, III, and IV; 19) Tryptases; 20) Snake venom proteases such as ancrod, batroxobin, cerastobin, flavoxobin, and protein C activator; 21) Collagenase from common cattle grub and collagenolytic protease from Atlantic sand fiddler crab; 22) Apolipoprotein(a); 23) Blood fluke cercarial protease; 24) Drosophila trypsin like proteases: alpha, easter, snake-locus; 25) Drosophila protease stubble (gene sb); and 26) Major mite fecal allergen Der p III. All the above proteins belong to family S1 in the classification of peptidases (Rawlings N.D., *et al.*, *Meth. Enzymol.* (1994) 244:19; <http://www.expasy.ch/cgi-bin/lists?peptidas.txt>) and originate from eukaryotic species. It should be noted that bacterial proteases that belong to family S2A are similar enough in the regions of the active site residues that they can be picked up by the same patterns.

The consensus patterns for this trypsin protein family are: 1) [LIVM]-[ST]-A-[STAG]-H-C, where H is the active site residue. All sequences known to belong to this class detected by the pattern, except for complement components C1r and C1s, pig plasminogen, bovine protein C, rodent urokinase, ancrod, gyroxin and two insect trypsins; 2) [DNSTAGC]-[GSTAPIMVQH]-x(2)-G-[DE]-S-G-[GS]-[SAPHV]-[LIVMFYWH]-[LIVMFYSTANQH], where S is the active site residue. All sequences known to belong to this family are detected by the above consensus sequences, except for 18 different proteases which have lost the first conserved glycine. If a protein includes both the serine and the histidine active site signatures, the probability of it being a trypsin family serine protease is 100%.

q) WD Domain, G-Beta Repeats. SEQ ID NOS:188 and 335 represent novel members of the WD domain/G-beta repeat family. Beta-transducin (G-beta) is one of the three subunits (alpha, beta, and gamma) of the guanine nucleotide-binding proteins (G proteins) which act as intermediaries in the transduction of signals generated by transmembrane receptors (Gilman, *Annu. Rev. Biochem.* (1987) 56:615). The alpha subunit binds to and hydrolyzes GTP; the functions of the beta and gamma subunits are less clear but

WO 99/33982

PCT/US98/27610

they seem to be required for the replacement of GDP by GTP as well as for membrane anchoring and receptor recognition.

In higher eukaryotes, G-beta exists as a small multigene family of highly conserved proteins of about 340 amino acid residues. Structurally, G-beta consists of eight tandem repeats of about 40 residues, each containing a central Trp-Asp motif (this type of repeat is sometimes called a WD-40 repeat). Such a repetitive segment has been shown to exist in a number of other proteins including: human LIS1, a neuronal protein involved in type-1 lissencephaly; and mammalian coatamer beta' subunit (beta'-COP), a component of a cytosolic protein complex that reversibly associates with Golgi membranes to form vesicles that mediate biosynthetic protein transport.

The consensus pattern for the WD domain/G-Beta repeat family is: [LIVMSTAC]-[LIVMFYWSTAGC]-[LIMSTAG]-[LIVMSTAGC]-x(2)-[DN]-x(2)-[LIVMWSTAC]-x-[LIVMFSTAG]-W-[DEN]-[LIVMFSTAGCN].

r) wnt Family of Developmental Signaling Proteins. SEQ ID NO: 23, 291, 324, 330, 341, and 353 correspond to novel members of the wnt family of developmental signaling proteins. Wnt-1 (previously known as int-1), the seminal member of this family, (Nusse R., *Trends Genet.* (1988) 4:291) is a proto-oncogene induced by the integration of the mouse mammary tumor virus. It is thought to play a role in intercellular communication and seems to be a signalling molecule important in the development of the central nervous system (CNS). The sequence of wnt-1 is highly conserved in mammals, fish, and amphibians. Wnt-1 was found to be a member of a large family of related proteins (Nusse R., *et al.*, *Cell* (1992) 69:1073; McMahon A.P., *Trends Genet.* (1992) 8:1; Moon R.T., *BioEssays* (1993) 15:91) that are all thought to be developmental regulators. These proteins are known as wnt-2 (also known as irp), wnt-3, -3A, -4, -5A, -5B, -6, -7A, -7B, -8, -8B, -9 and -10. At least four members of this family are present in *Drosophila*; one of them, wingless (wg), is implicated in segmentation polarity. All these proteins share the following features characteristics of secretory proteins: a signal peptide, several potential N-glycosylation sites and 22 conserved cysteines that are probably involved in disulfide bonds. The Wnt proteins seem to adhere to the plasma membrane of the secreting cells and are therefore likely to signal over only few cell diameters. The consensus pattern, which is based upon a highly conserved region including three cysteines, is as follows: C-K-C-H-G-[LIVMT]-S-G-x-C. All sequences known to belong to this family are detected by the provided consensus pattern.

s) Ww/rsp5/WWP Domain-Containing Proteins. SEQ ID NOS:188, 379, and 395 represent polynucleotides encoding a polypeptide in the family of WW/rsp5/WWP domain-

WO 99/33982

PCT/US98/27610

containing proteins. The WW domain (Bork *et al.*, *Trends Biochem. Sci.* (1994) 19:531; Andre *et al.*, *Biochem. Biophys. Res. Commun.* (1994) 205:1201; Hofmann *et al.*, *FEBS Lett.* (1995) 358:153; and Sudol *et al.*, *FEBS Lett.* (1995) 369:67), also known as rsp5 or WWP), was originally discovered as a short conserved region in a number of unrelated proteins, among them dystrophin, the gene responsible for Duchenne muscular dystrophy. The domain, which spans about 35 residues, is repeated up to 4 times in some proteins. It has been shown (Chen *et al.*, *Proc. Natl. Acad. Sci. USA* (1995) 92:7819) to bind proteins with particular proline-motifs, [AP]-P-P-[AP]-Y, and thus resembles somewhat SH3 domains. It appears to contain beta-strands grouped around four conserved aromatic positions, generally Trp. The name WW or WWP derives from the presence of these Trp as well as that of a conserved Pro. It is frequently associated with other domains typical for proteins in signal transduction processes.

Proteins containing the WW domain include:

1. Dystrophin, a multidomain cytoskeletal protein. Its longest alternatively spliced form consists of an N-terminal actin-binding domain, followed by 24 spectrin-like repeats, a cysteine-rich calcium-binding domain and a C-terminal globular domain. Dystrophins form tetramers and is thought to have multiple functions including involvement in membrane stability, transduction of contractile forces to the extracellular environment and organization of membrane specialization. Mutations in the dystrophin gene lead to muscular dystrophy of Duchenne or Becker type. Dystrophin contains one WW domain C-terminal of the spectrin-repeats.
2. Vertebrate YAP protein, which is a substrate of an unknown serine kinase. It binds to the SH3 domain of the Yes oncoprotein via a proline-rich region. This protein appears in alternatively spliced isoforms, containing either one or two WW domains.
3. IQGAP, which is a human GTPase activating protein acting on ras. It contains an N-terminal domain similar to fly muscle mp20 protein and a C-terminal ras GTPase activator domain.

For the sensitive detection of WW domains, the profile spans the whole homology region as well as a pattern. The consensus for this family is: W-x(9,11)-[VFY]-[FYW]-x(6,7)-[GSTNE]-[GSTQCR]-[FYW]-x(2)-P.

t) Zinc Finger, C2H2 Type. SEQ ID NO:61, 306, and 386 correspond to polynucleotides encoding novel members of the of the C2H2 type zinc finger protein family. Zinc finger domains (Klug *et al.*, *Trends Biochem. Sci.* (1987) 12:464; Evans *et al.*, *Cell* (1988) 52:1; Payre *et al.*, *FEBS Lett.* (1988) 234:245; Miller *et al.*, *EMBO J.* (1985) 4:1609;

WO 99/33982

PCT/US98/27610

and Berg, *Proc. Natl. Acad. Sci. USA* (1988) 85:99) are nucleic acid-binding protein structures first identified in the *Xenopus* transcription factor TFIIIA. These domains have since been found in numerous nucleic acid-binding proteins. A zinc finger domain is composed of 25 to 30 amino acid residues. Two cysteine or histidine residues are positioned at both extremities of the domain, which are involved in the tetrahedral coordination of a zinc atom. It has been proposed that such a domain interacts with about five nucleotides.

Many classes of zinc fingers are characterized according to the number and positions of the histidine and cysteine residues involved in the zinc atom coordination. In the first class to be characterized, called C2H2, the first pair of zinc coordinating residues are cysteines, while the second pair are histidines. A number of experimental reports have demonstrated the zinc-dependent DNA or RNA binding property of some members of this class.

Mammalian proteins having a C2H2 zipper include (number in parenthesis indicates number of zinc finger regions in the protein): basenuclin (6), BCL-6/LAZ-3 (6), erythroid krueppel-like transcription factor (3), transcription factors Sp1 (3), Sp2 (3), Sp3 (3) and Sp4 (3), transcriptional repressor YY1 (4), Wilms' tumor protein (4), EGR1/Krox24 (3), EGR2/Krox20 (3), EGR3/Pilot (3), EGR4/AT133 (4), Evi-1 (10), GLI1 (5), GLI2 (4+), GLI3 (3+), HIV-EP1/ZNF40 (4), HIV-EP2 (2), KR1 (9+), KR2 (9), KR3 (15+), KR4 (14+), KR5 (11+), HF.12 (6+), REX-1 (4), Zfx (13), Zfy (13), Zfp-35 (18), ZNF7 (15), ZNF8 (7), ZNF35 (10), ZNF42/MZF-1 (13), ZNF43 (22), ZNF46/Kup (2), ZNF76 (7), ZNF91 (36), ZNF133 (3).

In addition to the conserved zinc ligand residues, it has been shown that a number of other positions are also important for the structural integrity of the C2H2 zinc fingers. (Rosenfeld *et al.*, *J. Biomol. Struct. Dyn.* (1993) 11:557) The best conserved position is found four residues after the second cysteine; it is generally an aromatic or aliphatic residue.

The consensus pattern for C2H2 zinc fingers is: C-x(2,4)-C-x(3)-[LIVMFYWC]-x(8)-H-x(3,5)-H. The two C's and two H's are zinc ligands.

u) Zinc Finger, CCHC Class. SEQ ID NO:322 corresponds to a polynucleotide encoding a novel member of the zinc finger CCHC family. The CCHC zinc finger protein family to date has been mostly composed of retroviral gag proteins (nucleocapsid). The prototype structure of this family is from HIV. The family also contains members involved in eukaryotic gene regulation, such as *C. elegans* GLH-1. The consensus sequence of this family is based upon the common structure of an 18-residue zinc finger.

WO 99/33982

PCT/US98/27610

v) Zinc-Binding Metalloprotease Domain. SEQ ID NO:306 and 395 represent polynucleotides encoding novel members of the zinc-binding metalloprotease domain protein family. The majority of zinc-dependent metalloproteases (with the notable exception of the carboxypeptidases) share a common pattern of primary structure (Jongeneel *et al.*, *FEBS Lett.* (1989) 242:211; Murphy *et al.*, *FEBS Lett.* (1991) 289:4; and Bode *et al.*, *Zoology* (1996) 99:237) in the part of their sequence involved in the binding of zinc, and can be grouped together as a superfamily, known as the metzincins, on the basis of this sequence similarity. Examples of these proteins include: 1) Angiotensin-converting enzyme (EC 3.4.15.1) (dipeptidyl carboxypeptidase I) (ACE), the enzyme responsible for hydrolyzing angiotensin I to angiotensin II. 2) Mammalian extracellular matrix metalloproteinases (known as matrixins) (Woessner, *FASEB J.* (1991) 5:2145): MMP-1 (EC 3.4.24.7) (interstitial collagenase), MMP-2 (EC 3.4.24.24) (72 Kd gelatinase), MMP-9 (EC 3.4.24.35) (92 Kd gelatinase), MMP-7 (EC 3.4.24.23) (matrylisin), MMP-8 (EC 3.4.24.34) (neutrophil collagenase), MMP-3 (EC 3.4.24.17) (stromelysin-1), MMP-10 (EC 3.4.24.22) (stromelysin-2), and MMP-11 (stromelysin-3), MMP-12 (EC 3.4.24.65) (macrophage metalloelastase). 3) Endothelin-converting enzyme 1 (EC 3.4.24.71) (ECE-1), which processes the precursor of endothelin to release the active peptide.

A signature pattern which includes the two histidine and the glutamic acid residues is sufficient to detect this superfamily of proteins, having the consensus pattern: [GSTALIVN]-x(2)-H-E-[LIVMFYW]-{DEHRKP}-H-x-[LIVMFYWGSPQ]. The two H's are zinc ligands, and E is the active site residue.

Example 4: Differential Expression of Polynucleotides of the Invention : Description of Libraries and Detection of Differential Expression

The relative expression levels of the polynucleotides of the invention was assessed in several libraries prepared from various sources, including cell lines and patient tissue samples. Table 4 provides a summary of these libraries, including the shortened library name (used hereafter), the mRNA source used to prepared the cDNA library, the "nickname" of the library that is used in the tables below (in quotes), and the approximate number of clones in the library.

WO 99/33982

PCT/US98/27610

Table 4 Description of cDNA Libraries

Library (lib #)	Description	Number of Clones in this Clustering
1	Km12 L4 Human Colon Cell Line, High Metastatic Potential (derived from Km12C) "High Colon"	307133
2	Km12C Human Colon Cell Line, Low Metastatic Potential "Low Colon"	284755
3	MDA-MB-231 Human Breast Cancer Cell Line, High Metastatic Potential; micro-metastases in lung "High Breast"	326937
4	MCF7 Human Breast Cancer Cell, Non Metastatic "Low Breast"	318979
8	MV-522 Human Lung Cancer Cell Line, High Metastatic Potential "High Lung"	223620
9	UCP-3 Human Lung Cancer Cell Line, Low Metastatic Potential "Low Lung"	312503
12	Human microvascular endothelial cells (HMEC) – Untreated PCR (OligodT) cDNA library	41938
13	Human microvascular endothelial cells (HMEC) – bFGF treated PCR (OligodT) cDNA library	42100
14	Human microvascular endothelial cells (HMEC) – VEGF treated PCR (OligodT) cDNA library	42825
15	Normal Colon – UC#2 Patient PCR (OligodT) cDNA library "Normal Colon Tumor Tissue"	34285
16	Colon Tumor – UC#2 Patient PCR (OligodT) cDNA library "Normal Colon Tumor Tissue"	35625
17	Liver Metastasis from Colon Tumor of UC#2 Patient PCR (OligodT) cDNA library "High Colon Metastasis Tissue"	36984
18	Normal Colon – UC#3 Patient PCR (OligodT) cDNA library "Normal Colon Tumor Tissue"	36216
19	Colon Tumor – UC#3 Patient PCR (OligodT) cDNA library "High Colon Tumor Tissue"	41388
20	Liver Metastasis from Colon Tumor of UC#3 Patient PCR (OligodT) cDNA library "High Colon Metastasis Tissue"	30956

WO 99/33982

PCT/US98/27610

The KM12L4 and KM12C cell lines are described in Example 1 above. The MDA-MB-231 cell line was originally isolated from pleural effusions (Cailleau, *J. Natl. Cancer Inst.* (1974) 53:661), is of high metastatic potential, and forms poorly differentiated adenocarcinoma grade II in nude mice consistent with breast carcinoma. The MCF7 cell line
5 was derived from a pleural effusion of a breast adenocarcinoma and is non-metastatic. The MV-522 cell line is derived from a human lung carcinoma and is of high metastatic potential. The UCP-3 cell line is a low metastatic human lung carcinoma cell line; the MV-522 is a high metastatic variant of UCP-3. These cell lines are well-recognized in the art as models for the study of human breast and lung cancer (see, e.g., Chandrasekaran *et al.*,
10 *Cancer Res.* (1979) 39:870 (MDA-MB-231 and MCF-7); Gastpar *et al.*, *J Med Chem* (1998) 41:4965 (MDA-MB-231 and MCF-7); Ranson *et al.*, *Br J Cancer* (1998) 77:1586 (MDA-MB-231 and MCF-7); Kuang *et al.*, *Nucleic Acids Res* (1998) 26:1116 (MDA-MB-231 and MCF-7); Varki *et al.*, *Int J Cancer* (1987) 40:46 (UCP-3); Varki *et al.*, *Tumour Biol.* (1990) 11:327; (MV-522 and UCP-3); Varki *et al.*, *Anticancer Res.* (1990) 10:637; (MV-522);
15 Kelner *et al.*, *Anticancer Res* (1995) 15:867 (MV-522); and Zhang *et al.*, *Anticancer Drugs* (1997) 8:696 (MV522)). The samples of libraries 15-20 are derived from two different patients (UC#2, and UC#3).

Each of the libraries is composed of a collection of cDNA clones that in turn are representative of the mRNAs expressed in the indicated mRNA source. In order to facilitate
20 the analysis of the millions of sequences in each library, the sequences were assigned to clusters. The concept of "cluster of clones" is derived from a sorting/grouping of cDNA clones based on their hybridization pattern to a panel of roughly 300 7bp oligonucleotide probes (see Drmanac *et al.*, *Genomics* (1996) 37(1):29). Random cDNA clones from a tissue library are hybridized at moderate stringency to 300 7bp oligonucleotides. Each
25 oligonucleotide has some measure of specific hybridization to that specific clone. The combination of 300 of these measures of hybridization for 300 probes equals the "hybridization signature" for a specific clone. Clones with similar sequence will have similar hybridization signatures. By developing a sorting/grouping algorithm to analyze these signatures, groups of clones in a library can be identified and brought together
30 computationally. These groups of clones are termed "clusters". Depending on the stringency of the selection in the algorithm (similar to the stringency of hybridization in a classic library cDNA screening protocol), the "purity" of each cluster can be controlled. For example, artifacts of clustering may occur in computational clustering just as artifacts can occur in "wet-lab" screening of a cDNA library with 400 bp cDNA fragments, at even the

WO 99/33982

PCT/US98/27610

highest stringency. The stringency used in the implementation of cluster herein provides groups of clones that are in general from the same cDNA or closely related cDNAs. Closely related clones can be a result of different length clones of the same cDNA, closely related clones from highly related gene families, or splice variants of the same cDNA.

5 Differential expression for a selected cluster was assessed by first determining the number of cDNA clones corresponding to the selected cluster in the first library (Clones in 1st), and the determining the number of cDNA clones corresponding to the selected cluster in the second library (Clones in 2nd). Differential expression of the selected cluster in the first library relative to the second library is expressed as a "ratio" of percent expression between
10 the two libraries. In general, the "ratio" is calculated by: 1) calculating the percent expression of the selected cluster in the first library by dividing the number of clones corresponding to a selected cluster in the first library by the total number of clones analyzed from the first library; 2) calculating the percent expression of the selected cluster in the second library by dividing the number of clones corresponding to a selected cluster in a
15 second library by the total number of clones analyzed from the second library; 3) dividing the calculated percent expression from the first library by the calculated percent expression from the second library. If the "number of clones" corresponding to a selected cluster in a library is zero, the value is set at 1 to aid in calculation. The formula used in calculating the ratio takes into account the "depth" of each of the libraries being compared, *i.e.*, the total
20 number of clones analyzed in each library.

In general, a polynucleotide is said to be significantly differentially expressed between two samples when the ratio value is greater than at least about 2, preferably greater than at least about 3, more preferably greater than at least about 5, where the ratio value is calculated using the method described above. The significance of differential expression is
25 determined using a z score test (Zar, Biostatistical Analysis, Prentice Hall, Inc., USA, "Differences between Proportions," pp 296-298 (1974).

Tables 5 to 7 (inserted before the claims) show the number of clones in each of the above libraries that were analyzed for differential expression. Examples of differentially expressed polynucleotides of particular interest are described in more detail below.

30

Example 5: Polynucleotides Differentially Expressed in High Metastatic Potential Breast Cancer Cells Versus Low Metastatic Breast Cancer Cells

A number of polynucleotide sequences have been identified that are differentially expressed between cells derived from high metastatic potential breast cancer tissue and low

WO 99/33982

PCT/US98/27610

metastatic breast cancer cells. Expression of these sequences in breast cancer can be valuable in determining diagnostic, prognostic and/or treatment information. For example, sequences that are highly expressed in the high metastatic potential cells can be indicative of increased expression of genes or regulatory sequences involved in the metastatic process. A patient sample displaying an increased level of one or more of these polynucleotides may thus warrant more aggressive treatment. In another example, sequences that display higher expression in the low metastatic potential cells can be associated with genes or regulatory sequences that inhibit metastasis, and thus the expression of these polynucleotides in a sample may warrant a more positive prognosis than the gross pathology would suggest.

The differential expression of these polynucleotides can be used as a diagnostic marker, a prognostic marker, for risk assessment, patient treatment and the like. These polynucleotide sequences can also be used in combination with other known molecular and/or biochemical markers.

The following table summarizes identified polynucleotides with differential expression between high metastatic potential breast cancer cells and low metastatic potential breast cancer cells.

WO 99/33982

PCT/US98/27610

Table 8. Differentially expressed polynucleotides: High metastatic potential breast cancer vs. low metastatic breast cancer cells

SEQ ID NO.	Differential Expression	Cluster ID	Clones in 1 st Library	Clones in 2 nd Library	Ratio
9	High Breast > Low Breast (Lib3 > Lib4)	2623	31	4	7.561356
42	High Breast > Low Breast (Lib3 > Lib4)	307	196	75	2.549721
52	High Breast > Low Breast (Lib3 > Lib4)	19	1364	525	2.534854
62	High Breast > Low Breast (Lib3 > Lib4)	2623	31	4	7.561356
65	High Breast > Low Breast (Lib3 > Lib4)	5749	9	0	8.780930
66	High Breast > Low Breast (Lib3 > Lib4)	6455	6	0	5.853953
68	High Breast > Low Breast (Lib3 > Lib4)	6455	6	0	5.853953
114	High Breast > Low Breast (Lib3 > Lib4)	2030	32	4	7.805271
123	High Breast > Low Breast (Lib3 > Lib4)	3389	13	2	6.341782
144	High Breast > Low Breast (Lib3 > Lib4)	4623	12	2	5.853953
172	High Breast > Low Breast (Lib3 > Lib4)	102	278	116	2.338217
178	High Breast > Low Breast (Lib3 > Lib4)	3681	10	1	9.756589
214	High Breast > Low Breast (Lib3 > Lib4)	3900	8	1	7.805271
219	High Breast > Low Breast (Lib3 > Lib4)	3389	13	2	6.341782
223	High Breast > Low Breast (Lib3 > Lib4)	1399	19	7	2.648217
258	High Breast > Low Breast (Lib3 > Lib4)	4837	10	0	9.756589
317	High Breast > Low Breast (Lib3 > Lib4)	1577	25	3	8.130490
379	High Breast > Low Breast (Lib3 > Lib4)	260	27	2	13.17139
4	Low Breast > High Breast (Lib4 > Lib3)	3706	22	4	5.637215
39	Low Breast > High Breast (Lib4 > Lib3)	4016	6	0	6.149690
74	Low Breast > High Breast (Lib4 > Lib3)	6268	18	3	6.149690
81	Low Breast > High Breast (Lib4 > Lib3)	40392	8	1	8.199586
130	Low Breast > High Breast (Lib4 > Lib3)	13183	7	0	7.174638
157	Low Breast > High Breast (Lib4 > Lib3)	5417	9	0	9.224535
162	Low Breast > High Breast (Lib4 > Lib3)	9685	7	0	7.174638
183	Low Breast > High Breast (Lib4 > Lib3)	7337	16	3	5.466391
202	Low Breast > High Breast (Lib4 > Lib3)	6124	9	1	9.224535
298	Low Breast > High Breast (Lib4 > Lib3)	1037	22	4	5.637215
338	Low Breast > High Breast (Lib4 > Lib3)	689	36	17	2.170478
384	Low Breast > High Breast (Lib4 > Lib3)	697	72	30	2.459876
386	Low Breast > High Breast (Lib4 > Lib3)	4568	9	0	9.224535
388	Low Breast > High Breast (Lib4 > Lib3)	5622	13	2	6.662164

5 **Example 6:** Polynucleotides Differentially Expressed in High Metastatic Potential Lung Cancer Cells Versus Low Metastatic Lung Cancer Cells

A number of polynucleotide sequences have been identified that are differentially expressed between cells derived from high metastatic potential lung cancer tissue and low metastatic lung cancer cells. Expression of these sequences in lung cancer tissue can be valuable in determining diagnostic, prognostic and/or treatment information. For example, sequences that are highly expressed in the high metastatic potential cells are associated can be indicative of increased expression of genes or regulatory sequences involved in the metastatic process. A patient sample displaying an increased level of one or more of these

WO 99/33982

PCT/US98/27610

polynucleotides may thus warrant more aggressive treatment. In another example, sequences that display higher expression in the low metastatic potential cells can be associated with genes or regulatory sequences that inhibit metastasis, and thus the expression of these polynucleotides in a sample may warrant a more positive prognosis than the gross pathology would suggest.

The differential expression of these polynucleotides can be used as a diagnostic marker, a prognostic marker, for risk assessment, patient treatment and the like. These polynucleotide sequences can also be used in combination with other known molecular and/or biochemical markers.

The following table summarizes identified polynucleotides with differential expression between high metastatic potential lung cancer cells and low metastatic potential lung cancer cells:

Table 9 Differentially expressed polynucleotides: High metastatic potential lung cancer vs. low metastatic lung cancer cells

SEQ ID NO.	Differential Expression	Cluster ID	Clones in 1 st Library	Clones in 2 nd Library	Ratio
400	High Lung > Low Lung (Lib8 > Lib 9)	14929	23	16	2.008868
9	High Lung > Low Lung (Lib8 > Lib9)	2623	6	1	8.384840
34	High Lung > Low Lung (Lib8 > Lib9)	5832	5	0	6.987366
42	High Lung > Low Lung (Lib8 > Lib9)	307	79	27	4.088903
62	High Lung > Low Lung (Lib8 > Lib9)	2623	6	1	8.384840
74	High Lung > Low Lung (Lib8 > Lib9)	6268	5	0	6.987366
106	High Lung > Low Lung (Lib8 > Lib9)	10717	8	0	11.17978
119	High Lung > Low Lung (Lib8 > Lib9)	8	1355	122	15.52111
361	High Lung > Low Lung (Lib8 > Lib9)	1120	5	0	6.987366
369	High Lung > Low Lung (Lib8 > Lib9)	2790	6	0	8.384840
371	High Lung > Low Lung (Lib8 > Lib9)	8847	6	1	8.384840
379	High Lung > Low Lung (Lib8 > Lib9)	260	15	0	20.96210
395	High Lung > Low Lung (Lib8 > Lib9)	13538	9	1	12.57726
135	Low Lung > High Lung (Lib9 > Lib8)	36313	30	1	21.46731
154	Low Lung > High Lung (Lib9 > Lib8)	5345	27	6	3.220097
160	Low Lung > High Lung (Lib9 > Lib8)	4386	21	3	5.009039
260	Low Lung > High Lung (Lib9 > Lib8)	4141	27	4	4.830145
308	Low Lung > High Lung (Lib9 > Lib8)	15855	213	12	12.70149
323	Low Lung > High Lung (Lib9 > Lib8)	5257	25	5	3.577885
349	Low Lung > High Lung (Lib9 > Lib8)	2797	14	1	10.01807
381	Low Lung > High Lung (Lib9 > Lib8)	2428	19	2	6.797982

Example 7: Polynucleotides Differentially Expressed in High Metastatic Potential Colon Cancer Cells Versus Low Metastatic Colon Cancer Cells

A number of polynucleotide sequences have been identified that are differentially expressed between cells derived from high metastatic potential colon cancer tissue and low

WO 99/33982

PCT/US98/27610

metastatic colon cancer cells. Expression of these sequences in colon cancer tissue can be valuable in determining diagnostic, prognostic and/or treatment information. For example, sequences that are highly expressed in the high metastatic potential cells can be indicative of increased expression of genes or regulatory sequences involved in the metastatic process. A

5 patient sample displaying an increased level of one or more of these polynucleotides may thus warrant more aggressive treatment. In another example, sequences that display higher expression in the low metastatic potential cells can be associated with genes or regulatory sequences that inhibit metastasis, and thus the expression of these polynucleotides in a sample may warrant a more positive prognosis than the gross pathology would suggest.

10 The differential expression of these polynucleotides can be used as a diagnostic marker, a prognostic marker, for risk assessment, patient treatment and the like. These polynucleotide sequences can also be used in combination with other known molecular and/or biochemical markers.

The following table summarizes identified polynucleotides with differential

15 expression between high metastatic potential colon cancer cells and low metastatic potential colon cancer cells:

Table 11: Differentially expressed polynucleotides: High metastatic potential colon cancer vs. low metastatic colon cancer cells

SEQ ID NO.	Differential Expression	Cluster ID	Clones in 1 st Library	Clones in 2 nd Library	Ratio
1	High Colon > Low Colon (Lib1 > Lib2)	6660	7	0	6.489973
176	High Colon > Low Colon (Lib1 > Lib2)	3765	19	6	2.935940
241	High Colon > Low Colon (Lib1 > Lib2)	4275	11	2	5.099264
362	High Colon > Low Colon (Lib1 > Lib2)	6420	8	0	7.417112
374	High Colon > Low Colon (Lib1 > Lib2)	6420	8	0	7.417112
39	Low Colon > High Colon (Lib2 > Lib1)	4016	14	5	3.020043
97	Low Colon > High Colon (Lib2 > Lib1)	945	21	9	2.516702
134	Low Colon > High Colon (Lib2 > Lib1)	2464	19	5	4.098630
317	Low Colon > High Colon (Lib2 > Lib1)	1577	40	12	3.595289
357	Low Colon > High Colon (Lib2 > Lib1)	4309	13	4	3.505407

20 Example 8: Polynucleotides Differentially Expressed at Higher Levels in High Metastatic Potential Colon Cancer Patient Tissue Versus Normal Patient Tissue

A number of polynucleotide sequences have been identified that are differentially expressed between cells derived from high metastatic potential colon cancer tissue and normal tissue. Expression of these sequences in colon cancer tissue can be valuable in

25 determining diagnostic, prognostic and/or treatment information. For example, sequences that are highly expressed in the high metastatic potential cells are associated can be

WO 99/33982

PCT/US98/27610

indicative of increased expression of genes or regulatory sequences involved in the advanced disease state which involves processes such as angiogenesis, dedifferentiation, cell replication, and metastasis. A patient sample displaying an increased level of one or more of these polynucleotides may thus warrant more aggressive treatment.

- 5 The differential expression of these polynucleotides can be used as a diagnostic marker, a prognostic marker, for risk assessment, patient treatment and the like. These polynucleotide sequences can also be used in combination with other known molecular and/or biochemical markers.

- 10 The following table summarizes identified polynucleotides with differential expression between high metastatic potential colon cancer cells and normal colon cells:

Table 11: Differentially expressed polynucleotides: High metastatic potential colon tissue vs. normal colon tissue

SEQ ID NO.	Differential Expression	Cluster ID	Clones in 1 st Library	Clones in 2 nd Library	Ratio
52	High Colon Metastasis Tissue > Normal Colon Tissue of UC#3 (Lib20 > Lib18)	19	10	0	11.69918
52	High Colon Metastasis Tissue > Normal Tissue in UC#2 (Lib17 > Lib15)	19	13	2	6.025646
172	High Colon Metastasis Tissue > Normal Tissue in UC#2 (Lib17 > Lib15)	102	65	22	2.738930

- 15 Example 9: Polynucleotides Differentially Expressed at Higher Levels in High Colon Tumor Potential Patient Tissue Versus Metastasized Colon Cancer Patient Tissue

- A number of polynucleotide sequences have been identified that are differentially expressed between cells derived from high tumor potential colon cancer tissue and cells derived from high metastatic potential colon cancer cells. Expression of these sequences in colon cancer tissue can be valuable in determining diagnostic, prognostic and/or treatment information associated with the transformation of precancerous tissue to malignant tissue. This information can be useful in the prevention of achieving the advanced malignant state in these tissues, and can be important in risk assessment for a patient.

- 25 The following table summarizes identified polynucleotides with differential expression between high tumor potential colon cancer tissue and cells derived from high metastatic potential colon cancer cells:

WO 99/33982

PCT/US98/27610

Table 12: Differentially expressed polynucleotides: High tumor potential colon tissue vs. metastatic colon tissue

SEQ ID NO.	Differential Expression	Cluster ID	Clones in 1 st Library	Clones in 2 nd Library	Ratio
52	High Colon Tumor Tissue > Metastasis Tissue of UC#3 (Lib19 > Lib20)	19	69	10	5.160829
119	High Colon Tumor Tissue > Metastasis Tissue of UC#3 (Lib19 > Lib20)	8	14	1	10.47124
172	High Colon Tumor Tissue > Metastasis Tissue of UC#3 (Lib19 > Lib20)	102	43	10	3.216168

5 **Example 10:** Polynucleotides Differentially Expressed at Higher Levels in High Tumor Potential Colon Cancer Patient Tissue Versus Normal Patient Tissue

A number of polynucleotide sequences have been identified that are differentially expressed between cells derived from high tumor potential colon cancer tissue and normal tissue. Expression of these sequences in colon cancer tissue can be valuable in determining diagnostic, prognostic and/or treatment information associated with the prevention of achieving the malignant state in these tissues, and can be important in risk assessment for a patient. For example, sequences that are highly expressed in the potential colon cancer cells are associated with or can be indicative of increased expression of genes or regulatory sequences involved in early tumor progression. A patient sample displaying an increased level of one or more of these polynucleotides may thus warrant closer attention or more frequent screening procedures to catch the malignant state as early as possible.

The following table summarizes identified polynucleotides with differential expression between high metastatic potential colon cancer cells and normal colon cells:

20 **Table 13:** Differentially expressed polynucleotides: High tumor potential colon tissue vs. normal colon tissue

SEQ ID NO.	Differential Expression	Cluster ID	Clones in 1 st Library	Clones in 2 nd Library	Ratio
52	High Colon Tumor Tissue > Normal Tissue of UC#2 (Lib16 > Lib15)	19	13	2	6.255508
288	High Colon Tumor Tissue > Normal Tissue of UC#2 (Lib16 > Lib15)	1267	7	0	6.125253
52	High Colon Tumor Tissue > Normal Tissue of UC#3 (Lib19 > Lib18)	19	69	0	60.37750
119	High Colon Tumor Tissue > Normal Tissue of UC#3 (Lib19 > Lib18)	8	14	1	12.25050
172	High Colon Tumor Tissue > Normal Tissue of UC#3 (Lib19 > Lib18)	102	43	7	5.375222

WO 99/33982

PCT/US98/27610

Example 11: Polynucleotides Differentially Expressed Across Multiple Libraries

A number of polynucleotide sequences have been identified that are differentially expressed between cancerous cells and normal cells across all three tissue types tested (*i.e.*, breast, colon, and lung). Expression of these sequences in a tissue or any origin can be valuable in determining diagnostic, prognostic and/or treatment information associated with the prevention of achieving the malignant state in these tissues, and can be important in risk assessment for a patient. These polynucleotides can also serve as non-tissue specific markers of, for example, risk of metastasis of a tumor. The following table summarizes identified polynucleotides that were differentially expressed but without tissue type-specificity in the breast, colon, and lung libraries tested.

Table 14: Polynucleotides Differentially Expressed Across Multiple Library Comparisons

SEQ ID NO.	Differential Expression	Cluster ID	Clones in 1 st Library	Clones in 2 nd Library	Ratio
9	High Breast > Low Breast (Lib3 > Lib4)	2623	31	4	7.561356
	High Lung > Low Lung (Lib8 > Lib9)	2623	6	1	8.384840
39	Low Breast > High Breast (Lib4 > Lib3)	4016	6	0	6.149690
	Low Colon > High Colon (Lib2 > Lib1)	4016	14	5	3.020043
42	High Breast > Low Breast (Lib3 > Lib4)	307	196	75	2.549721
	High Lung > Low Lung (Lib8 > Lib9)	307	79	27	4.088903
52	High Breast > Low Breast (Lib3 > Lib4)	19	1364	525	2.534854
	High Colon Metastasis Tissue > Normal Colon Tissue of UC#3 (Lib20 > Lib18)	19	10	0	11.69918
	High Colon Metastasis Tissue > Normal Tissue in UC#2 (Lib17 > Lib15)	19	13	2	6.025646
	High Colon Tumor Tissue > Metastasis Tissue of UC#3 (Lib19 > Lib20)	19	69	10	5.160829
	High Colon Tumor Tissue > Normal Tissue of UC#2 (Lib16 > Lib15)	19	13	2	6.255508
	High Colon Tumor Tissue > Normal Tissue of UC#3 (Lib19 > Lib18)	19	69	0	60.37750
62	High Breast > Low Breast (Lib3 > Lib4)	2623	31	4	7.561356
	High Lung > Low Lung (Lib8 > Lib9)	2623	6	1	8.384840
74	High Lung > Low Lung (Lib8 > Lib9)	6268	5	0	6.987366
	Low Breast > High Breast (Lib4 > Lib3)	6268	18	3	6.149690
119	High Colon Tumor Tissue > Metastasis Tissue of UC#3 (Lib19 > Lib20)	8	14	1	10.47124
	High Colon Tumor Tissue > Normal Tissue of UC#3 (Lib19 > Lib18)	8	14	1	12.25050
	High Lung > Low Lung (Lib8 > Lib9)	8	1355	122	15.52111
172	High Breast > Low Breast (Lib3 > Lib4)	102	278	116	2.338217
	High Colon Metastasis Tissue > Normal Tissue in UC#2 (Lib17 > Lib15)	102	65	22	2.738930
	High Colon Tumor Tissue > Metastasis	102	43	10	3.216168

WO 99/33982		PCT/US98/27610			
SEQ ID NO.	Differential Expression	Cluster ID	Clones in 1 st Library	Clones in 2 nd Library	Ratio
	Tissue of UC#3 (Lib19 > Lib20)				
	High Colon Tumor Tissue > Normal Tissue of UC#3 (Lib19 > Lib18)	102	43	7	5.375222
317	High Breast > Low Breast (Lib3 > Lib4)	1577	25	3	8.130490
	Low Colon > High Colon (Lib2 > Lib1)	1577	40	12	3.595289
379	High Breast > Low Breast (Lib3 > Lib4)	260	27	2	13.17139
	High Lung > Low Lung (Lib8 > Lib9)	260	15	0	20.96210

Example 12: Polynucleotides Exhibiting Colon-Specific Expression

The cDNA libraries described herein were also analyzed to identify those polynucleotides that were specifically expressed in colon cells or tissue, *i.e.*, the

- 5 polynucleotides were identified in libraries prepared from colon cell lines or tissue, but not in libraries of breast or lung origin. The polynucleotides that were expressed in a colon cell line and/or in colon tissue, but were present in the breast or lung cDNA libraries described herein, are shown in Table 15.

10 **Table 15** Polynucleotides specifically expressed in colon cells.

SEQ ID NO.	Cluster	Clones in 1 st Library	Clones in 2 nd Library	SEQ ID NO.	Cluster	Clones in 1 st Library	Clones in 2 nd Library
5	36535	2	0	229	39648	2	0
13	27250	2	0	231	85064	1	0
19	16283	3	0	234	39391	2	0
24	16918	4	0	236	39498	2	0
26	40108	2	0	242	22113	3	0
32	32663	1	1	247	19255	2	0
43	39833	2	0	252	22814	3	0
47	18957	3	0	253	39563	2	0
48	39508	2	0	254	39420	2	0
56	7005	8	2	257	39412	2	0
58	18957	3	0	261	38085	2	0
59	18957	3	0	265	40054	1	0
60	16283	3	0	266	39423	2	0
64	13238	4	1	267	39453	2	0
70	39442	2	0	270	78091	1	0
71	17036	4	0	276	39168	2	0
73	7005	8	2	277	39458	2	0
83	11476	6	0	278	14391	3	1
86	39425	2	0	279	39195	2	0
94	21847	2	1	282	12977	5	0
100	16731	3	1	284	14391	3	1
101	12439	4	0	290	16347	4	0
113	17055	4	0	293	39478	2	0
120	67907	1	0	294	39392	2	0
121	12081	4	0	297	39180	2	0
124	39174	2	0	299	6867	7	3

WO 99/33982				PCT/US98/27610			
SEQ ID NO.	Cluster	Clones in 1 st Library	Clones in 2 nd Library	SEQ ID NO.	Cluster	Clones in 1 st Library	Clones in 2 nd Library
126	8210	2	6	301	41633	1	1
128	40455	2	0	302	23218	3	0
139	22195	3	0	303	39380	2	0
143	86859	1	0	309	84328	1	0
150	8672	4	4	314	14367	3	0
153	16977	4	0	320	39886	2	0
156	17036	4	0	324	9061	5	2
159	40044	2	0	327	16653	3	1
161	40044	2	0	328	16985	4	0
163	22155	3	0	329	12977	5	0
166	15066	4	0	330	9061	5	2
170	11465	5	0	333	16392	3	0
176	3765	19	6	342	39486	2	0
181	86110	1	0	344	6874	6	3
182	39648	2	0	345	6874	6	3
185	17076	4	0	353	11494	4	0
186	22794	2	0	354	17062	3	0
187	39171	2	0	355	16245	4	0
194	40455	2	0	356	83103	1	0
199	16317	3	0	358	13072	4	1
210	39186	2	0	366	14364	1	0
211	40122	2	0	368	84182	1	0
218	26295	2	0	372	56020	1	0
222	4665	5	9	389	7514	5	3
226	82498	1	0	391	7570	5	3
227	35702	2	0	393	23210	3	0

In addition to the above, SEQ ID NOS:159 and 161 were each present in one clone in each of Lib16 (Normal Colon Tumor Tissue), and SEQ ID NOS:344 and 345 were each present in one clone in Lib17 (High Colon Metastasis Tissue). No clones corresponding to the colon-specific polynucleotides in the table above were present in any of Libraries 3, 4, 8, or 9. The polynucleotide provided above can be used as markers of cells of colon origin, and find particular use in reference arrays, as described above.

Example 13: Identification of Contiguous Sequences Having a Polynucleotide of the Invention

The novel polynucleotides were used to screen publicly available and proprietary databases to determine if any of the polynucleotides of SEQ ID NOS:1-404 would facilitate identification of a contiguous sequence, *e.g.*, the polynucleotides would provide sequence that would result in 5' extension of another DNA sequence, resulting in production of a longer contiguous sequence composed of the provided polynucleotide and the other DNA sequence(s). Contigging was performed using the AssemblyLign program with the following

WO 99/33982

PCT/US98/27610

parameters: 1) Overlap: Minimum Overlap Length: 30; % Stringency: 50; Minimum Repeat Length: 30; Alignment: gap creation penalty: 1.00, gap extension penalty: 1.00; 2) Consensus: % Base designation threshold: 80.

Using these parameters, 44 polynucleotides provided contiged sequences. These
5 contiged sequences are provided as SEQ ID NOS:801-844. The contiged sequences can be correlated with the sequences of SEQ ID NOS:1-404 upon which the contiged sequences are based by identifying those sequences of SEQ ID NOS:1-404 and the contiged sequences of SEQ ID NOS:801-844 that share the same clone name in Table 1. It should be noted that of these 44 sequences that provided a contiged sequence, the following members of that group
10 of 44 did not contig using the overlap settings indicated in parentheses (Stringency/Overlap): SEQ ID NO:804 (30%/10); SEQ ID NO:810 (20%/20); SEQ ID NO:812 (30%/10); SEQ ID NO:814 (40%/20); SEQ ID NO:816 (30%/10); SEQ ID NO:832 (30%/10); SEQ ID NO:840 (20%/20); SEQ ID NO:841 (40%/20). To generalize, the indicated polynucleotides did not contig using a minimum 20% stringency, 10 overlap. There was a corresponding increase in
15 the number of degenerate codons in these sequences.

The contiged sequences (SEQ ID NO:801-844) thus represent longer sequences that encompass a polynucleotide sequence of the invention. The contiged sequences were then translated in all three reading frames to determine the best alignment with individual sequences using the BLAST programs as described above for SEQ ID NOS:1-404 and the
20 validation sequences SEQ ID NOS:405-800. Again the sequences were masked using the XBLAST program for masking low complexity as described above in Example 1 (Table 2). Several of the contiged sequences were found to encode polypeptides having characteristics of a polypeptide belonging to a known protein families (and thus represent new members of these protein families) and/or comprising a known functional domain (Table 16). Thus the
25 invention encompasses fragments, fusions, and variants of such polynucleotides that retain biological activity associated with the protein family and/or functional domain identified herein.

SEQ ID NO.	Sequence Name	Profile	Start (Stop)	Score
809	Contig_RTA00000177AF.n.18.3. Seq_THC123051	ATPases	778 (1612)	6040
824	Contig_RTA00000187AF.g.24.1. Seq_THC168636	homeobox	531 (707)	12080
824	Contig_RTA00000187AF.g.24.1. Seq_THC168636	MAP kinase kinase	769 (1494)	5784
833	Contig_RTA00000190AF.j.4.1. Seq_THC228776	protein kinase	170 (1010)	5027
833	Contig_RTA00000190AF.j.4.1. Seq_THC228776	protein kinase	170 (1010)	5027

The profiles for the ATPases (AAA) and protein kinase families are described above in Example 2. The homeobox and MAP kinase kinase protein families are described further below.

A schematic representation of the homeobox domain is shown below. The helix-turn-helix region is shown by the symbols 'H' (for helix), and 't' (for turn).

[illegible]

WO 99/33982

PCT/US98/27610

The pattern detects homeobox sequences 24 residues long and spans positions 34 to 57 of the homeobox domain. The consensus pattern is as follows: [LIVMFYVG]-[ASLVR]-x(2)-[LIVMSTACN]-x-[LIVM]-x(4)-[LIV]-[RKNQESTAIY]-[LIVFSTNKH]-W-[FYVC]-x-[NDQTAH]-x(5)-[RKNAIMW].

5 MAP kinase kinase (MAPKK). MAP kinases (MAPK) are involved in signal transduction, and are important in cell cycle and cell growth controls. The MAP kinase kinases (MAPKK) are dual-specificity protein kinases which phosphorylate and activate MAP kinases. MAPKK homologues have been found in yeast, invertebrates, amphibians, and mammals. Moreover, the MAPKK/MAPK phosphorylation switch constitutes a basic
10 module activated in distinct pathways in yeast and in vertebrates. MAPKK regulation studies have led to the discovery of at least four MAPKK convergent pathways in higher organisms. One of these is similar to the yeast pheromone response pathway which includes the ste11 protein kinase. Two other pathways require the activation of either one or both of the serine/threonine kinase-encoded oncogenes c-Raf-1 and c-Mos. Additionally, several
15 studies suggest a possible effect of the cell cycle control regulator cyclin-dependent kinase 1 (cdc2) on MAPKK activity. Finally, MAPKKs are apparently essential transducers through which signals must pass before reaching the nucleus. For review, see, *e.g.*, *Biologique Cell* (1993) 79:193-207; Nishida *et al.*, *Trends Biochem Sci* (1993) 18:128-31; Ruderman *Curr Opin Cell Biol* (1993) 5:207-13; Dhanasekaran *et al.*, *Oncogene* (1998) 17:1447-55;
20 Kiefer *et al.*, *Biochem Soc Trans* (1997) 25:491-8; and Hill, *Cell Signal* (1996) 8:533-44.

Those skilled in the art will recognize, or be able to ascertain, using not more than routine experimentation, many equivalents to the specific embodiments of the invention described herein. Such specific embodiments and equivalents are intended to be encompassed by the following claims.

25 All publications and patent applications cited in this specification are herein incorporated by reference as if each individual publication or patent application were specifically and individually indicated to be incorporated by reference. The citation of any publication is for its disclosure prior to the filing date and should not be construed as an admission that the present invention is not entitled to antedate such publication by virtue of
30 prior invention.

WO 99/33982

PCT/US98/27610

Although the foregoing invention has been described in some detail by way of illustration and example for purposes of clarity of understanding, it is readily apparent to those of ordinary skill in the art in light of the teachings of this invention that certain changes and modifications may be made thereto without departing from the spirit or scope of the
5 appended claims.

Deposit Information:

The following materials were deposited with the American Type Culture Collection:
CMCC = (Chiron Master Culture Collection)

10

Cell Lines Deposited with ATCC

Cell Line	Deposit Date	ATCC Accession No.	CMCC Accession No.
KM12L4-A	March 19, 1998	CRL-12496	11606
Km12C	May 15, 1998	CRL-12533	11611
MDA-MB-231	May 15, 1998	CRL-12532	10583
MCF-7	October 9, 1998	CRL-12584	10377

WO 99/33982
CDNA Library Deposits

PCT/US98/27610

cDNA Library ES1 - ATCC#

Deposit Date - December 22, 1998

Clone Name	Cluster ID	Sequence Name
M00001395A:C03	4016	79.A1.sp6:130016.Seq
M00001395A:C03	4016	RTA00000118A.c.4.1
M00001449A:D12	3681	RTA00000131A.g.15.2
M00001449A:D12	3681	79.E1.sp6:130064.Seq
M00001452A:D08	1120	79.C2.sp6:130041.Seq
M00001452A:D08	1120	RTA00000118A.p.15.3
M00001513A:B06	4568	79.D4.sp6:130055.Seq
M00001513A:B06	4568	RTA00000122A.d.15.3
M00001517A:B07	4313	79.F4.sp6:130079.Seq
M00001517A:B07	4313	RTA00000122A.n.3.1
M00001533A:C11	2428	RTA00000123A.l.21.1
M00001533A:C11	2428	79.A5.sp6:130020.Seq
M00001533A:C11	2428	RTA00000123A.l.21.1.Seq_THC205063
M00001542A:A09	22113	79.F5.sp6:130080.Seq
M00001542A:A09	22113	RTA00000125A.c.7.1

cDNA Library ES2 - ATCC#

Deposit Date - December 22, 1998

Clone Name	Cluster ID	Sequence Name
M00001343C:F10	2790	80.E1.sp6:130256.Seq
M00001343C:F10	2790	RTA00000177AF.e.2.1.Seq_THC229461
M00001343C:F10	2790	RTA00000177AF.e.2.1
M00001343D:H07	23255	100.C1.sp6:131446.Seq
M00001343D:H07	23255	RTA00000177AF.e.14.3.Seq_THC228776
M00001343D:H07	23255	80.F1.sp6:130268.Seq
M00001343D:H07	23255	RTA00000177AF.e.14.3
M00001345A:E01	6420	172.E1.sp6:133925.Seq
M00001345A:E01	6420	RTA00000177AF.f.10.3
M00001345A:E01	6420	RTA00000177AF.f.10.3.Seq_THC226443
M00001345A:E01	6420	80.G1.sp6:130280.Seq
M00001347A:B10	13576	80.D2.sp6:130245.Seq
M00001347A:B10	13576	100.E1.sp6:131470.Seq
M00001347A:B10	13576	RTA00000177AF.g.16.1
M00001353A:G12	8078	80.E3.sp6:130258.Seq
M00001353A:G12	8078	RTA00000177AR.l.13.1
M00001353A:G12	8078	172.C3.sp6:133903.Seq
M00001353D:D10	14929	RTA00000177AF.m.1.2
M00001353D:D10	14929	80.F3.sp6:130270.Seq
M00001353D:D10	14929	172.D3.sp6:133915.Seq
M00001361A:A05	4141	80.B4.sp6:130223.Seq
M00001361A:A05	4141	RTA00000177AF.p.20.3
M00001362B:D10	5622	80.D4.sp6:130247.Seq
M00001362B:D10	5622	RTA00000178AF.a.11.1

WO 99/33982

PCT/US98/27610

cDNA Library ES3 - ATCC#

Deposit Date - December 22, 1998

Clone Name	Cluster ID	Sequence Name
M00001362C:H11	945	RTA00000178AR.a.20.1
M00001362C:H11	945	100.E4.sp6:131473.Seq
M00001362C:H11	945	80.E4.sp6:130259.Seq
M00001362C:H11	945	180.C2.sp6:135940.Seq
M00001376B:G06	17732	RTA00000178AR.i.2.2
M00001376B:G06	17732	80.B5.sp6:130224.Seq
M00001387A:C05	2464	80.D6.sp6:130249.Seq
M00001387A:C05	2464	RTA00000178AF.n.18.1
M00001412B:B10	8551	RTA00000179AF.p.21.1
M00001412B:B10	8551	80.G7.sp6:130286.Seq
M00001415A:H06	13538	80.B8.sp6:130227.Seq
M00001415A:H06	13538	RTA00000180AF.a.24.1
M00001416B:H11	8847	80.C8.sp6:130239.Seq
M00001416B:H11	8847	RTA00000180AF.b.16.1
M00001429D:D07	40392	RTA00000180AF.j.8.1
M00001429D:D07	40392	80.H9.sp6:130300.Seq
M00001448D:H01	36313	80.A11.sp6:130218.Seq
M00001448D:H01	36313	RTA00000181AF.e.23.1

cDNA Library ES4 - ATCC#

Deposit Date - December 22, 1998

Clone Name	Cluster ID	Sequence Name
M00001463C:B11	19	RTA00000182AF.b.7.1
M00001463C:B11	19	89.D1.sp6:130703.Seq
M00001470A:B10	1037	89.F2.sp6:130728.Seq
M00001470A:B10	1037	RTA00000121A.f.8.1
M00001497A:G02	2623	89.F3.sp6:130729.Seq
M00001497A:G02	2623	RTA00000183AF.a.6.1
M00001500A:E11	2623	RTA00000183AF.b.14.1
M00001500A:E11	2623	89.A4.sp6:130670.Seq
M00001501D:C02	9685	RTA00000183AF.c.11.1.Seq_THC109544
M00001501D:C02	9685	RTA00000183AF.c.11.1
M00001501D:C02	9685	89.C4.sp6:130694.Seq
M00001504C:H06	6974	89.F4.sp6:130730.Seq
M00001504C:H06	6974	RTA00000183AF.d.9.1
M00001504C:H06	6974	RTA00000183AF.d.9.1.Seq_THC223129
M00001504D:G06	6420	173.F5.SP6:134133.Seq
M00001504D:G06	6420	89.G4.sp6:130742.Seq
M00001504D:G06	6420	RTA00000183AF.d.11.1.Seq_THC226443
M00001504D:G06	6420	RTA00000183AF.d.11.1
M00001528A:C04	35555	89.B6.sp6:130684.Seq
M00001528A:C04	7337	RTA00000123A.b.17.1
M00001528A:C04	35555	184.A5.sp6:135530.Seq

WO 99/33982

PCT/US98/27610

cDNA Library ES5 - ATCC#

Deposit Date - December 22, 1998

Clone Name	Cluster ID	Sequence Name
M00001537B:G07	3389	RTA00000183AF.m.19.1
M00001537B:G07	3389	89.A8.sp6:130674.Seq
M00001541A:D02	3765	89.C8.sp6:130698.Seq
M00001541A:D02	3765	RTA00000135A.d.1.1
M00001544B:B07	6974	89.A9.sp6:130675.Seq
M00001544B:B07	6974	RTA00000184AF.a.15.1
M00001546A:G11	1267	89.D9.sp6:130711.Seq
M00001546A:G11	1267	RTA00000125A.o.5.1
M00001549B:F06	4193	89.G9.sp6:130747.Seq
M00001549B:F06	4193	RTA00000184AF.e.13.1
M00001556A:F11	1577	173.C9.SP6:134101.Seq
M00001556A:F11	1577	89.F11.sp6:130737.Seq
M00001556A:F11	1577	RTA00000184AF.i.23.1
M00001556B:C08	4386	RTA00000184AF.j.4.1
M00001556B:C08	4386	89.H11.sp6:130761.Seq

cDNA Library ES6 - ATCC#

Deposit Date - December 22, 1998

Clone Name	Cluster ID	Sequence Name
M00001563B:F06	102	RTA00000184AF.o.5.1
M00001563B:F06	102	90.B1.sp6:130871.Seq
M00001571C:H06	5749	90.E1.sp6:130907.Seq
M00001571C:H06	5749	RTA00000185AF.a.19.1
M00001594B:H04	260	90.D2.sp6:130896.Seq
M00001594B:H04	260	RTA00000185AR.i.12.2
M00001597C:H02	4837	90.E2.sp6:130908.Seq
M00001597C:H02	4837	RTA00000185AR.k.3.2
M00001624C:F01	4309	90.C4.sp6:130886.Seq
M00001624C:F01	4309	RTA00000186AF.e.22.1
M00001679A:A06	6660	90.F6.sp6:130924.Seq
M00001679A:A06	6660	122.B5.sp6:132089.Seq
M00001679A:A06	6660	RTA00000187AF.h.15.1
M00003759B:B09	697	90.G8.sp6:130938.Seq
M00003759B:B09	697	RTA00000188AF.d.6.1
M00003759B:B09	697	RTA00000188AF.d.6.1.Seq_THC178884
M00003844C:B11	6539	176.D9.sp6:134556.Seq
M00003844C:B11	6539	RTA00000189AF.d.22.1
M00003844C:B11	6539	90.B10.sp6:130880.Seq
M00003857A:G10	3389	90.A11.sp6:130869.Seq
M00003857A:G10	3389	RTA00000189AF.g.3.1

WO 99/33982

PCT/US98/27610

cDNA Library ES7 - ATCC#

Deposit Date - December 22, 1998

Clone Name	Cluster ID	Sequence Name
M00003914C:F05	3900	99.E1.sp6:131278.Seq
M00003914C:F05	3900	RTA00000190AF.g.13.1
M00003922A:E06	23255	RTA00000190AF.j.4.1
M00003922A:E06	23255	99.F1.sp6:131290.Seq
M00003922A:E06	23255	RTA00000190AF.j.4.1.Seq_THC228776
M00003983A:A05	9105	99.C3.sp6:131256.Seq
M00003983A:A05	9105	RTA00000191AF.a.21.2
M00004028D:A06	6124	RTA00000191AR.e.2.3
M00004028D:A06	6124	99.D3.sp6:131268.Seq
M00004031A:A12	9061	RTA00000191AR.e.11.2
M00004031A:A12	9061	RTA00000191AR.e.11.3
M00004087D:A01	6880	RTA00000191AF.m.20.1
M00004087D:A01	6880	99.A5.sp6:131234.Seq
M00004108A:E06	4937	99.E5.sp6:131282.Seq
M00004108A:E06	4937	RTA00000191AF.p.21.1
M00004114C:F11	13183	123.D5.sp6:132305.Seq
M00004114C:F11	13183	RTA00000192AF.a.24.1
M00004114C:F11	13183	99.G5.sp6:131306.Seq

cDNA Library ES8 - ATCC#

Deposit Date - December 22, 1998

Clone Name	Cluster ID	Sequence Name
M00004146C:C11	5257	99.B6.sp6:131247.Seq
M00004146C:C11	5257	177.F5.sp6:134768.Seq
M00004146C:C11	5257	RTA00000192AF.f.3.1
M00004146C:C11	5257	RTA00000192AF.f.3.1.Seq_THC213833
M00004157C:A09	6455	RTA00000192AF.g.23.1
M00004157C:A09	6455	99.D6.sp6:131271.Seq
M00004157C:A09	6455	123.E7.sp6:132319.Seq
M00004172C:D08	11494	RTA00000192AF.j.6.1
M00004172C:D08	11494	99.G6.sp6:131307.Seq
M00004172C:D08	11494	177.E6.sp6:134757.Seq
M00004229B:F08	6455	RTA00000193AF.b.9.1
M00004229B:F08	6455	99.C8.sp6:131261.Seq

cDNA Library ES9 - ATCC#

Deposit Date - December 22, 1998

Clone Name	Cluster ID	Sequence Name
M00001466A:E07	4275	RTA00000120A.j.14.1
M00001531A:H11		89.F6.sp6:130732.Seq
M00001531A:H11		RTA00000123A.g.19.1
M00001551A:B10	6268	79.G9.sp6:130096.Seq
M00001551A:B10	6268	184.C12.sp6:135561.Seq
M00001551A:B10	6268	RTA00000126A.o.23.1
M00001552A:B12	307	RTA00000136A.o.4.2
M00001552A:B12	307	79.C7.sp6:130046.Seq
M00001556A:H01	15855	RTA00000184AF.j.1.1
M00001586C:C05	4623	RTA00000185AF.f.4.1
M00001604A:B10	1399	79.G8.sp6:130095.Seq
M00001604A:B10	1399	RTA00000129A.o.10.1
M00003879B:C11	5345	RTA00000189AF.l.19.1
M00003879B:C11	5345	90.B12.sp6:130882.Seq

WO 99/33982

PCT/US98/27610

cDNA Library ES10 - ATCC#

Deposit Date - December 22, 1998

Clone Name	Cluster ID	Sequence Name
M00001358C:C06		RTA00000177AF.o.4.3
M00001388D:G05	5832	80.F6.sp6:130273.Seq
M00001388D:G05	5832	RTA00000178AF.o.23.1
M00001394A:F01	6583	RTA00000179AF.d.13.1
M00001394A:F01	6583	172.B8.sp6:133896.Seq
M00001394A:F01	6583	80.H6.sp6:130297.Seq
M00001429A:H04	2797	RTA00000180AF.i.19.1
M00001447A:G03	10717	RTA00000181AF.d.10.1
M00001448D:C09	8	80.H10.sp6:130301.Seq
M00001448D:C09	8	RTA00000181AF.e.17.1
M00001448D:C09	8	100.B11.sp6:131444.Seq
M00001454D:G03	689	RTA00000181AR.l.22.1

cDNA Library ES11 - ATCC#

Deposit Date - December 22, 1998

Clone Name	Cluster ID	Sequence Name
M00003975A:G11	12439	RTA00000190AF.o.24.1
M00003978B:G05	5693	RTA00000190AF.p.17.2.Seq_THC173318
M00003978B:G05	5693	RTA00000190AF.p.17.2
M00004059A:D06	5417	RTA00000191AF.h.19.1
M00004068B:A01	3706	99.C4.sp6:131257.Seq
M00004068B:A01	3706	RTA00000191AF.i.17.2
M00004205D:F06		99.E7.sp6:131284.Seq
M00004205D:F06		177.G7.sp6:134782.Seq
M00004205D:F06		RTA00000192AF.o.11.1
M00004212B:C07	2379	RTA00000192AF.p.8.1
M00004223A:G10	16918	RTA00000193AF.a.16.1

cDNA Library ES12 - ATCC#

Deposit Date - December 22, 1998

Clone Name	Cluster ID	Sequence Name
M00004223B:D09	7899	RTA00000193AF.a.17.1
M00004249D:G12		RTA00000193AF.c.22.1
M00004251C:G07		RTA00000193AF.d.2.1
M00004372A:A03	2030	RTA00000193AF.m.20.1

WO 99/33982
cDNA Library ES13 - ATCC#
Deposit Date - December 22, 1998

PCT/US98/27610

Clone Name	Cluster ID	Sequence Name
M00001340B:A06	17062	80.A1.sp6:130208.Seq
M00001340B:A06	17062	RTA00000177AF.b.8.4
M00001340D:F10	11589	80.B1.sp6:130220.Seq
M00001340D:F10	11589	RTA00000177AF.b.17.4
M00001341A:E12	4443	80.C1.sp6:130232.Seq
M00001341A:E12	4443	RTA00000177AF.b.20.4
M00001342B:E06	39805	80.D1.sp6:130244.Seq
M00001342B:E06	39805	RTA00000177AF.c.21.3
M00001346A:F09	5007	RTA00000177AF.g.2.1
M00001346A:F09	5007	80.H1.sp6:130292.Seq
M00001346D:G06	5779	RTA00000177AF.g.14.3
M00001346D:G06	5779	RTA00000177AF.g.14.1
M00001348B:B04	16927	80.E2.sp6:130257.Seq
M00001348B:B04	16927	RTA00000177AF.h.9.3
M00001348B:G06	16985	RTA00000177AF.h.10.1
M00001348B:G06	16985	80.F2.sp6:130269.Seq
M00001349B:B08	3584	RTA00000177AF.h.20.1
M00001349B:B08	3584	80.G2.sp6:130281.Seq
M00001350A:H01	7187	100.C2.sp6:131447.Seq
M00001350A:H01	7187	80.A3.sp6:130210.Seq
M00001350A:H01	7187	RTA00000177AF.i.8.2
M00001352A:E02	16245	RTA00000177AF.k.9.3
M00001352A:E02	16245	172.D2.sp6:133914.Seq
M00001352A:E02	16245	80.D3.sp6:130246.Seq
M00001355B:G10	14391	RTA00000177AF.m.17.3
M00001355B:G10	14391	80.G3.sp6:130282.Seq
M00001355B:G10	14391	172.H3.sp6:133963.Seq
M00001355B:G10	14391	100.E3.sp6:131472.Seq
M00001361D:F08	2379	80.C4.sp6:130235.Seq
M00001361D:F08	2379	RTA00000178AF.a.6.1
M00001365C:C10	40132	RTA00000178AF.c.7.1
M00001365C:C10	40132	80.F4.sp6:130271.Seq
M00001368D:E03		80.G4.sp6:130283.Seq
M00001368D:E03		RTA00000178AF.d.20.1
M00001370A:C09	6867	80.H4.sp6:130295.Seq
M00001370A:C09	6867	RTA00000178AF.e.12.1
M00001371C:E09	7172	100.A5.sp6:131426.Seq
M00001371C:E09	7172	RTA00000178AF.f.9.1
M00001371C:E09	7172	80.A5.sp6:130212.Seq
M00001378B:B02	39833	80.C5.sp6:130236.Seq
M00001378B:B02	39833	RTA00000178AF.i.23.1
M00001379A:A05	1334	80.D5.sp6:130248.Seq
M00001379A:A05	1334	RTA00000178AF.j.7.1
M00001380D:B09	39886	RTA00000178AF.j.24.1
M00001380D:B09	39886	80.E5.sp6:130260.Seq
M00001381D:E06		80.F5.sp6:130272.Seq
M00001381D:E06		RTA00000178AF.k.16.1
M00001382C:A02	22979	80.G5.sp6:130284.Seq
M00001382C:A02	22979	RTA00000178AF.k.22.1
M00001384B:A11		80.B6.sp6:130225.Seq
M00001384B:A11		RTA00000178AF.m.13.1
M00001386C:B12	5178	80.C6.sp6:130237.Seq

WO 99/33982

PCT/US98/27610

cDNA Library ES13 - ATCC#

Deposit Date - December 22, 1998

Clone Name	Cluster ID	Sequence Name
M00001386C:B12	5178	RTA00000178AF.n.10.1
M00001387B:G03	7587	80.E6.sp6:130261.Seq
M00001387B:G03	7587	RTA00000178AF.n.24.1
M00001389A:C08	16269	RTA00000178AF.p.1.1
M00001389A:C08	16269	80.G6.sp6:130285.Seq
M00001396A:C03	4009	172.D8.sp6:133920.Seq
M00001396A:C03	4009	80.A7.sp6:130214.Seq
M00001396A:C03	4009	RTA00000179AF.e.20.1
M00001400B:H06		172.B9.sp6:133897.Seq
M00001400B:H06		80.B7.sp6:130226.Seq
M00001400B:H06		RTA00000179AF.j.13.1
M00001400B:H06		RTA00000179AF.j.13.1.Seq_THC105720
M00001402A:E08	39563	80.C7.sp6:130238.Seq
M00001402A:E08	39563	RTA00000179AF.k.20.1
M00001407B:D11	5556	RTA00000179AF.n.10.1
M00001407B:D11	5556	80.D7.sp6:130250.Seq
M00001410A:D07	7005	180.H5.sp6:136003.Seq
M00001410A:D07	7005	RTA00000179AF.o.22.1
M00001410A:D07	7005	80.F7.sp6:130274.Seq
M00001414A:B01		RTA00000180AF.a.9.1
M00001414A:B01		80.H7.sp6:130298.Seq
M00001414C:A07		80.A8.sp6:130215.Seq
M00001414C:A07		RTA00000180AF.a.11.1
M00001416A:H01	7674	79.C1.sp6:130040.Seq
M00001416A:H01	7674	RTA00000118A.g.9.1
M00001417A:E02	36393	RTA00000180AF.c.2.1
M00001417A:E02	36393	80.D8.sp6:130251.Seq
M00001423B:E07	15066	RTA00000180AF.e.24.1
M00001423B:E07	15066	80.H8.sp6:130299.Seq
M00001424B:G09	10470	80.A9.sp6:130216.Seq
M00001424B:G09	10470	RTA00000180AF.f.18.1
M00001425B:H08	22195	RTA00000180AF.g.7.1
M00001425B:H08	22195	80.B9.sp6:130228.Seq
M00001426B:D12		RTA00000180AF.g.22.1
M00001426B:D12		80.C9.sp6:130240.Seq
M00001426D:C08	4261	80.D9.sp6:130252.Seq
M00001426D:C08	4261	RTA00000180AF.h.5.1
M00001428A:H10	84182	100.G9.sp6:131502.Seq
M00001428A:H10	84182	RTA00000180AF.h.19.1
M00001428A:H10	84182	80.E9.sp6:130264.Seq
M00001449A:A12	5857	80.B11.sp6:130230.Seq
M00001449A:A12	5857	RTA00000118A.g.14.1
M00001449A:B12	41633	80.C11.sp6:130242.Seq
M00001449A:B12	41633	RTA00000118A.g.16.1
M00001449A:G10	36535	RTA00000181AF.f.5.1
M00001449A:G10	36535	80.D11.sp6:130254.Seq
M00001449A:G10	36535	100.D11.sp6:131468.Seq
M00001449C:D06	86110	RTA00000181AF.f.12.1
M00001449C:D06	86110	80.E11.sp6:130266.Seq
M00001450A:A02	39304	RTA00000118A.j.21.1.Seq_THC151859
M00001450A:A02	39304	RTA00000118A.j.21.1
M00001450A:A02	39304	79.F1.sp6:130076.Seq

WO 99/33982

PCT/US98/27610

cDNA Library ES13 - ATCC#

Deposit Date - December 22, 1998

Clone Name	Cluster ID	Sequence Name
M00001450A:A02	39304	180.G9.sp6:135995.Seq
M00001450A:A11	32663	80.F11.sp6:130278.Seq
M00001450A:A11	32663	RTA00000118A.l.8.1
M00001450A:B12	82498	100.F11.sp6:131492.Seq
M00001450A:B12	82498	RTA00000118A.m.10.1
M00001450A:B12	82498	79.G1.sp6:130088.Seq
M00001450A:D08	27250	80.G11.sp6:130290.Seq
M00001450A:D08	27250	180.B10.sp6:135936.Seq
M00001450A:D08	27250	RTA00000181AF.g.10.1
M00001452A:B04	84328	RTA00000118A.p.10.1
M00001452A:B04	84328	79.A2.sp6:130017.Seq
M00001452A:B12	86859	RTA00000118A.p.8.1
M00001452A:B12	86859	79.B2.sp6:130029.Seq
M00001452A:F05	85064	RTA00000131A.m.23.1
M00001452A:F05	85064	79.D2.sp6:130053.Seq
M00001452C:B06	16970	80.H11.sp6:130302.Seq
M00001452C:B06	16970	100.C12.sp6:131457.Seq
M00001452C:B06	16970	RTA00000181AR.i.18.2
M00001453A:E11	16130	80.A12.sp6:130219.Seq
M00001453A:E11	16130	100.D12.sp6:131469.Seq
M00001453A:E11	16130	RTA00000119A.c.13.1
M00001453C:F06	16653	80.B12.sp6:130231.Seq
M00001453C:F06	16653	RTA00000181AF.k.5.3
M00001454A:A09	83103	RTA00000119A.e.24.2
M00001454A:A09	83103	79.G2.sp6:130089.Seq
M00001454B:C12	7005	121.D1.sp6:131917.Seq
M00001454B:C12	7005	RTA00000181AF.k.24.1
M00001454B:C12	7005	80.C12.sp6:130243.Seq
M00001455B:E12	13072	80.F12.sp6:130279.Seq
M00001455B:E12	13072	RTA00000181AR.m.5.2
M00001460A:F06	2448	89.A1.sp6:130667.Seq
M00001460A:F06	2448	RTA00000119A.j.21.1
M00001461A:D06	1531	89.C1.sp6:130691.Seq
M00001461A:D06	1531	RTA00000119A.o.3.1
M00001465A:B11	10145	79.F3.sp6:130078.Seq
M00001465A:B11	10145	RTA00000120A.g.12.1
M00001467A:B07	38759	89.F1.sp6:130727.Seq
M00001467A:B07	38759	RTA00000120A.m.12.3
M00001467A:D04	39508	RTA00000120A.o.2.1
M00001467A:D04	39508	89.G1.sp6:130739.Seq
M00001467A:E10	39442	89.A2.sp6:130668.Seq
M00001467A:E10	39442	RTA00000120A.o.21.1
M00001468A:F05	7589	RTA00000120A.p.23.1
M00001468A:F05	7589	89.B2.sp6:130680.Seq
M00001469A:A01		RTA00000121A.c.10.1
M00001469A:A01		89.C2.sp6:130692.Seq
M00001469A:C10	12081	89.D2.sp6:130704.Seq
M00001469A:C10	12081	RTA00000133A.d.14.2
M00001469A:H12	19105	89.E2.sp6:130716.Seq
M00001469A:H12	19105	RTA00000133A.e.15.1
M00001470A:C04	39425	89.G2.sp6:130740.Seq
M00001470A:C04	39425	RTA00000133A.f.1.1

WO 99/33982

PCT/US98/27610

cDNA Library ES13 - ATCC#

Deposit Date - December 22, 1998

Clone Name	Cluster ID	Sequence Name
M00001471A:B01	39478	89.H2.sp6:130752.Seq
M00001471A:B01	39478	RTA00000133A.i.5.1
M00001487B:H06		RTA00000182AF.l.15.1
M00001487B:H06		89.B3.sp6:130681.Seq
M00001488B:F12		RTA00000182AF.l.20.1
M00001488B:F12		89.C3.sp6:130693.Seq
M00001494D:F06	7206	RTA00000182AF.o.15.1
M00001494D:F06	7206	89.E3.sp6:130717.Seq
M00001499B:A11	10539	RTA00000183AF.a.24.1
M00001499B:A11	10539	89.G3.sp6:130741.Seq
M00001499B:A11	10539	173.B5.SP6:134085.Seq
M00001500A:C05	5336	RTA00000183AF.b.13.1
M00001500A:C05	5336	89.H3.sp6:130753.Seq
M00001504A:E01		RTA00000183AF.c.24.1
M00001504A:E01		89.D4.sp6:130706.Seq
M00001504A:E01		RTA00000183AF.c.24.1.Seq_THC125912
M00001504C:A07	10185	RTA00000183AF.d.5.1
M00001504C:A07	10185	89.E4.sp6:130718.Seq
M00001505C:C05		89.H4.sp6:130754.Seq
M00001505C:C05		RTA00000183AF.e.1.1
M00001506D:A09		89.A5.sp6:130671.Seq
M00001506D:A09		RTA00000183AF.e.23.1
M00001506D:A09		121.G6.sp6:131958.Seq
M00001507A:H05	39168	RTA00000121A.l.10.1
M00001507A:H05	39168	89.B5.sp6:130683.Seq
M00001535A:F10	39423	79.C5.sp6:130044.Seq
M00001535A:F10	39423	RTA00000134A.k.22.1
M00001541A:H03	39174	79.E5.sp6:130068.Seq
M00001541A:H03	39174	RTA00000124A.n.13.1
M00001544A:G02	19829	79.H5.sp6:130104.Seq
M00001544A:G02	19829	RTA00000125A.h.24.4
M00001545A:D08	13864	RTA00000125A.m.9.1
M00001545A:D08	13864	79.B6.sp6:130033.Seq
M00001551A:F05	39180	RTA00000126A.n.8.2
M00001551A:F05	39180	79.A7.sp6:130022.Seq
M00001552A:D11	39458	RTA00000126A.p.15.2
M00001552A:D11	39458	79.D7.sp6:130058.Seq
M00001557A:F03	39490	RTA00000128A.b.4.1

WO 99/33982

PCT/US98/27610

cDNA Library ES14 - ATCC#

Deposit Date - December 22, 1998

Clone Name	Cluster ID	Sequence Name
M00001511A:H06	39412	RTA00000133A.k.17.1
M00001511A:H06	39412	89.C5.sp6:130695.Seq
M00001512A:A09	39186	89.D5.sp6:130707.Seq
M00001512A:A09	39186	RTA00000121A.p.15.1
M00001512D:G09	3956	89.E5.sp6:130719.Seq
M00001512D:G09	3956	173.H5.SP6:134157.Seq
M00001512D:G09	3956	RTA00000183AF.g.3.1
M00001513B:G03		RTA00000183AF.g.9.1
M00001513B:G03		89.F5.sp6:130731.Seq
M00001513B:G03		RTA00000183AF.g.9.1.Seq_THC198280
M00001513C:E08	14364	RTA00000183AF.g.12.1
M00001513C:E08	14364	89.G5.sp6:130743.Seq
M00001514C:D11	40044	RTA00000183AF.g.22.1
M00001514C:D11	40044	RTA00000183AF.g.22.1.Seq_THC232899
M00001514C:D11	40044	89.H5.sp6:130755.Seq
M00001518C:B11	8952	89.A6.sp6:130672.Seq
M00001518C:B11	8952	RTA00000183AF.h.15.1
M00001528B:H04	8358	89.D6.sp6:130708.Seq
M00001528B:H04	8358	RTA00000183AF.i.5.1
M00001531A:D01	38085	RTA00000123A.e.15.1
M00001531A:D01	38085	89.E6.sp6:130720.Seq
M00001534A:C04	16921	RTA00000183AF.k.6.1
M00001534A:C04	16921	89.H6.sp6:130756.Seq
M00001534A:D09	5097	RTA00000134A.k.1.1
M00001534A:D09	5097	RTA00000134A.k.1.1.Seq_THC215869
M00001534C:A01	4119	RTA00000183AF.k.16.1
M00001534C:A01	4119	89.C7.sp6:130697.Seq
M00001535A:C06	20212	89.E7.sp6:130721.Seq
M00001535A:C06	20212	RTA00000134A.1.22.1.Seq_THC128232
M00001535A:C06	20212	RTA00000134A.1.22.1
M00001536A:B07	2696	RTA00000134A.m.13.1
M00001536A:B07	2696	89.F7.sp6:130733.Seq
M00001537A:F12	39420	89.H7.sp6:130757.Seq
M00001537A:F12	39420	RTA00000134A.o.23.1
M00001540A:D06	8286	89.B8.sp6:130686.Seq
M00001540A:D06	8286	RTA00000183AF.o.1.1
M00001542A:E06	39453	89.E8.sp6:130722.Seq
M00001542A:E06	39453	RTA00000135A.g.11.1
M00001544A:E06		RTA00000184AF.a.8.1
M00001544A:E06		173.G7.SP6:134147.Seq
M00001544A:E06		89.H8.sp6:130758.Seq
M00001545A:B02		89.B9.sp6:130687.Seq
M00001545A:B02		RTA00000135A.1.2.2
M00001548A:E10	5892	89.E9.sp6:130723.Seq
M00001548A:E10	5892	RTA00000184AF.d.11.1
M00001548A:E10	5892	RTA00000184AF.d.11.1.Seq_THC161896
M00001549C:E06	16347	89.H9.sp6:130759.Seq
M00001549C:E06	16347	RTA00000184AF.e.15.1
M00001550A:A03	7239	89.A10.sp6:130676.Seq
M00001550A:A03	7239	RTA00000126A.m.4.2
M00001550A:G01	5175	RTA00000184AF.f.3.1
M00001550A:G01	5175	89.B10.sp6:130688.Seq

WO 99/33982
cDNA Library ES14 - ATCC#
Deposit Date - December 22, 1998

PCT/US98/27610

Clone Name	Cluster ID	Sequence Name
M00001551A:G06	22390	RTA00000136A.j.13.1
M00001551A:G06	22390	89.C10.sp6:130700.Seq
M00001551C:G09	3266	RTA00000184AR.g.1.1
M00001551C:G09	3266	89.D10.sp6:130712.Seq
M00001553A:H06	8298	RTA00000127A.d.19.1
M00001553A:H06	8298	89.G10.sp6:130748.Seq
M00001553B:F12	4573	89.H10.sp6:130760.Seq
M00001553B:F12	4573	RTA00000184AF.h.9.1
M00001555A:B02	39539	RTA00000127A.i.21.1
M00001555A:B02	39539	89.B11.sp6:130689.Seq
M00001555A:C01	39195	89.C11.sp6:130701.Seq
M00001555A:C01	39195	RTA00000137A.c.16.1
M00001555D:G10	4561	RTA00000184AF.i.21.1
M00001555D:G10	4561	89.D11.sp6:130713.Seq
M00001556A:C09	9244	89.E11.sp6:130725.Seq
M00001556A:C09	9244	RTA00000127A.l.3.1
M00001556B:G02	11294	RTA00000184AF.j.6.1
M00001556B:G02	11294	89.A12.sp6:130678.Seq
M00001557B:H10	5192	173.E9.SP6:134125.Seq
M00001557B:H10	5192	RTA00000184AF.k.2.1
M00001557B:H10	5192	89.D12.sp6:130714.Seq
M00001557D:D09	8761	RTA00000184AF.k.12.1
M00001557D:D09	8761	89.E12.sp6:130726.Seq
M00001558B:H11	7514	RTA00000184AF.k.21.1
M00001558B:H11	7514	89.G12.sp6:130750.Seq
M00001559B:F01		89.H12.sp6:130762.Seq
M00001559B:F01		RTA00000184AF.l.11.1
M00001560D:F10	6558	90.A1.sp6:130859.Seq
M00001560D:F10	6558	RTA00000184AF.m.21.1
M00001566B:D11		RTA00000184AF.p.3.1
M00001566B:D11		90.D1.sp6:130895.Seq
M00001583D:A10	6293	RTA00000185AF.e.11.1
M00001583D:A10	6293	90.A2.sp6:130860.Seq
M00001590B:F03		RTA00000185AF.g.11.1
M00001590B:F03		90.C2.sp6:130884.Seq
M00001597D:C05	10470	RTA00000185AF.k.6.1
M00001597D:C05	10470	90.F2.sp6:130920.Seq
M00001598A:G03	16999	90.G2.sp6:130932.Seq
M00001598A:G03	16999	RTA00000185AF.k.9.1
M00001601A:D08	22794	RTA00000138A.b.5.1
M00001601A:D08	22794	90.H2.sp6:130944.Seq
M00001607A:E11	11465	RTA00000185AF.m.19.1
M00001607A:E11	11465	90.A3.sp6:130861.Seq
M00001608A:B03	7802	RTA00000185AF.n.5.1
M00001608A:B03	7802	90.B3.sp6:130873.Seq
M00001608B:E03	22155	RTA00000185AF.n.9.1
M00001608B:E03	22155	90.C3.sp6:130885.Seq
M00001608D:A11		RTA00000185AF.n.12.1
M00001608D:A11		90.D3.sp6:130897.Seq
M00001614C:F10	13157	RTA00000186AF.a.6.1
M00001614C:F10	13157	90.E3.sp6:130909.Seq
M00001617C:E02	17004	RTA00000186AF.b.21.1

WO 99/33982
cDNA Library ES14 - ATCC#
Deposit Date - December 22, 1998

PCT/US98/27610

Clone Name	Cluster ID	Sequence Name
M00001617C:E02	17004	90.F3.sp6:130921.Seq
M00001619C:F12	40314	90.G3.sp6:130933.Seq
M00001619C:F12	40314	RTA00000186AF.c.15.1
M00001621C:C08	40044	RTA00000186AF.d.1.1
M00001621C:C08	40044	RTA00000186AF.d.1.1.Seq_THC232899
M00001621C:C08	40044	90.H3.sp6:130945.Seq
M00001621C:C08	40044	122.E1.sp6:132121.Seq
M00001623D:F10	13913	RTA00000186AF.e.6.1
M00001623D:F10	13913	90.A4.sp6:130862.Seq
M00001632D:H07		RTA00000186AF.h.14.1.Seq_THC112525
M00001632D:H07		RTA00000186AF.h.14.1
M00001632D:H07		90.E4.sp6:130910.Seq
M00001632D:H07		176.A3.sp6:134514.Seq
M00001644C:B07	39171	RTA00000186AF.l.7.1
M00001644C:B07	39171	90.F4.sp6:130922.Seq
M00001644C:B07	39171	217.A12.sp6:139369.Seq
M00001645A:C12	19267	RTA00000186AF.l.12.1.Seq_THC178183
M00001645A:C12	19267	176.G3.sp6:134586.Seq
M00001645A:C12	19267	RTA00000186AF.l.12.1
M00001645A:C12	19267	90.G4.sp6:130934.Seq
M00001648C:A01	4665	90.H4.sp6:130946.Seq
M00001648C:A01	4665	RTA00000186AF.m.3.1
M00001657D:C03	23201	RTA00000187AF.a.14.1
M00001657D:C03	23201	90.B5.sp6:130875.Seq
M00001657D:F08	76760	90.C5.sp6:130887.Seq
M00001657D:F08	76760	RTA00000187AF.a.15.1
M00001662C:A09	23218	RTA00000187AR.c.5.2
M00001662C:A09	23218	90.D5.sp6:130899.Seq
M00001663A:E04	35702	90.E5.sp6:130911.Seq
M00001663A:E04	35702	RTA00000187AR.c.15.2
M00001669B:F02	6468	90.F5.sp6:130923.Seq
M00001669B:F02	6468	RTA00000187AF.d.15.1
M00001670C:H02	14367	90.G5.sp6:130935.Seq
M00001670C:H02	14367	RTA00000187AF.e.8.1
M00001673C:H02	7015	90.H5.sp6:130947.Seq
M00001673C:H02	7015	RTA00000187AF.f.18.1
M00001675A:C09	8773	RTA00000187AF.f.24.1
M00001675A:C09	8773	90.A6.sp6:130864.Seq
M00001675A:C09	8773	RTA00000187AF.f.24.1.Seq_THC220002
M00001676B:F05	11460	RTA00000187AF.g.12.1
M00001676B:F05	11460	90.B6.sp6:130876.Seq
M00001676B:F05	11460	219.F2.sp6:139035.Seq
M00001677D:A07	7570	90.D6.sp6:130900.Seq
M00001677D:A07	7570	RTA00000187AF.g.24.1
M00001677D:A07	7570	RTA00000187AF.g.24.1.Seq_THC168636
M00001678D:F12	4416	90.E6.sp6:130912.Seq
M00001678D:F12	4416	RTA00000187AF.h.13.1
M00001679A:F10	26875	RTA00000187AF.i.1.1
M00001679A:F10	26875	90.A7.sp6:130865.Seq
M00001679B:F01	6298	90.B7.sp6:130877.Seq
M00001679B:F01	6298	RTA00000187AR.i.10.2
M00001680D:F08	10539	90.F7.sp6:130925.Seq

WO 99/33982

PCT/US98/27610

cDNA Library ES14 - ATCC#

Deposit Date - December 22, 1998

Clone Name	Cluster ID	Sequence Name
M00001680D:F08	10539	219.F6.sp6:139039.Seq
M00001680D:F08	10539	RTA00000187AF.l.7.1
M00001682C:B12	17055	90.G7.sp6:130937.Seq
M00001682C:B12	17055	RTA00000187AF.m.3.1
M00001682C:B12	17055	176.D6.sp6:134553.Seq
M00001688C:F09	5382	90.A8.sp6:130866.Seq
M00001688C:F09	5382	RTA00000187AF.m.23.2
M00001693C:G01	4393	RTA00000187AF.n.17.1
M00001693C:G01	4393	90.B8.sp6:130878.Seq
M00001716D:H05	67252	RTA00000187AF.o.6.1
M00001716D:H05	67252	90.C8.sp6:130890.Seq
M00003741D:C09	40108	90.D8.sp6:130902.Seq
M00003741D:C09	40108	RTA00000187AF.o.24.1
M00003747D:C05	11476	RTA00000187AF.p.19.1
M00003747D:C05	11476	90.E8.sp6:130914.Seq
M00003747D:C05	11476	RTA00000187AF.p.19.1.Seq_THC108482
M00003747D:C05	11476	219.H8.sp6:139065.Seq
M00003754C:E09		90.F8.sp6:130926.Seq
M00003754C:E09		RTA00000188AF.b.12.1
M00003761D:A09		RTA00000188AF.d.11.1
M00003761D:A09		90.H8.sp6:130950.Seq
M00003761D:A09		RTA00000188AF.d.11.1.Seq_THC212094
M00003762C:B08	17076	RTA00000188AF.d.21.1.Seq_THC208760
M00003762C:B08	17076	90.A9.sp6:130867.Seq
M00003762C:B08	17076	RTA00000188AF.d.21.1
M00003763A:F06	3108	RTA00000188AF.d.24.1
M00003763A:F06	3108	90.B9.sp6:130879.Seq
M00003774C:A03	67907	RTA00000188AF.g.11.1.Seq_THC123222
M00003774C:A03	67907	RTA00000188AF.g.11.1
M00003774C:A03	67907	90.C9.sp6:130891.Seq
M00003784D:D12		RTA00000188AF.i.8.1
M00003784D:D12		90.D9.sp6:130903.Seq
M00003839A:D08	7798	RTA00000189AF.c.18.1
M00003839A:D08	7798	90.A10.sp6:130868.Seq
M00003851B:D08		90.D10.sp6:130904.Seq
M00003851B:D08		RTA00000189AF.f.7.1
M00003851B:D10	13595	90.E10.sp6:130916.Seq
M00003851B:D10	13595	RTA00000189AF.f.8.1
M00003853A:D04	5619	90.F10.sp6:130928.Seq
M00003853A:D04	5619	RTA00000189AF.f.17.1
M00003853A:F12	10515	90.G10.sp6:130940.Seq
M00003853A:F12	10515	RTA00000189AF.f.18.1
M00003856B:C02	4622	90.H10.sp6:130952.Seq
M00003856B:C02	4622	RTA00000189AF.g.1.1
M00003857A:H03	4718	90.B11.sp6:130881.Seq
M00003857A:H03	4718	RTA00000189AF.g.5.1.Seq_THC196102
M00003857A:H03	4718	RTA00000189AF.g.5.1

WO 99/33982

PCT/US98/27610

cDNA Library ES15 - ATCC#

Deposit Date - December 22, 1998

Clone Name	Cluster ID	Sequence Name
M00003867A:D10		90.C11.sp6:130893.Seq
M00003867A:D10		RTA00000189AF.h.17.1
M00003871C:E02	4573	RTA00000189AF.j.12.1
M00003875C:G07	8479	90.G11.sp6:130941.Seq
M00003875C:G07	8479	RTA00000189AF.j.22.1
M00003875D:D11		90.H11.sp6:130953.Seq
M00003875D:D11		RTA00000189AF.j.23.1
M00003876D:E12	7798	90.A12.sp6:130870.Seq
M00003876D:E12	7798	RTA00000189AF.k.12.1
M00003906C:E10	9285	90.H12.sp6:130954.Seq
M00003906C:E10	9285	RTA00000190AF.d.7.1
M00003907D:A09	39809	99.A1.sp6:131230.Seq
M00003907D:A09	39809	RTA00000190AF.e.3.1.Seq_THC150217
M00003907D:A09	39809	RTA00000190AF.e.3.1
M00003907D:H04	16317	99.B1.sp6:131242.Seq
M00003907D:H04	16317	RTA00000190AF.e.6.1
M00003909D:C03	8672	RTA00000190AF.f.11.1
M00003909D:C03	8672	99.C1.sp6:131254.Seq
M00003968B:F06	24488	RTA00000190AF.n.16.1
M00003968B:F06	24488	99.C2.sp6:131255.Seq
M00003970C:B09	40122	RTA00000190AF.n.23.1
M00003970C:B09	40122	RTA00000190AF.n.23.1.Seq_THC109227
M00003970C:B09	40122	99.D2.sp6:131267.Seq
M00003974D:E07	23210	RTA00000190AF.o.20.1
M00003974D:E07	23210	RTA00000190AF.o.20.1.Seq_THC207240
M00003974D:E07	23210	99.E2.sp6:131279.Seq
M00003974D:H02	23358	RTA00000190AF.o.21.1.Seq_THC207240
M00003974D:H02	23358	RTA00000190AF.o.21.1
M00003974D:H02	23358	99.F2.sp6:131291.Seq
M00003981A:E10	3430	99.A3.sp6:131232.Seq
M00003981A:E10	3430	RTA00000191AF.a.9.1
M00003982C:C02	2433	RTA00000191AF.a.15.2
M00003982C:C02	2433	99.B3.sp6:131244.Seq
M00003982C:C02	2433	RTA00000191AF.a.15.2.Seq_THC79498
M00004028D:C05	40073	RTA00000191AF.e.3.1
M00004028D:C05	40073	99.E3.sp6:131280.Seq
M00004035C:A07	37285	99.H3.sp6:131316.Seq
M00004035C:A07	37285	RTA00000191AF.f.11.1
M00004035D:B06	17036	RTA00000191AF.f.13.1
M00004035D:B06	17036	99.A4.sp6:131233.Seq
M00004072A:C03		RTA00000191AF.j.9.1
M00004072A:C03		99.D4.sp6:131269.Seq
M00004081C:D10	15069	99.F4.sp6:131293.Seq
M00004081C:D10	15069	RTA00000191AF.l.6.1
M00004086D:G06	9285	99.H4.sp6:131317.Seq
M00004086D:G06	9285	RTA00000191AF.m.18.1
M00004105C:A04	7221	99.D5.sp6:131270.Seq
M00004105C:A04	7221	RTA00000191AF.p.9.1
M00004171D:B03	4908	RTA00000192AF.j.2.1
M00004171D:B03	4908	99.F6.sp6:131295.Seq
M00004185C:C03	11443	RTA00000192AF.l.13.2
M00004185C:C03	11443	123.A8.sp6:132272.Seq

WO 99/33982

PCT/US98/27610

cDNA Library ES15 - ATCC#

Deposit Date - December 22, 1998

Clone Name	Cluster ID	Sequence Name
M00004185C:C03	11443	99.A7.sp6:131236.Seq
M00004191D:B11		RTA00000192AF.m.12.1
M00004191D:B11		99.B7.sp6:131248.Seq
M00004191D:B11		123.C8.sp6:132296.Seq
M00004197D:H01	8210	99.C7.sp6:131260.Seq
M00004197D:H01	8210	123.E8.sp6:132320.Seq
M00004197D:H01	8210	RTA00000192AF.n.13.1
M00004203B:C12	14311	99.D7.sp6:131272.Seq
M00004203B:C12	14311	RTA00000192AF.o.2.1
M00004214C:H05	11451	177.D8.sp6:134747.Seq
M00004214C:H05	11451	RTA00000192AF.p.17.1
M00004223D:E04	12971	RTA00000193AF.a.20.1
M00004223D:E04	12971	99.B8.sp6:131249.Seq
M00004269D:D06	4905	99.H8.sp6:131321.Seq
M00004269D:D06	4905	RTA00000193AF.e.14.1
M00004295D:F12	16921	99.D9.sp6:131274.Seq
M00004295D:F12	16921	RTA00000193AF.h.15.1
M00004296C:H07	13046	99.E9.sp6:131286.Seq
M00004296C:H07	13046	RTA00000193AF.h.19.1
M00004307C:A06	9457	RTA00000193AF.i.14.2
M00004307C:A06	9457	99.F9.sp6:131298.Seq
M00004307C:A06	9457	123.D11.sp6:132311.Seq
M00004312A:G03	26295	RTA00000193AF.i.24.2
M00004312A:G03	26295	99.G9.sp6:131310.Seq
M00004312A:G03	26295	RTA00000193AF.i.24.2.Seq_THC197345
M00004318C:D10	21847	RTA00000193AF.j.9.1
M00004318C:D10	21847	99.H9.sp6:131322.Seq
M00004359B:G02		RTA00000193AF.m.5.1.Seq_THC173318
M00004359B:G02		RTA00000193AF.m.5.1
M00004505D:F08		RTA00000194AF.b.19.1
M00004505D:F08		99.H10.sp6:131323.Seq
M00004692A:H08		99.B11.sp6:131252.Seq
M00004692A:H08		RTA00000194AF.c.24.1
M00004692A:H08		377.F4.sp6:141957.Seq
M00005180C:G03		RTA00000194AF.f.4.1

WO 99/33982
cDNA Library ES16 - ATCC#
Deposit Date - December 22, 1998

PCT/US98/27610

Clone Name	Cluster ID	Sequence Name
M00001346D:E03	6806	RTA00000177AF.g.13.3
M00001350A:B08		80.H2.sp6:130293.Seq
M00001350A:B08		RTA00000177AF.i.6.2
M00001357D:D11	4059	RTA00000177AF.n.18.3.Seq_THC123051
M00001357D:D11	4059	RTA00000177AF.n.18.3
M00001409C:D12	9577	RTA00000179AF.o.17.1
M00001409C:D12	9577	80.E7.sp6:130262.Seq
M00001418B:F03	9952	RTA00000180AF.c.20.1
M00001418B:F03	9952	RTA00000180AF.c.20.1.Seq_THC162284
M00001418B:F03	9952	80.E8.sp6:130263.Seq
M00001418D:B06	8526	RTA00000180AF.d.1.1
M00001421C:F01	9577	RTA00000180AF.d.23.1
M00001421C:F01	9577	80.G8.sp6:130287.Seq
M00001429B:A11	4635	RTA00000180AF.i.20.1
M00001432C:F06		RTA00000180AF.k.24.1
M00001439C:F08	40054	RTA00000180AF.p.10.1
M00001442C:D07	16731	RTA00000181AF.a.20.1
M00001442C:D07	16731	80.C10.sp6:130241.Seq
M00001443B:F01		80.D10.sp6:130253.Seq
M00001443B:F01		RTA00000181AF.b.7.1
M00001445A:F05	13532	80.E10.sp6:130265.Seq
M00001445A:F05	13532	RTA00000181AF.c.4.1
M00001446A:F05	7801	RTA00000181AF.c.21.1
M00001455A:E09	13238	RTA00000181AF.m.4.1
M00001455A:E09	13238	RTA00000181AF.m.4.1.Seq_THC140691
M00001460A:F12	39498	RTA00000119A.j.20.1
M00001481D:A05	7985	RTA00000182AR.j.2.1
M00001490B:C04	18699	RTA00000182AF.m.16.1
M00001490B:C04	18699	89.D3.sp6:130705.Seq
M00001500C:E04	9443	89.B4.sp6:130682.Seq
M00001500C:E04	9443	RTA00000183AF.c.1.1
M00001532B:A06	3990	89.G6.sp6:130744.Seq
M00001532B:A06	3990	RTA00000183AF.j.11.1
M00001534A:F09	5321	89.B7.sp6:130685.Seq
M00001534A:F09	5321	RTA00000183AF.k.8.1
M00001535A:B01	7665	RTA00000134A.1.19.1
M00001536A:C08	39392	89.G7.sp6:130745.Seq
M00001536A:C08	39392	RTA00000134A.m.16.1
M00001541A:F07	22085	RTA00000135A.e.5.2
M00001542B:B01		RTA00000183AF.p.4.1
M00001542B:B01		89.F8.sp6:130734.Seq
M00001544A:E03	12170	RTA00000125A.h.18.4
M00001545A:C03	19255	RTA00000135A.m.18.1
M00001545A:C03	19255	184.B10.sp6:135547.Seq
M00001545A:C03	19255	89.C9.sp6:130699.Seq
M00001548A:H09	1058	RTA00000126A.e.20.3.Seq_THC217534
M00001548A:H09	1058	RTA00000126A.e.20.3
M00001548A:H09	1058	79.F6.sp6:130081.Seq
M00001549A:B02	4015	RTA00000136A.e.12.1
M00001549A:B02	4015	79.G6.sp6:130093.Seq
M00001549A:D08	10944	RTA00000126A.h.17.2
M00001552B:D04	5708	RTA00000184AF.g.12.1

WO 99/33982

PCT/US98/27610

cDNA Library ES16 - ATCC#

Deposit Date - December 22, 1998

Clone Name	Cluster ID	Sequence Name
M00001552B:D04	5708	89.E10.sp6:130724.Seq
M00001552D:A01		89.F10.sp6:130736.Seq
M00001552D:A01		RTA00000184AF.g.22.1
M00001553D:D10	22814	RTA00000184AF.h.14.1
M00001553D:D10	22814	89.A11.sp6:130677.Seq
M00001558A:H05		RTA00000128A.c.20.1
M00001558A:H05		89.F12.sp6:130738.Seq
M00001561A:C05	39486	RTA00000128A.m.22.2
M00001561A:C05	39486	79.B8.sp6:130035.Seq
M00001564A:B12	5053	RTA00000184AF.o.12.1
M00001578B:E04	23001	RTA00000185AF.c.24.1
M00001579D:C03	6539	90.G1.sp6:130931.Seq
M00001579D:C03	6539	173.A12.SP6:134080.Seq
M00001579D:C03	6539	RTA00000185AF.d.11.1
M00001582D:F05		RTA00000185AF.d.24.1
M00001587A:B11	39380	RTA00000129A.e.24.1
M00001587A:B11	39380	79.E8.sp6:130071.Seq
M00001604A:F05	39391	RTA00000138A.c.3.1
M00001604A:F05	39391	79.A9.sp6:130024.Seq
M00001624A:B06	3277	RTA00000138A.l.5.1
M00001624A:B06	3277	217.E1.sp6:139406.Seq
M00001624A:B06	3277	90.B4.sp6:130874.Seq
M00001630B:H09	5214	90.D4.sp6:130898.Seq
M00001630B:H09	5214	122.C2.sp6:132098.Seq
M00001630B:H09	5214	RTA00000186AF.g.11.1
M00001651A:H01		RTA00000186AF.n.7.1
M00001651A:H01		90.A5.sp6:130863.Seq
M00001677C:E10	14627	RTA00000187AF.g.23.1
M00001679C:F01	78091	90.C7.sp6:130889.Seq
M00001679C:F01	78091	RTA00000187AF.j.6.1
M00001679C:F01	78091	176.G5.sp6:134588.Seq
M00001686A:E06	4622	RTA00000187AF.m.15.2
M00003796C:D05	5619	RTA00000188AF.l.9.1.Seq_THC167845
M00003796C:D05	5619	RTA00000188AF.l.9.1
M00003826B:A06	11350	RTA00000189AF.a.24.2
M00003826B:A06	11350	90.F9.sp6:130927.Seq
M00003833A:E05	21877	RTA00000189AF.b.21.1
M00003837D:A01	7899	90.H9.sp6:130951.Seq
M00003837D:A01	7899	RTA00000189AF.c.10.1
M00003846B:D06	6874	RTA00000189AF.e.9.1
M00003846B:D06	6874	90.C10.sp6:130892.Seq
M00003879B:D10	31587	RTA00000189AF.l.20.1
M00003879B:D10	31587	90.C12.sp6:130894.Seq
M00003879D:A02	14507	90.D12.sp6:130906.Seq
M00003879D:A02	14507	RTA00000189AR.l.23.2
M00003891C:H09		90.G12.sp6:130942.Seq
M00003891C:H09		RTA00000189AF.p.8.1
M00003912B:D01	12532	99.D1.sp6:131266.Seq
M00003912B:D01	12532	RTA00000190AF.g.2.1
M00004072B:B05	17036	RTA00000191AF.j.10.1
M00004081C:D12	14391	RTA00000191AF.l.7.1
M00004111D:A08	6874	RTA00000192AF.a.14.1

WO 99/33982			PCT/US98/27610
cDNA Library ES16 - ATCC#			
Deposit Date - December 22, 1998			
Clone Name	Cluster ID	Sequence Name	
M00004111D:A08	6874	99.F5.sp6:131294.Seq	
M00004121B:G01		177.H4.sp6:134791.Seq	
M00004121B:G01		99.H5.sp6:131318.Seq	
M00004121B:G01		RTA00000192AF.c.2.1	
M00004138B:H02	13272	99.A6.sp6:131235.Seq	
M00004138B:H02	13272	RTA00000192AF.e.3.1	
M00004151D:B08	16977	RTA00000192AF.g.3.1	
M00004169C:C12	5319	99.E6.sp6:131283.Seq	
M00004169C:C12	5319	RTA00000192AF.i.12.1	
M00004169C:C12	5319	123.F7.sp6:132331.Seq	
M00004183C:D07	16392	RTA00000192AF.l.1.1	
M00004183C:D07	16392	RTA00000192AF.l.1.1.Seq_THC202071	
M00004230B:C07	7212	RTA00000193AF.b.14.1	
M00004230B:C07	7212	99.D8.sp6:131273.Seq	
M00004249D:F10		RTA00000193AF.c.21.1.Seq_THC222602	
M00004249D:F10		RTA00000193AF.c.21.1	
M00004275C:C11	16914	99.A9.sp6:131238.Seq	
M00004275C:C11	16914	RTA00000193AF.f.5.1	
M00004283B:A04	14286	RTA00000193AF.f.22.1	
M00004285B:E08	56020	RTA00000193AF.g.2.1	
M00004327B:H04		RTA00000193AF.j.20.1	
M00004377C:F05	2102	RTA00000193AF.n.7.1	
M00004384C:D02		RTA00000193AF.n.15.1	
M00004384C:D02		RTA00000193AF.n.15.1.Seq_THC215687	
M00004461A:B08		RTA00000194AR.a.10.2	
M00004461A:B09		RTA00000194AF.a.11.1	
M00004691D:A05		RTA00000194AF.c.23.1	
M00004896A:C07		RTA00000194AF.d.13.1	

The above material has been deposited with the American Type Culture Collection, Rockville, Maryland, under the accession number indicated. This deposit will be maintained under the terms of the Budapest Treaty on the International Recognition of the Deposit of Microorganisms for purposes of Patent Procedure. The deposit will be maintained for a period of 30 years following issuance of this patent, or for the enforceable life of the patent, whichever is greater. Upon issuance of the patent, the deposit will be available to the public from the ATCC without restriction.

This deposit is provided merely as convenience to those of skill in the art, and is not an admission that a deposit is required under 35 U.S.C. §112. The sequence of the polynucleotides contained within the deposited material, as well as the amino acid sequence of the polypeptides encoded thereby, are incorporated herein by reference and are controlling in the event of any conflict with the written description of sequences herein. A license may

WO 99/33982

PCT/US98/27610

be required to make, use, or sell the deposited material, and no such license is granted hereby.

Retrieval of Individual Clones from Deposit of Pooled Clones

5 Where the ATCC deposit is composed of a pool of cDNA clones, the deposit was prepared by first transfecting each of the clones into separate bacterial cells. The clones were then deposited as a pool of equal mixtures in the composite deposit. Particular clones can be obtained from the composite deposit using methods well known in the art. For example, a bacterial cell containing a particular clone can be identified by isolating single
10 colonies, and identifying colonies containing the specific clone through standard colony hybridization techniques, using an oligonucleotide probe or probes designed to specifically hybridize to a sequence of the clone insert (*e.g.*, a probe based upon unmasked sequence of the encoded polynucleotide having the indicated SEQ ID NO). The probe should be designed to have a T_m of approximately 80°C (assuming 2°C for each A or T and 4°C for
15 each G or C). Positive colonies can then be picked, grown in culture, and the recombinant clone isolated. Alternatively, probes designed in this manner can be used to PCR to isolate a nucleic acid molecule from the pooled clones according to methods well known in the art, *e.g.*, by purifying the cDNA from the deposited culture pool, and using the probes in PCR reactions to produce an amplified product having the corresponding desired polynucleotide
20 sequence.

WO 99/33982

PCT/US98/27610

Table 1. Sequence identification numbers, cluster ID, sequence name, and clone name

SEQ ID NO:	Cluster ID	Sequence Name	Clone Name
1	4635	RTA00000180AF.i.20.1	M00001429B:A11
2		RTA00000185AF.n.12.1	M00001608D:A11
3	4622	RTA00000187AF.m.15.2	M00001686A:E06
4	3706	RTA00000191AF.i.17.2	M00004068B:A01
5	36535	RTA00000181AF.f.5.1	M00001449A:G10
6	3990	RTA00000183AF.j.11.1	M00001532B:A06
7	5319	RTA00000192AF.i.12.1	M00004169C:C12
8	36393	RTA00000180AF.c.2.1	M00001417A:E02
9	2623	RTA00000183AF.a.6.1	M00001497A:G02
10	7587	RTA00000178AF.n.24.1	M00001387B:G03
11	7065	RTA00000137A.g.6.1	M00001557A:D02
12	10539	RTA00000187AF.l.7.1	M00001680D:F08
13	27250	RTA00000181AF.g.10.1	M00001450A:D08
14	5556	RTA00000179AF.n.10.1	M00001407B:D11
15		RTA00000192AF.m.12.1	M00004191D:B11
16	8761	RTA00000184AF.k.12.1	M00001557D:D09
17	4622	RTA00000189AF.g.1.1	M00003856B:C02
18	11460	RTA00000187AF.g.12.1	M00001676B:F05
19	16283	RTA00000120A.o.20.1	M00001467A:D08
20	3430	RTA00000191AF.a.9.1	M00003981A:E10
21	7065	RTA00000184AF.j.21.1	M00001557A:D02
22		RTA00000182AF.l.20.1	M00001488B:F12
23		RTA00000123A.g.19.1	M00001531A:H11
24	16918	RTA00000193AF.a.16.1	M00004223A:G10
25	16914	RTA00000193AF.f.5.1	M00004275C:C11
26	40108	RTA00000187AF.o.24.1	M00003741D:C09
27	14286	RTA00000193AF.f.22.1	M00004283B:A04
28	17004	RTA00000186AF.b.21.1	M00001617C:E02
29		RTA00000180AF.g.22.1	M00001426B:D12
30	13272	RTA00000192AF.e.3.1	M00004138B:H02
31		RTA00000194AF.f.4.1	M00005180C:G03
32	32663	RTA00000118A.l.8.1	M00001450A:A11
33		RTA00000180AF.a.9.1	M00001414A:B01
34	5832	RTA00000178AF.o.23.1	M00001388D:G05
35	7801	RTA00000181AF.c.21.1	M00001446A:F05
36	76760	RTA00000187AF.a.15.1	M00001657D:F08
37	40132	RTA00000178AF.c.7.1	M00001365C:C10
38		RTA00000183AF.e.1.1	M00001505C:C05
39	4016	RTA00000118A.c.4.1	M00001395A:C03
40	5382	RTA00000187AF.m.23.2	M00001688C:F09

WO 99/33982			PCT/US98/27610
SEQ ID NO:	Cluster ID	Sequence Name	Clone Name
41	5693	RTA00000190AF.p.17.2	M00003978B:G05
42	307	RTA00000136A.o.4.2	M00001552A:B12
43	39833	RTA00000178AF.i.23.1	M00001378B:B02
44		RTA00000193AF.m.5.1	M00004359B:G02
45	5325	RTA00000191AF.o.6.1	M00004093D:B12
46	5325	RTA00000191AF.o.6.2	M00004093D:B12
47	18957	RTA00000190AR.m.9.1	M00003958A:H02
48	39508	RTA00000120A.o.2.1	M00001467A:D04
49	22390	RTA00000136A.j.13.1	M00001551A:G06
50	12170	RTA00000125A.h.18.4	M00001544A:E03
51	4393	RTA00000187AF.n.17.1	M00001693C:G01
52	19	RTA00000182AF.b.7.1	M00001463C:B11
53		RTA00000193AF.c.21.1	M00004249D:F10
54	7899	RTA00000189AF.c.10.1	M00003837D:A01
55	40073	RTA00000191AF.e.3.1	M00004028D:C05
56	7005	RTA00000179AF.o.22.1	M00001410A:D07
57		RTA00000187AF.h.22.1	M00001679A:F06
58	18957	RTA00000190AF.m.9.2	M00003958A:H02
59	18957	RTA00000183AF.h.23.1	M00001528A:F09
60	16283	RTA00000182AF.c.22.1	M00001467A:D08
61	6974	RTA00000183AF.d.9.1	M00001504C:H06
62	2623	RTA00000183AF.b.14.1	M00001500A:E11
63	9105	RTA00000191AF.a.21.2	M00003983A:A05
64	13238	RTA00000181AF.m.4.1	M00001455A:E09
65	5749	RTA00000185AF.a.19.1	M00001571C:H06
66	6455	RTA00000193AF.b.9.1	M00004229B:F08
67	23001	RTA00000185AF.c.24.1	M00001578B:E04
68	6455	RTA00000192AF.g.23.1	M00004157C:A09
69	13595	RTA00000189AF.f.8.1	M00003851B:D10
70	39442	RTA00000120A.o.21.1	M00001467A:E10
71	17036	RTA00000191AF.f.13.1	M00004035D:B06
72		RTA00000183AF.g.9.1	M00001513B:G03
73	7005	RTA00000181AF.k.24.1	M00001454B:C12
74	6268	RTA00000126A.o.23.1	M00001551A:B10
75	16130	RTA00000119A.c.13.1	M00001453A:E11
76	23201	RTA00000187AF.a.14.1	M00001657D:C03
77	5321	RTA00000183AF.k.8.1	M00001534A:F09
78	13157	RTA00000186AF.a.6.1	M00001614C:F10
79	2102	RTA00000193AF.n.7.1	M00004377C:F05
80	1058	RTA00000126A.e.20.3	M00001548A:H09
81	40392	RTA00000180AF.j.8.1	M00001429D:D07
82		RTA00000183AF.e.23.1	M00001506D:A09
83	11476	RTA00000187AF.p.19.1	M00003747D:C05

WO 99/33982			PCT/US98/27610
SEQ ID NO:	Cluster ID	Sequence Name	Clone Name
84	3584	RTA00000177AF.h.20.1	M00001349B:B08
85	10470	RTA00000180AF.f.18.1	M00001424B:G09
86	39425	RTA00000133A.f.1.1	M00001470A:C04
87	5175	RTA00000184AF.f.3.1	M00001550A:G01
88	13576	RTA00000189AF.o.13.1	M00003885C:A02
89	7665	RTA00000134A.l.19.1	M00001535A:B01
90	16927	RTA00000177AF.h.9.3	M00001348B:B04
91	6660	RTA00000187AF.h.15.1	M00001679A:A06
92	2433	RTA00000191AF.a.15.2	M00003982C:C02
93	5097	RTA00000134A.k.1.1	M00001534A:D09
94	21847	RTA00000193AF.j.9.1	M00004318C:D10
95	3277	RTA00000138A.l.5.1	M00001624A:B06
96	5708	RTA00000184AF.g.12.1	M00001552B:D04
97	945	RTA00000178AR.a.20.1	M00001362C:H11
98	16269	RTA00000178AF.p.1.1	M00001389A:C08
99		RTA00000183AF.c.24.1	M00001504A:E01
100	16731	RTA00000181AF.a.20.1	M00001442C:D07
101	12439	RTA00000190AF.o.24.1	M00003975A:G11
102	3162	RTA00000177AF.j.12.3	M00001351B:A08
103		RTA00000194AF.b.19.1	M00004505D:F08
104		RTA00000193AF.n.15.1	M00004384C:D02
105		RTA00000186AF.n.7.1	M00001651A:H01
106	10717	RTA00000181AF.d.10.1	M00001447A:G03
107	4573	RTA00000189AF.j.12.1	M00003871C:E02
108		RTA00000186AF.h.14.1	M00001632D:H07
109	11443	RTA00000192AF.l.13.2	M00004185C:C03
110	5892	RTA00000184AF.d.11.1	M00001548A:E10
111	3162	RTA00000177AF.j.12.1	M00001351B:A08
112	10470	RTA00000185AF.k.6.1	M00001597D:C05
113	17055	RTA00000187AF.m.3.1	M00001682C:B12
114	2030	RTA00000193AF.m.20.1	M00004372A:A03
115	6558	RTA00000184AF.m.21.1	M00001560D:F10
116	23255	RTA00000190AF.j.4.1	M00003922A:E06
117	9577	RTA00000179AF.o.17.1	M00001409C:D12
118		RTA00000180AF.a.11.1	M00001414C:A07
119	8	RTA00000181AF.e.17.1	M00001448D:C09
120	67907	RTA00000188AF.g.11.1	M00003774C:A03
121	12081	RTA00000133A.d.14.2	M00001469A:C10
122	2448	RTA00000119A.j.21.1	M00001460A:F06
123	3389	RTA00000189AF.g.3.1	M00003857A:G10
124	39174	RTA00000124A.n.13.1	M00001541A:H03
125	24488	RTA00000190AF.n.16.1	M00003968B:F06
126	8210	RTA00000192AF.n.13.1	M00004197D:H01

WO 99/33982			PCT/US98/27610
SEQ ID NO:	Cluster ID	Sequence Name	Clone Name
127		RTA00000135A.l.2.2	M00001545A:B02
128	40455	RTA00000190AF.m.10.2	M00003958C:G10
129	9577	RTA00000180AF.d.23.1	M00001421C:F01
130	13183	RTA00000192AF.a.24.1	M00004114C:F11
131	5214	RTA00000186AF.g.11.1	M00001630B:H09
132	67252	RTA00000187AF.o.6.1	M00001716D:H05
133	3108	RTA00000188AF.d.24.1	M00003763A:F06
134	2464	RTA00000178AF.n.18.1	M00001387A:C05
135	36313	RTA00000181AF.e.23.1	M00001448D:H01
136	23255	RTA00000177AF.e.14.3	M00001343D:H07
137	7985	RTA00000182AR.j.2.1	M00001481D:A05
138	8286	RTA00000183AF.o.1.1	M00001540A:D06
139	22195	RTA00000180AF.g.7.1	M00001425B:H08
140	4573	RTA00000184AF.h.9.1	M00001553B:F12
141	26875	RTA00000187AF.i.1.1	M00001679A:F10
142	7187	RTA00000177AF.i.8.2	M00001350A:H01
143	86859	RTA00000118A.p.8.1	M00001452A:B12
144	4623	RTA00000185AF.f.4.1	M00001586C:C05
145		RTA00000121A.c.10.1	M00001469A:A01
146	10185	RTA00000183AF.d.5.1	M00001504C:A07
147		RTA00000183AF.p.4.1	M00001542B:B01
148	15069	RTA00000191AF.l.6.1	M00004081C:D10
149	39304	RTA00000118A.j.21.1	M00001450A:A02
150	8672	RTA00000190AF.f.11.1	M00003909D:C03
151	13576	RTA00000177AF.g.16.1	M00001347A:B10
152	6293	RTA00000185AF.e.11.1	M00001583D:A10
153	16977	RTA00000192AF.g.3.1	M00004151D:B08
154	5345	RTA00000189AF.l.19.1	M00003879B:C11
155	4905	RTA00000193AF.e.14.1	M00004269D:D06
156	17036	RTA00000191AF.j.10.1	M00004072B:B05
157	5417	RTA00000191AF.h.19.1	M00004059A:D06
158	7172	RTA00000178AF.f.9.1	M00001371C:E09
159	40044	RTA00000186AF.d.1.1	M00001621C:C08
160	4386	RTA00000184AF.j.4.1	M00001556B:C08
161	40044	RTA00000183AF.g.22.1	M00001514C:D11
162	9685	RTA00000183AF.c.11.1	M00001501D:C02
163	22155	RTA00000185AF.n.9.1	M00001608B:E03
164	10515	RTA00000189AF.f.18.1	M00003853A:F12
165	6539	RTA00000185AF.d.11.1	M00001579D:C03
166	15066	RTA00000180AF.e.24.1	M00001423B:E07
167	4261	RTA00000180AF.h.5.1	M00001426D:C08
168	13864	RTA00000125A.m.9.1	M00001545A:D08
169	6539	RTA00000189AF.d.22.1	M00003844C:B11

WO 99/33982			PCT/US98/27610
SEQ ID NO:	Cluster ID	Sequence Name	Clone Name
170	11465	RTA00000185AF.m.19.1	M00001607A:E11
171	3266	RTA00000184AR.g.1.1	M00001551C:G09
172	102	RTA00000184AF.o.5.1	M00001563B:F06
173	16970	RTA00000181AR.i.18.2	M00001452C:B06
174	12971	RTA00000193AF.a.20.1	M00004223D:E04
175	5007	RTA00000177AF.g.2.1	M00001346A:F09
176	3765	RTA00000135A.d.1.1	M00001541A:D02
177	11294	RTA00000184AF.j.6.1	M00001556B:G02
178	3681	RTA00000131A.g.15.2	M00001449A:D12
179	9283	RTA00000181AR.m.21.2	M00001455D:F09
180	18699	RTA00000182AF.m.16.1	M00001490B:C04
181	86110	RTA00000181AF.f.12.1	M00001449C:D06
182	39648	RTA00000178AR.l.8.2	M00001383A:C03
183	7337	RTA00000123A.b.17.1	M00001528A:C04
184	1334	RTA00000178AF.j.7.1	M00001379A:A05
185	17076	RTA00000188AF.d.21.1	M00003762C:B08
186	22794	RTA00000138A.b.5.1	M00001601A:D08
187	39171	RTA00000186AF.l.7.1	M00001644C:B07
188	8551	RTA00000179AF.p.21.1	M00001412B:B10
189	5857	RTA00000118A.g.14.1	M00001449A:A12
190	9443	RTA00000183AF.c.1.1	M00001500C:E04
191	9457	RTA00000193AF.i.14.2	M00004307C:A06
192	7206	RTA00000182AF.o.15.1	M00001494D:F06
193	22979	RTA00000178AF.k.22.1	M00001382C:A02
194	40455	RTA00000190AR.m.10.1	M00003958C:G10
195	7221	RTA00000191AF.p.9.1	M00004105C:A04
196		RTA00000191AF.j.9.1	M00004072A:C03
197	7239	RTA00000126A.m.4.2	M00001550A:A03
198	31587	RTA00000189AF.l.20.1	M00003879B:D10
199	16317	RTA00000190AF.e.6.1	M00003907D:H04
200	13576	RTA00000189AR.o.13.1	M00003885C:A02
201	5779	RTA00000177AF.g.14.3	M00001346D:G06
202	6124	RTA00000191AR.e.2.3	M00004028D:A06
203	9952	RTA00000180AF.c.20.1	M00001418B:F03
204		RTA00000188AF.i.8.1	M00003784D:D12
205	5779	RTA00000177AF.g.14.1	M00001346D:G06
206	39490	RTA00000128A.b.4.1	M00001557A:F03
207	4416	RTA00000187AF.h.13.1	M00001678D:F12
208	4009	RTA00000179AF.e.20.1	M00001396A:C03
209	5336	RTA00000183AF.b.13.1	M00001500A:C05
210	39186	RTA00000121A.p.15.1	M00001512A:A09
211	40122	RTA00000190AF.n.23.1	M00003970C:B09
212	12532	RTA00000190AF.g.2.1	M00003912B:D01

WO 99/33982			PCT/US98/27610
SEQ ID NO:	Cluster ID	Sequence Name	Clone Name
213	8078	RTA00000177AR.l.13.1	M00001353A:G12
214	3900	RTA00000190AF.g.13.1	M00003914C:F05
215	7589	RTA00000120A.p.23.1	M00001468A:F05
216	8298	RTA00000127A.d.19.1	M00001553A:H06
217	4443	RTA00000177AF.b.20.4	M00001341A:E12
218	26295	RTA00000193AF.i.24.2	M00004312A:G03
219	3389	RTA00000183AF.m.19.1	M00001537B:G07
220	7015	RTA00000187AF.f.18.1	M00001673C:H02
221	8526	RTA00000180AF.d.1.1	M00001418D:B06
222	4665	RTA00000186AF.m.3.1	M00001648C:A01
223	1399	RTA00000129A.o.10.1	M00001604A:B10
224	9244	RTA00000127A.l.3.1	M00001556A:C09
225		RTA00000179AF.j.13.1	M00001400B:H06
226	82498	RTA00000118A.m.10.1	M00001450A:B12
227	35702	RTA00000187AR.c.15.2	M00001663A:E04
228	38759	RTA00000120A.m.12.3	M00001467A:B07
229	39648	RTA00000178AF.l.8.1	M00001383A:C03
230	19105	RTA00000133A.e.15.1	M00001469A:H12
231	85064	RTA00000131A.m.23.1	M00001452A:F05
232	9285	RTA00000191AF.m.18.1	M00004086D:G06
233	9285	RTA00000190AF.d.7.1	M00003906C:E10
234	39391	RTA00000138A.c.3.1	M00001604A:F05
235		RTA00000178AF.d.20.1	M00001368D:E03
236	39498	RTA00000119A.j.20.1	M00001460A:F12
237	7798	RTA00000189AF.k.12.1	M00003876D:E12
238	7798	RTA00000189AF.c.18.1	M00003839A:D08
239	19829	RTA00000125A.h.24.4	M00001544A:G02
240		RTA00000188AF.d.11.1	M00003761D:A09
241	4275	RTA00000120A.j.14.1	M00001466A:E07
242	22113	RTA00000125A.c.7.1	M00001542A:A09
243	40314	RTA00000186AF.c.15.1	M00001619C:F12
244	10944	RTA00000126A.h.17.2	M00001549A:D08
245	39809	RTA00000190AF.e.3.1	M00003907D:A09
246	22085	RTA00000135A.e.5.2	M00001541A:F07
247	19255	RTA00000135A.m.18.1	M00001545A:C03
248	14311	RTA00000192AF.o.2.1	M00004203B:C12
249	8479	RTA00000189AF.j.22.1	M00003875C:G07
250		RTA00000189AF.j.23.1	M00003875D:D11
251	4193	RTA00000184AF.e.13.1	M00001549B:F06
252	22814	RTA00000184AF.h.14.1	M00001553D:D10
253	39563	RTA00000179AF.k.20.1	M00001402A:E08
254	39420	RTA00000134A.o.23.1	M00001537A:F12
255	11589	RTA00000177AF.b.17.4	M00001340D:F10

WO 99/33982			PCT/US98/27610
SEQ ID NO:	Cluster ID	Sequence Name	Clone Name
256	4937	RTA00000191AF.p.21.1	M00004108A:E06
257	39412	RTA00000133A.k.17.1	M00001511A:H06
258	4837	RTA00000185AR.k.3.2	M00001597C:H02
259	13046	RTA00000193AF.h.19.1	M00004296C:H07
260	4141	RTA00000177AF.p.20.3	M00001361A:A05
261	38085	RTA00000123A.e.15.1	M00001531A:D01
262		RTA00000189AF.p.8.1	M00003891C:H09
263	11451	RTA00000192AF.p.17.1	M00004214C:H05
264	14507	RTA00000189AR.l.23.2	M00003879D:A02
265	40054	RTA00000180AF.p.10.1	M00001439C:F08
266	39423	RTA00000134A.k.22.1	M00001535A:F10
267	39453	RTA00000135A.g.11.1	M00001542A:E06
268	10751	RTA00000187AF.k.7.1	M00001679D:D03
269	10751	RTA00000187AF.k.6.1	M00001679D:D03
270	78091	RTA00000187AF.j.6.1	M00001679C:F01
271	39539	RTA00000127A.i.21.1	M00001555A:B02
272		RTA00000182AF.l.15.1	M00001487B:H06
273		RTA00000194AF.d.13.1	M00004896A:C07
274		RTA00000128A.c.20.1	M00001558A:H05
275	9283	RTA00000181AR.m.22.2	M00001455D:F09
276	39168	RTA00000121A.l.10.1	M00001507A:H05
277	39458	RTA00000126A.p.15.2	M00001552A:D11
278	14391	RTA00000177AF.m.17.3	M00001355B:G10
279	39195	RTA00000137A.c.16.1	M00001555A:C01
280	7212	RTA00000193AF.b.14.1	M00004230B:C07
281	4015	RTA00000136A.e.12.1	M00001549A:B02
282	12977	RTA00000189AF.j.19.1	M00003875B:F04
283		RTA00000178AF.m.13.1	M00001384B:A11
284	14391	RTA00000191AF.l.7.1	M00004081C:D12
285		RTA00000194AF.c.23.1	M00004691D:A05
286		RTA00000181AF.b.7.1	M00001443B:F01
287	8358	RTA00000183AF.i.5.1	M00001528B:H04
288	1267	RTA00000125A.o.5.1	M00001546A:G11
289		RTA00000189AF.f.7.1	M00003851B:D08
290	16347	RTA00000184AF.e.15.1	M00001549C:E06
291	7899	RTA00000193AF.a.17.1	M00004223B:D09
292	2379	RTA00000178AF.a.6.1	M00001361D:F08
293	39478	RTA00000133A.i.5.1	M00001471A:B01
294	39392	RTA00000134A.m.16.1	M00001536A:C08
295	5053	RTA00000184AF.o.12.1	M00001564A:B12
296	16999	RTA00000185AF.k.9.1	M00001598A:G03
297	39180	RTA00000126A.n.8.2	M00001551A:F05
298	1037	RTA00000121A.f.8.1	M00001470A:B10

WO 99/33982			PCT/US98/27610
SEQ ID NO:	Cluster ID	Sequence Name	Clone Name
299	6867	RTA00000178AF.e.12.1	M00001370A:C09
300	10539	RTA00000183AF.a.24.1	M00001499B:A11
301	41633	RTA00000118A.g.16.1	M00001449A:B12
302	23218	RTA00000187AR.c.5.2	M00001662C:A09
303	39380	RTA00000129A.e.24.1	M00001587A:B11
304		RTA00000185AF.d.24.1	M00001582D:F05
305		RTA00000177AF.o.4.3	M00001358C:C06
306	6974	RTA00000184AF.a.15.1	M00001544B:B07
307		RTA00000185AF.g.11.1	M00001590B:F03
308	15855	RTA00000184AF.j.1.1	M00001556A:H01
309	84328	RTA00000118A.p.10.1	M00001452A:B04
310	10145	RTA00000120A.g.12.1	M00001465A:B11
311	39805	RTA00000177AF.c.21.3	M00001342B:E06
312		RTA00000187AF.h.23.1	M00001679A:F06
313	6298	RTA00000187AR.i.10.2	M00001679B:F01
314	14367	RTA00000187AF.e.8.1	M00001670C:H02
315		RTA00000193AF.c.22.1	M00004249D:G12
316	16921	RTA00000183AF.k.6.1	M00001534A:C04
317	1577	RTA00000184AF.i.23.1	M00001556A:F11
318	8773	RTA00000187AF.f.24.1	M00001675A:C09
319		RTA00000194AF.a.11.1	M00004461A:B09
320	39886	RTA00000178AF.j.24.1	M00001380D:B09
321	13532	RTA00000181AF.c.4.1	M00001445A:F05
322		RTA00000193AF.d.2.1	M00004251C:G07
323	5257	RTA00000192AF.f.3.1	M00004146C:C11
324	9061	RTA00000191AR.e.11.2	M00004031A:A12
325	19267	RTA00000186AF.l.12.1	M00001645A:C12
326	20212	RTA00000134A.l.22.1	M00001535A:C06
327	16653	RTA00000181AF.k.5.3	M00001453C:F06
328	16985	RTA00000177AF.h.10.1	M00001348B:G06
329	12977	RTA00000189AR.j.19.1	M00003875B:F04
330	9061	RTA00000191AR.e.11.3	M00004031A:A12
331		RTA00000194AR.a.10.2	M00004461A:B08
332	6468	RTA00000187AF.d.15.1	M00001669B:F02
333	16392	RTA00000192AF.l.1.1	M00004183C:D07
334	14627	RTA00000187AF.g.23.1	M00001677C:E10
335	6583	RTA00000179AF.d.13.1	M00001394A:F01
336	6806	RTA00000177AF.g.13.3	M00001346D:E03
337	9635	RTA00000137A.e.23.4	M00001557A:F01
338	689	RTA00000181AR.l.22.1	M00001454D:G03
339	4119	RTA00000183AF.k.16.1	M00001534C:A01
340	8952	RTA00000183AF.h.15.1	M00001518C:B11
341	2379	RTA00000192AF.p.8.1	M00004212B:C07

WO 99/33982			PCT/US98/27610
SEQ ID NO:	Cluster ID	Sequence Name	Clone Name
342	39486	RTA00000128A.m.22.2	M00001561A:C05
343	21877	RTA00000189AF.b.21.1	M00003833A:E05
344	6874	RTA00000192AF.a.14.1	M00004111D:A08
345	6874	RTA00000189AF.e.9.1	M00003846B:D06
346	37285	RTA00000191AF.f.11.1	M00004035C:A07
347		RTA00000193AF.j.20.1	M00004327B:H04
348	7674	RTA00000118A.g.9.1	M00001416A:H01
349	2797	RTA00000180AF.i.19.1	M00001429A:H04
350		RTA00000184AF.g.22.1	M00001552D:A01
351	7802	RTA00000185AF.n.5.1	M00001608A:B03
352	16921	RTA00000193AF.h.15.1	M00004295D:F12
353	11494	RTA00000192AF.j.6.1	M00004172C:D08
354	17062	RTA00000177AF.b.8.4	M00001340B:A06
355	16245	RTA00000177AF.k.9.3	M00001352A:E02
356	83103	RTA00000119A.e.24.2	M00001454A:A09
357	4309	RTA00000186AF.e.22.1	M00001624C:F01
358	13072	RTA00000181AR.m.5.2	M00001455B:E12
359	4059	RTA00000177AF.n.18.3	M00001357D:D11
360	5178	RTA00000178AF.n.10.1	M00001386C:B12
361	1120	RTA00000118A.p.15.3	M00001452A:D08
362	6420	RTA00000183AF.d.11.1	M00001504D:G06
363	13913	RTA00000186AF.e.6.1	M00001623D:F10
364		RTA00000192AF.c.2.1	M00004121B:G01
365	3956	RTA00000183AF.g.3.1	M00001512D:G09
366	14364	RTA00000183AF.g.12.1	M00001513C:E08
367	6880	RTA00000191AF.m.20.1	M00004087D:A01
368	84182	RTA00000180AF.h.19.1	M00001428A:H10
369	2790	RTA00000177AF.e.2.1	M00001343C:F10
370	4561	RTA00000184AF.i.21.1	M00001555D:G10
371	8847	RTA00000180AF.b.16.1	M00001416B:H11
372	56020	RTA00000193AF.g.2.1	M00004285B:E08
373	1531	RTA00000119A.o.3.1	M00001461A:D06
374	6420	RTA00000177AF.f.10.3	M00001345A:E01
375		RTA00000188AF.b.12.1	M00003754C:E09
376		RTA00000180AF.k.24.1	M00001432C:F06
377		RTA00000184AF.a.8.1	M00001544A:E06
378	2696	RTA00000134A.m.13.1	M00001536A:B07
379	260	RTA00000185AR.i.12.2	M00001594B:H04
380	11350	RTA00000189AF.a.24.2	M00003826B:A06
381	2428	RTA00000123A.l.21.1	M00001533A:C11
382	4313	RTA00000122A.n.3.1	M00001517A:B07
383		RTA00000184AF.p.3.1	M00001566B:D11
384	697	RTA00000188AF.d.6.1	M00003759B:B09

WO 99/33982			PCT/US98/27610
SEQ ID NO:	Cluster ID	Sequence Name	Clone Name
385	5619	RTA00000188AF.l.9.1	M00003796C:D05
386	4568	RTA00000122A.d.15.3	M00001513A:B06
387		RTA00000177AF.i.6.2	M00001350A:B08
388	5622	RTA00000178AF.a.11.1	M00001362B:D10
389	7514	RTA00000184AF.k.21.1	M00001558B:H11
390	5619	RTA00000189AF.f.17.1	M00003853A:D04
391	7570	RTA00000187AF.g.24.1	M00001677D:A07
392	23358	RTA00000190AF.o.21.1	M00003974D:H02
393	23210	RTA00000190AF.o.20.1	M00003974D:E07
394	5192	RTA00000184AF.k.2.1	M00001557B:H10
395	13538	RTA00000180AF.a.24.1	M00001415A:H06
396		RTA00000189AF.h.17.1	M00003867A:D10
397		RTA00000192AF.o.11.1	M00004205D:F06
398		RTA00000184AF.l.11.1	M00001559B:F01
399	4718	RTA00000189AF.g.5.1	M00003857A:H03
400	14929	RTA00000177AF.m.1.2	M00001353D:D10
401	4908	RTA00000192AF.j.2.1	M00004171D:B03
402		RTA00000178AF.k.16.1	M00001381D:E06
403		RTA00000194AF.c.24.1	M00004692A:H08
404	17732	RTA00000178AR.i.2.2	M00001376B:G06
405	17062	80.A1.sp6:130208.Seq	M00001340B:A06
406	11589	80.B1.sp6:130220.Seq	M00001340D:F10
407	4443	80.C1.sp6:130232.Seq	M00001341A:E12
408	39805	80.D1.sp6:130244.Seq	M00001342B:E06
409	2790	80.E1.sp6:130256.Seq	M00001343C:F10
410	23255	80.F1.sp6:130268.Seq	M00001343D:H07
411	6420	80.G1.sp6:130280.Seq	M00001345A:E01
412	5007	80.H1.sp6:130292.Seq	M00001346A:F09
413	13576	80.D2.sp6:130245.Seq	M00001347A:B10
414	16927	80.E2.sp6:130257.Seq	M00001348B:B04
415	16985	80.F2.sp6:130269.Seq	M00001348B:G06
416	3584	80.G2.sp6:130281.Seq	M00001349B:B08
417		80.H2.sp6:130293.Seq	M00001350A:B08
418	7187	80.A3.sp6:130210.Seq	M00001350A:H01
419	16245	80.D3.sp6:130246.Seq	M00001352A:E02
420	8078	80.E3.sp6:130258.Seq	M00001353A:G12
421	14929	80.F3.sp6:130270.Seq	M00001353D:D10
422	14391	80.G3.sp6:130282.Seq	M00001355B:G10
423	4141	80.B4.sp6:130223.Seq	M00001361A:A05
424	2379	80.C4.sp6:130235.Seq	M00001361D:F08
425	5622	80.D4.sp6:130247.Seq	M00001362B:D10
426	945	80.E4.sp6:130259.Seq	M00001362C:H11
427	40132	80.F4.sp6:130271.Seq	M00001365C:C10

WO 99/33982			PCT/US98/27610
SEQ ID NO:	Cluster ID	Sequence Name	Clone Name
428		80.G4.sp6:130283.Seq	M00001368D:E03
429	6867	80.H4.sp6:130295.Seq	M00001370A:C09
430	7172	80.A5.sp6:130212.Seq	M00001371C:E09
431	17732	80.B5.sp6:130224.Seq	M00001376B:G06
432	39833	80.C5.sp6:130236.Seq	M00001378B:B02
433	1334	80.D5.sp6:130248.Seq	M00001379A:A05
434	39886	80.E5.sp6:130260.Seq	M00001380D:B09
435		80.F5.sp6:130272.Seq	M00001381D:E06
436	22979	80.G5.sp6:130284.Seq	M00001382C:A02
437	39648	80.H5.sp6:130296.Seq	M00001383A:C03
438		80.B6.sp6:130225.Seq	M00001384B:A11
439	5178	80.C6.sp6:130237.Seq	M00001386C:B12
440	2464	80.D6.sp6:130249.Seq	M00001387A:C05
441	7587	80.E6.sp6:130261.Seq	M00001387B:G03
442	5832	80.F6.sp6:130273.Seq	M00001388D:G05
443	16269	80.G6.sp6:130285.Seq	M00001389A:C08
444	6583	80.H6.sp6:130297.Seq	M00001394A:F01
445	4009	80.A7.sp6:130214.Seq	M00001396A:C03
446		80.B7.sp6:130226.Seq	M00001400B:H06
447	39563	80.C7.sp6:130238.Seq	M00001402A:E08
448	5556	80.D7.sp6:130250.Seq	M00001407B:D11
449	9577	80.E7.sp6:130262.Seq	M00001409C:D12
450	7005	80.F7.sp6:130274.Seq	M00001410A:D07
451	8551	80.G7.sp6:130286.Seq	M00001412B:B10
452		80.H7.sp6:130298.Seq	M00001414A:B01
453		80.A8.sp6:130215.Seq	M00001414C:A07
454	13538	80.B8.sp6:130227.Seq	M00001415A:H06
455	8847	80.C8.sp6:130239.Seq	M00001416B:H11
456	36393	80.D8.sp6:130251.Seq	M00001417A:E02
457	9952	80.E8.sp6:130263.Seq	M00001418B:F03
458	9577	80.G8.sp6:130287.Seq	M00001421C:F01
459	15066	80.H8.sp6:130299.Seq	M00001423B:E07
460	10470	80.A9.sp6:130216.Seq	M00001424B:G09
461	22195	80.B9.sp6:130228.Seq	M00001425B:H08
462		80.C9.sp6:130240.Seq	M00001426B:D12
463	4261	80.D9.sp6:130252.Seq	M00001426D:C08
464	84182	80.E9.sp6:130264.Seq	M00001428A:H10
465	40392	80.H9.sp6:130300.Seq	M00001429D:D07
466	16731	80.C10.sp6:130241.Seq	M00001442C:D07
467		80.D10.sp6:130253.Seq	M00001443B:F01
468	13532	80.E10.sp6:130265.Seq	M00001445A:F05
469	8	80.H10.sp6:130301.Seq	M00001448D:C09
470	36313	80.A11.sp6:130218.Seq	M00001448D:H01

WO 99/33982			PCT/US98/27610
SEQ ID NO:	Cluster ID	Sequence Name	Clone Name
471	5857	80.B11.sp6:130230.Seq	M00001449A:A12
472	41633	80.C11.sp6:130242.Seq	M00001449A:B12
473	36535	80.D11.sp6:130254.Seq	M00001449A:G10
474	86110	80.E11.sp6:130266.Seq	M00001449C:D06
475	32663	80.F11.sp6:130278.Seq	M00001450A:A11
476	27250	80.G11.sp6:130290.Seq	M00001450A:D08
477	16970	80.H11.sp6:130302.Seq	M00001452C:B06
478	16130	80.A12.sp6:130219.Seq	M00001453A:E11
479	16653	80.B12.sp6:130231.Seq	M00001453C:F06
480	7005	80.C12.sp6:130243.Seq	M00001454B:C12
481	13072	80.F12.sp6:130279.Seq	M00001455B:E12
482	9283	80.G12.sp6:130291.Seq	M00001455D:F09
483	23255	100.C1.sp6:131446.Seq	M00001343D:H07
484	13576	100.E1.sp6:131470.Seq	M00001347A:B10
485	7187	100.C2.sp6:131447.Seq	M00001350A:H01
486	14391	100.E3.sp6:131472.Seq	M00001355B:G10
487	945	100.E4.sp6:131473.Seq	M00001362C:H11
488	7172	100.A5.sp6:131426.Seq	M00001371C:E09
489	39648	100.A6.sp6:131427.Seq	M00001383A:C03
490	84182	100.G9.sp6:131502.Seq	M00001428A:H10
491	8	100.B11.sp6:131444.Seq	M00001448D:C09
492	36535	100.D11.sp6:131468.Seq	M00001449A:G10
493	82498	100.F11.sp6:131492.Seq	M00001450A:B12
494	16970	100.C12.sp6:131457.Seq	M00001452C:B06
495	16130	100.D12.sp6:131469.Seq	M00001453A:E11
496	7005	121.D1.sp6:131917.Seq	M00001454B:C12
497		121.G6.sp6:131958.Seq	M00001506D:A09
498	18957	121.F7.sp6:131947.Seq	M00001528A:F09
499	40044	122.E1.sp6:132121.Seq	M00001621C:C08
500	5214	122.C2.sp6:132098.Seq	M00001630B:H09
501	6660	122.B5.sp6:132089.Seq	M00001679A:A06
502	13183	123.D5.sp6:132305.Seq	M00004114C:F11
503	6455	123.E7.sp6:132319.Seq	M00004157C:A09
504	5319	123.F7.sp6:132331.Seq	M00004169C:C12
505	11443	123.A8.sp6:132272.Seq	M00004185C:C03
506		123.C8.sp6:132296.Seq	M00004191D:B11
507	8210	123.E8.sp6:132320.Seq	M00004197D:H01
508	9457	123.D11.sp6:132311.Seq	M00004307C:A06
509	6420	172.E1.sp6:133925.Seq	M00001345A:E01
510	16245	172.D2.sp6:133914.Seq	M00001352A:E02
511	8078	172.C3.sp6:133903.Seq	M00001353A:G12
512	14929	172.D3.sp6:133915.Seq	M00001353D:D10
513	14391	172.H3.sp6:133963.Seq	M00001355B:G10

WO 99/33982			PCT/US98/27610
SEQ ID NO:	Cluster ID	Sequence Name	Clone Name
514	6583	172.B8.sp6:133896.Seq	M00001394A:F01
515	4009	172.D8.sp6:133920.Seq	M00001396A:C03
516		172.B9.sp6:133897.Seq	M00001400B:H06
517		176.A3.sp6:134514.Seq	M00001632D:H07
518	19267	176.G3.sp6:134586.Seq	M00001645A:C12
519	78091	176.G5.sp6:134588.Seq	M00001679C:F01
520	17055	176.D6.sp6:134553.Seq	M00001682C:B12
521	6539	176.D9.sp6:134556.Seq	M00003844C:B11
522		177.H4.sp6:134791.Seq	M00004121B:G01
523	5257	177.F5.sp6:134768.Seq	M00004146C:C11
524	11494	177.E6.sp6:134757.Seq	M00004172C:D08
525		177.G7.sp6:134782.Seq	M00004205D:F06
526	11451	177.D8.sp6:134747.Seq	M00004214C:H05
527	9283	173.D2.SP6:134106.Seq	M00001455D:F09
528	16283	173.F3.SP6:134131.Seq	M00001467A:D08
529	10539	173.B5.SP6:134085.Seq	M00001499B:A11
530	6420	173.F5.SP6:134133.Seq	M00001504D:G06
531	3956	173.H5.SP6:134157.Seq	M00001512D:G09
532		173.G7.SP6:134147.Seq	M00001544A:E06
533	1577	173.C9.SP6:134101.Seq	M00001556A:F11
534	9635	173.D9.SP6:134113.Seq	M00001557A:F01
535	5192	173.E9.SP6:134125.Seq	M00001557B:H10
536	6539	173.A12.SP6:134080.Seq	M00001579D:C03
537	945	180.C2.sp6:135940.Seq	M00001362C:H11
538	7005	180.H5.sp6:136003.Seq	M00001410A:D07
539	39304	180.G9.sp6:135995.Seq	M00001450A:A02
540	27250	180.B10.sp6:135936.Seq	M00001450A:D08
541	35555	184.A5.sp6:135530.Seq	M00001528A:C04
542	19255	184.B10.sp6:135547.Seq	M00001545A:C03
543	6268	184.C12.sp6:135561.Seq	M00001551A:B10
544	3277	217.E1.sp6:139406.Seq	M00001624A:B06
545	39171	217.A12.sp6:139369.Seq	M00001644C:B07
546	11460	219.F2.sp6:139035.Seq	M00001676B:F05
547	10539	219.F6.sp6:139039.Seq	M00001680D:F08
548	11476	219.H8.sp6:139065.Seq	M00003747D:C05
549	4016	79.A1.sp6:130016.Seq	M00001395A:C03
550	7674	79.C1.sp6:130040.Seq	M00001416A:H01
551	3681	79.E1.sp6:130064.Seq	M00001449A:D12
552	39304	79.F1.sp6:130076.Seq	M00001450A:A02
553	82498	79.G1.sp6:130088.Seq	M00001450A:B12
554	84328	79.A2.sp6:130017.Seq	M00001452A:B04
555	86859	79.B2.sp6:130029.Seq	M00001452A:B12
556	1120	79.C2.sp6:130041.Seq	M00001452A:D08

WO 99/33982			PCT/US98/27610
SEQ ID NO:	Cluster ID	Sequence Name	Clone Name
557	85064	79.D2.sp6:130053.Seq	M00001452A:F05
558	83103	79.G2.sp6:130089.Seq	M00001454A:A09
559	10145	79.F3.sp6:130078.Seq	M00001465A:B11
560	16283	79.H3.sp6:130102.Seq	M00001467A:D08
561	4568	79.D4.sp6:130055.Seq	M00001513A:B06
562	4313	79.F4.sp6:130079.Seq	M00001517A:B07
563	2428	79.A5.sp6:130020.Seq	M00001533A:C11
564	39423	79.C5.sp6:130044.Seq	M00001535A:F10
565	39174	79.E5.sp6:130068.Seq	M00001541A:H03
566	22113	79.F5.sp6:130080.Seq	M00001542A:A09
567	19829	79.H5.sp6:130104.Seq	M00001544A:G02
568	13864	79.B6.sp6:130033.Seq	M00001545A:D08
569	1058	79.F6.sp6:130081.Seq	M00001548A:H09
570	4015	79.G6.sp6:130093.Seq	M00001549A:B02
571	39180	79.A7.sp6:130022.Seq	M00001551A:F05
572	307	79.C7.sp6:130046.Seq	M00001552A:B12
573	39458	79.D7.sp6:130058.Seq	M00001552A:D11
574	39490	79.G7.sp6:130094.Seq	M00001557A:F03
575	39486	79.B8.sp6:130035.Seq	M00001561A:C05
576	39380	79.E8.sp6:130071.Seq	M00001587A:B11
577	1399	79.G8.sp6:130095.Seq	M00001604A:B10
578	39391	79.A9.sp6:130024.Seq	M00001604A:F05
579	6268	79.G9.sp6:130096.Seq	M00001551A:B10
580		377.F4.sp6:141957.Seq	M00004692A:H08
581	2448	89.A1.sp6:130667.Seq	M00001460A:F06
582	1531	89.C1.sp6:130691.Seq	M00001461A:D06
583	19	89.D1.sp6:130703.Seq	M00001463C:B11
584	38759	89.F1.sp6:130727.Seq	M00001467A:B07
585	39508	89.G1.sp6:130739.Seq	M00001467A:D04
586	16283	89.H1.sp6:130751.Seq	M00001467A:D08
587	39442	89.A2.sp6:130668.Seq	M00001467A:E10
588	7589	89.B2.sp6:130680.Seq	M00001468A:F05
589		89.C2.sp6:130692.Seq	M00001469A:A01
590	12081	89.D2.sp6:130704.Seq	M00001469A:C10
591	19105	89.E2.sp6:130716.Seq	M00001469A:H12
592	1037	89.F2.sp6:130728.Seq	M00001470A:B10
593	39425	89.G2.sp6:130740.Seq	M00001470A:C04
594	39478	89.H2.sp6:130752.Seq	M00001471A:B01
595		89.B3.sp6:130681.Seq	M00001487B:H06
596		89.C3.sp6:130693.Seq	M00001488B:F12
597	18699	89.D3.sp6:130705.Seq	M00001490B:C04
598	7206	89.E3.sp6:130717.Seq	M00001494D:F06
599	2623	89.F3.sp6:130729.Seq	M00001497A:G02

WO 99/33982			PCT/US98/27610
SEQ ID NO:	Cluster ID	Sequence Name	Clone Name
600	10539	89.G3.sp6:130741.Seq	M00001499B:A11
601	5336	89.H3.sp6:130753.Seq	M00001500A:C05
602	2623	89.A4.sp6:130670.Seq	M00001500A:E11
603	9443	89.B4.sp6:130682.Seq	M00001500C:E04
604	9685	89.C4.sp6:130694.Seq	M00001501D:C02
605		89.D4.sp6:130706.Seq	M00001504A:E01
606	10185	89.E4.sp6:130718.Seq	M00001504C:A07
607	6974	89.F4.sp6:130730.Seq	M00001504C:H06
608	6420	89.G4.sp6:130742.Seq	M00001504D:G06
609		89.H4.sp6:130754.Seq	M00001505C:C05
610		89.A5.sp6:130671.Seq	M00001506D:A09
611	39168	89.B5.sp6:130683.Seq	M00001507A:H05
612	39412	89.C5.sp6:130695.Seq	M00001511A:H06
613	39186	89.D5.sp6:130707.Seq	M00001512A:A09
614	3956	89.E5.sp6:130719.Seq	M00001512D:G09
615		89.F5.sp6:130731.Seq	M00001513B:G03
616	14364	89.G5.sp6:130743.Seq	M00001513C:E08
617	40044	89.H5.sp6:130755.Seq	M00001514C:D11
618	8952	89.A6.sp6:130672.Seq	M00001518C:B11
619	35555	89.B6.sp6:130684.Seq	M00001528A:C04
620	18957	89.C6.sp6:130696.Seq	M00001528A:F09
621	8358	89.D6.sp6:130708.Seq	M00001528B:H04
622	38085	89.E6.sp6:130720.Seq	M00001531A:D01
623		89.F6.sp6:130732.Seq	M00001531A:H11
624	3990	89.G6.sp6:130744.Seq	M00001532B:A06
625	16921	89.H6.sp6:130756.Seq	M00001534A:C04
626	5321	89.B7.sp6:130685.Seq	M00001534A:F09
627	4119	89.C7.sp6:130697.Seq	M00001534C:A01
628	20212	89.E7.sp6:130721.Seq	M00001535A:C06
629	2696	89.F7.sp6:130733.Seq	M00001536A:B07
630	39392	89.G7.sp6:130745.Seq	M00001536A:C08
631	39420	89.H7.sp6:130757.Seq	M00001537A:F12
632	3389	89.A8.sp6:130674.Seq	M00001537B:G07
633	8286	89.B8.sp6:130686.Seq	M00001540A:D06
634	3765	89.C8.sp6:130698.Seq	M00001541A:D02
635	39453	89.E8.sp6:130722.Seq	M00001542A:E06
636		89.F8.sp6:130734.Seq	M00001542B:B01
637		89.H8.sp6:130758.Seq	M00001544A:E06
638	6974	89.A9.sp6:130675.Seq	M00001544B:B07
639		89.B9.sp6:130687.Seq	M00001545A:B02
640	19255	89.C9.sp6:130699.Seq	M00001545A:C03
641	1267	89.D9.sp6:130711.Seq	M00001546A:G11
642	5892	89.E9.sp6:130723.Seq	M00001548A:E10

WO 99/33982			PCT/US98/27610
SEQ ID NO:	Cluster ID	Sequence Name	Clone Name
643	4193	89.G9.sp6:130747.Seq	M00001549B:F06
644	16347	89.H9.sp6:130759.Seq	M00001549C:E06
645	7239	89.A10.sp6:130676.Seq	M00001550A:A03
646	5175	89.B10.sp6:130688.Seq	M00001550A:G01
647	22390	89.C10.sp6:130700.Seq	M00001551A:G06
648	3266	89.D10.sp6:130712.Seq	M00001551C:G09
649	5708	89.E10.sp6:130724.Seq	M00001552B:D04
650		89.F10.sp6:130736.Seq	M00001552D:A01
651	8298	89.G10.sp6:130748.Seq	M00001553A:H06
652	4573	89.H10.sp6:130760.Seq	M00001553B:F12
653	22814	89.A11.sp6:130677.Seq	M00001553D:D10
654	39539	89.B11.sp6:130689.Seq	M00001555A:B02
655	39195	89.C11.sp6:130701.Seq	M00001555A:C01
656	4561	89.D11.sp6:130713.Seq	M00001555D:G10
657	9244	89.E11.sp6:130725.Seq	M00001556A:C09
658	1577	89.F11.sp6:130737.Seq	M00001556A:F11
659	4386	89.H11.sp6:130761.Seq	M00001556B:C08
660	11294	89.A12.sp6:130678.Seq	M00001556B:G02
661	5192	89.D12.sp6:130714.Seq	M00001557B:H10
662	8761	89.E12.sp6:130726.Seq	M00001557D:D09
663		89.F12.sp6:130738.Seq	M00001558A:H05
664	7514	89.G12.sp6:130750.Seq	M00001558B:H11
665		89.H12.sp6:130762.Seq	M00001559B:F01
666	6558	90.A1.sp6:130859.Seq	M00001560D:F10
667	102	90.B1.sp6:130871.Seq	M00001563B:F06
668		90.D1.sp6:130895.Seq	M00001566B:D11
669	5749	90.E1.sp6:130907.Seq	M00001571C:H06
670	6539	90.G1.sp6:130931.Seq	M00001579D:C03
671	6293	90.A2.sp6:130860.Seq	M00001583D:A10
672		90.C2.sp6:130884.Seq	M00001590B:F03
673	260	90.D2.sp6:130896.Seq	M00001594B:H04
674	4837	90.E2.sp6:130908.Seq	M00001597C:H02
675	10470	90.F2.sp6:130920.Seq	M00001597D:C05
676	16999	90.G2.sp6:130932.Seq	M00001598A:G03
677	22794	90.H2.sp6:130944.Seq	M00001601A:D08
678	11465	90.A3.sp6:130861.Seq	M00001607A:E11
679	7802	90.B3.sp6:130873.Seq	M00001608A:B03
680	22155	90.C3.sp6:130885.Seq	M00001608B:E03
681		90.D3.sp6:130897.Seq	M00001608D:A11
682	13157	90.E3.sp6:130909.Seq	M00001614C:F10
683	17004	90.F3.sp6:130921.Seq	M00001617C:E02
684	40314	90.G3.sp6:130933.Seq	M00001619C:F12
685	40044	90.H3.sp6:130945.Seq	M00001621C:C08

WO 99/33982			PCT/US98/27610
SEQ ID NO:	Cluster ID	Sequence Name	Clone Name
686	13913	90.A4.sp6:130862.Seq	M00001623D:F10
687	3277	90.B4.sp6:130874.Seq	M00001624A:B06
688	4309	90.C4.sp6:130886.Seq	M00001624C:F01
689	5214	90.D4.sp6:130898.Seq	M00001630B:H09
690		90.E4.sp6:130910.Seq	M00001632D:H07
691	39171	90.F4.sp6:130922.Seq	M00001644C:B07
692	19267	90.G4.sp6:130934.Seq	M00001645A:C12
693	4665	90.H4.sp6:130946.Seq	M00001648C:A01
694		90.A5.sp6:130863.Seq	M00001651A:H01
695	23201	90.B5.sp6:130875.Seq	M00001657D:C03
696	76760	90.C5.sp6:130887.Seq	M00001657D:F08
697	23218	90.D5.sp6:130899.Seq	M00001662C:A09
698	35702	90.E5.sp6:130911.Seq	M00001663A:E04
699	6468	90.F5.sp6:130923.Seq	M00001669B:F02
700	14367	90.G5.sp6:130935.Seq	M00001670C:H02
701	7015	90.H5.sp6:130947.Seq	M00001673C:H02
702	8773	90.A6.sp6:130864.Seq	M00001675A:C09
703	11460	90.B6.sp6:130876.Seq	M00001676B:F05
704	7570	90.D6.sp6:130900.Seq	M00001677D:A07
705	4416	90.E6.sp6:130912.Seq	M00001678D:F12
706	6660	90.F6.sp6:130924.Seq	M00001679A:A06
707		90.H6.sp6:130948.Seq	M00001679A:F06
708	26875	90.A7.sp6:130865.Seq	M00001679A:F10
709	6298	90.B7.sp6:130877.Seq	M00001679B:F01
710	78091	90.C7.sp6:130889.Seq	M00001679C:F01
711	10751	90.D7.sp6:130901.Seq	M00001679D:D03
712	10539	90.F7.sp6:130925.Seq	M00001680D:F08
713	17055	90.G7.sp6:130937.Seq	M00001682C:B12
714	5382	90.A8.sp6:130866.Seq	M00001688C:F09
715	4393	90.B8.sp6:130878.Seq	M00001693C:G01
716	67252	90.C8.sp6:130890.Seq	M00001716D:H05
717	40108	90.D8.sp6:130902.Seq	M00003741D:C09
718	11476	90.E8.sp6:130914.Seq	M00003747D:C05
719		90.F8.sp6:130926.Seq	M00003754C:E09
720	697	90.G8.sp6:130938.Seq	M00003759B:B09
721		90.H8.sp6:130950.Seq	M00003761D:A09
722	17076	90.A9.sp6:130867.Seq	M00003762C:B08
723	3108	90.B9.sp6:130879.Seq	M00003763A:F06
724	67907	90.C9.sp6:130891.Seq	M00003774C:A03
725		90.D9.sp6:130903.Seq	M00003784D:D12
726	11350	90.F9.sp6:130927.Seq	M00003826B:A06
727	7899	90.H9.sp6:130951.Seq	M00003837D:A01
728	7798	90.A10.sp6:130868.Seq	M00003839A:D08

WO 99/33982			PCT/US98/27610
SEQ ID NO:	Cluster ID	Sequence Name	Clone Name
729	6539	90.B10.sp6:130880.Seq	M00003844C:B11
730	6874	90.C10.sp6:130892.Seq	M00003846B:D06
731		90.D10.sp6:130904.Seq	M00003851B:D08
732	13595	90.E10.sp6:130916.Seq	M00003851B:D10
733	5619	90.F10.sp6:130928.Seq	M00003853A:D04
734	10515	90.G10.sp6:130940.Seq	M00003853A:F12
735	4622	90.H10.sp6:130952.Seq	M00003856B:C02
736	3389	90.A11.sp6:130869.Seq	M00003857A:G10
737	4718	90.B11.sp6:130881.Seq	M00003857A:H03
738		90.C11.sp6:130893.Seq	M00003867A:D10
739	12977	90.F11.sp6:130929.Seq	M00003875B:F04
740	8479	90.G11.sp6:130941.Seq	M00003875C:G07
741		90.H11.sp6:130953.Seq	M00003875D:D11
742	7798	90.A12.sp6:130870.Seq	M00003876D:E12
743	5345	90.B12.sp6:130882.Seq	M00003879B:C11
744	31587	90.C12.sp6:130894.Seq	M00003879B:D10
745	14507	90.D12.sp6:130906.Seq	M00003879D:A02
746	13576	90.F12.sp6:130930.Seq	M00003885C:A02
747		90.G12.sp6:130942.Seq	M00003891C:H09
748	9285	90.H12.sp6:130954.Seq	M00003906C:E10
749	39809	99.A1.sp6:131230.Seq	M00003907D:A09
750	16317	99.B1.sp6:131242.Seq	M00003907D:H04
751	8672	99.C1.sp6:131254.Seq	M00003909D:C03
752	12532	99.D1.sp6:131266.Seq	M00003912B:D01
753	3900	99.E1.sp6:131278.Seq	M00003914C:F05
754	23255	99.F1.sp6:131290.Seq	M00003922A:E06
755	24488	99.C2.sp6:131255.Seq	M00003968B:F06
756	40122	99.D2.sp6:131267.Seq	M00003970C:B09
757	23210	99.E2.sp6:131279.Seq	M00003974D:E07
758	23358	99.F2.sp6:131291.Seq	M00003974D:H02
759	3430	99.A3.sp6:131232.Seq	M00003981A:E10
760	2433	99.B3.sp6:131244.Seq	M00003982C:C02
761	9105	99.C3.sp6:131256.Seq	M00003983A:A05
762	6124	99.D3.sp6:131268.Seq	M00004028D:A06
763	40073	99.E3.sp6:131280.Seq	M00004028D:C05
764	37285	99.H3.sp6:131316.Seq	M00004035C:A07
765	17036	99.A4.sp6:131233.Seq	M00004035D:B06
766	3706	99.C4.sp6:131257.Seq	M00004068B:A01
767		99.D4.sp6:131269.Seq	M00004072A:C03
768	15069	99.F4.sp6:131293.Seq	M00004081C:D10
769	9285	99.H4.sp6:131317.Seq	M00004086D:G06
770	6880	99.A5.sp6:131234.Seq	M00004087D:A01
771	5325	99.C5.sp6:131258.Seq	M00004093D:B12

WO 99/33982			PCT/US98/27610
SEQ ID NO:	Cluster ID	Sequence Name	Clone Name
772	7221	99.D5.sp6:131270.Seq	M00004105C:A04
773	4937	99.E5.sp6:131282.Seq	M00004108A:E06
774	6874	99.F5.sp6:131294.Seq	M00004111D:A08
775	13183	99.G5.sp6:131306.Seq	M00004114C:F11
776		99.H5.sp6:131318.Seq	M00004121B:G01
777	13272	99.A6.sp6:131235.Seq	M00004138B:H02
778	5257	99.B6.sp6:131247.Seq	M00004146C:C11
779	6455	99.D6.sp6:131271.Seq	M00004157C:A09
780	5319	99.E6.sp6:131283.Seq	M00004169C:C12
781	4908	99.F6.sp6:131295.Seq	M00004171D:B03
782	11494	99.G6.sp6:131307.Seq	M00004172C:D08
783	11443	99.A7.sp6:131236.Seq	M00004185C:C03
784		99.B7.sp6:131248.Seq	M00004191D:B11
785	8210	99.C7.sp6:131260.Seq	M00004197D:H01
786	14311	99.D7.sp6:131272.Seq	M00004203B:C12
787		99.E7.sp6:131284.Seq	M00004205D:F06
788	12971	99.B8.sp6:131249.Seq	M00004223D:E04
789	6455	99.C8.sp6:131261.Seq	M00004229B:F08
790	7212	99.D8.sp6:131273.Seq	M00004230B:C07
791	4905	99.H8.sp6:131321.Seq	M00004269D:D06
792	16914	99.A9.sp6:131238.Seq	M00004275C:C11
793	16921	99.D9.sp6:131274.Seq	M00004295D:F12
794	13046	99.E9.sp6:131286.Seq	M00004296C:H07
795	9457	99.F9.sp6:131298.Seq	M00004307C:A06
796	26295	99.G9.sp6:131310.Seq	M00004312A:G03
797	21847	99.H9.sp6:131322.Seq	M00004318C:D10
798		99.H10.sp6:131323.Seq	M00004505D:F08
799		99.B11.sp6:131252.Seq	M00004692A:H08
800		99.D11.sp6:131276.Seq	M00005180C:G03
801	39304	RTA00000118A.j.21.1.Seq_THC151859	
802	2428	RTA00000123A.l.21.1.Seq_THC205063	
803	1058	RTA00000126A.e.20.3.Seq_THC217534	
804	5097	RTA00000134A.k.1.1.Seq_THC215869	
805	20212	RTA00000134A.l.22.1.Seq_THC128232	
806	23255	RTA00000177AF.e.14.3.Seq_THC228776	
807	2790	RTA00000177AF.e.2.1.Seq_THC229461	
808	6420	RTA00000177AF.f.10.3.Seq_THC226443	
809	4059	RTA00000177AF.n.18.3.Seq_THC123051	
810		RTA00000179AF.j.13.1.Seq_THC105720	
811	9952	RTA00000180AF.c.20.1.Seq_THC162284	
812	13238	RTA00000181AF.m.4.1.Seq_THC140691	
813	9685	RTA00000183AF.c.11.1.Seq_THC109544	
814		RTA00000183AF.c.24.1.Seq_THC125912	

WO 99/33982		PCT/US98/27610	
SEQ ID NO:	Cluster ID	Sequence Name	Clone Name
815	6420	RTA00000183AF.d.11.1.Seq_THC226443	
816	6974	RTA00000183AF.d.9.1.Seq_THC223129	
817	40044	RTA00000183AF.g.22.1.Seq_THC232899	
818		RTA00000183AF.g.9.1.Seq_THC198280	
819	5892	RTA00000184AF.d.11.1.Seq_THC161896	
820	40044	RTA00000186AF.d.1.1.Seq_THC232899	
821		RTA00000186AF.h.14.1.Seq_THC112525	
822	19267	RTA00000186AF.l.12.1.Seq_THC178183	
823	8773	RTA00000187AF.f.24.1.Seq_THC220002	
824	7570	RTA00000187AF.g.24.1.Seq_THC168636	
825	11476	RTA00000187AF.p.19.1.Seq_THC108482	
826		RTA00000188AF.d.11.1.Seq_THC212094	
827	17076	RTA00000188AF.d.21.1.Seq_THC208760	
828	697	RTA00000188AF.d.6.1.Seq_THC178884	
829	67907	RTA00000188AF.g.11.1.Seq_THC123222	
830	5619	RTA00000188AF.l.9.1.Seq_THC167845	
831	4718	RTA00000189AF.g.5.1.Seq_THC196102	
832	39809	RTA00000190AF.e.3.1.Seq_THC150217	
833	23255	RTA00000190AF.j.4.1.Seq_THC228776	
834	40122	RTA00000190AF.n.23.1.Seq_THC109227	
835	23210	RTA00000190AF.o.20.1.Seq_THC207240	
836	23358	RTA00000190AF.o.21.1.Seq_THC207240	
837	5693	RTA00000190AF.p.17.2.Seq_THC173318	
838	2433	RTA00000191AF.a.15.2.Seq_THC79498	
839	5257	RTA00000192AF.f.3.1.Seq_THC213833	
840	16392	RTA00000192AF.l.1.1.Seq_THC202071	
841		RTA00000193AF.c.21.1.Seq_THC222602	
842	26295	RTA00000193AF.i.24.2.Seq_THC197345	
843		RTA00000193AF.m.5.1.Seq_THC173318	
844		RTA00000193AF.n.15.1.Seq_THC215687	

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
1	<NONE>	<NONE>	<NONE>	<NONE>	<NONE>	<NONE>
2	<NONE>	<NONE>	<NONE>	<NONE>	<NONE>	<NONE>
3	<NONE>	<NONE>	<NONE>	<NONE>	<NONE>	<NONE>
4	<NONE>	<NONE>	<NONE>	BAR3_CHITE	BALBIANI RING PROTEIN 3 PRECURSOR>PIR2:S08167 Balbiani ring 3 protein - midge (Chironomus tentans)>GP:CTBR3_1 C;tentans balbiani ring 3 (BR3) gene	1
5	<NONE>	<NONE>	<NONE>	CYAA_PODAN	ADENYLATE CYCLASE (EC 4.6.1.1) (ATP PYROPHOSPHATE-LYASE) (ADENYLYL CYCLASE)>PIR2:JC4747 adenylate cyclase (EC 4.6.1.1) - Podospora anserina>GP:PANADCY_1 Podospora anserina adenyl cyclase gene, exons 1-4	1
6	<NONE>	<NONE>	<NONE>	VP03_HSVSA	PROBABLE MEMBRANE ANTIGEN 3 (TEGUMENT PROTEIN)>PIR2:C36806 hypothetical protein ORF3 - saimiriine herpesvirus 1 (strain 11)>GP:HSGEND_3 Herpesvirus saimiri complete genome DNA; ORF 03; similarity to ORF 75 and EBV BNRF1	0.97

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
7	<NONE>	<NONE>	<NONE>	ATFCA2_18	Arabidopsis thaliana DNA chromosome 4, ESSA I contig fragment No; 2; Hydroxyproline-rich glycoprotein homolog; Similarity to hydroxyproline-rich glycoprotein precursor-common tobacco	0.93
8	<NONE>	<NONE>	<NONE>	DHAL_ASPN G	ALDEHYDE DEHYDROGENASE (EC 1.2.1.3) (ALDDH)>GP:ASNA LDAA_1 Aspergillus niger aldehyde dehydrogenase (aldA) gene, complete cds	0.9
9	<NONE>	<NONE>	<NONE>	NCU50264_1	Neurospora crassa two-component histidine kinase (nik-1) gene, 5' region and partial cds	0.86
10	<NONE>	<NONE>	<NONE>	NEUG_BOVI N	NEUROGRANIN (P17) (B-50 IMMUNOREACTIVE C-KINASE SUBSTRATE) (BICKS) (FRAGMENT)>PIR2: A39034 neurogranin - bovine (fragment)	0.82
11	<NONE>	<NONE>	<NONE>	HUMBYSTIN _1	Homo sapiens bystin mRNA, complete cds	0.81
12	<NONE>	<NONE>	<NONE>	BTBMP1_1	Bos taurus BMP1 gene, partial sequence; Bone morphogenetic protein 1	0.69
13	<NONE>	<NONE>	<NONE>	TCCYSPROT _1	T;congolense mRNA for (prepro) cysteine proteinase	0.56
14	<NONE>	<NONE>	<NONE>	P60_LISIV	PROTEIN P60 PRECURSOR (INVASION-ASSOCIATED PROTEIN)>GP:LISIA PRELB_1 Listeria	0.15

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
					ivanovii extracellular protein homologue (iap) gene, complete cds	
15	<NONE>	<NONE>	<NONE>	HEX_ADE31	HEXON PROTEIN (LATE PROTEIN 2) (FRAGMENT)>PIR2: S37217 hexon protein - human adenovirus 31 (fragment)>GP:HSAT3 1H_1 H;sapiens adenovirus type 31 hexon gene; Hexon protein; Internal fragment containing hypervariable regions	0.15
16	<NONE>	<NONE>	<NONE>	HSU77493_1	Human Notch2 mRNA, partial cds; Transmembrane protein; hN	0.13
17	<NONE>	<NONE>	<NONE>	CYB_PARTE	CYTOCHROME B (EC 1.10.2.2)>PIR2:S07743 cytochrome b - Paramecium tetraurelia mitochondrion (SGC6)>GP:MIPAGE N_19 Paramecium aurelia mitochondrial complete genome; Apocytochrome b (AA 1-391)	0.078
18	<NONE>	<NONE>	<NONE>	HUMERB27_1	Human c-erbB-2 gene, exon 7; C-erb-2 protein	0.054
19	<NONE>	<NONE>	<NONE>	DMTRXIII_2	D;melanogaster DNA for trxl and trxl genes; Trithorax protein trxl; Trithorax; putative>GP:DMTTHO RAX_2 D;melanogaster DNA for (putative) trithorax protein; Predicted trithorax protein	0.047

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
20	<NONE>	<NONE>	<NONE>	CELB0281_5	Caenorhabditis elegans cosmid B0281; Similar to reverse transcriptases	0.043
21	<NONE>	<NONE>	<NONE>	MOTY_VIBP A	SODIUM-TYPE FLAGELLAR PROTEIN MOTY PRECURSOR>GP:VP U06949_4 Vibrio parahaemolyticus BB22 RNase T (rnt) gene and flagellar motor component (motY) gene, complete cds	0.041
22	<NONE>	<NONE>	<NONE>	A56263	beta-galactosidase (EC 3.2.1.23) isozyme 12 - Arthrobacter sp. (strain B7)>GP:ASU17417_1 Arthrobacter sp; beta-galactosidase gene, complete cds	0.04
23	<NONE>	<NONE>	<NONE>	GSA_PSEAE	GLUTAMATE-1-SEMIALDEHYDE 2,1-AMINOMUTASE (EC 5.4.3.8) (GSA) (GLUTAMATE-1-SEMIALDEHYDE AMINOTRANSFERASE) (GSA-AT)>PIR2:S57898 glutamate 1-semialdehyde 2,1-aminomutase - Pseudomonas aeruginosa>GP:PAHEML_1 P;aeruginosa hemL gene; Glutamate 1-sem	0.038
24	<NONE>	<NONE>	<NONE>	S16323	hypothetical protein - Arabidopsis thaliana>GP:ATHB1_1 A;thaliana homeobox gene Athb-1 mRNA; Open reading frame	0.035

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
25	<NONE>	<NONE>	<NONE>	IRS1_RAT	INSULIN RECEPTOR SUBSTRATE-1>PIR2:S16948 hypothetical protein IRS-1 - rat>GP:RNIRS1IRM_1 R;Norvegicus IRS-1 mRNA for insulin-receptor; During insulin stimulation, undergoes tyrosine phosphorylation and binds phosphatidylinositol 3-kinase	0.027
26	<NONE>	<NONE>	<NONE>	CEM02G9_2	Caenorhabditis elegans cosmid M02G9; M02G9;1; Similar to keratin like protein; cDNA EST yk308g11;5 comes from this gene; cDNA EST yk208e11;5 comes from this gene; cDNA EST yk208e11;3 comes	0.0088
27	<NONE>	<NONE>	<NONE>	S75490_3	competence region: iga=IgA protease, comA=transformation competence [Neisseria gonorrhoeae, MS11, Genomic, 3 genes, 2664 nt]	0.0041
28	<NONE>	<NONE>	<NONE>	EXTN_TOBAC	EXTENSIN PRECURSOR (CELL WALL HYDROXYPROLINE-RICH GLYCOPROTEIN)>PIR2:S06733 hydroxyproline-rich glycoprotein precursor - common tobacco>GP:NTEXT_1 Tobacco HRGPnt3 gene for extensin; Extensin (AA 1-620)	0.0025

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
29	<NONE>	<NONE>	<NONE>	HPCEGS_1	Hepatitis C virus complete genome sequence; Polyprotein	0.0014
30	<NONE>	<NONE>	<NONE>	HHVBC_4	Human hepatitis virus (genotype C, HMA) preS1, preS2, S, C, X, antigens, core antigen, X protein and polymerase	0.00093
31	<NONE>	<NONE>	<NONE>	HSLTGFBP4_1	Homo sapiens mRNA for latent transforming growth factor-beta binding protein-4; Latent TGF-beta binding protein-4	0.00061
32	<NONE>	<NONE>	<NONE>	S74909	transposase - Synechocystis sp. (PCC 6803)>GP:D90909_108 Synechocystis sp; PCC6803 complete genome, 11/27, 1311235- 1430418; Transposase; ORF_ID:slr2062	0.00051
33	<NONE>	<NONE>	<NONE>	GRN_MOUSE	GRANULINS PRECURSOR (ACROGRANIN)>GP: MUSAP_1 Mouse gene for acrogranin precursor, complete cds	0.00022
34	<NONE>	<NONE>	<NONE>	CA21_MOUSE	PROCOLLAGEN ALPHA 2(I) CHAIN PRECURSOR>PIR2:A 43291 collagen alpha 2(I) chain precursor - mouse>GP:MMCOL1 A2_1 Mouse COL1A2 mRNA for pro-alpha-2(I) collagen	0.00016
35	<NONE>	<NONE>	<NONE>	MMMHC29N7_2	Mus musculus major histocompatibility locus class III region:butyrophilin-like protein gene, partial cds; Notch4, PBX2, RAGE, lysophatidic acid acyl transferase-	8.00E-05

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
					alpha, palmitoyl-	
36	<NONE>	<NONE>	<NONE>	NFH_RAT	NEUROFILAMENT TRIPLET H PROTEIN (200 KD NEUROFILAMENT PROTEIN) (NF-H) (FRAGMENT)	2.40E-05
37	<NONE>	<NONE>	<NONE>	HUMVWFM_1	Human von Willebrand factor mRNA, 3' end; Von Willebrand factor prepropeptide	1.70E-05
38	<NONE>	<NONE>	<NONE>	CGHU2E	collagen alpha 2(XI) chain - human (fragment)	2.00E-06
39	<NONE>	<NONE>	<NONE>	A61183	hypothetical protein (sdsB region) - Pseudomonas sp.	4.90E-08
40	<NONE>	<NONE>	<NONE>	YM8L_YEAS_T	HYPOTHETICAL 71.1 KD PROTEIN IN DSK2-CAT8 INTERGENIC REGION>PIR2:S5458 5 hypothetical protein YMR278w - yeast (Saccharomyces cerevisiae)>GP:SC802 1X_4 S;cerevisiae chromosome XIII cosmid 8021; Unknown; YM8021;04, unknown, len: 622, CAI: 0;16,	1.50E-09
41	<NONE>	<NONE>	<NONE>	MTCY210_31	Mycobacterium tuberculosis cosmid Y210; Unknown; MTCY210;31, unknown, len: 299 aa, slight similarity to carboxykinases	3.10E-10

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
42	<NONE>	<NONE>	<NONE>	CEC01G10_5	Caenorhabditis elegans cosmid C01G10, complete sequence; C01G10;8; CDNA EST CEMSC45R comes from this gene>GP:CEC01G10_5 Caenorhabditis elegans cosmid C01G10; C01G10;8; CDNA EST CEMSC45R comes from this gene	2.30E-12
43	<NONE>	<NONE>	<NONE>	HSU15779_1	Human p70 (ST5) mRNA, alternatively spliced, complete cds; Differentially expressed; alternatively spliced	9.50E-14
44	<NONE>	<NONE>	<NONE>	MTCY210_31	Mycobacterium tuberculosis cosmid Y210; Unknown; MTCY210;31, unknown, len: 299 aa, slight similarity to carboxykinases	1.70E-17
45	U61403	Dictyostelium discoideum PrlA (prlA) mRNA, partial cds.	1	U93472_1	Danio rerio PPARB gene, partial cds; Nuclear receptor C domain	0.95
46	Z92832	Caenorhabditis elegans DNA *** SEQUENCING IN PROGRESS *** from clone F31D4; HTGS phase 1.	1	U93472_1	Danio rerio PPARB gene, partial cds; Nuclear receptor C domain	0.94
47	L36557	Oryza sativa (clone pRG3) repetitive element.	1	HSU61262_1	Human neogenin mRNA, complete cds	0.89

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
48	AF005898	Homo sapiens Na,K-ATPase beta-3 subunit pseudogene, complete sequence.	1	LRP1_CHICK	LOW-DENSITY LIPOPROTEIN RECEPTOR-RELATED PROTEIN 1 PRECURSOR (LRP) (ALPHA-2-MACROGLOBULIN RECEPTOR) (A2MR)>PIR2:A53102 LDL receptor-related protein / alpha-2-macroglobulin receptor precursor - chicken>GP:GGLRPA 2MR_1 G;gallus mRNA for LRP/alp	0.85
49	U18795	Saccharomyces cerevisiae chromosome V cosmids 9669, 8334, 8199, and lambda clone 1160.	1	NKC1_SQUAC	BUMETANIDE-SENSITIVE SODIUM-(POTASSIUM)-CHLORIDE COTRANSPORTER 2 (NA-K-CL SYMPORTER)>PIR2:A53491 bumetanide-sensitive Na-K-Cl cotransporter - spiny dogfish>GP:SANKCC 1_1 Squalus acanthias bumetanide-sensitive Na-K-Cl cotransport protein (NKCC	0.73
50	AC002523	Homo sapiens; HTGS phase 1, 54 unordered pieces.	1	BXEN_CLOB O	BOTULINUM NEUROTOXIN TYPE E, NONTOXIC COMPONENT>GP:C LOENT120_1 C;botulinum gene for nontoxic component of progenitor toxin, complete cds	0.71

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
51	AC002345	*** SEQUENCING IN PROGRESS *** Genomic sequence from Human 17; HTGS phase 1, 10 unordered pieces.	1	P3K2_DICDI	PHOSPHATIDYLINO SITOR 3-KINASE 2 (EC 2.7.1.137) (PI3-KINASE) (PTDINS-3-KINASE) (PI3K)>GP:DDU23477_1 Dictyostelium discoideum phosphatidylinositol-4,5-diphosphate 3-kinase (PIK2) mRNA, complete cds	0.58
52	X14253	Human mRNA for cripto protein.	1	I55651	noradrenaline transporter - bovine>GP:BTU09198_1 Bos taurus noradrenaline transporter mRNA, complete cds	0.55
53	U23516	Caenorhabditis elegans cosmid B0416.	1	I69024	MHC sex-limited protein - mouse (fragment)>GP:MUSM HC4AD_1 Mouse class III H2-Slp sex-limited protein gene, exons 1, 2 and 3; MHC sex-limited protein	0.47
54	AB006698	Arabidopsis thaliana genomic DNA, chromosome 5, P1 clone: MCL19.	1	S81293_1	L1 {insertion sequence, provirus} [human papillomavirus type 6b HPV6b, KP4, Genomic Mutant, 121 nt]; Authors note this reading frame results from a 454 bp deletion and resulting	0.25
55	K03458	Human immunodeficiency virus type 1, isolate Zaire 6, vif, tat, rev, env, nef genes and 3' LTR.	1	S13383	hydroxyproline-rich glycoprotein - sorghum	0.24

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
56	B26794	T1O16TR TAMU Arabidopsis thaliana genomic clone T1O16.	1	RK34_PORP_U	CHLOROPLAST 50S RIBOSOMAL PROTEIN L34>PIR2:S73111 ribosomal protein L34 - red alga (Porphyra purpurea) chloroplast>GP:PPU38804_4 Porphyra purpurea chloroplast genome, complete sequence; 50S ribosomal protein L34	0.021
57	Z98950	Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 507115; HTGS phase 1.	1	D41132	collagen-related protein 4 - Hydra magnipapillata (fragment)>PIR2:S21932 mini-collagen - Hydra sp.>GP:HSNCOL4_1 Hydra N-COL 4 mRNA for mini-collagen; No start codon	0.02
58	U57057	Human WD protein IR10 mRNA, complete cds.	1	DMU15602_1	Drosophila melanogaster (zeste-white 4) mRNA, complete cds; Similar to C; elegans B0464;4 gene product, Swiss-Prot Accession Number Q03562	0.019
59	U57057	Human WD protein IR10 mRNA, complete cds.	1	CR2_MOUSE	COMPLEMENT RECEPTOR TYPE 2 PRECURSOR (CR2) (COMPLEMENT C3D RECEPTOR)>PIR2:A43526 complement C3d/Epstein-Barr virus receptor 2 precursor - mouse>GP:MUSCR2A_A_1 Murine complement receptor type 2 (CR2) mRNA, complete cds; Complement receptor type	0.0074

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
60	B65337	CIT-HSP-2021H21.TF CIT-HSP Homo sapiens genomic clone 2021H21.	1	A38096	perlecan precursor - human>GP:HUMHSP G2B_1 Human heparan sulfate proteoglycan (HSPG2) mRNA, complete cds	0.0051
61	U84722	Human vascular endothelial cadherin mRNA, complete cds.	1	HSTAFII13_1	H;sapiens mRNA for TAFII135; Subunit of RNA polymerase II transcription factor TFIID	0.0012
62	L41493	Avian rotavirus (strain turkey 1) genomic segment 4 outer capsid protein (VP8*) gene.	1	Y328_MYCPN	HYPOTHETICAL PROTEIN MG328 HOMOLOG>PIR2:S73693 MG328 homolog P01_orf1033 - Mycoplasma pneumoniae (ATCC 29342) (SGC3)>GP:MPAE000035_2 Mycoplasma pneumoniae from bases 442306 to 452472 (section 35 of 63) of the complete genome; MG328 homolog,	0.00015
63	D63139	Aeromonas sp. gene for chitinase, complete and partial cds.	1	MTCY16B7_3	Mycobacterium tuberculosis cosmid SCY16B7; Unknown; MTCY16B7;03, initiation factor, len: 900, similar at C-terminal half to eg IF2_BACSU P17889 initiation factor if-2 (716 aa), fasta	6.30E-05

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
64	J04974	Human alpha-2 type XI collagen mRNA (COL11A2).	1	GDF6_BOVIN	GROWTH/DIFFERENTIATION FACTOR GDF-6 PRECURSOR (CARTILAGE-DERIVED MORPHOGENETIC PROTEIN 2) (CDMP-2) (FRAGMENT)>PIR2: B55452 cartilage-derived morphogenetic protein 2 precursor - bovine (fragment)>GP:BTU13661_1 Bos taurus cartilage-derived morp	1.00E-05
65	AC002394	Homo sapiens Chromosome 16 BAC clone CIT987-SKA-211C6 ~complete genomic sequence, complete sequence.	1	CELC14F11_6	Caenorhabditis elegans cosmid C14F11; Similar to aspartate aminotransferase; coded for by C; elegans cDNA CEMSF95FB; coded for by C; elegans cDNA yk41e4;3; coded for by C; elegans	4.60E-06
66	AB002312	Human mRNA for KIAA0314 gene, partial cds.	1	NAT1_YEAST	N-TERMINAL ACETYLTRANSFERASE 1 (EC 2.3.1.88) (AMINO-TERMINAL, ALPHA- AMINO, ACETYLTRANSFERASE 1)	1.00E-09
67	AC003085	Human BAC clone RG094H21 from 7q21-q22, complete sequence.	1	DP19_CAEEL	DPY-19 PROTEIN>PIR2:S44629 f22b7.10 protein - Caenorhabditis elegans>GP:CELF22B7_9 C;aenorhabditis elegans (Bristol N2) cosmid F22B7; Putative	4.20E-11
68	X55026	P.anserina complete mitochondrial genome.	1	NAT1_YEAST	N-TERMINAL ACETYLTRANSFERASE 1 (EC 2.3.1.88) (AMINO-TERMINAL, ALPHA- AMINO, ACETYLTRANSFERASE 1)	8.40E-12

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
					ASE 1)	
69	Z95399	Caenorhabditis elegans DNA *** SEQUENCING IN PROGRESS *** from clone Y39B6; HTGS phase 1.	1	CER06B9_5	Caenorhabditis elegans cosmid R06B9, complete sequence; R06B9;b; Protein predicted using Genefinder; preliminary prediction	1.50E-24
70	AC002339	Arabidopsis thaliana chromosome II BAC T11A07 genomic sequence, complete sequence.	0.99	POLG_BVDV S	GENOME POLYPROTEIN>PIR1 :A44217 genome polyprotein - bovine viral diarrhea virus (strain SD-1)>GP:BVDPOLYPRO_1 Bovine viral diarrhea virus polyprotein RNA, complete cds; Putative	1
71	Y08559	B.subtilis urease operon and downstream DNA.	0.99	LRP_CAEEL	LOW-DENSITY LIPOPROTEIN RECEPTOR-RELATED PROTEIN PRECURSOR (LRP)>PIR2:A47437 LDL-receptor-related protein - Caenorhabditis elegans>GP:CEF29D11_2 Caenorhabditis elegans cosmid F29D11, complete sequence; F29D11;1; Protein predicted using Genefi	1

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
72	U67548	Methanococcus jannaschii from bases 986219 to 996377 (section 90 of 150) of the complete genome.	0.99	YB60_YEAS T	HYPOTHETICAL 16.3 KD PROTEIN IN DUR1,2-NGR1 INTERGENIC REGION>PIR2:S4608 4 probable membrane protein YBR210w - yeast (Saccharomyces cerevisiae)>GP:SCYB R210W_1 S;cerevisiae chromosome II reading frame ORF YBR210w	1
73	U51645	Plasmodium falciparum cytidine triphosphate synthetase gene, complete cds.	0.99	HPSVRPL_1	Sin Nombre virus (NM H10) RNA L segment encoding RNA polymerase (L protein), complete cds; Viral RNA polymerase (L protein); Putative>GP:HPSVRP LA_1 Sin Nombre virus (NM R11) RNA L segment encoding RNA polymerase (L protein), complete cds; Vir	0.99
74	Z49889	Caenorhabditis elegans cosmid T06H11, complete sequence.	0.99	MUSHDPRO B_1	Mouse alternatively spliced HD protein mRNA, complete cds	0.021
75	Z69374	Human DNA sequence from cosmid L174G8, Huntington's Disease Region, chromosome 4p16.3 contains a pair of ESTs.	0.99	NCPR_YEAS T	NADPH-CYTOCHROME P450 REDUCTASE (EC 1.6.2.4) (CPR)	0.017

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
76	Z35847	S.cerevisiae chromosome II reading frame ORF YBL086c.	0.99	CYPA_CAEE L	PEPTIDYL-PROLYL CIS-TRANS ISOMERASE 10 (EC 5.2.1.8) (PPIASE) (ROTAMASE) (CYCLOPHILIN-10)>GP:CELB0252_4 Caenorhabditis elegans cosmid B0252; Similar to peptidyl-prolyl cis-trans isomerase (PPIASE) (CYCLOPHILIN)>GP:CEU34954_1 Caenorhabditis el	0.0044
77	L35330	Rattus norvegicus glutathione S-transferase Yb3 subunit gene, complete cds.	0.99	CELR148_1	Caenorhabditis elegans cosmid R148; Contains similarity to drosophila DNA-binding protein K10 (NID:g8148); coded for by C; elegans cDNA yk118e11;5; coded for by C; elegans cDNA	0.0032
78	Y00324	Chicken vitellogenin gene 3' flanking region.	0.99	A56922	transcription factor shn - fruit fly (Drosophila melanogaster)	0.0023
79	M32659	D.melanogaster Shab11 protein mRNA, complete cds.	0.99	OMU25146_1	Oncorhynchus mykiss recombination activating protein 2 gene, partial cds	0.0017
80	Z69880	H.sapiens SERCA3 gene (partial).	0.99	M84D_DRO ME	MALE SPECIFIC SPERM PROTEIN MST84DD>PIR2:S25775 testis-specific protein Mst84Dd - fruit fly (Drosophila melanogaster)>GP:DM MST84D_4 D;melanogaster Mst84Da, Mst84Db, Mst84Dc and Mst84Dd genes for put; sperm protein	0.0011

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
81	M99166	Escherichia coli Trp repressor binding protein (wrbA) gene, complete cds.	0.99	MTU88962_1	Mycobacterium tuberculosis unknown protein gene, partial cds	6.50E-07
82	X99257	R.norvegicus mRNA for lamin C2.	0.99	MIU68729_1	Meloidogyne incognita cuticle preprocollagen (col-2) mRNA, complete cds; Putative	1.60E-09
83	AC002432	Human BAC clone RG317G18 from 7q31, complete sequence.	0.98	1FMDC	Foot and mouth disease virus type c-s8c1, chain C - foot and mouth disease virus type c-s8c1 expressed in hamster kidney cells	0.14
84	Z34799	Caenorhabditis elegans cosmid F34D10, complete sequence.	0.98	MMU57368_1	Mus musculus EGF repeat transmembrane protein mRNA, complete cds; Notch like repeats; notch 2	0.0028
85	B15207	344E15.TV CIT978SKA1 Homo sapiens genomic clone A-344E15.	0.98	POLG_HCVJ 6	GENOME POLYPROTEIN (CONTAINS: CAPSID PROTEIN C (CORE PROTEIN); MATRIX PROTEIN (ENVELOPE PROTEIN M); MAJOR ENVELOPE PROTEIN E; NONSTRUCTURAL PROTEINS NS1, NS2, NS4A AND NS4B; HELICASE (NS3); RNA-DIRECTED RNA POLYMERASE (EC 2.7.7.48) (NS5))>PI	0.00083

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
86	AC002412	*** SEQUENCING IN PROGRESS *** Human Chromosome X; HTGS phase 1, 2 unordered pieces.	0.98	KDG1_ARAT H	DIACYLGLYCEROL KINASE 1 (EC 2.7.1.107) (DIGLYCERIDE KINASE) (DGK 1) (DAG KINASE 1)>PIR2:S71467 diacylglycerol kinase (EC 2.7.1.107) ATDGK1 - Arabidopsis thaliana>GP:ATHATD GK1_1 Arabidopsis thaliana mRNA for diacylglycerol kinase, complete c	0.00024
87	X57010	Human COL2A1 gene for collagen II alpha 1 chain, exons E2-E15.	0.98	D80005_1	Human mRNA for KIAA0183 gene, partial cds	5.90E-10
88	M83093	Neurospora crassa cAMP-dependent protein kinase (cot-1) gene, complete cds.	0.98	YA53_SCHP O	HYPOTHETICAL 24.2 KD PROTEIN C13A11.03 IN CHROMOSOME I>GP:SPAC13A11_3 S;pombe chromosome I cosmid c13A11; Unknown; SPAC13A11;03, unknown, len: 210	3.00E-22
89	U96271	Helicobacter pylori heat shock protein 70 (hsp70) gene, complete cds.	0.97	SLMEN6_1	S;latifolia mRNA for Men-6 protein>GP:SLMEN6_1 S;latifolia mRNA for Men-6 protein	0.43
90	U49944	Caenorhabditis elegans cosmid C39E6.	0.97	RON_HUMAN	MACROPHAGE STIMULATING PROTEIN RECEPTOR PRECURSOR (EC 2.7.1.112)>PIR2:I38185 protein-tyrosine kinase (EC 2.7.1.112), receptor type ron - human>GP:HSRON_1 H;sapiens RON mRNA for tyrosine kinase; Putative	0.034

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
91	Y09255	B.cereus dnaI gene, partial.	0.97	CEL T05C1_5	Caenorhabditis elegans cosmid T05C1; Coded for by C; elegans cDNA yk30f6;3; coded for by C; elegans cDNA yk34f10;3	0.00043
92	AC002413	*** SEQUENCING IN PROGRESS *** Human Chromosome X; HTGS phase 1, 2 unordered pieces.	0.96	CELC44E4_5	Caenorhabditis elegans cosmid C44E4; Weak similarity to the drosophila hyperplastic disc protein (GB:L14644); coded for by C; elegans cDNA yk49h6;5; coded for by C; elegans cDNA	1
93	U41625	Caenorhabditis elegans cosmid K03A1.	0.96	HMGC_HUMAN	HIGH MOBILITY GROUP PROTEIN HMGI-C>PIR2:JC2232 high mobility group I-C phosphoprotein - human>GP:HSHMGIC G5_1 Human high-mobility group phosphoprotein isoform I-C (HMGIC) gene, exon 5>GP:HSHMGICP_1 H;sapiens mRNA for HMGI-C protein>GP:HSHMGIC	1
94	Z82202	Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 34P24; HTGS phase 1.	0.96	YTH3_CAEE L	HYPOTHETICAL 75.5 KD PROTEIN C14A4.3 IN CHROMOSOME II>GP:CEC14A4_3 Caenorhabditis elegans cosmid C14A4, complete sequence; C14A4;3; Weak similarity with a B; Flavum translocation protein (Swiss Prot accession number P38376)	0.73

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
95	AL008734	Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 324M8; HTGS phase 1.	0.96	S25299	extensin precursor (clone Tom L-4) - tomato>GP:TOMEXT ENB_1 L;esculentum extensin (class II) gene, complete cds	0.0004
96	L15388	Human G protein-coupled receptor kinase (GRK5) mRNA, complete cds.	0.96	HUMCOL7A1 X_1	Homo sapiens (clones: CW52-2, CW27-6, CW15-2, CW26-5, 11-67) collagen type VII intergenic region and (COL7A1) gene, complete cds	4.60E-06
97	X97384	A.thaliana atran3 gene.	0.95	<NONE>	<NONE>	<NONE>
98	M62505	Human C5a anaphylatoxin receptor mRNA, complete cds.	0.95	RIPB_BRYDI	RIBOSOME-INACTIVATING PROTEIN BRYODIN (RRNA N-GLYCOSIDASE) (EC 3.2.2.22) (FRAGMENT)>PIR2: S16491 rRNA N-glycosidase (EC 3.2.2.22) bryodin - red bryony (fragment)	0.83
99	D28778	Cucumber mosaic virus RNA 1 for 1a, complete sequence.	0.95	POLS_RUBV M	STRUCTURAL POLYPROTEIN (CONTAINS: NUCLEOCAPSID PROTEIN C; MEMBRANE GLYCOPROTEINS E1 AND E2)>PIR1:GNWVR3 structural polyprotein - rubella virus (strain M33)>GP:TORUB24S_1 Rubella virus 24S subgenomic mRNA for structural proteins E1, E2 and C;	0.00037
100	AF016202	Homo sapiens immunoglobulin heavy chain CDR3 gene,	0.93	HSU79716_1	Human reelin (RELN) mRNA, complete cds	1

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
		partial cds.				
101	Z68303	Caenorhabditis elegans cosmid ZK809, complete sequence.	0.93	HS5HT4SAR_1	H;sapiens mRNA for serotonin 4SA receptor (5-HT4SA-R)	0.87
102	X03049	E. coli DNA sequene 5' to origin of replication oriC.	0.93	S37594	mucin - human (fragment)	0.0019
103	M32659	D.melanogaster Shab11 protein mRNA, complete cds.	0.93	S38480	nonstructural protein - rubella virus>GP:RVM33NP_1 Rubella virus M33 RNA for a nonstructural protein; Nonstructural protein genes	2.30E-06
104	D88687	Human mRNA for KM-102-derived reductase-like factor, complete cds.	0.93	BAT3_HUMAN	LARGE PROLINE-RICH PROTEIN BAT3 (HLA-B-ASSOCIATED TRANSCRIPT 3)>PIR2:A35098 MHC class III histocompatibility antigen HLA-B-associated transcript 3 - human>GP:HUMBAT3A_1 Human HLA-B-associated transcript 3 (BAT3) mRNA, complete cds>GP:HUMBAT3	8.70E-07
105	D16847	Mouse mRNA for stromal cell derived protein-1, complete cds.	0.93	S52796	prpL2 protein - human (fragment)>GP:HSPRP L2_1 H;sapiens mRNA for PRPL-2 protein	3.20E-08

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
106	D90915	Synechocystis sp. PCC6803 complete genome, 17/27, 2137259-2267259.	0.92	YEK9_YEAS T	HYPOTHETICAL 53.9 KD PROTEIN IN AFG3-SEB2 INTERGENIC REGION>PIR2:S5047 7 hypothetical protein YER019w - yeast (Saccharomyces cerevisiae)>GP:SCE95 37_20 Saccharomyces cerevisiae chromosome V cosmid 9537, 9581, 9495, 9867, and lambda clone 5898	5.90E-05
107	AJ001101	Mus musculus mRNA for gC1qBP gene.	0.92	DMU58282_1	Drosophila melanogaster Bowl (bowl) mRNA, complete cds; Transcription factor; C2H2 zinc finger protein; zinc fingers have extensive sequence similarity to Drosophila odd-skipped	3.50E-05
108	X57108	Human gene for cerebroside sulfate activator protein, exons 10-14.	0.92	S69032	hypothetical protein YPR144c - yeast (Saccharomyces cerevisiae)>GP:YSCP9 659_17 Saccharomyces cerevisiae chromosome XVI cosmid 9659; Ypr144cp; Weak similarity near C-terminus to RNA Polymerase beta subunit (Swiss Prot; accession number P11213)	4.30E-21

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
109	D14635	Caenorhabditis elegans DNA for EMB-5.	0.91	YM13_YEAS T	PUTATIVE ATP-DEPENDENT RNA HELICASE YMR128W>PIR2:S53058 probable membrane protein YMR128w - yeast (Saccharomyces cerevisiae)>GP:SC9553_4 S;cerevisiae chromosome XIII cosmid 9553; Unknown; YM9553;04, probable ATP-dependent RNA helicase, len:	0.69
110	B55500	CIT-HSP-387J2.TFB CIT-HSP Homo sapiens genomic clone 387J2.	0.91	U97553_79	Murine herpesvirus 68 strain WUMS, complete genome; Unknown	0.00016
111	X03049	E. coli DNA sequene 5' to origin of replication oriC.	0.9	POL_MLVAV	POL POLYPROTEIN (PROTEASE (EC 3.4.23.-); REVERSE TRANSCRIPTASE (EC 2.7.7.49); RIBONUCLEASE H (EC 3.1.26.4))>PIR1:GNMVG VG pol polyprotein - AKV murine leukemia virus	0.0019
112	U91327	Human chromosome 12p15 BAC clone CIT987SK-99D8 complete sequence.	0.89	JC5568	serine protease (EC 3.4.-.) h1 - Serratia marcescens	1
113	X13295	Rat mRNA for alpha-2u globulin-related protein.	0.89	MNGPOLY_1	Mengo virus polyprotein genome, complete cds withe repeats	1
114	Z78415	Caenorhabditis elegans cosmid C17G1, complete sequence.	0.89	AB000121_1	Mouse mRNA for TBPIP, complete cds; TBP1 interacting protein	0.39

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
115	AC002308	*** SEQUENCING IN PROGRESS *** Human Chromosome 22q11 BAC Clone 1000e4; HTGS phase 1, 26 unordered pieces.	0.88	YLK2_CAEE L	HYPOTHETICAL 122.7 KD PROTEIN D1044.2 IN CHROMOSOME III>GP:CELD1044_4 Caenorhabditis elegans cosmid D1044	0.0037
116	AC002073	Human PAC clone DJ515N1 from 22q11.2-q22, complete sequence.	0.88	S28499	probable finger protein - rat>GP:RNZFP_1 R;norvegicus mRNA for putative zinc finger protein	1.10E-31
117	Z83848	Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 57A13; HTGS phase 1.	0.87	NDL_DROM E	SERINE PROTEASE NUDEL PRECURSOR (EC 3.4.21.-)>PIR2:A57096 nudel protein precursor - fruit fly (Drosophila melanogaster)>GP:DM U29153_1 Drosophila melanogaster nudel (ndl) mRNA, complete cds; Serine protease; Soma dependent gene required matern	1
118	U23449	Caenorhabditis elegans cosmid K06A1.	0.87	AF023268_3	Homo sapiens clk2 kinase (CLK2), propin1, cotel1, glucocerebrosidase (GBA), and metaxin genes, complete cds; metaxin pseudogene and glucocerebrosidase pseudogene; and thrombospondin3 (THBS3)	0.21
119	Z68181	H.vulgaris mRNA for elongation factor EF1-alpha.	0.87	RABCY450C _1	Rabbit cytochrome P-450 gene, clone pP-450PBc3, 3' end	0.14

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
120	AC000033	Homo sapiens chromosome 9, complete sequence.	0.87	VWF_CANF_A	VON WILLEBRAND FACTOR PRECURSOR>GP:DOG_VWG_1 Canis familiaris von Willebrand factor mRNA, complete cds	0.036
121	U23449	Caenorhabditis elegans cosmid K06A1.	0.86	S48988_1	CRP-1=cystatin-related protein [rats, Wistar albino, mRNA Partial, 213 nt]; Cystatin-related protein; Method: conceptual translation supplied by author; This sequence comes from Fig;	0.64
122	Z89651	F.rubripes GSS sequence, clone 090124cD5.	0.86	CPU65981_1	Cryptosporidium parvum P-ATPase gene (CpA-E1) gene, complete cds; Putative calcium-ATPase	0.6
123	Z94055	Human DNA sequence from PAC 24M15 on chromosome 1. Contains tenascin-R (restrictin), EST.	0.86	GLTB_SYNY_3	FERREDOXIN-DEPENDENT GLUTAMATE SYNTHASE 1 (EC 1.4.7.1) (FD-GOGAT)>PIR2:S6022 8 glutamate synthase (ferredoxin) (EC 1.4.7.1) gltB - Synechocystis sp. (PCC 6803)>GP:D90902_66 Synechocystis sp; PCC6803 complete genome, 4/27, 402290-524345; Gluta	0.03
124	Z49250	Human DNA sequence from cosmid HW2, Huntington's Disease Region, chromosome 4p16.3.	0.86	TRSCAPSID_1	Tobacco ringspot virus capsid protein gene, complete cds	3.00E-06

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
125	Z92855	Caenorhabditis elegans DNA *** SEQUENCING IN PROGRESS *** from clone Y48C3; HTGS phase 1.	0.84	AE000809_8	Methanobacterium thermoautotrophicum from bases 161632 to 172569 (section 15 of 148) of the complete genome; Aspartyl-tRNA synthetase; Function Code:10;07 - Metabolism of	1
126	AC002340	*** SEQUENCING IN PROGRESS *** Arabidopsis thaliana 'TAMU' BAC 'T11J7' genomic sequence near marker 'm283'; HTGS phase 1, 2 unordered pieces.	0.83	CET01E8_3	Caenorhabditis elegans cosmid T01E8, complete sequence; T01E8;3; Similar to 1-phosphatidylinositol-4,5-bisphosphate phosphodiesterase; cDNA EST CEESG02F comes from this gene;	0.86
127	AL008716	Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 206C7; HTGS phase 1.	0.83	HIVU51189_5	HIV-1 clone 93th253 from Thailand, complete genome; Tat protein	0.86
128	AC002340	*** SEQUENCING IN PROGRESS *** Arabidopsis thaliana 'TAMU' BAC 'T11J7' genomic sequence near marker 'm283'; HTGS phase 1, 2 unordered pieces.	0.83	S60257	meltrin alpha - mouse>GP:MUSMAB_1 Mouse mRNA for meltrin alpha, complete cds	0.0013

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
129	Z83848	Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 57A13; HTGS phase 1.	0.82	ARO1_PNEC_A	PENTAFUNCTIONAL AROM POLYPEPTIDE (CONTAINS: 3-DEHYDROQUINATE SYNTHASE (EC 4.6.1.3), 3-DEHYDROQUINATE DEHYDRATASE (EC 4.2.1.10) (3-DEHYDROQUINASE), SHIKIMATE 5-DEHYDROGENASE (EC 1.1.1.25), SHIKIMATE KINASE (EC 2.7.1.71), AND EPSP SYNTHASE (E	0.0098
130	AF029308	Homo sapiens chromosome 9 duplication of the T cell receptor beta locus and trypsinogen gene families.	0.8	CELZK84_5	Caenorhabditis elegans cosmid ZK84; Final exon in repeat region; similar to long tandem repeat region of sialidase (SP:TCNA_TRYCR, P23253) and neurofilament H protein; coded for by C; elegans	2.00E-08
131	AC002458	Human BAC clone RG098M04 from 7q21-q22, complete sequence.	0.78	IGF2_PIG	INSULIN-LIKE GROWTH FACTOR II PRECURSOR (IGF-II)>GP:SSIGF2_1 S;scrofa mRNA IGF2 for insulin-like-growth factor 2; Insulin-like-growth factor 2 preproprotein	0.44
132	Z83843	Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 368A4; HTGS phase 1.	0.78	PAR51A_1	P;tetraurelia 51A surface protein gene, complete cds	0.0014

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
133	X03021	Human gene for granulocyte-macrophage colony stimulating factor (GM-CSF).	0.78	CEF57B1_3	Caenorhabditis elegans cosmid F57B1, complete sequence; F57B1;3; Protein predicted using Genefinder; similar to collagen	2.20E-05
134	Z74825	S.cerevisiae chromosome XV reading frame ORF YOL083w.	0.77	SYLM_SCHPO	PUTATIVE LEUCYL-TRNA SYNTHETASE, MITOCHONDRIAL PRECURSOR (EC 6.1.1.4) (LEUCINE--TRNA LIGASE)>PIR2:S6248 6 hypothetical protein SPAC4G8.09 - fission yeast (Schizosaccharomyces pombe)>GP:SPAC4G8_9 S;pombe chromosome I cosmid c4G8; Unknown; SPAC	0.96
135	Z74825	S.cerevisiae chromosome XV reading frame ORF YOL083w.	0.77	RNU59809_1	Rattus norvegicus mannose 6-phosphate/insulin-like growth factor II receptor (M6P/IGF2r) mRNA, complete cds; Also termed IGF-II/Man 6-P receptor, MPR, CI-MPR	0.01
136	U80445	Caenorhabditis elegans cosmid C50F2.	0.76	S28499	probable finger protein - rat>GP:RNZFP_1 R;norvegicus mRNA for putative zinc finger protein	1.10E-31
137	Z78545	Caenorhabditis elegans cosmid M03B6, complete sequence.	0.75	RRU73586_1	Rattus norvegicus Fanconi anemia group C mRNA, complete cds; Fanconi anemia group C protein; Similar to human FAC protein, GenBank Accession Numbers X66893 and X66894	0.023

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
138	Z97630	Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 466N1; HTGS phase 1.	0.74	HSMSHREC_A_1	H;sapiens mRNA for MSH receptor; Author-given protein sequence is in conflict with the conceptual translation	0.036
139	AF007269	Arabidopsis thaliana BAC IG002N01.	0.71	HSU95090_1	Homo sapiens chromosome 19 cosmid F19541, complete sequence; F19541_1; Hypothetical (partial) protein similar to proline oxidase	0.16
140	AC002393	Mouse BAC284H12 Chromosome 6, complete sequence.	0.7	RNLTP2_1	Rattus norvegicus mRNA for LTBP-2 like protein; Latent TGF-beta binding protein-2 like protein	4.40E-05
141	B15232	344G8.TV CIT978SKA1 Homo sapiens genomic clone A-344G08.	0.67	DMSEVL2_2	Drosophila melanogaster sevenless mRNA; Put; sevenless protein (AA 1 - 2510)	0.41
142	D13748	Human mRNA for eukaryotic initiation factor 4A1.	0.66	MMU53563_1	Mus musculus Brg1 mRNA, partial cds; N-terminal region of the protein	0.00016
143	S45791	band 3-related protein=renal anion exchanger AE2 homolog [rabbits, New Zealand White, ileal epithelial cells, mRNA, 3964 nt].	0.66	POLS_RUBV_R	STRUCTURAL POLYPROTEIN (CONTAINS: NUCLEOCAPSID PROTEIN C; MEMBRANE GLYCOPROTEIN E1 AND E2)>PIR1:GNWVRA structural polyprotein - rubella virus (strain RA27/3 vaccine)>GP:RUBCE2 1_1 Rubella virus RA27/3 RNA for capsid, E2 and E1 proteins; Poly	5.60E-05
144	M22462	Chicken protein p54 (ets-1)	0.66	HSHP8PROT_1	H;sapiens mRNA for HP8 protein; HP8	2.00E-06

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
		mRNA, complete cds.			peptide	
145	U27999	Human clone pDEL52A11 HLA-C region cosmid 52 genomic survey sequence.	0.65	CA18_HUMAN	COLLAGEN ALPHA 1(VIII) CHAIN PRECURSOR (ENDOTHELIAL COLLAGEN)>PIR2:S15435 collagen alpha 1(VIII) chain precursor - human>GP:HSCOL8A1_1 Human COL8A1 mRNA for alpha 1(VIII) collagen	5.70E-06
146	M54787	N.crassa mating type a-1 protein (mt a-1) gene, exons 1-3.	0.64	I50717	vacuolar H ⁺ -ATPase A subunit - chicken (fragment)>GP:GGU22078_1 Gallus gallus vacuolar H ⁺ -ATPase A subunit gene, partial cds	0.0046
147	AC002094	Genomic sequence from Human 17, complete sequence.	0.63	PVPVA1_1	P.vivax pva1 gene	0.1
148	U32701	Haemophilus influenzae from bases 165345 to 176101 (section 16 of 163) of the complete genome.	0.63	FABG_HAEI_N	3-OXOACYL-[ACYL-CARRIER PROTEIN] REDUCTASE (EC 1.1.1.100) (3-KETOACYL- ACYL CARRIER PROTEIN REDUCTASE)>PIR2:D64051 3-oxoacyl-[acyl-carrier-protein] reductase (EC 1.1.1.100) - Haemophilus influenzae (strain Rd KW20)>GP:HIU32701_7 Haemophilus	2.00E-12
149	Z37159	T.brucei serum resistance associated (SRA) mRNA for VSG-like protein.	0.61	<NONE>	<NONE>	<NONE>

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
150	AF027865	Mus musculus Major Histocompatibility Locus class II region.	0.61	A56514	chromokinesin - chicken>GP:GGU18309_1 Gallus gallus chromokinesin mRNA, complete cds	0.045
151	U40938	Caenorhabditis elegans cosmid D1009.	0.61	YA53_SCHPO	HYPOTHETICAL 24.2 KD PROTEIN C13A11.03 IN CHROMOSOME I>GP:SPAC13A11_3 S;pombe chromosome I cosmid c13A11; Unknown; SPAC13A11;03, unknown, len: 210	1.90E-24
152	I16670	Sequence 1 from patent US 5476781.	0.59	CELF21F8_7	Caenorhabditis elegans cosmid F21F8; Similar to eukaryotic aspartyl proteases	0.39
153	Z84468	Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 299D3; HTGS phase 1.	0.59	CLG1_YEAST	CYCLIN-LIKE PROTEIN CLG1>PIR2:S37607 cyclin-like protein YGL215w - yeast (Saccharomyces cerevisiae)>GP:SCYGL215W_1 S;cerevisiae chromosome VII reading frame ORF YGL215w>GP:YSCCLG1CPR_1 Saccharomyces cerevisiae cyclin-like protein (CLG1) gene	0.0015
154	U00054	Caenorhabditis elegans cosmid K07E12.	0.57	<NONE>	<NONE>	<NONE>
155	M21207	Synthetic SV40 T antigen mutant pseudogene, 3' end.	0.57	1CJL2	cathepsin L (EC 3.4.22.15) mutant (F(78P)L, C25S, T110A, E176G, D178G), fragment 2 - human	0.43

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
156	AF020282	Dictyostelium discoideum DG2033 gene, partial cds.	0.56	AC002125_4	Homo sapiens DNA from chromosome 19-cosmid F25965, genomic sequence, complete sequence; F25965_5; Hypothetical 35;3 kDa protein similar to GTPase-activating proteins and orf3 from	0.6
157	M86352	Stigmatella aurantiaca reverse transcriptase (163 RT) gene, complete cds.	0.56	AC002398_4	Human DNA from chromosome 19-specific cosmid F25965, genomic sequence, complete sequence; F25965_3; Hypothetical 96 kDa human protein similar to alpha chimaerin; Hypothetical protein>GP:AC002398_4 Human DNA from chromosome 19-specific cosmi	4.50E-06
158	AC003101	*** SEQUENCING IN PROGRESS *** Homo sapiens chromosome 17, clone HRPC41C23; HTGS phase 1, 33 unordered pieces.	0.54	<NONE>	<NONE>	<NONE>
159	B12117	F5L15-T7 IGF Arabidopsis thaliana genomic clone F5L15.	0.54	CEF32H2_5	Caenorhabditis elegans cosmid F32H2, complete sequence; F32H2;5; Similarity to Chicken fatty acid synthase (SW:P12276); cDNA EST yk16c2;5 comes from this gene; cDNA EST yk113h6;5 comes	1

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
160	AE000664	Mus musculus TCR beta locus from bases 250554 to 501917 (section 2 of 3) of the complete sequence.	0.54	CET01G9_6	Caenorhabditis elegans cosmid T01G9, complete sequence; T01G9;4; CDNA EST yk29b7;5 comes from this gene	0.84
161	B12117	F5L15-T7 IGF Arabidopsis thaliana genomic clone F5L15.	0.54	A39718	nicotinic acetylcholine receptor alpha chain - marbled electric ray (fragments)	0.27
162	Z71261	Caenorhabditis elegans cosmid F21C3, complete sequence.	0.5	KDGE_DROME	EYE-SPECIFIC DIACYLGLYCEROL KINASE (EC 2.7.1.107) (RETINAL DEGENERATION A PROTEIN) (DIGLYCERIDE KINASE) (DGK)>GP:DRODAG K_1 Fruit fly mRNA for diacylglycerol kinase, complete cds	4.60E-05
163	M61831	Human S-adenosylhomocysteine hydrolase (AHCY) mRNA, complete cds.	0.49	P2C2_ARATH	PROTEIN PHOSPHATASE 2C (EC 3.1.3.16) (PP2C)>PIR2:S55457 phosphoprotein phosphatase (EC 3.1.3.16) 2C - Arabidopsis thaliana>GP:ATHPP2 CA_1 Arabidopsis thaliana mRNA for protein phosphatase 2C	5.60E-08
164	U42608	Glycine max clathrin heavy chain mRNA, complete cds.	0.48	<NONE>	<NONE>	<NONE>

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
165	Z93042	Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 6B17; HTGS phase 1.	0.47	PYRD_BACS U	DIHYDROOROTATE DEHYDROGENASE (EC 1.3.3.1) (DIHYDROOROTATE OXIDASE) (DHODEHASE)>PIR1:H39845 dihydroorotate oxidase (EC 1.3.3.1) - Bacillus subtilis>GPN:BSUB0009_25 Bacillus subtilis complete genome (section 9 of 21): from 1598421 to 1807200;	0.002
166	AC000044	Human Chromosome 22q13 Cosmid Clone p76e10, complete sequence.	0.47	MATK_MAR PO	PROBABLE INTRON MATURASE>PIR2:A05034 hypothetical protein 370i - liverwort (Marchantia polymorpha) chloroplast>GP:CHMPXX_21 Liverwort Marchantia polymorpha chloroplast genome DNA; ORF370i	0.0011
167	X51508	Rabbit mRNA for aminopeptidase N (partial).	0.47	S45361	LRR47 protein - fruit fly (Drosophila melanogaster)>GP:DM LRR47_1 D;melanogaster mRNA for LRR47	5.30E-07
168	Z67035	H.sapiens DNA segment containing (CA) repeat; clone AFM323yf1; single read.	0.45	JQ2246	22.5K cathepsin D inhibitor protein precursor - potato>GP:POTCATH D_1 Potato cathepsin D inhibitor protein mRNA, complete cds	0.79
169	Z93042	Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 6B17; HTGS phase 1.	0.44	SMU31768_1	Schistosoma mansoni elastase gene, 3045 bp clone, complete cds	0.0022

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
170	L11172	Plasmodium falciparum RNA polymerase I gene, complete cds.	0.43	HUMPKD1G08_1	Homo sapiens polycystic kidney disease (PKD1) gene, exons 43-46; Polycystic kidney disease 1 protein	1
171	Z95889	Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 211A9; HTGS phase 1.	0.43	A09811_1	R;norvegicus mRNA for BRL-3A binding protein; Author-given protein sequence is in conflict with the conceptual translation	0.00083
172	U32772	Haemophilus influenzae from bases 954819 to 966363 (section 87 of 163) of the complete genome.	0.43	YPT2_CAEE L	HYPOTHETICAL 21.6 KD PROTEIN F37A4.2 IN CHROMOSOME III>PIR2:S44639 F37A4.2 protein - Caenorhabditis elegans>GP:CELF37A4_8 Caenorhabditis elegans cosmid F37A4	2.50E-28
173	Z99281	Caenorhabditis elegans cosmid Y57G11C, complete sequence.	0.42	PTU19464_1	Paramecium tetraurelia outer arm dynein beta heavy chain gene, complete cds	1
174	X04571	Human mRNA for kidney epidermal growth factor (EGF) precursor.	0.42	YEK9_YEAS T	HYPOTHETICAL 53.9 KD PROTEIN IN AFG3-SEB2 INTERGENIC REGION>PIR2:S50477 hypothetical protein YER019w - yeast (Saccharomyces cerevisiae)>GP:SCE9537_20 Saccharomyces cerevisiae chromosome V cosmids 9537, 9581, 9495, 9867, and lambda clone 5898	0.99

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
175	U32772	Haemophilus influenzae from bases 954819 to 966363 (section 87 of 163) of the complete genome.	0.41	YPT2_CAEE L	HYPOTHETICAL 21.6 KD PROTEIN F37A4.2 IN CHROMOSOME III>PIR2:S44639 F37A4.2 protein - Caenorhabditis elegans>GP:CELF37A4_8 Caenorhabditis elegans cosmid F37A4	7.80E-21
176	AC002053	Human Chromosome 9p22 Cosmid Clone 92f5, complete sequence.	0.4	HSU33837_1	Human glycoprotein receptor gp330 precursor, mRNA, complete cds	1
177	U88309	Caenorhabditis elegans cosmid T23B3.	0.4	DROMTTGN C_1	Drosophila melanogaster mitochondrial cytochrome c oxidase subunit I (COI) gene, 5' end, Trp-, Cys-, and Tyr-tRNA genes, NADH dehydrogenase subunit 2 (ND2) gene, 3' end	0.99
178	M34025	Human fetal Ig heavy chain variable region (clone M44) mRNA, partial cds.	0.39	DNA2_YEAS T	DNA REPLICATION HELICASE DNA2>PIR2:S48904 probable purine nucleotide-binding protein YHR164c - yeast (Saccharomyces cerevisiae)>GPN:YSC H9986_3 Saccharomyces cerevisiae chromosome VIII cosmid 9986; Dna2p: DNA replication helicase; YHR164C>GP:	1
179	AC002395	Homo sapiens; HTGS phase 1, 127 unordered pieces.	0.39	VV_MUMPE	NONSTRUCTURAL PROTEIN V (NONSTRUCTURAL PROTEIN NS1)	0.11

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
180	AC003101	*** SEQUENCING IN PROGRESS *** Homo sapiens chromosome 17, clone HRPC41C23; HTGS phase 1, 33 unordered pieces.	0.39	YLK2_CAEE_L	HYPOTHETICAL 122.7 KD PROTEIN D1044.2 IN CHROMOSOME III>GP:CELD1044_4 Caenorhabditis elegans cosmid D1044	0.0001
181	Z54335	Human DNA sequence from cosmid L17A9, Huntington's Disease Region, chromosome 4p16.3. Contains VNTR and a CpG island.	0.39	HUMNFAT3_A_1	Homo sapiens NF-AT3 mRNA, complete cds	1.60E-06
182	U95743	Homo sapiens chromosome 16 BAC clone CIT987-SK65D3, complete sequence.	0.38	CEZC434_6	Caenorhabditis elegans cosmid ZC434, complete sequence; ZC434;6; CDNA EST CEESO02F comes from this gene; cDNA EST CEES60F comes from this gene	0.18
183	AC001229	Sequence of BAC F5114 from Arabidopsis thaliana chromosome 1, complete sequence.	0.34	HSOCAM_1	H;sapiens mRNA for immunoglobulin-like domain-containing 1 protein	0.051
184	X01703	Human gene for alpha-tubulin (b alpha 1).	0.33	NTC3_MOUS_E	NEUROGENIC LOCUS NOTCH 3 PROTEIN>PIR2:S45306 notch 3 protein - mouse>GP:MMNOTC_1 M;musculus mRNA for Notch 3	0.012

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
185	Z82189	Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 170A21; HTGS phase 1.	0.31	LG106_3	Lemna gibba negatively light-regulated mRNA (Lg106); Second longest ORF (2)	0.27
186	Z98051	Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 501A4; HTGS phase 1.	0.3	S34960	NADH dehydrogenase (ubiquinone) (EC 1.6.5.3) chain 5 - Crithidia oncopelti mitochondrion (SGC6)>GP:MICO CN NR_3 Crithidia oncopelti mitochondrial ND4, ND5, COI, 12S ribosomal RNA genes for NADH dehydrogenase subunit 4/5, cytochrome oxidase subun	0.25
187	Z98749	Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 449O17; HTGS phase 1.	0.3	SCKC_LEIQ H	CHARYBDOTOXIN (CHTX) (CHTX-LQ1)>PIR2:A60963 charybdotoxin 1 - scorpion (Leiurus quinquestriatus)>3D:2 CRD Charybdotoxin (nmr, 12 structures) - scorpion (Leiurus quinquestriatus)	0.12
188	X96763	C.albicans CDC4 gene.	0.29	CECC4_1	Caenorhabditis elegans cosmid CC4, complete sequence; CC4;a; Protein predicted using Genefinder; preliminary prediction	1.30E-17

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
189	U38804	Porphyra purpurea chloroplast genome, complete sequence.	0.28	HIVHCDR3C_1	Human immunodeficiency virus type 1 heavy-chain complementarity-determining region 3 mRNA (clone 11), partial cds; Heavy-chain complementarity-determining region 3 (CDR3) from HIV gp120->GP:HIVHCDR3I_1 Human immunodeficiency virus type 1 he	1
190	U20657	Human ubiquitin protease (Unph) proto-oncogene mRNA, complete cds.	0.28	HSU20657_1	Human ubiquitin protease (Unph) proto-oncogene mRNA, complete cds	5.60E-12
191	AC002037	Human Chromosome 11 Overlapping Cosmids cSRL72g7 and cSRL140b8, complete sequence.	0.27	VRP1_YEAS_T	VERPROLIN>GP:SC VERPRL_1 S;cerevisiae (A364) gene for verprolin	2.00E-11
192	U58748	Caenorhabditis elegans cosmid ZK180.	0.27	EXLP_TOBA_C	PISTIL-SECIFIC EXTENSIN-LIKE PROTEIN PRECURSOR (PELP)>PIR2:JQ1696 pistil extensin-like protein precursor (clone pMG15) - common tobacco>GP:NTPMG15_1 N;tabacum mRNA for pistil extensin like protein	4.10E-12
193	Z68013	Caenorhabditis elegans cosmid W02H3, complete sequence.	0.26	<NONE>	<NONE>	<NONE>

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
194	AF017042	Dictyostelium discoideum LTR-retrotransposon Skipper, partial genomic sequence, 5' end.	0.26	SPBC31F10_14	S;pombe chromosome II cosmid c31F10; Hypothetical protein; SPBC31F10;14c, unknown, len:1586aa, some similarity eg; to YJR140C, YJ9H_YEAST, P47171, involved in cell cycle regulation	1
195	B03174	cSRL-16e2-u cSRL flow sorted Chromosome 11 specific cosmid Homo sapiens genomic clone cSRL-16e2.	0.26	CELC30E1_7	Caenorhabditis elegans cosmid C30E1	0.38
196	X70810	E.gracilis chloroplast complete genome.	0.25	CEK10H10_8	Caenorhabditis elegans cosmid K10H10, complete sequence; K10H10;k; Protein predicted using Genefinder; preliminary prediction	0.98
197	U80024	Caenorhabditis elegans cosmid C18B10.	0.25	MMAF001794_1	Mus musculus Treacher Collins Syndrome protein (Tcof1) mRNA, complete cds; Putative nucleolar phosphoprotein; similar to Homo sapiens Treacher Collins syndrome TCOF1 protein encoded>GP:MMAF001794_1 Mus musculus Treacher Collins Syndrome p	0.017

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
198	AC000591	Drosophila melanogaster (subclone 9_g3 from P1 DS01486 (D32)) DNA sequence, complete sequence.	0.25	YHGE_ECOL I	HYPOTHETICAL 64.6 KD PROTEIN IN MRCA-PCKA INTERGENIC REGION (F574)>PIR2:E65135 hypothetical 64.6 kD protein in mrcA-pckA intergenic region - Escherichia coli (strain K-12)>GP:ECAE000415_7 Escherichia coli , mrcA, yrfE, yrfF, yrfG, yrfH, yrfI	0.00068
199	AC000591	Drosophila melanogaster (subclone 9_g3 from P1 DS01486 (D32)) DNA sequence, complete sequence.	0.25	YHGE_ECOL I	HYPOTHETICAL 64.6 KD PROTEIN IN MRCA-PCKA INTERGENIC REGION (F574)>PIR2:E65135 hypothetical 64.6 kD protein in mrcA-pckA intergenic region - Escherichia coli (strain K-12)>GP:ECAE000415_7 Escherichia coli , mrcA, yrfE, yrfF, yrfG, yrfH, yrfI	0.00068
200	Z99571	Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 388N15; HTGS phase 1.	0.24	YA53_SCHP O	HYPOTHETICAL 24.2 KD PROTEIN C13A11.03 IN CHROMOSOME I>GP:SPAC13A11_3 S;pombe chromosome I cosmid c13A11; Unknown; SPAC13A11:03, unknown, len: 210	0.017
201	U00672	Human interleukin-10 receptor mRNA, complete cds.	0.24	TFDP00900	- Polypeptides entry for factor Oct-2.5	1.00E-05

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
202	AC003061	*** SEQUENCING IN PROGRESS *** Mouse Chromosome 6 BAC clone b245c12; HTGS phase 2, 8 ordered pieces.	0.23	CG1_HUMAN	CG1 PROTEIN>GP:HSU46 023_1 Human Xq28 mRNA, complete cds; Orf	0.00078
203	AF009420	Homo sapiens microsatellite sequence in the HNF3a gene.	0.22	PN0675	collagen alpha 1(XVIII) chain - mouse (fragment)>GP:MUSC OLLAG_1 Mouse mRNA for collagen, partial cds	0.00072
204	B18861	F20C18-Sp6 IGF Arabidopsis thaliana genomic clone F20C18.	0.22	TFDP00659	- Polypeptides entry for factor PR	0.0003
205	U00672	Human interleukin-10 receptor mRNA, complete cds.	0.22	TFDP00900	- Polypeptides entry for factor Oct-2.5	1.00E-05
206	X52105	Dictyostelium discoideum SP60 gene for spore coat protein.	0.18	<NONE>	<NONE>	<NONE>
207	L07628	Saccharopolyspor a erythraea insertion sequence IS1136, copy B, 3' end.	0.17	D88764_1	Rana catesbeiana mRNA for alpha 2 type I collagen, complete cds	0.00021
208	Z49631	S.cerevisiae chromosome X reading frame ORF YJR131w.	0.16	YSCDAL1A_1	Saccharomyces cerevisiae alantoinase (DAL1) gene, complete cds	1
209	Z87893	F.rubripes GSS sequence, clone 043C17aB8.	0.16	CELC27A12_8	Caenorhabditis elegans cosmid C27A12; Partial CDS; this gene begins in the neighboring clone; coded for by C; elegans cDNA yk127f1;3; coded for by C; elegans cDNA yk127f1;5	1.30E-07

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
210	U92852	Rhoiptelea chiliantha maturase (matK) gene, chloroplast gene encoding chloroplast protein, complete cds.	0.15	SEU40259_5	Staphylococcus epidermidis trimethoprim resistance plasmid pSK639; Orf53	0.95
211	X62620	B.mori Abd-A gene homeobox.	0.15	ATAP22_36	Arabidopsis thaliana DNA chromosome 4, ESSA I AP2 contig fragment No; 2; Hypothetical protein; Similarity to NADH dehydrogenase, Chondrus crispus; MNOS:S59107	0.75
212	J02079	epstein-barr virus simple repeat array (ir3).	0.15	A38346	ultra-high-sulfur keratin 1 - mouse>GP:MUSSE1_1 Mouse serine 1 ultra high sulfur protein gene, complete cds; Putative	7.50E-05
213	M35027	Vaccinia virus, complete genome.	0.14	MTF1_FUSN U	MODIFICATION METHYLASE FNUDI (EC 2.1.1.73) (CYTOSINE-SPECIFIC METHYLTRANSFERASE FNUDI) (M.FNUDI)	0.87
214	AC003058	*** SEQUENCING IN PROGRESS *** Arabidopsis thaliana 'IGF' BAC 'F27F23' genomic sequence near marker 'CIC06E08'; HTGS phase 1, 8 unordered pieces.	0.14	HEXA_DICDI	BETA-HEXOSAMINIDASE ALPHA CHAIN PRECURSOR (EC 3.2.1.52) (N-ACETYL-BETA-GLUCOSAMINIDASE) (BETA-N-ACETYLHEXOSAMINIDASE)>PIR2:A30766 beta-N-acetylhexosaminidase (EC 3.2.1.52) A precursor - slime mold (Dictyostelium	0.006

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
					discoideum)>GP:DDIN AGA_1 D;d	
215	AC001229	Sequence of BAC F5I14 from Arabidopsis thaliana chromosome 1, complete sequence.	0.13	A49281	pol protein - simian T-cell lymphotropic virus type 1, STLV-1 (isolate Bab34) (fragment)>GP:STVB ABPOLA_1 Simian T-cell leukemia virus PCR derived (pol) gene, partial sequence BAB34POL; Bases 4779-4918 EMBL ATK numbering system; BAB34POL	0.77
216	U46067	Capra hircus beta-mannosidase mRNA, complete cds.	0.12	S70663	lectin heavy chain, N-acetylgalactosamine-specific - Entamoeba histolytica (fragment)>GP:EHU33 443_1 Entamoeba histolytica GalNAc lectin heavy subunit (hgl4) gene, partial cds; N-acetylgalactosamine adherence lectin heavy subunit	0.8
217	AC000380	*** SEQUENCING IN PROGRESS *** Human Chromosome 3 pac pDJ70i11; HTGS phase 1, 2 unordered pieces.	0.12	ATFCA8_19	Arabidopsis thaliana DNA chromosome 4, ESSA I contig fragment No; 8; Unnamed protein product	0.64

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
218	X61207	A.brasilense hisB, H, A, F and E genes for imidazole glycerolphosphate dehydratase, glutamine amidotransferase, phosphorybosilformimino-5-amino-phosphorybosil-4-imidazolecarboxamide isomerase, cyclase and phosphorybosil-AMP-cyclohydrolase.	0.12	OCCLO2_1	O;circumcincta colost-2 gene; Cuticular collagen	0.0074
219	AF014259	HIV-1 Patient 1088 from Edinburgh, MA-p17 (gag) gene, partial cds.	0.11	DMU88570_1	Drosophila melanogaster CREB-binding protein homolog mRNA, complete cds; CBP	1
220	AC000636	Drosophila melanogaster (subclone 2_c11 from P1 DS07660 (D44)) DNA sequence, complete sequence.	0.11	A64829	hypothetical protein in dmsC 3' region - Escherichia coli (strain K-12)>GP:ECAE000192_1 Escherichia coli , ycaD, ycaK, pflA, pflB, focA genes from bases 944908 to 955952 (section 82 of 400) of the complete genome; Hypothetical protein in dmsC	0.051
221	AC002428	Human BAC clone GS039E22 from 5q31, complete sequence.	0.11	HSNMYC2_1	Human N-myc gene exon 2; Put; N-myc protein (aa 1-263) (953 is 1st base in codon)	0.00014
222	L40949	Homo sapiens (clone AT7-5eu) opioid-receptor-like protein mRNA, 5' end.	0.11	CEUNC93_2	C;elegans unc-93 gene; Protein 2	1.20E-13

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
223	AL008636	Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 722E9; HTGS phase 1.	0.1	XELCOL2A1 A_1	Xenopus laevis alpha-1 collagen type II' mRNA, complete cds; Alpha-1 type II' collagen	2.60E-06
224	D86993	Human (lambda) DNA for immunoglobulin light chain.	0.1	CELM02B7_2	Caenorhabditis elegans cosmid M02B7	1.80E-09
225	AC002539	Homo sapiens chromosome 17, clone 195o20, complete sequence.	0.098	MTCY7D11_17	Mycobacterium tuberculosis cosmid Y7D11; Unknown; MTCY07D11;17c; unknown, len: 186 aa, FASTA best: Q10390 Y009_MYCTU hypothetical 31;0 KD protein MTCY190;09C (299 aa) opt: 355 z-score: 316;8	0.026
226	M88165	Human inter-alpha-trypsin inhibitor light chain (ITI) gene, exon 1.	0.096	A54161	ryanodine-binding protein alpha form - bullfrog>GP:D21070_1 Rana catesbeiana mRNA for bullfrog skeletal muscle calcium release channel (ryanodine receptor) alpha isoform(RyR1), complete cds; Ryanodine receptor alpha isoform	1
227	Z92851	Caenorhabditis elegans DNA *** SEQUENCING IN PROGRESS *** from clone Y39G8; HTGS phase 1.	0.082	CYA7_BOVIN	ADENYLATE CYCLASE, TYPE VII (EC 4.6.1.1) (ATP PYROPHOSPHATE-LYASE) (ADENYLYL CYCLASE)	0.3

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
228	L00638	Arabidopsis thaliana ubiquitin conjugating enzyme exons 2-4.	0.072	NUCM_TRYBB	NADH-UBIQUINONE OXIDOREDUCTASE 49 KD SUBUNIT HOMOLOG (EC 1.6.5.3) (NADH DEHYDROGENASE SUBUNIT 7 HOMOLOG)>PIR2:A35693 NADH dehydrogenase (EC 1.6.99.3) chain 7 - Trypanosoma brucei mitochondrion (SGC6)	0.24
229	U49169	Dictyostelium discoideum V-ATPase A subunit (vatA) mRNA, complete cds.	0.071	MMU65594_1	Mus musculus Brca2 mRNA, complete cds; Similar to human breast cancer susceptibility gene BRCA2; Allele: wild type; putative tumor suppressor	1
230	AF001549	Homo sapiens chromosome 16 BAC clone CIT987SK-270G1 complete sequence.	0.07	PM22_HUMAN	PERIPHERAL MYELIN PROTEIN 22 (PMP-22)>PIR2:JN0503 peripheral myelin protein 22 - human>GP:HUMGAS3X_1 Human peripheral myelin protein 22 (GAS3) mRNA, complete cds>GP:HUMPMP22_1 Human peripheral myelin protein 22 mRNA, complete cds>GP:HUMPMP22	0.0078
231	L36829	Mus musculus alphaA-crystallin-binding protein I (AlphaA-CRYBP1) gene, complete cds.	0.066	<NONE>	<NONE>	<NONE>
232	AC000159	*** SEQUENCING IN PROGRESS *** Human BAC Clone 11q13;	0.058	CEZK863_1	Caenorhabditis elegans cosmid ZK863, complete sequence; ZK863;2; Similar to collagen	1

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
		HTGS phase 1, 10 unordered pieces.				
233	AC000159	*** SEQUENCING IN PROGRESS *** Human BAC Clone 11q13; HTGS phase 1, 10 unordered pieces.	0.058	CAC2_HAEC O	CUTICLE COLLAGEN 2C (FRAGMENT)>GP:H AECOL2C_1 H;contortus collagen 2C mRNA, 3'end	1.20E-08
234	Z23908	H. sapiens (D5S630) DNA segment containing (CA) repeat; clone AFM268zd9; single read.	0.057	VEU34999_1	Venezuelan equine encephalitis virus nonstructural and structural polyprotein genes, complete cds; Nonstructural polyprotein; Internal stop codon, readthrough occurs 5% of the time	0.0002
235	B21875	T3E8-Sp6 TAMU Arabidopsis thaliana genomic clone T3E8.	0.055	YRR2_CAEE L	HYPOTHETICAL 91.1 KD PROTEIN R144.2 IN CHROMOSOME III>GP:CELR144_7 Caenorhabditis elegans cosmid R144; Coded for by C; elegans cDNA CEESP84R; coded for by C; elegans cDNA yk23c4;5; coded for by C; elegans cDNA yk44f9;5; coded for by C; eleg	0.68
236	Z98303	Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 140H19; HTGS phase 1.	0.048	AC002330_3	Arabidopsis thaliana BAC T10P11, complete sequence; Putative zinc-finger protein; C2H2 Zn-finger signature from position 80 to 100 [CEICNKGFRDQNL QLHRRGH]	0.99

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
237	D49911	Thermus thermophilus UvrA gene, complete cds.	0.044	APP1_MOUSE	AMYLOID-LIKE PROTEIN 1 PRECURSOR (APLP)>PIR2:A46362 amyloid precursor-like protein - mouse>GP:MUSAPLP_1 Mouse amyloid precursor-like protein mRNA, complete cds	8.90E-06
238	D49911	Thermus thermophilus UvrA gene, complete cds.	0.044	MMCOL18A1_2	Mus musculus alpha-1(XVIII) collagen (COL18A1) gene, exons 40-43, complete cds	1.60E-06
239	X78119	P.amygdalus, Batsch (Texas) pru1 mRNA.	0.042	CA44_HUMAN	COLLAGEN ALPHA 4(IV) CHAIN PRECURSOR>PIR1:CGHU1B collagen alpha 4(IV) chain precursor - human>GP:HSCOL4A4_1 H;sapiens mRNA for collagen type IV alpha 4 chain; Type IV collagen alpha 4 chain	2.00E-06
240	U72877	Rana catesbeiana L-epinephrine transporter mRNA, complete cds.	0.041	YRR6_MYCAA	HYPOTHETICAL 33.0 KD PROTEIN IN LICA 3'REGION (ORF R6)>PIR2:S42125 hypothetical protein 3 - Mycoplasma capricolum (SGC3)>GP:MYCRP MH_6 M; capricolum rpmH, rnpA and licA gene; Orf R6	0.0008
241	L39891	Homo sapiens polycystic kidney disease-associated protein (PKD1) gene, complete cds.	0.04	MUC2_HUMAN	MUCIN 2 (INTESTINAL MUCIN 2) (FRAGMENTS)	5.90E-05
242	L40390	Candida glabrata ERG3 gene, complete cds.	0.039	G01763	atrophin-1 - human>GP:HSU23851_1 Human atrophin-1 mRNA, complete cds	9.00E-07

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
243	B28113	T2L16TRB TAMU Arabidopsis thaliana genomic clone T2L16.	0.038	CELZK1248_14	Caenorhabditis elegans cosmid ZK1248	1.60E-18
244	AC000030	00175, complete sequence.	0.033	ATFCA8_40	Arabidopsis thaliana DNA chromosome 4, ESSA I contig fragment No; 8; Glycerol-3-phosphate permease homolog; Similarity to glycerol-3-phosphate permease - Haemophilus influenzae	0.63
245	B10738	F13G15-Sp6 IGF Arabidopsis thaliana genomic clone F13G15.	0.032	D87521_1	Mus musculus DNA-PKcs mRNA, complete cds	0.21
246	AF024503	Caenorhabditis elegans cosmid F31F4.	0.03	I38344	titin - human	1
247	Z49888	Caenorhabditis elegans cosmid F47A4, complete sequence.	0.027	KSU52064_1	Kaposi's sarcoma-associated herpes-like virus ORF73 homolog gene, complete cds; Herpesvirus saimiri ORF73 homolog>GP:KSU756 98_78 Kaposi's sarcoma-associated herpesvirus long unique region, 80 putative ORF's and kaposin gene, complete cds; OR	3.40E-10
248	Z83822	Human DNA sequence from PAC 306D1 on chromosome X contains ESTs.	0.025	GRSB_BACB_R	GRAMICIDIN S SYNTHETASE II (GRAMICIDIN S BIOSYNTHESIS GRSB PROTEIN) (EC 6.-.-.)	1
249	Z94161	Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone N102C10; HTGS	0.025	S16323	hypothetical protein - Arabidopsis thaliana>GP:ATHB1_1 A;thaliana homeobox gene Athb-1 mRNA; Open reading frame	0.0079

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
		phase 1.				
250	AC002094	Genomic sequence from Human 17, complete sequence.	0.021	S57447	HPBR11-7 protein - human>GP:HSHPBR11 4_1 H;sapiens HPBR11-4 mRNA>GP:HSHPBR11 7_1 H;sapiens HPBR11-7 gene	8.20E-08
251	D79994	Human mRNA for KIAA0172 gene, partial cds.	0.021	CER10H10_1	Caenorhabditis elegans cosmid R10H10, complete sequence; R11A8;7; Protein predicted using Genefinder; Similarity to Mouse ankyrin (PIR Acc; No; S37771); cDNA EST CEESX25F comes from this gene;	7.00E-16
252	Z97635	Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 438L4; HTGS phase 1.	0.017	CELW05H7_4	Caenorhabditis elegans cosmid W05H7	0.24
253	X84996	X.laevis mRNA for selenocysteine tRNA acting factor (Staf).	0.017	JN0786	integrin beta-4 chain precursor - mouse	0.088
254	AC002543	Human BAC clone RG300C03 from 7q31.2, complete sequence.	0.013	MZLMTCYT BT_1	Mendocellus isis mitochondrial NADH dehydrogenase, and cytochrome b genes, 3' end, and transfer RNA-Ser gene; This codes for the last 43 amino acids of NADH dehydrogenase subunit 1 followed	0.044

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
255	U10401	Caenorhabditis elegans cosmid T20B12.	0.012	MMMHC29N7_2	Mus musculus major histocompatibility locus class III region:butyrophilin-like protein gene, partial cds; Notch4, PBX2, RAGE, lysophatidic acid acyl transferase-alpha, palmitoyl-	0.069
256	L14593	Saccharomyces cerevisiae protein phosphatase (PTC1) gene, complete cds.	0.011	D86995_1	Human (gene 1) DNA for phosphatase 2C motif, partial cds	2.20E-14
257	U62317	Chromosome 22q13 BAC Clone CIT987SK-384D8 complete sequence.	0.0093	P2Y8_XENLA	P2Y PURINOCEPTOR 8 (P2Y8)>GP:XLP2Y8_1 X;laevis mRNA for P2Y8 nucleotide receptor	0.89
258	D29655	Pig mRNA for UMP-CMP kinase, complete cds.	0.0075	AF004858_1	Mus musculus platelet activating factor receptor mRNA, partial cds; PAF-receptor	1
259	AF002992	Homo sapiens cosmid from Xq28, complete sequence.	0.0054	FBN1_BOVIN	FIBRILLIN 1 PRECURSOR>PIR2:A55567 fibrillin I - bovine>GP:BOVXAA AA_1 Bos taurus mRNA, complete cds; Putative	0.0004
260	B20752	T19M2-T7 TAMU Arabidopsis thaliana genomic clone T19M2.	0.0043	HSVT1IEP_1	Feline herpesvirus type 1 gene for immediate early protein, complete cds; Feline herpesvirus type 1 immediate early protein	3.90E-05

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
261	AB006699	Arabidopsis thaliana genomic DNA, chromosome 5, P1 clone: MDJ22.	0.0037	YHV5_YEAS T	HYPOTHETICAL 143.6 KD PROTEIN IN SPO16-REC104 INTERGENIC REGION>PIR2:S4675 4 hypothetical protein YHR155w - yeast (Saccharomyces cerevisiae)>GPN:YSC H9666_15 Saccharomyces cerevisiae chromosome VIII cosmid 9666; Yhr155wp; Similar to Sip3p (Snf	0.077
262	Z99128	Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 422H11; HTGS phase 1.	0.0032	ALU1_HUMAN	!!!! ALU SUBFAMILY J WARNING ENTRY !!!!	0.0087
263	B21848	T2D2-Sp6 TAMU Arabidopsis thaliana genomic clone T2D2.	0.0031	B31794	mdm-1 protein (clone c103) - mouse	1.00E-05
264	L33853	Human germline immunoglobulin kappa chain variable region (Vk-IV subgroup) for anti-B-amyloid autoantibodies in Alzheimer's disease.	0.0027	B45550	cytochrome b homolog - Plasmodium yoelii	0.99
265	B36863	HS-1042-A1-F01-MR.abi CIT Human Genomic Sperm Library C Homo sapiens genomic clone Plate=CT 824 Col=1 Row=K.	0.0027	YQK4_CAEE L	HYPOTHETICAL 64.3 KD PROTEIN C56G2.4 IN CHROMOSOME III>GP:CELC56G2_2 Caenorhabditis elegans cosmid C56G2	0.81

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
266	AC003041	*** SEQUENCING IN PROGRESS *** Homo sapiens chromosome 17, clone HCIT307A16; HTGS phase 1, 10 unordered pieces.	0.0024	GLB4_LAMSP	GIANT HEMOGLOBIN AIV CHAIN (FRAGMENT)>PIR2: S01810 hemoglobin AIV - tube worm (Lamellibrachia sp.) (fragment)	0.94
267	AC002315	Mouse BAC-146N21 Chromosome X contains iduronate-2-sulfatase gene; complete sequence.	0.0022	MG42_TARMA	SRY-RELATED PROTEIN MG42 (FRAGMENT)>PIR3:I 51369 Sry-related sequence - Tarentola mauritanica (fragment)>GP:TELM G42DNA_1 Gecko MG42 gene, partial cds; Sry-related sequence	0.99
268	AF016674	Caenorhabditis elegans cosmid C03H5.	0.0015	SCYJL204C_1	S;cerevisiae chromosome X reading frame ORF YJL204c	1
269	AF016674	Caenorhabditis elegans cosmid C03H5.	0.0015	CEM199_3	Caenorhabditis elegans cosmid M199, complete sequence; M199:e; Protein predicted using Genefinder; preliminary prediction	0.97
270	AF016674	Caenorhabditis elegans cosmid C03H5.	0.0015	CEM199_3	Caenorhabditis elegans cosmid M199, complete sequence; M199:e; Protein predicted using Genefinder; preliminary prediction	0.97
271	Z54199	L.esculentum DNA Ailsa Craig encoding 1-aminocyclopropane-1-carboxylic acid oxidase.	0.0015	CELF20A1_5	Caenorhabditis elegans cosmid F20A1; Coded for by C; elegans cDNA yk9g1;3; coded for by C; elegans cDNA yk9g1;5; coded for by C; elegans cDNA CEESU55F;	0.11

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
					weak similarity to putative	
272	Z99943	Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 313L4; HTGS phase 1.	0.0014	CEK08F8_5	Caenorhabditis elegans cosmid K08F8, complete sequence; K08F8;5b	0.93
273	S81083	beta - ADD=adducin beta subunit 63 kda isoform/membrane skeleton protein, beta - ADD=adducin beta subunit 63 kda isoform/membrane skeleton protein {alternatively spliced, exon 10 to 13 region} [human, Genomic, 1851 nt, segment 3 of 3].	0.0013	MTCY277_7	Mycobacterium tuberculosis cosmid Y277; Unknown; MTCY277;07c, unknown, len: 302	0.0001
274	Z82174	Human DNA sequence from cosmid B20F6 on chromosome 22q11.2-qter.	0.001	FBLA_HUMAN	FIBULIN-1, ISOFORM A PRECURSOR>GP:HS FIBUA_1 H;sapiens mRNA for fibulin-1 A	0.00063
275	Z82215	Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 68O2; HTGS phase 1.	0.00079	BFR1_SCHPO	BREFELDIN A RESISTANCE PROTEIN>PIR2:S52239 hba2 protein - fission yeast (Schizosaccharomyces pombe)>GP:SPHBA2 GEN_1 S;pombe hba2 gene	0.15

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
276	U28153	Caenorhabditis elegans UNC-76 (unc-76) gene, complete cds.	0.00071	CX2_HEMHA	CYTOTOXIN 2 (TOXIN 12A)	0.32
277	Z82204	Human DNA sequence from clone J362G171.	0.00054	DMU34925_2	Drosophila melanogaster DNA repair protein (mei-41) gene, complete cds, and TH1 gene, partial cds	0.045
278	AC002530	Human BAC clone RG341D10 from 7p15-p21, complete sequence.	0.00053	CELT28F2_2	Caenorhabditis elegans cosmid T28F2; Weak similarity to HSP90	0.037
279	U91322	Human chromosome 16p13 BAC clone CIT987SK-276F8 complete sequence.	0.00051	CEW08D2_2	Caenorhabditis elegans cosmid W08D2, complete sequence; W08D2;3; Protein predicted using Genefinder>GP:CEW08D2_2 Caenorhabditis elegans cosmid W08D2; W08D2;3; Protein predicted using Genefinder	0.26
280	D16986	Human HepG2 partial cDNA, clone hmd2b09m5.	0.00037	POLG_PPVN A	GENOME POLYPROTEIN (CONTAINS: N-TERMINAL PROTEIN; HELPER COMPONENT PROTEINASE (EC 3.4.22.-) (HC-PRO); 42-50 KD PROTEIN; CYTOPLASMIC INCLUSION PROTEIN (CI); 6 KD PROTEIN; NUCLEAR INCLUSION PROTEIN A (NI- A) (EC 3.4.22.-) (49K PROTEINASE) (49	0.48
281	U91318	Human chromosome 16p13 BAC clone CIT987SK-962B4 complete	0.00031	<NONE>	<NONE>	<NONE>

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
		sequence.				
282	M93406	Human dispersed Alu repeats and dispersed L1 repeat.	0.0003	VG8_SPV4	GENE 8 PROTEIN>PIR1:G8BP SV gene 8 protein - spiroplasma virus 4 (SGC3)	0.23
283	AC002398	Human DNA from chromosome 19-specific cosmid F25965, genomic sequence, complete sequence.	0.00021	HMCA_DROME	HOMEOTIC CAUDAL PROTEIN>PIR2:A263 57 homeotic protein Cad - fruit fly (Drosophila melanogaster)>GP:DR OCADA2_1 D;melanogaster caudal gene (cad) encoding a maternal and zygotic transcript, exon 2; Caudal protein>TFD:TFDP001 59 - Polypeptides en	0.021
284	AC002530	Human BAC clone RG341D10 from 7p15-p21, complete sequence.	0.0002	PL0009	complement C3d/Epstein-Barr virus receptor precursor - human	0.7
285	X01871	Yeast mitochondrial ori(o) repeat unit of petite mutant 5 (petite strain s-10/7/2).	0.00015	RVZMTCYT BT_1	Reventazonia sp; mitochondrial NADH dehydrogenase, and cytochrome b genes, 3' end, and transfer RNA-Ser gene; This codes for the last 43 amino acids of NADH dehydrogenase subunit 1 followed	0.73
286	U89984	Acanthamoeba castellanii transformation-sensitive protein homolog mRNA, complete cds.	0.00015	ACU89984_1	Acanthamoeba castellanii transformation-sensitive protein homolog mRNA, complete cds; Similar to human transformation-	4.20E-13

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
					sensitive protein: SwissProt Accession Number P31948	
287	AC002365	Homo sapiens chromosome X clone U177G4, U152H5, U168D5, 174A6, U172D6, and U186B3 from Xp22, complete sequence.	0.00011	S10340	DNA-directed RNA polymerase (EC 2.7.7.6) - yeast (<i>Kluyveromyces marxianus</i> var. <i>lactis</i>)	0.00062
288	AC002390	Human DNA from overlapping chromosome 19-specific cosmids R30072 and R28588, genomic sequence, complete sequence.	9.90E-05	D86603_1	Mouse mRNA for Bach protein 1, complete cds; Bach1	1
289	AC002980	Homo sapiens; HTGS phase 1, 34 unordered pieces.	9.20E-05	TRBKPCYB_1	<i>Trypanosoma brucei</i> kinetoplast apocytochrome b gene, complete cds	0.52
290	M99412	Human interleukin-8 receptor (IL8RB) gene, complete cds.	4.50E-05	S28832	microtubule-associated protein H1 (clone KS3.1) - longfin squid (fragment)	0.88
291	AC000120	Human BAC clone RG161K23 from 7q21, complete sequence.	4.00E-05	SXSCRBA_1	<i>Sxylosus</i> scrB and scrR genes; Sucrose repressor	0.99

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
292	AC003037	Homo sapiens; HTGS phase 1, 66 unordered pieces.	3.40E-05	S13569	hypothetical protein 5 - Lactococcus lactis subsp. lactis insertion sequence 1076>GP:LLTLE_1 Lactococcus lactis DNA for the transposon-like element on the lactose plasmid; ORF5 (AA 1 - 43)	0.018
293	Z81512	Caenorhabditis elegans cosmid F25C8, complete sequence.	2.40E-05	MUSDBPRC_1	Mus musculus DNA-binding protein Rc mRNA, complete cds; DNA binding protein Rc	1
294	B16681	343C3.TVB CIT978SKA1 Homo sapiens genomic clone A-343C03.	1.10E-05	COPP_YEAS_T	COATOMER BETA' SUBUNIT (BETA'-COAT PROTEIN) (BETA'-COP)>PIR2:B55123 coatomer complex beta' chain - yeast (Saccharomyces cerevisiae)>GPN:SCY GL137W_1 S;cerevisiae chromosome VII reading frame ORF YGL137w>GP:SCU11 237_1 Saccharomyces cerevisiae	0.081
295	Z16523	H. sapiens (D9S158) DNA segment containing (CA) repeat; clone AFM073yb11; single read.	1.00E-05	MMSEMF_1	M;musculus mRNA for semaphorin F; Smaphorin F	0.78
296	Z49704	S.cerevisiae chromosome XIII cosmid 8021.	5.60E-06	<NONE>	<NONE>	<NONE>
297	AC003071	Human BAC clone BK085E05 from 22q12.1-qter, complete sequence.	3.00E-06	HSRCAER_1	H;sapiens mRNA for red cell anion exchanger (EPB3, AE1, Band 3) 3' non-coding region	0.21

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
298	U20428	Human SNC19 mRNA sequence.	1.40E-06	HUMMUC2A_1	Human mucin-2 gene, partial cds	4.40E-06
299	U51903	Human RasGAP-related protein (IQGAP2) mRNA, complete cds.	6.60E-07	IQGA_HUMAN	RAS GTPASE-ACTIVATING-LIKE PROTEIN IQGAP1 (P195)>PIR2:A54854 Ras GTPase activating-related protein - human>GP:HUMIQGA_1 Homo sapiens ras GTPase-activating-like protein (IQGAP1) mRNA, complete cds; Amino acid feature: IQ calmodulin-binding do	1.60E-14
300	AL000805	F.rubripes GSS sequence, clone 021G08aA1.	4.70E-07	MT13_MYTED	METALLOTHIONEIN 10-III (MT-10-III)>PIR2:S39418 metallothionein 10-III - blue mussel	2.20E-10
301	AC003016	Human BAC clone RG134C19 from 8q21, complete sequence.	4.30E-07	SPC57A10_5	S;pombe chromosome I cosmid c57A10; Unknown; SPAC57A10;05;c, unknown, len:606aa, similar to A; nidulans Q00659, sulfur metabolite repression control, (678aa), fasta scores, opt:1355,	0.00041
302	AC003089	Human BAC clone RG180F08A, complete sequence.	3.80E-07	HPBPRECK_1	Hepatitis B virus type 11 precore protein (pre-C region, C) gene, 5' end	0.41
303	AC002074	Human BAC clone GS056H18 from 7q31-q32, complete sequence.	2.40E-07	A47021_1	Sequence 23 from Patent WO9527787; Unnamed protein product; Author-given protein sequence is in conflict with the conceptual translation>GP:A51260_1 Sequence 23 from Patent WO9614416; Unnamed protein product; Author-given	0.0016

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
					protein sequence is i	
304	U04980	Rattus norvegicus fetal troponin T 3 (fetal TnT3) mRNA, partial cds.	2.20E-07	HUMFSHD_1	Human facioscapulohumeral muscular dystrophy (FSHD) gene region, D4Z4 tandem repeat unit; ORF	3.30E-08
305	U68704	Human chromosome 21q22.3 P1-clone 3804 subclone 4-52.	2.00E-07	HHV6AGNM_96	Human herpesvirus-6 (HHV-6) U1102, variant A, complete virion genome; U88; Cys repeats; this loci is open in all six reading frames, part of IE-A	2.70E-05
306	U51583	Rattus norvegicus zinc finger homeodomain enhancer-binding protein-1 (Zfhep-1) mRNA, partial cds.	8.70E-08	AF005370_67	Alcelaphine herpesvirus 1 L-DNA, complete sequence; Putative immediate early protein; ORF73; similar to H; saimiri and KSHV ORF73	6.10E-07
307	M80206	Mus domesticus poliovirus receptor homolog (MPH) mRNA, complete cds.	8.10E-08	I53960	PRR2 alpha - human	1.70E-28
308	M60854	Human ribosomal protein S16 mRNA, complete cds.	5.70E-08	OLVPOL_1	Caprine arthritis encephalitis virus (isolate OVLV-N1) pol protein gene, 3' end of cds; Nt 2497-2695 from CAEV Co	0.27
309	U82828	Homo sapiens ataxia telangiectasia (ATM) gene, complete cds.	1.50E-08	C40201	artifact-warning sequence (translated ALU class C) - human	0.00044

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
310	Z83836	Human DNA sequence from PAC 111J24 on chromosome 22q12-qter contains ESTs.	1.40E-08	HSU64473_1	Human rheumatoid arthritis synovium immunoglobulin heavy chain variable region mRNA, partial cds>GP:HSU64498_1 Human rheumatoid arthritis synovium immunoglobulin heavy chain variable region mRNA, partial cds	0.34
311	Z50029	Caenorhabditis elegans cosmid ZC504, complete sequence.	1.40E-08	MMU88984_1	Mus musculus NIK mRNA, complete cds	1.70E-50
312	AC002351	Homo sapiens; HTGS phase 1, 17 unordered pieces.	1.20E-08	D41132	collagen-related protein 4 - Hydra magnipapillata (fragment)>PIR2:S21932 mini-collagen - Hydra sp.>GP:HSNCOL4_1 Hydra N-COL 4 mRNA for mini-collagen; No start codon	0.02
313	B65763	CIT-HSP-2023A12.TR CIT-HSP Homo sapiens genomic clone 2023A12.	3.60E-09	S18106	type II site-specific deoxyribonuclease (EC 3.1.21.4) AhrI - Azospirillum brasilense	0.045
314	Z93021	Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 516C23; HTGS phase 1.	2.00E-09	AB001684_134	Chlorella vulgaris C-27 chloroplast DNA, complete sequence; RNA polymerase gamma subunit	0.6
315	D88035	Rat mRNA for glycoprotein specific UDP-glucuronyltransferase, complete cds.	1.50E-09	D88035_1	Rat mRNA for glycoprotein specific UDP-glucuronyltransferase, complete cds	1.00E-33

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
316	U85193	Human nuclear factor I-B2 (NFIB2) mRNA, complete cds.	1.30E-10	VGFI_IBVB	F1 PROTEIN>PIR1:VFIH B1 F1 protein - avian infectious bronchitis virus (strain Beaudette)>GP:IBACG B_1 Avian infectious bronchitis virus pol protein, spike protein, small virion-associated protein, membrane protein, and nucleocapsid protein gen	1
317	B04719	cSRL-42G12-u cSRL flow sorted Chromosome 11 specific cosmid Homo sapiens genomic clone cSRL-42G12.	7.90E-11	JC5238	galactosylceramide-like protein, GCP - human	0.31
318	M73506	Mouse Tcp-10c (t allele) gene.	2.80E-11	A39487	T-complex protein 10a (allele 129) - mouse	4.10E-16
319	U71148	Human Xq28 cosmids U225B5 and U236A12, complete sequence.	1.20E-11	A56547	sex-peptide precursor - Drosophila suzukii	0.4
320	Z95116	Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 57G9; HTGS phase 1.	9.90E-13	ALU2_HUMAN	!!!! ALU SUBFAMILY SB WARNING ENTRY !!!!	0.0017
321	M64795	Rat MHC class I antigen gene (RT1-u haplotype), complete cds.	1.70E-14	STC_DROME	SHUTTLE CRAFT PROTEIN>GP:DMU0 9306_1 Drosophila melanogaster shuttle craft protein (stc) mRNA, complete cds; C-terminal 222 amino acids encode a novel single- stranded DNA binding domain	1.40E-13

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
322	Y09036	H.sapiens NTRK1 gene, exon 17.	4.20E-15	AF010403_1	Homo sapiens ALR mRNA, complete cds; Alternatively spliced; similarity to ALL-1 and Drosophila trithorax	1
323	U12523	Rattus norvegicus ultraviolet B radiation-activated UV98 mRNA, partial sequence.	2.90E-15	SPBC30D10_4	S;pombe chromosome II cosmid c30D10; Hypothetical protein; SPBC30D10;04, unknown, len:148aa	2.40E-09
324	Z98755	Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 76C18; HTGS phase 1.	2.20E-15	RPON_HAL MA	DNA-DIRECTED RNA POLYMERASE SUBUNIT N (EC 2.7.7.6)>PIR2:D41715 DNA-directed RNA polymerase II chain RPB10 homolog - Haloarcula marismortui>GP:HAL HMAENOA_4 H;marismortui tRNA-Leu, HL29, HmaL13, HmaS9, OrfMMV, OrfMNA, 2-phosphoglycerate dehydr	0.019
325	M86917	Human oxysterol-binding protein (OSBP) mRNA, complete cds.	1.60E-15	CEF14H8_2	Caenorhabditis elegans cosmid F14H8, complete sequence; F14H8;1; Similarity to Human oxysterol-binding protein (SW:OXYB_HUMAN)	2.10E-18
326	AC001231	Genomic sequence from Human 17, complete sequence.	1.30E-15	AC002397_3	Mouse BAC284H12 Chromosome 6, complete sequence; DRPLA	0.0016
327	AL008626	Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1114G22; HTGS phase 1.	5.30E-16	TAU48227_1	Triticum aestivum soluble starch synthase mRNA, partial cds	5.90E-05

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
328	L04483	Human ribosomal protein S21 (RPS21) mRNA, complete cds.	7.60E-17	RS21_HUMAN	40S RIBOSOMAL PROTEIN S21>PIR2:S34108 ribosomal protein S21 - human>GP:SSZ84015_1 S;scrofa mRNA; expressed sequence tag (3'; clone c11g10); 40S ribosomal protein S21; Similar to human 40S ribosomal protein S21>GP:HUMRPS21X_1 Human ribosomal	1.40E-09
329	AB001899	Homo sapiens PACE4 gene, exon 2.	6.70E-17	LRP1_HUMAN	LOW-DENSITY LIPOPROTEIN RECEPTOR-RELATED PROTEIN 1 PRECURSOR (LRP) (ALPHA-2-MACROGLOBULIN RECEPTOR) (A2MR) (APOLIPOPROTEIN E RECEPTOR) (APOER)>PIR2:S02392 LDL receptor-related protein precursor - human>GP:HSLDLRR L_1 Human mRNA for LDL-recept	1
330	Z98755	Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 76C18; HTGS phase 1.	4.40E-17	U97553_59	Murine herpesvirus 68 strain WUMS, complete genome; Ribonucleotide reductase large	0.06
331	AF017187	Homo sapiens LTR HERV-K repetitive element fragment ltr_19_9a sequence.	3.90E-18	D84255_1	Ovophis okinavensis mitochondrial DNA for NADH dehydrogenase subunit 1, partial cds, Ile-tRNA, Pro-tRNA, Phe-tRNA, Gln- tRNA, Met-tRNA and control region (D-loop region); This cds	0.007

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
332	B36252	HS-1038-A2-G01-MR.abi CIT Human Genomic Sperm Library C Homo sapiens genomic clone Plate=CT 820 Col=2 Row=M.	3.10E-18	PGBM_MOUSE	BASEMENT MEMBRANE-SPECIFIC HEPARAN SULFATE PROTEOGLYCAN CORE PROTEIN PRECURSOR (HSPG) (PERLECAN) (PLC)>PIR2:S18252 heparan sulfate proteoglycan - mouse>GP:MUSPERP A_1 Mouse perlecan mRNA, complete cds	0.00015
333	D78255	Mouse mRNA for PAP-1, complete cds.	2.70E-18	MUSPAP1_1	Mouse mRNA for PAP-1, complete cds	3.50E-18
334	AC003046	Human Xp22 PACs RPC11-263P4 and RPC11-164K3 complete sequence.	1.40E-18	CEC34F6_1	Caenorhabditis elegans cosmid C34F6; C34F6;1; CDNA EST yk46b12;5 comes from this gene; cDNA EST yk44c4;5 comes from this gene; cDNA EST yk46b12;3 comes from this gene	0.0015
335	AC003002	Human DNA from overlapping chromosome 19-specific cosmids R29515 and R28253, genomic sequence, complete sequence.	1.40E-18	MUSZFP0_1	Mouse mRNA for zinc finger protein, partial sequence	1.30E-19
336	Y15054	Rattus norvegicus mRNA for 70 kDa tumor specific antigen, partial.	3.40E-19	HS4U2IR2_1	Epstein-Barr virus (AG876 isolate) U2-IR2 domain encoding nuclear protein EBNA2, complete cds; Nuclear antigen 2	2.00E-06
337	Z97876	Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 295C6; HTGS	1.30E-19	AF003535_1	Homo sapiens L1 element ORF2-like protein gene, partial cds	7.00E-05

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
		phase 1.				
338	M97159	Mouse (clone pIL2) B1 dispersed repeat unit.	1.10E-19	A26882	pIL2 hypothetical protein - rat (fragment)>GP:RATT DR_1 Rat growth and transformation-dependent mRNA, 3' end; Growth and transformation dependent protein	0.2
339	U30817	Bos taurus very-long-chain acyl-CoA dehydrogenase mRNA, nuclear gene encoding mitochondrial protein, complete cds.	4.70E-20	ACDV_RAT	ACYL-COA DEHYDROGENASE, VERY-LONG-CHAIN SPECIFIC PRECURSOR (EC 1.3.99.-) (VLCAD)>PIR2:A548 72 acyl-CoA dehydrogenase (EC 1.3.99.-) very-long-chain-specific precursor - rat>GP:RATVLCAD_1 Rat mRNA for very-long-chain Acyl-CoA dehydrogenase, compl	8.10E-25
340	Y11535	H.sapiens mRNA for SHOXb protein.	2.80E-20	ALU1_HUMAN	!!!! ALU SUBFAMILY J WARNING ENTRY !!!!	0.00027
341	AL008730	Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 487J7; HTGS phase 1.	7.10E-21	C40201	artifact-warning sequence (translated ALU class C) - human	0.001
342	U96629	Human chromosome 8 BAC clone CIT987SK-2A8 complete sequence.	5.30E-23	ALU1_HUMAN	!!!! ALU SUBFAMILY J WARNING ENTRY !!!!	3.80E-10

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
343	U95743	Homo sapiens chromosome 16 BAC clone CIT987-SK65D3, complete sequence.	2.10E-24	UROM_HUMAN	UROMODULIN PRECURSOR (TAMM-HORSFALL URINARY GLYCOPROTEIN) (THP)>PIR2:A30452 uromodulin precursor - human>GP:HUMUMOD_1 Human uromodulin (Tamm-Horsfall glycoprotein) mRNA, complete cds; Uromodulin precursor	1
344	U15972	Mus musculus homeobox (Hoxa7) gene, complete cds.	4.00E-25	S20790	extensin - almond>GP:PAEXTS_1 P;amygdalus mRNA for extensin	0.34
345	U15972	Mus musculus homeobox (Hoxa7) gene, complete cds.	4.00E-25	CA24_CAEL	COLLAGEN ALPHA 2(IV) CHAIN PRECURSOR>GP:CECOLA2IV_2 C;elegans a2(IV) collagen gene; Alternatively spliced transcript	0.1
346	Z66242	H.sapiens CpG island DNA genomic MseI fragment, clone 84a4, reverse read cpg84a4.rt1a.	4.80E-26	CEC35A5_8	Caenorhabditis elegans cosmid C35A5, complete sequence; C35A5;8; CDNA EST yk31f6;5 comes from this gene; cDNA EST yk38h1;3 comes from this gene; cDNA EST yk38h1;5 comes from this gene;	7.70E-19
347	L25331	Rattus norvegicus lysyl hydroxylase mRNA, complete cds.	3.90E-26	LYSH_CHICK	PROCOLLAGEN-LYSINE,2-OXOGLUTARATE 5-DIOXYGENASE PRECURSOR (EC 1.14.11.4) (LYSYL HYDROXYLASE)>PIR2:A23742 procollagen-lysine 5-dioxygenase (EC 1.14.11.4) precursor - chicken>GP:CHKLYH_1 Chicken lysyl	1.10E-43

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
					hydroxylase mRNA, complete cds	
348	L81569	Drosophila melanogaster (subclone 2_d7 from P1 DS04260 (D68)) DNA sequence, complete sequence.	3.30E-26	CELC52B9_2	Caenorhabditis elegans cosmid C52B9; Coded for by C; elegans cDNA cm11d6; weakly similar to S; cervisiae PTM1 precursor (SP:P32857)	8.40E-29
349	U78082	Human RNA polymerase transcriptional regulation mediator (h-MED6) mRNA, complete cds.	2.30E-26	HSU78082_1	Human RNA polymerase transcriptional regulation mediator (h-MED6) mRNA, complete cds; H-Med6p	1.50E-16
350	U43381	Human Down Syndrome region of chromosome 21 DNA.	2.10E-28	HSMRNAEB_1	H;sapiens genomic DNA, integration site for Epstein-Barr virus; Hypothetical protein	0.18
351	D50416	Mouse mRNA for AREC3, complete cds.	2.50E-29	A29947	prostaglandin-endoperoxide synthase (EC 1.14.99.1) precursor - sheep>GP:SHPCOA_1 Sheep prostaglandin endoperoxide synthetase (cyclooxygenase), complete cds; Cyclooxygenase precursor (EC 1;14;99;1)	0.81

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
352	U85193	Human nuclear factor I-B2 (NFIB2) mRNA, complete cds.	2.20E-29	CFU30222_1	Crithidia fasciculata fully edited ATPase subunit 6 (MURF4) mRNA, partial cds; Cryptogene	0.53
353	Z92826	Caenorhabditis elegans DNA *** SEQUENCING IN PROGRESS *** from clone C18D11; HTGS phase 1.	1.10E-30	SPAC1B3_5	S;pombe chromosome I cosmid c1B3; Hypothetical protein; SPAC1B3;05, probable transcriptional regulator, len:630aa, similar eg; to YIL038C, NOT3_YEAST, P06102, general negative regulator,	3.20E-35
354	L09604	Homo sapiens differentiation-dependent A4 protein mRNA, complete cds.	3.70E-32	PVU72769_1	Phaseolus vulgaris PvPRP-12 (Pvprp1-12) mRNA, partial cds; Similar to cell wall proline rich protein>GP:PVU72769_1 Phaseolus vulgaris PvPRP-12 (Pvprp1-12) mRNA, partial cds; Similar to cell wall proline rich protein	0.00049
355	B42455	HS-1055-B2-G03-MR.abi CIT Human Genomic Sperm Library C Homo sapiens genomic clone Plate=CT 777 Col=6 Row=N.	1.30E-32	CELT05H4_8	Caenorhabditis elegans cosmid T05H4; Similar to the beta transducin family; coded for by C; elegans cDNA yk156e11;3; coded for by C; elegans cDNA yk14c8;3; coded for by C; elegans cDNA	6.90E-14
356	AF001905	Homo sapiens cosmids E079, B0920 and A8 from Xq25 X-linked lymphoproliferative disease gene candidate region, complete sequence.	1.80E-33	I38344	titin - human	1

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
357	E03743	DNA sequence including male hormone dependent gene derived from hamster frankorgan.	1.10E-34	CELC03A7_2	Caenorhabditis elegans cosmid C03A7; Weak similarity to serotonin receptors	0.59
358	U31199	Human laminin gamma2 chain gene (LAMC2), exon 22 and flanking sequences.	1.20E-35	B44018	laminin B2t chain - human>GP:HSLAMB2 TB_1 H;sapiens mRNA for laminin	1.20E-14
359	D14678	Human mRNA for kinesin-related protein, partial cds.	2.00E-36	D49544_1	Mouse mRNA for KIFC1, complete cds	1.20E-23
360	AB000425	Porcine DNA for endopeptidase 24.16, exon 16 and complete cds.	8.20E-38	POL4_DROME	RETROVIRUS-RELATED POLYPROTEIN (PROTEASE (EC 3.4.23.-); REVERSE TRANSCRIPTASE (EC 2.7.7.49); ENDONUCLEASE) (TRANSPOSON 412)>PIR1:GNFF42 retrovirus-related pol polyprotein - fruit fly (Drosophila melanogaster) transposon 412>GP:DMRT412G_4	0.65
361	U39875	Rattus norvegicus EF-hand Ca2+-binding protein p22 mRNA, complete cds.	8.80E-42	I56333	apolipoprotein B - rat (fragment)>GP:RATA POLPB_1 Rattus norvegicus (clone rb9E) apolipoprotein B apoB mRNA, 3' end	0.23

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
362	L09647	Rattus norvegicus hepatocyte nuclear factor 3a (HNF-3 beta) mRNA, complete cds.	6.60E-42	HN3B_RAT	HEPATOCYTE NUCLEAR FACTOR 3-BETA (HNF-3B)>GP:RATHNF3B_1 Rattus norvegicus hepatocyte nuclear factor 3a (HNF-3 beta) mRNA, complete cds>TFD:TFDP01611 - Polypeptides entry for factor HNF-3 (beta)	8.10E-25
363	D25538	Human mRNA for KIAA0037 gene, complete cds.	4.10E-43	CELC34D4_1 2	Caenorhabditis elegans cosmid C34D4	0.018
364	Z56764	H.sapiens CpG island DNA genomic MseI fragment, clone 13f7, reverse read cpg13f7.rt1a.	1.40E-43	S75263	hypothetical protein - Synechocystis sp. (PCC 6803)>GP:D90904_29 Synechocystis sp; PCC6803 complete genome, 6/27, 630555-781448; Hypothetical protein; ORF_ID:sll0983	0.0028
365	AC002636	*** SEQUENCING IN PROGRESS *** Drosophila melanogaster (subclone 2_g4 from P1 DS03323 (D127)) DNA sequence; HTGS phase 2.	8.40E-44	DMU95760_1	Drosophila melanogaster strawberry notch (sno) mRNA, complete cds; Notch pathway component; nuclear protein	3.40E-51
366	J05499	Rattus norvegicus L-glutamine amidohydrolase mRNA, complete cds.	8.00E-44	GLSL_RAT	GLUTAMINASE, LIVER ISOFORM PRECURSOR (EC 3.5.1.2) (GLS)>GP:RATGAH_1 Rattus norvegicus L-glutamine amidohydrolase mRNA, complete cds	8.00E-29

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
367	U95760	Drosophila melanogaster strawberry notch (sno) mRNA, complete cds.	5.00E-45	DMU95760_1	Drosophila melanogaster strawberry notch (sno) mRNA, complete cds; Notch pathway component; nuclear protein	4.80E-45
368	L10106	Mus musculus protein tyrosine phosphate mRNA, complete cds.	4.10E-45	PTPK_HUMAN	PROTEIN-TYROSINE PHOSPHATASE KAPPA PRECURSOR (EC 3.1.3.48) (R-PTP-KAPPA)>GP:HSPTKAP_1 H;sapiens mRNA for phosphotyrosine phosphatase kappa; Human phosphotyrosine phosphatase kappa	4.70E-16
369	D17218	Human HepG2 3' region MboI cDNA, clone hmd3g02m3.	9.40E-47	MMU53563_1	Mus musculus Brg1 mRNA, partial cds; N-terminal region of the protein	0.00012
370	U78310	Homo sapiens pescadillo mRNA, complete cds.	8.10E-48	HSU78310_1	Homo sapiens pescadillo mRNA, complete cds	1.10E-21
371	AC000399	Genomic sequence from Mouse 9, complete sequence.	7.40E-48	KIP2_YEAST	KINESIN-LIKE PROTEIN KIP2>PIR1:C42640 kinesin-related protein KIP2 - yeast (Saccharomyces cerevisiae)>GP:SCKIP2XVI_2 S;cerevisiae PEP4 and KIP2 genes encoding PEP4 proteinase (partial) and kinesin-related protein KIP2>GP:SCLACHXVI_17 S;cerev	0.14
372	AC002327	*** SEQUENCING IN PROGRESS *** Genomic sequence from Mouse 7; HTGS phase 1, 3	1.40E-48	CHKC1A205_1	Chicken alpha-2 type-1 collagen; amino acids - 16 to 3; Precollagen alpha-2	0.024

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
		unordered pieces.				
373	X67016	H.sapiens mRNA for amphiglycan.	9.00E-49	CED2085_2	Caenorhabditis elegans cosmid D2085, complete sequence; D2085;1; Similar to glutamine-dependent carbamoyl-phosphate synthase, aspartate carbamoyltransferase, dihydroorotase; cDNA EST cm16f3>GP:CED2085_2 Caenorhabditis elegans cosmid D2085; D	0.14
374	L10409	Mouse fork head related protein (HNF-3beta) mRNA, complete cds.	1.50E-49	MMU04197_1	Mus musculus HNF3 beta transcription factor (HNF3b) mRNA, partial cds; Sequence of this partial cDNA begins in the first third of the conserved HNF3/forkhead DNA binding domain	1.20E-30
375	U01139	Mus musculus B6D2F1 clone 2C11B mRNA.	1.20E-49	SPBC3D5_14	S;pombe chromosome II cosmid c3D5; Unknown; SPBC3D5;14c, unknown; partial; serine rich, len:309aa, similar eg; to YNL283C, YNL23_YEAST, P53832, hypothetical 52;3 kd protein, (503aa),	0.00091
376	Z82170	Human DNA sequence from PAC 326L13 containing brain-4 mRNA ESTs and polymorphic CA repeat.	9.00E-50	BSU55043_3	Bacillus subtilis plasmid pPOD2000 Rep, RapAB, RapA, ParA, ParB, and ParC genes, complete cds; ORF3	0.025

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
377	Z99289	Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 142L7; HTGS phase 1.	7.70E-50	A64431	hypothetical protein MJ1050 - Methanococcus jannaschii>GP:MJU67548_2 Methanococcus jannaschii from bases 986219 to 996377 (section 90 of 150) of the complete genome; M; jannaschii predicted coding region MJ1050; Identified by GeneMark; putativ	5.60E-05
378	X98260	H.sapiens mRNA for M-phase phosphoprotein, mpp11.	6.20E-50	ZRF1_MOUSE	ZUOTIN RELATED FACTOR>GP:MMU53208_1 Mus musculus zuotin related factor (ZRF1) mRNA, complete cds; Similar to DnaJ encoded by GenBank Accession Number L16953	3.90E-30
379	M18981	Human prolactin receptor-associated protein (PRA) gene, complete cds.	9.00E-52	S106_HUMAN	CALCYCLIN (PROLACTIN RECEPTOR ASSOCIATED PROTEIN) (PRA) (GROWTH FACTOR-INDUCIBLE PROTEIN 2A9) (S100 CALCIUM-BINDING PROTEIN A6)>PIR1:BCHUY calcyclin - human>GP:HUMCACY_1 Human calcyclin gene, complete cds>GP:HUMCACYA_1 Human prolactin recept	8.80E-24
380	AB006622	Homo sapiens mRNA for KIAA0284 gene, partial cds.	1.60E-53	S33015	hypothetical protein - human herpesvirus 4	0.00088

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
381	U53225	Human sorting nexin 1 (SNX1) mRNA, complete cds.	1.80E-55	G02522	sorting nexin 1 - human>GP:HSU53225_1 Human sorting nexin 1 (SNX1) mRNA, complete cds	9.20E-50
382	Z92844	Human DNA sequence from PAC 435C23 on chromosome X. Contains ESTs.	6.50E-56	D14487_1	Lentinus edodes Le;MFB1 mRNA, complete cds	1
383	D87450	Human mRNA for KIAA0261 gene, partial cds.	4.30E-56	D87450_1	Human mRNA for KIAA0261 gene, partial cds; Similar to D;melanogaster parallel sister chromatids protein	4.30E-30
384	AC002301	*** SEQUENCING IN PROGRESS *** Human chromosome +16p11.2 BAC clone CIT987SK-A-328A3; HTGS phase 2, 1 ordered pieces.	9.80E-57	S62328	kinesin-like DNA binding protein KID - human>GP:HUMKID_1 Human mRNA for Kid (kinesin-like DNA binding protein), complete cds	2.60E-27
385	L29766	Homo sapiens epoxide hydrolase (EPHX) gene, complete cds.	7.30E-57	HSBCTCF4_1	Homo sapiens mRNA for hTCF-4	2.30E-05
386	U58884	Mus musculus SH3-containing protein SH3P7 mRNA, complete cds. similar to Human Drebrin.	3.30E-58	MMU58884_1	Mus musculus SH3-containing protein SH3P7 mRNA, complete cds; similar to Human Drebrin; SH3-containing protein; similar to human drebrin	6.00E-43
387	Y15054	Rattus norvegicus mRNA for 70 kDa tumor specific antigen, partial.	9.50E-59	RNY15054_1	Rattus norvegicus mRNA for 70 kDa tumor specific antigen, partial; 70 kD tumor-specific antigen	4.70E-45

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
388	AC000406	*** SEQUENCING IN PROGRESS *** Human Chromosome 11 overlapping pacs pDJ235k10 and pDJ239b22; HTGS phase 1, 17 unordered pieces.	7.40E-59	<NONE>	<NONE>	<NONE>
389	L42612	Homo sapiens keratin 6 isoform K6f (KRT6F) mRNA, complete cds.	3.60E-59	KRHUEA	keratin, type II cytoskeletal - human (fragment)>GP:HSKE RA_1 Human messenger fragment encoding cytoskeletal keratin (type II); mRNA from cultured epidermal cells from human foreskin>GP:HUMKE R56K_1 Human 56k cytoskeletal type II keratin mRNA	7.60E-30
390	L29766	Homo sapiens epoxide hydrolase (EPHX) gene, complete cds.	2.70E-60	EGR2_HUMAN	EARLY GROWTH RESPONSE PROTEIN 2 (EGR-2) (KROX-20 PROTEIN) (AT591)>GP:HUMEG R2A_1 Human early growth response 2 protein (EGR2) mRNA, complete cds>TFD:TFDP00485 - Polypeptides entry for factor Egr-2	7.80E-06
391	L08758	Mus musculus homeobox protein (Hox A10) gene, 5' end of cds.	1.40E-60	PAALGYGE N_1	P;aeruginosa algY gene; Alginate lyase	0.00031
392	I29058	Sequence 3 from patent US 5576423.	4.20E-61	JC5106	stromal cell-derived factor 2 - human>GP:D50645_1 Human mRNA for SDF2, complete cds; Stroma cell-derived	1.50E-32

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
					factor-2	
393	I29058	Sequence 3 from patent US 5576423.	4.20E-61	JC5106	stromal cell-derived factor 2 - human>GP:D50645_1 Human mRNA for SDF2, complete cds; Stroma cell-derived factor-2	1.50E-32
394	U46067	Capra hircus beta-mannosidase mRNA, complete cds.	1.90E-62	CHU46067_1	Capra hircus beta-mannosidase mRNA, complete cds	2.70E-39
395	U40747	Mus musculus formin binding protein 11 mRNA, partial cds.	6.90E-63	S64713	formin binding protein 11 - mouse (fragment)>GP:MMU40747_1 Mus musculus formin binding protein 11 mRNA, partial cds; FBP 11; Formin binding protein 11; tandem WWP/WW domains separated by 15 amino acid linker	3.00E-46
396	M36164	Human glyceraldehyde-3-phosphate dehydrogenase mRNA, 3' flank.	1.10E-63	BHT1UL_12	Bovine herpesvirus type 1 UL22-35 genes; UL26;5>GP:BHU31809_2 Bovine herpesvirus 1 maturational proteinase (UL26) gene, complete cds, and scaffold protein (UL26;5) gene, complete cds	0.003
397	Y09036	H.sapiens NTRK1 gene, exon 17.	7.30E-65	MMU39060_1	Mus musculus glucocorticoid receptor interacting protein 1 (GRIP1) mRNA, complete cds; Hormone-dependent interaction with hormone binding domains of steroid receptors;	0.0054

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
					transactivation	
398	U17901	Rattus norvegicus phospholipase A-2-activating protein (plap) mRNA, complete cds.	2.70E-70	JC4239	phospholipase A2-activating protein - rat	8.40E-17
399	D12646	Mouse kif4 mRNA for microtubule-based motor protein KIF4, complete cds.	1.70E-74	KIF4_MOUSE	KINESIN-LIKE PROTEIN KIF4>PIR2:A54803 microtubule-associated motor KIF4 - mouse>GP:MUSKIF4_1 Mouse kif4 mRNA for microtubule-based motor protein KIF4, complete cds; ATP-binding site: base980-1037, motor domain: base732-1781, alpha-helical co	1.10E-44
400	AF007860	Xenopus laevis xl-Mago mRNA, complete cds.	4.60E-75	AF007862_1	Mus musculus mm-Mago mRNA, complete cds; Similar to Drosophila melanogaster Mago protein	6.50E-68
401	I45565	Sequence 15 from patent US 5637463.	2.30E-82	RNU57391_1	Rattus norvegicus FceRI gamma-chain interacting protein SH2- B (SH2-B) mRNA, complete cds; Putative FceRI gamma ITAM interacting protein; SH2 domain-containing protein B; Method: conceptual	9.90E-42

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
402	U29156	Mus musculus eps15R mRNA, complete cds.	1.00E-85	MMU29156_1	Mus musculus eps15R mRNA, complete cds; Involved in signaling by the epidermal growth factor receptor; Method: conceptual translation supplied by author	4.90E-62
403	U70139	Mus musculus putative CCR4 protein mRNA, partial cds.	1.00E-85	MMU70139_1	Mus musculus putative CCR4 protein mRNA, partial cds; Similar to yeast transcription factor CCR4; transcriptional readthrough occurs with transcription being initiated at the IAP and continues	7.20E-66
404	U82626	Rattus norvegicus basement membrane-associated chondroitin proteoglycan Bamacan mRNA, complete cds.	7.60E-96	RNU82626_1	Rattus norvegicus basement membrane-associated chondroitin proteoglycan Bamacan mRNA, complete cds; Chondroitin sulfate proteoglycan; CSPG	8.20E-58

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
405	L09604	Homo sapiens differentiation-dependent A4 protein mRNA, complete cds.	2.00E-35	<NONE>	<NONE>	<NONE>
406	AB000516	Homo sapiens mRNA for DSIF p160, complete cds	0.41	POLG_TUMVQ	GENOME POLYPROTEIN (CONTAINS: N-TERMINAL PROTEIN; HELPER COMPONENT PROTEINASE (EC 3.4.22.-) (HC-PRO); 42-50 KD PROTEIN; CYTOPLASMIC INCLUSION PROTEIN (CI); 6 KD PROTEIN; VPG PROTEIN; NUCLEAR INCLUSION PROTEIN A (NI-A)	2.9
407	Z94753	Human DNA sequence from PAC 465G10 on chromosome X contains Menkes Disease (ATP7A) putative Cu ⁺⁺ -transporting P-type ATPase exons 22, 23 and STS	0.004	<NONE>	<NONE>	<NONE>
408	AB011123	Homo sapiens mRNA for KIAA0551 protein, partial cds	0	MI15_CAEEL	Q23356 caenorhabditis elegans. serine/threonine-protein kinase mig-15 (ec 2.7.1.-). 11/98	2.00E-51
409	D17218	Human HepG2 3' region Mbol cDNA, clone hmd3g02m3	e-123	NARG_BACSU	NITRATE REDUCTASE ALPHA CHAIN (EC 1.7.99.4)	9.9
410	M95098	Bos taurus lysozyme gene (cow 2), complete cds	1.1	HAIR_MOUSE	HAIRLESS PROTEIN	8.00E-10

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
411	Z60048	H.sapiens CpG DNA, clone 187a9, reverse read cpg187a9.rtl a .	4.00E-54	HN3B_MOUSE	HEPATOCYTE NUCLEAR FACTOR 3-BETA (HNF-3B)	4.00E-21
412	Z48975	P.magnus gene for protein urPAB	0.014	YPT2_CAEEL	HYPOTHETICAL 21.6 KD PROTEIN F37A4.2 IN CHROMOSOME III	2.00E-12
413	AJ001296	Notophthalmus viridescens mRNA for cytokeratin 8	0.37	YA53_SCHPO	HYPOTHETICAL 24.2 KD PROTEIN C13A11.03 IN CHROMOSOME I	5.00E-21
414	J03831	Xenopus laevis (clone pXEC1.3) C protein mRNA, complete cds.	0.37	PDR5_YEAST	SUPPRESSOR OF TOXICITY OF SPORIDESMIN	3.3
415	AB007157	Homo sapiens gene for ribosomal protein S21, partial cds	e-142	RS21_HUMAN	40S RIBOSOMAL PROTEIN S21	0.002
416	X86340	H.sapiens C7 gene, exon 13	3.3	STC_DROME	SHUTTLE CRAFT PROTEIN	4.3
417	U12404	Human Csa-19 mRNA, complete cds.	0	R10A_PIG	60S RIBOSOMAL PROTEIN L10A (CSA-19) (FRAGMENT)	9.00E-57
418	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	8.00E-08	<NONE>	<NONE>	<NONE>
419	M80198	Human FKBP-12 pseudogene, clone lambda-512, 5' flank and complete cds.	5.00E-14	RCO1_NEUCR	TRANSCRIPTIONAL REPRESSOR RCO-1	0.008
420	AF052573	Homo sapiens DNA polymerase eta (POLH) mRNA, complete cds	0	<NONE>	<NONE>	<NONE>
421	AF035940	Homo sapiens MAGOH mRNA, complete cds	e-131	MGN_DROME	MAGO NASHI PROTEIN	4.00E-39
422	AF054994	Homo sapiens clone 23832 mRNA sequence	0.12	<NONE>	<NONE>	<NONE>

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
423	U95098	Xenopus laevis mitotic phosphoprotein 44 mRNA, partial cds	6.00E-05	<NONE>	<NONE>	<NONE>
424	U95094	Xenopus laevis XL-INCENP (XL-INCENP) mRNA, complete cds	7.00E-07	<NONE>	<NONE>	<NONE>
425	D43952	Mouse gene for reticulocalbin, exon1 and promoter region	0.36	<NONE>	<NONE>	<NONE>
426	X68553	C.elegans repetitive DNA sequence	0.4	TCB1_RABIT	T-CELL RECEPTOR BETA CHAIN PRECURSOR (ANA 11)	0.11
427	M83314	Tomato phenylalanine ammonia lyase (pal) gene, complete cds and promoter region.	3.3	SMB2_HUMAN	DNA-BINDING PROTEIN SMUBP-2 (GLIAL FACTOR-1) (GF-1)	0.65
428	AF070636	Homo sapiens clone 24686 mRNA sequence	5.00E-23	<NONE>	<NONE>	<NONE>
429	<NONE>	<NONE>	<NONE>	IQGA_HUMAN	RAS GTPASE-ACTIVATING-LIKE PROTEIN IQGAP1 (P195)	2.00E-06
430	AF068627	Mus musculus DNA cytosine-5 methyltransferase 3B2 (Dnmt3b) mRNA, alternatively spliced, complete cds	5.00E-04	LOX1_LENCU	LIPOXYGENASE (EC 1.13.11.12)	9.9
431	AF020043	Homo sapiens chromosome-associated polypeptide	0	YJH4_YEAST	HYPOTHETICAL 141.3 KD PROTEIN IN SCP160-MRPL8 INTERGENIC REGION	4.00E-16
432	K00046	ross river virus 26s subgenomic rna and junction region.	0.12	CUL2_HUMAN	CULLIN HOMOLOG 2 (CUL-2)	7.4

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
433	AF005664	Homo sapiens properdin (PFC) gene, complete cds	0.005	UL88_HCMVA	PROTEIN UL88	5.8
434	Z70705	H.sapiens mRNA (fetal brain cDNA com5)	2.00E-05	PH87_YEAST	INORGANIC PHOSPHATE TRANSPORTER PHO87	1.5
435	U29156	Mus musculus eps15R mRNA, complete cds.	e-125	EP15_HUMAN	EPIDERMAL GROWTH FACTOR RECEPTOR SUBSTRATE SUBSTRATE 15 (PROTEIN EPS15) (AF-1P PROTEIN)	1.00E-13
436	AE000750	Aquifex aeolicus section 82 of 109 of the complete genome	0.37	<NONE>	<NONE>	<NONE>
437	U49169	Dictyostelium discoideum V-ATPase A subunit (vatA) mRNA, complete cds	0.12	VCAP_HSV6U	MAJOR CAPSID PROTEIN (MCP)	5.6
438	AF032871	Homo sapiens uncoupling protein 3 (UCP3) gene, exon 1 and partial exon 2	0.13	WEE1_SCHPO	MITOSIS INHIBITOR PROTEIN KINASE WEE1 (EC 2.7.1.-)	3.7
439	AB000425	Porcine DNA for endopeptidase 24.16, exon 16 and complete cds	4.00E-32	<NONE>	<NONE>	<NONE>
440	U51037	Mus musculus 11-zinc-finger transcription factor	0.04	<NONE>	<NONE>	<NONE>
441	AF032456	Homo sapiens ubiquitin conjugating enzyme G2	e-110	<NONE>	<NONE>	<NONE>
442	AF009288	Homo sapiens clone HEB8 Cri-du-chat region mRNA	2.00E-14	LMG1_HUMAN	LAMININ GAMMA-1 CHAIN PRECURSOR (LAMININ B2 CHAIN)	8.1

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
443	AF024578	Homo sapiens type-1 protein phosphatase skeletal muscle glycogen targeting subunit (PPP1R3) gene, exon 4, and complete cds	1.1	<NONE>	<NONE>	<NONE>
444	M24486	Human prolyl 4-hydroxylase alpha subunit mRNA, complete cds, clone PA-11.	0	DACHA	<NONE>	4.00E-58
445	X96400	P.tetraurelia alpha-51D gene	0.37	<NONE>	<NONE>	<NONE>
446	<NONE>	<NONE>	<NONE>	<NONE>	<NONE>	<NONE>
447	X84996	X.laevis mRNA for selenocysteine tRNA acting factor (Staf)	0.12	POL_MLVRD	POL POLYPROTEIN (PROTEASE (EC 3.4.23.-); REVERSE TRANSCRIPTASE (EC 2.7.7.49); RIBONUCLEASE H (EC 3.1.26.4))	2.00E-08
448	AF019980	Dictyostelium discoideum ZipA (zipA) gene, partial cds	3.4	HMDL_BRAFL	HOMEBOX PROTEIN DLL HOMOLOG	0.23
449	X78424	D.carota (Queen Anne's Lace) Inv*Dc2 gene, 3432bp	0.38	<NONE>	<NONE>	<NONE>
450	<NONE>	<NONE>	<NONE>	<NONE>	<NONE>	<NONE>
451	X89886	P.patens mRNA for 5-aminolevulinate dehydratase	1.1	CKR6_HUMAN	C-C CHEMOKINE RECEPTOR TYPE 6 (C-C CKR-6) (CCR6)	9.9
452	U67471	Methanococcus jannaschii section 13 of 150 of the complete genome	0.12	YR72_ECOLI	HYPOTHETICAL 53.2 KD PROTEIN (ORF2) (RETRON EC67)	5.8
453	AF060246	Mus musculus strain C57BL/6 zinc finger protein 106 (Zfp106) mRNA, H3a-a allele, complete cds	1.00E-62	YOJ8_CAEEL	HYPOTHETICAL 51.6 KD PROTEIN ZK353.8 IN CHROMOSOME III	1.7

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
454	U70667	Human Fas-ligand associated factor 1 mRNA, partial cds	0	YKB2_YEAST	HYPOTHETICAL 69.1 KD PROTEIN IN PUT3-CCE1 INTERGENIC REGION	3.00E-09
455	M95858	Bos taurus recoverin mRNA, complete cds.	0.35	GIDA_MYCGE	GLUCOSE INHIBITED DIVISION PROTEIN A	1.4
456	U67594	Methanococcus jannaschii section 136 of 150 of the complete genome	0.36	<NONE>	<NONE>	<NONE>
457	X06747	Human hnRNP core protein A1	3.00E-31	<NONE>	<NONE>	<NONE>
458	Z65575	H.sapiens CpG DNA, clone 47c5, reverse read cpg47c5.rt1a .	1.3	<NONE>	<NONE>	<NONE>
459	X88893	C.jacchus intron 4 of visual pigment gene	5.00E-15	<NONE>	<NONE>	<NONE>
460	M57426	Maize stripe virus RNA 3 nonstructural protein	0.33	DSC2_MOUSE	DESMOCOLLIN 2A/2B PRECURSOR (EPITHELIAL TYPE 2 DESMOCOLLIN)	6.5
461	X01638	Yeast TEF1 gene for elongation factor EF-1 alpha	1.1	PPOL_DROME	POLY (ADP-RIBOSE) POLYMERASE (EC 2.4.2.30) (PARP)	3.5
462	M60064	S.typhimurium glutamate 1-semialdehyde aminotransferase (hemL) gene, complete cds.	1.1	EPB4_MOUSE	EPHRIN TYPE-B RECEPTOR 4 PRECURSOR (EC 2.7.1.112) KINASE 2) (TYROSINE KINASE MYK- 1)	2.5
463	X51508	Rabbit mRNA for aminopeptidase N (partial)	0.36	ACHG_XENLA	ACETYLCHOLINE RECEPTOR PROTEIN, GAMMA CHAIN PRECURSOR	1.5
464	L10106	Mus musculus protein tyrosine phosphate mRNA, complete cds.	2.00E-58	VG13_BPML5	GENE 13 PROTEIN (GP13)	2.5

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
465	M77235	Human cardiac tetrodotoxin-insensitive voltage-dependent sodium channel alpha subunit (HH1) mRNA, complete cds.	3.8	ZPBOC1	<NONE>	6.9
466	M58330	C.maltosa autonomously replicating sequence.	0.004	EPB4_MOUSE	EPHRIN TYPE-B RECEPTOR 4 PRECURSOR (EC 2.7.1.112) KINASE 2) (TYROSINE KINASE MYK- 1)	2.4
467	X51508	Rabbit mRNA for aminopeptidase N (partial)	0.35	ACHG_XENLA	ACETYLCHOLINE RECEPTOR PROTEIN, GAMMA CHAIN PRECURSOR	2.4
468	L10106	Mus musculus protein tyrosine phosphate mRNA, complete cds.	7.00E-59	VGLI_PRVRI	GLYCOPROTEIN GP63 PRECURSOR	4.3
469	U65939	Azotobacter vinelandii GTPase (ftsA) gene, partial cds, and ATP binding protein (ftsZ) gene, complete cds	1.1	TRUA_BACSP	Q45557 bacillus sp. (strain ksm-64). trna pseudouridine synthase a (ec 4.2.1.70) (pseudouridylate synthase i) (pseudouridine synthase i) (uracil hydrolyase). 11/98	0.001
470	U51037	Mus musculus 11-zinc-finger transcription factor	0.041	<NONE>	<NONE>	<NONE>
471	M32685	Human platelet glycoprotein IIIa, exon 14.	3.6	<NONE>	<NONE>	<NONE>

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
472	U82691	Phrynocephalus raddei CAS 179770 NADH dehydrogenase subunit 1 (ND1), partial cds, tRNA-Gln, tRNA-Ile and tRNA-Met, NADH dehydrogenase subunit 2 tRNA-Cys and tRNA-Tyr and c...	1.1	<NONE>	<NONE>	<NONE>
473	D85430	Mouse Murr1 mRNA, exon	0.12	EPA5_CHICK	EPHRIN TYPE-A RECEPTOR 5 PRECURSOR (EC 2.7.1.112)	2.5
474	U20661	Dictyostelium discoideum unknown internal repeat protein gene, complete cds, and unknown orf1, orf2 and orf3 genes, partial cds	0.36	YHL1_EBV	HYPOTHETICAL BHLF1 PROTEIN	4.00E-04
475	X56537	Human novel homeobox mRNA for a DNA binding protein	0.04	FA5_HUMAN	COAGULATION FACTOR V PRECURSOR (ACTIVATED PROTEIN C COFACTOR)	9.5
476	U32843	Haemophilus influenzae Rd section 158 of 163 of the complete genome	5	<NONE>	<NONE>	<NONE>
477	U67554	Methanococcus jannaschii section 96 of 150 of the complete genome	0.36	<NONE>	<NONE>	<NONE>
478	AB004244	Narke japonica mRNA for Nj-synaphin 1b, complete cds	1.1	NIA1_ORYSA	NITRATE REDUCTASE 1 (EC 1.6.6.1) (NR1)	1.00E-07
479	AF075079	Homo sapiens full length insert cDNA YQ80A08	1.00E-12	<NONE>	<NONE>	<NONE>

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
480	AE000723	Aquifex aeolicus section 55 of 109 of the complete genome	1	YKK0_YEAST	HYPOTHETICAL 67.5 KD PROTEIN IN APE1/LAP4-CWP1 INTERGENIC REGION	9.1
481	X73902	H.sapiens mRNA for nicein B2 chain	0	LMG2_HUMAN	LAMININ GAMMA-2 CHAIN PRECURSOR	3.00E-93
482	U95094	Xenopus laevis XL-INCENP (XL-INCENP) mRNA, complete cds	3.00E-10	P53_CRIGR	CELLULAR TUMOR ANTIGEN P53	5.7
483	AL010240	Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from contig 4-64, complete sequence	1.2	<NONE>	<NONE>	<NONE>
484	U49919	Arabidopsis thaliana lupeol synthase mRNA, complete cds	0.54	YA53_SCHPO	HYPOTHETICAL 24.2 KD PROTEIN C13A11.03 IN CHROMOSOME I	6.00E-10
485	AF077618	Homo sapiens p73 gene, exon 3	0.39	MYOD_MOUSE	MYOBLAST DETERMINATION PROTEIN 1	2.1
486	AF054994	Homo sapiens clone 23832 mRNA sequence	0.13	<NONE>	<NONE>	<NONE>
487	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	3.00E-10	<NONE>	<NONE>	<NONE>
488	AF068627	Mus musculus DNA cytosine-5 methyltransferase 3B2 (Dnmt3b) mRNA, alternatively spliced, complete cds	5.00E-04	ACE2_YEAST	METALLOTHIONE IN EXPRESSION ACTIVATOR	1.5
489	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	3.00E-07	RINI_PIG	RIBONUCLEASE INHIBITOR	0.19

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
490	L77886	Human protein tyrosine phosphatase mRNA, complete cds	1.00E-21	VS48_TBRVS	SATELLITE RNA 48 KD PROTEIN	1.6
491	U95098	Xenopus laevis mitotic phosphoprotein 44 mRNA, partial cds	5.00E-04	CRP3_LIMPO	C-REACTIVE PROTEIN 3.3 PRECURSOR	3.5
492	U95094	Xenopus laevis XL-INCENP (XL-INCENP) mRNA, complete cds	8.00E-08	EPA5_CHICK	EPHRIN TYPE-A RECEPTOR 5 PRECURSOR (EC 2.7.1.112)	2.7
493	U95094	Xenopus laevis XL-INCENP (XL-INCENP) mRNA, complete cds	3.00E-09	<NONE>	<NONE>	<NONE>
494	U28153	Caenorhabditis elegans UNC-76 (unc-76) gene, complete cds.	0.37	<NONE>	<NONE>	<NONE>
495	U95094	Xenopus laevis XL-INCENP (XL-INCENP) mRNA, complete cds	0.37	NCPR_YEAST	NADPH-CYTOCHROME P450 REDUCTASE (EC 1.6.2.4) (CPR)	7.00E-05
496	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	0.013	YMB3_CAEEL	PROBABLE INTEGRIN ALPHA CHAIN F54G8.3 PRECURSOR	3.3
497	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	7.00E-07	<NONE>	<NONE>	<NONE>
498	U95094	Xenopus laevis XL-INCENP (XL-INCENP) mRNA, complete cds	1.00E-10	<NONE>	<NONE>	<NONE>
499	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	2.00E-07	VGLY_LYCVW	GLYCOPROTEIN POLYPROTEIN PRECURSOR (CONTAINS: GLYCOPROTEINS G1 AND G2)	3.2

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
500	U95098	Xenopus laevis mitotic phosphoprotein 44 mRNA, partial cds	8.00E-06	HR78_DROME	NUCLEAR HORMONE RECEPTOR HR78 (DHR78) (NUCLEAR RECEPTOR XR78E/F)	2.5
501	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	9.00E-10	MYSH_BOVIN	MYOSIN I HEAVY CHAIN-LIKE PROTEIN (MIHC) (BRUSH BORDER MYOSIN I) (BBMI)	4.00E-04
502	U95094	Xenopus laevis XL-INCENP (XL-INCENP) mRNA, complete cds	2.00E-04	BAL_HUMAN	BILE-SALT-ACTIVATED LIPASE PRECURSOR (EC 3.1.1.3) (EC 3.1.1.13) (BAL) (BILE-SALT-STIMULATED LIPASE) (BSSL) (ESTERASE) (PANCREATIC LYSOPHOSPHOLIPASE)	2.6
503	AF080399	Drosophila melanogaster mitotic checkpoint control protein kinase BUB1 (Bub1) mRNA, complete cds	1.1	NAT1_YEAST	N-TERMINAL ACETYLTRANSFERASE 1 (EC 2.3.1.88)	2.00E-23
504	U59706	Gallus gallus alternatively spliced AMPA glutamate receptor, isoform GluR2 flop, (GluR2) mRNA, partial cds.	0.014	<NONE>	<NONE>	<NONE>
505	U95094	Xenopus laevis XL-INCENP (XL-INCENP) mRNA, complete cds	2.00E-05	<NONE>	<NONE>	<NONE>
506	U95098	Xenopus laevis mitotic phosphoprotein 44 mRNA, partial cds	2.00E-04	<NONE>	<NONE>	<NONE>

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
507	AF100661	Caenorhabditis elegans cosmid H20E11	0.38	<NONE>	<NONE>	<NONE>
508	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	3.00E-11	CA1A_HUMAN	COLLAGEN ALPHA 1(X) CHAIN PRECURSOR	0.024
509	U47322	Cloning vector DNA, complete sequence.	2.00E-38	COA1_SV40	COAT PROTEIN VP1	6.2
510	AF031924	Homo sapiens homeobox transcription factor barx2	e-156	CCMA_HAEIN	HEME EXPORTER PROTEIN A (CYTOCHROME C-TYPE BIOGENESIS ATP-BINDING PROTEIN CCMA)	3.5
511	AF010484	Homo sapiens ICI YAC 91A12, right end sequence	3.00E-10	<NONE>	<NONE>	<NONE>
512	Z63829	H.sapiens CpG DNA, clone 90h2, forward read cpg90h2.ft1a .	5.00E-22	NFIR_MESAU	NUCLEAR FACTOR 1 CLONE PNF1/RED1 (NF-1) (CCAAT-BOX BINDING TRANSCRIPTION FACTOR) (CTF) (TGGCA-BINDING PROTEIN)	2.4
513	Z35094	H.sapiens mRNA for SURF-2	5.00E-97	SUR2_HUMAN	SURFEIT LOCUS PROTEIN 2	1.00E-46
514	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	7.00E-06	<NONE>	<NONE>	<NONE>
515	D38417	Mouse mRNA for arylhydrocarbon receptor, complete cds	e-154	TEGU_EBV	LARGE TEGUMENT PROTEIN	3.4
516	L10911	Homo sapiens splicing factor (CC1.4) mRNA, complete cds.	e-117	<NONE>	<NONE>	<NONE>

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
517	X17093	Human HLA-F gene for human leukocyte antigen F	0.009	YEN1_SCHPO	O13695 schizosaccharomyces pombe (fission yeast). hypothetical 52.9 kd serine-rich protein c11g7.01 in chromosome i. 11/98	5.4
518	AB017026	Mus musculus mRNA for oxysterol-binding protein, complete cds	0	OXYB_HUMAN	OXYSTEROL-BINDING PROTEIN	1.00E-40
519	X55038	Mouse mCENP-B gene for centromere autoantigen B	0.001	YNW7_YEAST	HYPOTHETICAL 68.8 KD PROTEIN IN URE2-SSU72 INTERGENIC REGION	3.00E-04
520	AB018323	Homo sapiens mRNA for KIAA0780 protein, partial cds	3.00E-41	LBR_CHICK	LAMIN B RECEPTOR	2.3
521	U95094	Xenopus laevis XL-INCENP (XL-INCENP) mRNA, complete cds	1.00E-10	CA25_HUMAN	PROCOLLAGEN ALPHA 2(V) CHAIN PRECURSOR	0.002
522	X03558	Human mRNA for elongation factor 1 alpha subunit	0	EF11_HUMAN	ELONGATION FACTOR 1-ALPHA 1 (EF-1-ALPHA-1)	e-110
523	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	3.00E-11	YMT8_YEAST	HYPOTHETICAL 36.4 KD PROTEIN IN NUP116-FAR3 INTERGENIC REGION	8.00E-07
524	AB014591	Homo sapiens mRNA for KIAA0691 protein, complete cds	0	NOT2_YEAST	GENERAL NEGATIVE REGULATOR OF TRANSCRIPTION SUBUNIT 2	8.00E-05
525	AB019488	Homo sapiens DNA for TRKA, exon 17 and complete cds	0	TRKA_HUMAN	HIGH AFFINITY NERVE GROWTH FACTOR RECEPTOR PRECURSOR PROTEIN) (P140-TRKA)	2.00E-27

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
526	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	5.00E-15	CNG4_BOVIN	240K PROTEIN OF ROD PHOTORECEPTOR CNG-CHANNEL CYCLIC-NUCLEOTIDE-GATED CATION CHANNEL 4 (CNG CHANNEL 4) MODULATORY SUBUNIT))	0.018
527	U95094	Xenopus laevis XL-INCENP (XL-INCENP) mRNA, complete cds	2.00E-06	HMZ1_DROME	ZERKNUELLT PROTEIN 1 (ZEN-1)	0.88
528	J03750	Mouse single stranded DNA binding protein p9 mRNA, complete cds.	e-135	P15_HUMAN	ACTIVATED RNA POLYMERASE II TRANSCRIPTIONAL COACTIVATOR P15 (PC4) (P14)	3.00E-21
529	U95094	Xenopus laevis XL-INCENP (XL-INCENP) mRNA, complete cds	1.00E-12	RS5_DROME	40S RIBOSOMAL PROTEIN S5	0.42
530	Z57610	H.sapiens CpG DNA, clone 187a10, reverse read cpg187a10.rtl a .	8.00E-61	HN3B_MOUSE	HEPATOCYTE NUCLEAR FACTOR 3-BETA (HNF-3B)	4.00E-15
531	U95760	Drosophila melanogaster strawberry notch (sno) mRNA, complete cds	3.00E-60	<NONE>	<NONE>	<NONE>
532	U95094	Xenopus laevis XL-INCENP (XL-INCENP) mRNA, complete cds	4.00E-11	<NONE>	<NONE>	<NONE>
533	U50535	Human BRCA2 region, mRNA sequence CG006	4.00E-12	ALU1_HUMAN	!!!! ALU SUBFAMILY J WARNING ENTRY !!!!	1.1
534	X92841	H.sapiens MICA gene	1.00E-55	LIN1_HUMAN	LINE-1 REVERSE TRANSCRIPTASE HOMOLOG	6.00E-09

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
535	U60337	Homo sapiens beta-mannosidase mRNA, complete cds	0	NODC_BRAEL	N-ACETYLGLUCOSAMINYLTRANSFERASE (EC 2.4.1.-)	1.4
536	M21731	Human lipocortin-V mRNA, complete cds.	e-169	ANX5_HUMAN	ANNEXIN V (LIPOCORTIN V) (ENDONEXIN II) (CALPHOBINDIN I) (CBP-I) (PLACENTAL ANTICOAGULANT PROTEIN I) (PAP-I) ANTICOAGULANT -ALPHA) (VAC-ALPHA) (ANCHORIN CII)	1.00E-05
537	Y08013	S.salar DNA segment containing GT repeat	0.006	<NONE>	<NONE>	<NONE>
538	<NONE>	<NONE>	<NONE>	<NONE>	<NONE>	<NONE>
539	M98502	Mus musculus protein encoding twelve zinc finger proteins (pMLZ-4) mRNA, complete cds.	2.00E-17	DYNA_CHICK	DYNACTIN, 117 KD ISOFORM	7.4
540	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	6.00E-05	HXA3_HAEIN	HEME:HEMOPEXIN-BINDING PROTEIN PRECURSOR	2.6
541	U95094	Xenopus laevis XL-INCENP (XL-INCENP) mRNA, complete cds	1.00E-13	AMO_KLEAE	AMINE OXIDASE PRECURSOR (EC 1.4.3.6) (MONAMINE OXIDASE) (TYRAMINE OXIDASE)	1.5
542	AF083322	Homo sapiens centriole associated protein CEP110 mRNA, complete cds	e-133	CA34_HUMAN	PROCOLLAGEN ALPHA 3(IV) CHAIN PRECURSOR	1.5
543	J03746	Human glutathione S-transferase mRNA, complete cds.	e-170	GTMI_HUMAN	GLUTATHIONE S-TRANSFERASE, MICROSOMAL (EC 2.5.1.18)	5.00E-39

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
544	U67522	Methanococcus jannaschii section 64 of 150 of the complete genome	0.37	A1AA_HUMAN	ALPHA-1A ADRENERGIC RECEPTOR	4.3
545	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	2.00E-07	<NONE>	<NONE>	<NONE>
546	<NONE>	<NONE>	<NONE>	<NONE>	<NONE>	<NONE>
547	<NONE>	<NONE>	<NONE>	<NONE>	<NONE>	<NONE>
548	D87001	Human (lambda) DNA for immunoglobulin light chain	0.35	VAL3_TYLCU	AL3 PROTEIN (C3 PROTEIN)	3.2
549	U95094	Xenopus laevis XL-INCENP (XL-INCENP) mRNA, complete cds	3.00E-08	TEGU_HSV11	LARGE TEGUMENT PROTEIN (VIRION PROTEIN UL36)	0.004
550	D16991	Human HepG2 partial cDNA, clone hmd2d01m5	8.00E-09	PTM1_YEAST	PROTEIN PTM1 PRECURSOR	0.033
551	M34025	Human fetal Ig heavy chain variable region	3.2	<NONE>	<NONE>	<NONE>
552	M98502	Mus musculus protein encoding twelve zinc finger proteins (pMLZ-4) mRNA, complete cds.	5.00E-14	<NONE>	<NONE>	<NONE>
553	U95098	Xenopus laevis mitotic phosphoprotein 44 mRNA, partial cds	0.002	<NONE>	<NONE>	<NONE>
554	Z78730	H.sapiens flow-sorted chromosome 6 HindIII fragment, SC6pA15C3	3.00E-20	ALU1_HUMAN	!!!! ALU SUBFAMILY J WARNING ENTRY !!!!	5.00E-06
555	U74496	Human chromosome 4q35 subtelomeric sequence	8.00E-08	ICP4_VZVD	TRANS-ACTING TRANSCRIPTIONAL PROTEIN ICP4	0.39

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
556	U39875	Rattus norvegicus EF-hand Ca ²⁺ -binding protein p22 mRNA, complete cds.	2.00E-56	YHFK_ECOLI	HYPOTHETICAL 79.5 KD PROTEIN IN CRP-ARGD INTERGENIC REGION (O696)	9.8
557	U65416	Human MHC class I molecule (MICB) gene, complete cds	0.12	<NONE>	<NONE>	<NONE>
558	AG000037	Homo sapiens genomic DNA, 21q region, clone: 9H11A22	5.00E-25	<NONE>	<NONE>	<NONE>
559	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	5.00E-05	<NONE>	<NONE>	<NONE>
560	AB007918	Homo sapiens mRNA for KIAA0449 protein, partial cds	0.015	VGLE_HSV11	GLYCOPROTEIN E PRECURSOR	2.2
561	U58884	Mus musculus SH3-containing protein SH3P7 mRNA, complete cds. similar to Human Drebrin	1.00E-73	YCV2_YEAST	HYPOTHETICAL 13.8 KD PROTEIN IN PWP2-SUP61 INTERGENIC REGION	2.6
562	AB007878	Homo sapiens KIAA0418 mRNA, complete cds	e-110	GLU2_MAIZE	GLUTELIN 2 PRECURSOR (ZEIN-GAMMA) (27 KD ZEIN)	0.72
563	AF065482	Homo sapiens sorting nexin 2 (SNX2) mRNA, complete cds	0	YJD6_YEAST	HYPOTHETICAL 49.0 KD PROTEIN IN NSP1-KAR2 INTERGENIC REGION	1.4
564	U27873	Stealth virus 1 clone 3B11 T7	0.002	SYN1_HUMAN	SYNAPSINS IA AND IB (BRAIN PROTEIN 4.1)	1.6
565	L38951	Homo sapiens importin beta subunit mRNA, complete cds	2.00E-68	VP2_BRD	STRUCTURAL CORE PROTEIN VP2	1.1
566	AF007155	Homo sapiens clone 23763 unknown mRNA, partial cds	e-165	YOH1_AZOVI	HYPOTHETICAL 33.2 KD PROTEIN IN IBPB 5'REGION	7.5

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
567	Z56295	H.sapiens CpG DNA, clone 10c2, forward read cpg10c2.ft1a .	0.12	A1AB_CANFA	ALPHA-1B ADRENERGIC RECEPTOR (FRAGMENT)	0.85
568	Z83792	G.gallus microsatellite DNA (LEI0222	0.12	<NONE>	<NONE>	<NONE>
569	U11820	Feline immunodeficiency virus USIL2489_7B gag polyprotein (gag) gene, complete cds, polymerase polyprotein (pol) gene, partial cds, vif protein (vif), complete cds, and envelope glycoprotein (env), complete cds, complete g...	1.1	<NONE>	<NONE>	<NONE>
570	M18065	Mouse 18S and 28S ribosomal DNA, 5' hypervariable (Vr) region, clone M1.	6.00E-04	CC40_YEAST	CELL DIVISION CONTROL PROTEIN 40	3.7
571	AF053645	Homo sapiens cellular apoptosis susceptibility protein (CSE1) gene, exons 3 through 10	2.00E-07	YMQ4_CAEEL	HYPOTHETICAL 25.8 KD PROTEIN K02D10.4 IN CHROMOSOME III	4.3
572	X04588	Human 2.5 kb mRNA for cytoskeletal tropomyosin TM30(nm)	0	<NONE>	<NONE>	<NONE>
573	AC001159	Homo sapiens (subclone 1_h9 from PAC H92) DNA sequence	5.00E-04	XYND_CELFI	ENDO-1,4-BETA-XYLANASE D PRECURSOR (EC 3.2.1.8)	7.3
574	Z60625	H.sapiens CpG DNA, clone 2c10, forward read cpg2c10.ft1aa .	4.00E-13	<NONE>	<NONE>	<NONE>
575	AF070640	Homo sapiens clone 24781	e-164	<NONE>	<NONE>	<NONE>

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
		mRNA sequence				
576	Y11306	Homo sapiens mRNA for hTCF-4	2.00E-48	TCF1_HUMAN	T-CELL-SPECIFIC TRANSCRIPTION FACTOR 1 (TCF-1)	2.00E-15
577	X65279	pWE15 cosmid vector DNA	7.00E-69	OCLN_POTTR	Q28793 potorous tridactylus (potoroo). occludin. 11/98	0.71
578	M10296	Mouse DNA with homology to EBV IR3 repeat, segment 1, clone Mu2.	0.001	LMB1_HYDAT	LAMININ BETA-1 CHAIN PRECURSOR (FRAGMENTS)	1.9
579	X53744	Canine mRNA for 68kDA subunit of signal recognition particle (SRP68)	e-162	SR68_CANFA	SIGNAL RECOGNITION PARTICLE 68 KD PROTEIN (SRP68)	5.00E-16
580	AF086438	Homo sapiens full length insert cDNA clone ZD80G11	2.00E-04	<NONE>	<NONE>	<NONE>
581	U15140	Mycobacterium bovis ribosomal proteins IF-1 complete cds, and S4 (rpsD) gene, partial cds	1.3	<NONE>	<NONE>	<NONE>
582	D13292	Human mRNA for ryudocan core protein	e-166	RSP4_ARATH	40S RIBOSOMAL PROTEIN SA (P40) (LAMININ RECEPTOR HOMOLOG)	1.4
583	S71022	neoplasm-related C140 product [human, thyroid carcinoma cells, mRNA, 670 nt]	9.00E-30	RL6_HUMAN	60S RIBOSOMAL PROTEIN L6 (TAX-RESPONSIVE ENHANCER ELEMENT BINDING PROTEIN 107) (TAXREB107)	5.6
584	L20934	Anopheles gambiae complete mitochondrial genome	0.014	<NONE>	<NONE>	<NONE>
585	Z49269	H.sapiens gene for chemokine HCC-1.	1.1	AMY1_DICTH	ALPHA-AMYLASE 1 (EC 3.2.1.1) (1,4-ALPHA-D-GLUCAN GLUCANOHYDROLASE)	2.5

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
586	U95098	Xenopus laevis mitotic phosphoprotein 44 mRNA, partial cds	2.00E-04	<NONE>	<NONE>	<NONE>
587	AF029893	Homo sapiens i-beta-1,3-N-acetylglucosaminyltransferase mRNA, complete cds	0.13	HEMO_PIG	HEMOPEXIN PRECURSOR (HYALURONIDASE) (EC 3.2.1.35)	3.5
588	J05109	T.thermophila calcium-binding 25 kDa (TCBP 25) protein gene, complete cds.	0.014	<NONE>	<NONE>	<NONE>
589	U95098	Xenopus laevis mitotic phosphoprotein 44 mRNA, partial cds	6.00E-04	<NONE>	<NONE>	<NONE>
590	AF060246	Mus musculus strain C57BL/6 zinc finger protein 106 (Zfp106) mRNA, H3a-a allele, complete cds	1.00E-83	SCRB_PEDPE	SUCROSE-6-PHOSPHATE HYDROLASE (EC 3.2.1.26) (SUCRASE)	10
591	Y11966	B.aphidicola (host T.suberi) plasmid pBTs1 genes leuA, hspA, repA2, repA1, leuB, leuC, leuD, leuA	0.37	<NONE>	<NONE>	<NONE>
592	U20428	Human SNC19 mRNA sequence	1.00E-64	YY22_MYCTU	HYPOTHETICAL 30.8 KD PROTEIN CY49.22	0.29
593	AF043084	Lycopersicon esculentum ethylene receptor homolog (ETR1) mRNA, complete cds	0.37	KNIR_DROME	ZYGOTIC GAP PROTEIN KNIRPS	9.9
594	X65279	pWE15 cosmid vector DNA	5.00E-66	COA1_SV40	COAT PROTEIN VP1	0.001
595	U95098	Xenopus laevis mitotic phosphoprotein 44 mRNA, partial	0.041	UL88_HSV7J	PROTEIN U59	5.8

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
		cds				
596	M91452	Sus scrofa ryanodine receptor (RYP1) gene, complete cds.	3.2	<NONE>	<NONE>	<NONE>
597	U77327	Human Ki-1/57 intracellular antigen mRNA, partial cds	e-158	GAT1_CHICK	ERYTHROID TRANSCRIPTION FACTOR (GATA-1) (ERYF1)	1.2
598	U77327	Human Ki-1/57 intracellular antigen mRNA, partial cds	0	RPB7_ARATH	DNA-DIRECTED RNA POLYMERASE II 19 KD POLYPEPTIDE (EC 2.7.7.6) (RNA POLYMERASE II SUBUNIT 5)	6.2
599	Y16964	Saccharomyces sp. mitochondrial DNA for OLI1 gene, strain CID1	0.37	NMD5_YEAST	NONSENSE-MEDIATED MRNA DECAY PROTEIN 5	1.9
600	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	6.00E-06	<NONE>	<NONE>	<NONE>
601	U95098	Xenopus laevis mitotic phosphoprotein 44 mRNA, partial cds	8.00E-08	<NONE>	<NONE>	<NONE>
602	AF091046	Brugia pahangi nuclear hormone receptor (bhr-1) gene, partial cds	1.1	INVO_PONPY	INVOLUCRIN	0.23
603	M87339	Human replication factor C, 37-kDa subunit mRNA, complete cds	0	AC12_HUMAN	ACTIVATOR 1 37 KD SUBUNIT (REPLICATION FACTOR C 37 KD SUBUNIT) (A1 37 KD SUBUNIT) (RF-C 37 KD SUBUNIT) (RFC37)	1.00E-38
604	D28116	Human genes for collagen type IV alpha 5 and 6, exon 1 and exon	0.39	<NONE>	<NONE>	<NONE>

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
		1'				
605	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	2.00E-06	<NONE>	<NONE>	<NONE>
606	AE001149	Borrelia burgdorferi (section 35 of 70) of the complete genome	0.13	<NONE>	<NONE>	<NONE>
607	X14168	Human pLC46 with DNA replication origin	6.00E-16	Z136_HUMAN	ZINC FINGER PROTEIN 136	0.31
608	Z57610	H.sapiens CpG DNA, clone 187a10, reverse read cpg187a10.rtl1a .	7.00E-90	HN3B_RAT	HEPATOCYTE NUCLEAR FACTOR 3-BETA (HNF-3B)	1.00E-19
609	U95098	Xenopus laevis mitotic phosphoprotein 44 mRNA, partial cds	0.043	PGCV_MOUSE	VERSICAN CORE PROTEIN PRECURSOR (LARGE FIBROBLAST PROTEOGLYCAN) (CHONDROITIN SULFATE PROTEOGLYCAN CORE PROTEIN 2) (PG-M)	3.5
610	U95094	Xenopus laevis XL-INCENP (XL-INCENP) mRNA, complete cds	7.00E-07	CA11_CHICK	PROCOLLAGEN ALPHA 1(I) CHAIN PRECURSOR	0.4
611	AB007956	Homo sapiens mRNA, chromosome 1 specific transcript KIAA0487	e-106	RRPB_CVMA5	RNA-DIRECTED RNA POLYMERASE (EC 2.7.7.48) (ORF1B)	9.7
612	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	0.005	<NONE>	<NONE>	<NONE>

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
613	U95094	Xenopus laevis XL-INCENP (XL-INCENP) mRNA, complete cds	6.00E-05	UL52_EBV	HELICASE/PRIMA SE COMPLEX PROTEIN (PROBABLE DNA REPLICATION PROTEIN BSLF1)	5.9
614	U95760	Drosophila melanogaster strawberry notch (sno) mRNA, complete cds	3.00E-71	POLG_PVYHU	GENOME POLYPROTEIN (CONTAINS: N-TERMINAL PROTEIN; HELPER COMPONENT PROTEINASE (EC 3.4.22.-) (HC-PRO); 42-50 KD PROTEIN; CYTOPLASMIC INCLUSION PROTEIN (CI); 6 KD PROTEIN; NUCLEAR INCLUSION PROTEIN A (NI- A) (EC 3.4.22.-) (49K PROTEINASE) (49	4.3
615	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	9.00E-09	VP3_ROTTC	INNER CORE PROTEIN VP3	7.7
616	J05499	Rattus norvegicus L-glutamine amidohydrolase mRNA, complete cds	e-143	GLSL_RAT	GLUTAMINASE, LIVER ISOFORM PRECURSOR (EC 3.5.1.2) (GLS)	7.00E-67
617	M19262	Rat clathrin light chain (LCB3) mRNA, complete cds.	0.37	Y642_METJA	HYPOTHETICAL PROTEIN MJ0642	5.8
618	M21191	Human aldolase pseudogene mRNA, complete cds.	1.00E-32	LIN1_NYCCO	LINE-1 REVERSE TRANSCRIPTASE HOMOLOG	6.00E-17
619	U95094	Xenopus laevis XL-INCENP (XL-INCENP) mRNA, complete cds	1.00E-11	NUCM_BOVIN	NADH-UBIQUINONE OXIDOREDUCTASE 49 KD SUBUNIT (EC 1.6.5.3) (EC 1.6.99.3) (COMPLEX I-49KD) (CI-49KD)	0.044

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
620	U95098	Xenopus laevis mitotic phosphoprotein 44 mRNA, partial cds	0.005	HEMZ_RHOCA	FERROCHELATASE (EC 4.99.1.1) (PROTOHEME FERRO-LYASE)	4.4
621	AF041428	Homo sapiens ribosomal protein s4 X isoform gene, complete cds	0.002	<NONE>	<NONE>	<NONE>
622	X07158	Chironomus thummi DNA for Cla repetitive element	0.13	<NONE>	<NONE>	<NONE>
623	U95094	Xenopus laevis XL-INCENP (XL-INCENP) mRNA, complete cds	8.00E-04	<NONE>	<NONE>	<NONE>
624	AF100470	Rattus norvegicus ribosome attached membrane protein 4 (RAMP4) mRNA, complete cds	1.00E-53	<NONE>	<NONE>	<NONE>
625	U85193	Human nuclear factor I-B2 (NFIB2) mRNA, complete cds	2.00E-38	<NONE>	<NONE>	<NONE>
626	M13452	Human lamin A mRNA, 3'end.	6.00E-16	<NONE>	<NONE>	<NONE>
627	U95094	Xenopus laevis XL-INCENP (XL-INCENP) mRNA, complete cds	0.014	ACDV_RAT	ACYL-COA DEHYDROGENASE, VERY-LONG-CHAIN SPECIFIC PRECURSOR (EC 1.3.99.-) (VLCAD)	4.00E-20
628	U95094	Xenopus laevis XL-INCENP (XL-INCENP) mRNA, complete cds	3.00E-10	<NONE>	<NONE>	<NONE>
629	<NONE>	<NONE>	<NONE>	<NONE>	<NONE>	<NONE>
630	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	2.00E-05	<NONE>	<NONE>	<NONE>

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
631	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	6.00E-05	<NONE>	<NONE>	<NONE>
632	U95094	Xenopus laevis XL-INCENP (XL-INCENP) mRNA, complete cds	6.00E-05	YS83_CAEEL	HYPOTHETICAL 86.9 KD PROTEIN ZK945.3 IN CHROMOSOME II	0.65
633	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	3.00E-09	NRP_MOUSE	NEUROPILIN PRECURSOR (A5 PROTEIN)	2.7
634	U95098	Xenopus laevis mitotic phosphoprotein 44 mRNA, partial cds	2.00E-05	Y4JN_RHISN	HYPOTHETICAL 16.3 KD PROTEIN Y4JN	5.9
635	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	6.00E-05	<NONE>	<NONE>	<NONE>
636	X64707	H.sapiens BBC1 mRNA	e-179	RL13_HUMAN	60S RIBOSOMAL PROTEIN L13 (BREAST BASIC CONSERVED PROTEIN 1)	5.00E-40
637	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	3.00E-08	<NONE>	<NONE>	<NONE>
638	X14168	Human pLC46 with DNA replication origin	5.00E-14	SP3_HUMAN	TRANSCRIPTION FACTOR SP3 (SPR-2) (FRAGMENT)	0.19
639	X90999	H.sapiens mRNA for Glyoxalase II	9.00E-20	GLO2_HUMAN	HYDROXYACYLG LUTATHIONE HYDROLASE (EC 3.1.2.6)	0.007
640	AF083322	Homo sapiens centriole associated protein CEP110 mRNA, complete cds	9.00E-51	KIF4_MOUSE	KINESIN-LIKE PROTEIN KIF4	0.005

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
641	Z12002	M.musculus Pvt-1 mRNA.	0.36	CP5F_CANTR	CYTOCHROME P450 LIIA6 (ALKANE-INDUCIBLE) (EC 1.14.14.1) (P450-ALK3)	5.6
642	M10206	R.sphaeroides reaction center L subunit (complete cds) and M subunit (5' end) genes.	1.1	YGR1_YEAST	HYPOTHETICAL 34.8 KD PROTEIN IN SUT1-RCK1 INTERGENIC REGION	0.006
643	K02668	E. coli ddl gene encoding D-alanine:D-alanine ligase and ftsQ and ftsA genes, complete cds, and ftsZ gene, 5' end.	3.3	ANKB_HUMAN	ANKYRIN, BRAIN VARIANT 1 (ANKYRIN B) (ANKYRIN, NONERYTHROID)	7.00E-07
644	<NONE>	<NONE>	<NONE>	<NONE>	<NONE>	<NONE>
645	X53616	C.domesticus calnexin (pp90) mRNA	1.1	<NONE>	<NONE>	<NONE>
646	X57010	Human COL2A1 gene for collagen II alpha 1 chain, exons E2-E15	3.3	PRIO_PIG	MAJOR PRION PROTEIN PRECURSOR (PRP)	1.9
647	U95097	Xenopus laevis mitotic phosphoprotein 43 mRNA, partial cds	1.1	UL07_HSV2H	PROTEIN UL7	7.3
648	X52956	Human CAMII-psi3 calmodulin retropseudogene	0.37	PRTP_EBV	PROBABLE PROCESSING AND TRANSPORT PROTEIN	7.5
649	M93425	Human protein tyrosine phosphatase (PTP-PEST) mRNA, complete cds.	0	PTNC_HUMAN	PROTEIN-TYROSINE PHOSPHATASE G1 (EC 3.1.3.48) (PTPG1)	e-107
650	L47615	Mus musculus DNA-binding protein (Fli-1) gene, 5' end of cds.	0.13	YA53_SCHPO	HYPOTHETICAL 24.2 KD PROTEIN C13A11.03 IN CHROMOSOME I	2.00E-07
651	U60337	Homo sapiens beta-mannosidase mRNA, complete	0	GIL1_ENTHI	GALACTOSE-INHIBITABLE LECTIN 170 KD	0.22

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
		cds			SUBUNIT	
652	U08813	Oryctolagus cuniculus Na ⁺ /glucose cotransporter-related protein mRNA, complete cds.	1.00E-22	NAG1_HUMAN	SODIUM/GLUCOSE COTRANSPORTER 1 (NA(+)/GLUCOSE COTRANSPORTER 1) (HIGH AFFINITY SODIUM-GLUCOSE COTRANSPORTER)	0.1
653	Y00282	Human mRNA for ribophorin II	2.00E-78	RIB2_HUMAN	DOLICHYL-DIPHOSPHOOLIGOSACCHARIDE--PROTEIN GLYCOSYLTRANSFERASE 63 KD SUBUNIT PRECURSOR (EC 2.4.1.119) (RIBOPHORIN II)	5.00E-19
654	D10051	Human gene for 92-kDa type IV collagenase, 5'-flanking region	0.014	TAGB_DICDI	PRESTALK-SPECIFIC PROTEIN TAGB PRECURSOR (EC 3.4.21.-)	7.6
655	M29930	Human insulin receptor (allele 2) gene, exons 14, 15, 16 and 17.	8.00E-08	<NONE>	<NONE>	<NONE>
656	U78310	Homo sapiens pescadillo mRNA, complete cds	0	YG2S_YEAST	HYPOTHETICAL 69.9 KD PROTEIN IN MIC1-SRB5 INTERGENIC REGION	0.002
657	X68792	S.coelicolor A3(2) promoter sequence pth270	3.2	YBS0_YEAST	HYPOTHETICAL 27.0 KD PROTEIN IN VAL1-HSP26 INTERGENIC REGION	0.073
658	U50535	Human BRCA2 region, mRNA sequence CG006	4.00E-12	ALU1_HUMAN	!!!! ALU SUBFAMILY J WARNING ENTRY !!!!	1.2

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
659	U15522	Sus scrofa clone pvg1a Ig heavy chain variable VDJ region mRNA, partial cds.	3.2	Z165_HUMAN	ZINC FINGER PROTEIN 165	3.2
660	M20918	C.thummi piger haemoglobin (Hb) gene DNA, complete cds.	0.12	YT25_CAEEL	HYPOTHETICAL 59.9 KD PROTEIN B0304.5 IN CHROMOSOME II	0.033
661	U60337	Homo sapiens beta-mannosidase mRNA, complete cds	0	<NONE>	<NONE>	<NONE>
662	U95098	Xenopus laevis mitotic phosphoprotein 44 mRNA, partial cds	0.001	ENV_MLVFP	ENV POLYPROTEIN PRECURSOR (CONTAINS: KNOB PROTEIN GP70; SPIKE PROTEIN P15E; R PROTEIN)	3.3
663	M97287	Human MAR/SAR DNA binding protein (SATB1) mRNA, complete cds. > :: gb I58691 I58691 Sequence 1 from patent US 5652340	0	SAT1_HUMAN	DNA-BINDING PROTEIN SATB1 (SPECIAL AT-RICH SEQUENCE BINDING PROTEIN 1)	2.00E-20
664	L42612	Homo sapiens keratin 6 isoform K6f (KRT6F) mRNA, complete cds	e-168	K2C4_BOVIN	KERATIN, TYPE II CYTOSKELETAL 59 KD, COMPONENT IV	4.00E-10
665	U17901	Rattus norvegicus phospholipase A-2-activating protein (plap) mRNA, complete cds.	e-152	PLAP_MOUSE	PHOSPHOLIPASE A-2-ACTIVATING PROTEIN (PLAP)	4.00E-13
666	M73047	Homo sapiens tripeptidyl peptidase II mRNA, complete cds.	0	MERT_STRLI	MERCURIC TRANSPORT PROTEIN (MERCURY ION TRANSPORT PROTEIN)	4.4

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
667	U09954	Human ribosomal protein L9 gene, 5' region and complete cds.	0	RL9_HUMAN	60S RIBOSOMAL PROTEIN L9	2.00E-11
668	X98330	H.sapiens mRNA for ryanodine receptor 2	1.1	HS74_MOUSE	HEAT SHOCK 70 KD PROTEIN AGP-2	0.034
669	U95094	Xenopus laevis XL-INCENP (XL-INCENP) mRNA, complete cds	0.002	RPC2_DROME	DNA-DIRECTED RNA POLYMERASE III 128 KD POLYPEPTIDE	1.1
670	AF069250	Homo sapiens okadaic acid-inducible phosphoprotein (OA48-18) mRNA, complete cds	7.00E-80	LEGB_PEA	LEGUMIN B (FRAGMENT)	0.011
671	Z71419	S.cerevisiae chromosome XIV reading frame ORF YNL143c	1.1	FOCD_ECOLI	OUTER MEMBRANE USHER PROTEIN FOCD PRECURSOR	9.7
672	AF044965	Homo sapiens polio virus related protein 2 gene, alpha isoform, exon 6 and partial cds	e-167	PVR_MOUSE	POLIOVIRUS RECEPTOR HOMOLOG PRECURSOR	1.00E-12
673	X65319	Cloning vector pCAT-Enhancer	2.00E-80	S106_HUMAN	CALCYCLIN (PROLACTIN RECEPTOR ASSOCIATED PROTEIN) CALCIUM-BINDING PROTEIN A6)	3.00E-15
674	D29655	Pig mRNA for UMP-CMP kinase, complete cds	e-103	V319_ASFB7	J319 PROTEIN	4.3
675	U95094	Xenopus laevis XL-INCENP (XL-INCENP) mRNA, complete cds	8.00E-08	VEGR_RAT	VASCULAR ENDOTHELIAL GROWTH FACTOR RECEPTOR 1 PRECURSOR RECEPTOR FLT) (FLT-1)	3.3

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
676	D90217	S. cerevisiae gene for YmL33, mitochondrial ribosomal proteins of large subunit	2.00E-07	MALY_ECOLI	MALY PROTEIN (EC 2.6.1.-)	5.6
677	AF038952	Homo sapiens cofactor A protein mRNA, complete cds	e-160	T1CA_MOUSE	TCPI-CHAPERONIN COFACTOR A	4.00E-19
678	Z96950	Gorilla gorilla DNA sequence orthologous to the human Xp:Yp telomere-junction region	5.00E-14	YHBZ_ECOLI	HYPOTHETICAL 43.3 KD GTP-BINDING PROTEIN IN DACB-RPMA INTERGENIC REGION (F390)	3.3
679	D50418	Mouse mRNA for AREC3, partial cds	2.00E-79	CYGX_RAT	OLFACTORY GUANYLYL CYCLASE GC-D PRECURSOR (EC 4.6.1.2)	1.1
680	U95098	Xenopus laevis mitotic phosphoprotein 44 mRNA, partial cds	8.00E-08	P2C2_SCHPO	PROTEIN PHOSPHATASE 2C HOMOLOG 2 (EC 3.1.3.16)	1.00E-04
681	AL010280	Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from contig 4-106, complete sequence	0.12	<NONE>	<NONE>	<NONE>
682	U95094	Xenopus laevis XL-INCENP (XL-INCENP) mRNA, complete cds	5.00E-04	VSM2_TRYBB	VARIANT SURFACE GLYCOPROTEIN MITAT 1.2 PRECURSOR (VSG 221)	4.3
683	U00238	Homo sapiens glutamine PRPP amidotransferase (GPAT) mRNA, complete cds	0	<NONE>	<NONE>	<NONE>
684	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	0.005	PRPR_SALTY	PROPIONATE CATABOLISM OPERON REGULATORY PROTEIN	1.5

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
685	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	7.00E-07	YAND_SCHPO	HYPOTHETICAL 30.4 KD PROTEIN C3H1.13 IN CHROMOSOME I	0.38
686	D25538	Human mRNA for KIAA0037 gene, complete cds	0	<NONE>	<NONE>	<NONE>
687	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	2.00E-07	A1AA_RAT	ALPHA-1A ADRENERGIC RECEPTOR (RA42)	4.4
688	L26956	Mesocricetus auratus stearyl-CoA desaturase sequence including male hormone dependent gene derived from hamster frankorgan	4.00E-33	<NONE>	<NONE>	<NONE>
689	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	3.00E-10	<NONE>	<NONE>	<NONE>
690	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	3.00E-09	YO93_CAEEL	HYPOTHETICAL 58.5 KD PROTEIN T20B12.3 IN CHROMOSOME III	2.00E-08
691	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	8.00E-09	<NONE>	<NONE>	<NONE>
692	AB017026	Mus musculus mRNA for oxysterol-binding protein, complete cds	0	OXYB_RABIT	OXYSTEROL-BINDING PROTEIN	1.00E-34
693	U95098	Xenopus laevis mitotic phosphoprotein 44 mRNA, partial cds	6.00E-04	UFO2_MAIZE	FLAVONOL 3-O-GLUCOSYLTRANSFERASE (EC 2.4.1.91)	3.1

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
694	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	5.00E-04	<NONE>	<NONE>	<NONE>
695	U34954	Caenorhabditis elegans cyclophilin isoform 10	5.00E-24	CYPA_CAEEL	PEPTIDYL-PROLYL CIS-TRANS ISOMERASE 10 (EC 5.2.1.8)	2.00E-29
696	AB011167	Homo sapiens mRNA for KIAA0595 protein, partial cds	0	RFX5_HUMAN	BINDING REGULATORY FACTOR	2.1
697	U03886	Human GS2 mRNA, complete cds.	2.00E-28	SKD1_MOUSE	SKD1 PROTEIN	4.00E-17
698	AF086275	Homo sapiens full length insert cDNA clone ZD45C02	3.00E-41	SPT7_YEAST	TRANSCRIPTIONAL ACTIVATOR SPT7	0.82
699	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	3.00E-10	CA1E_HUMAN	COLLAGEN ALPHA 1(XV) CHAIN PRECURSOR	1.1
700	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	4.00E-11	E434_ADECC	Q65962 canine adenovirus type 1 (strain cl1). early e4 31 kd protein. 11/98	4.4
701	L17340	Drosophila melanogaster germline transcription factor gene, complete cds.	3.3	CISY_TETTH	CITRATE SYNTHASE, MITOCHONDRIAL PRECURSOR (EC 4.1.3.7) (14 NM FILAMENT-FORMING PROTEIN)	9.7
702	X58170	M.musculus mRNA for t-Complex Tcp-10a gene	2.00E-45	PME2_LYCES	PECTINESTERASE 2 PRECURSOR (EC 3.1.1.11) (PECTIN METHYLESTERASE) (PE 2)	7.4
703	Z96207	H.sapiens telomeric DNA sequence, clone 12PTEL049, read 12PTELOO049.se	8.00E-08	<NONE>	<NONE>	<NONE>

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
		q				
704	X58430	Human Hox1.8 gene	e-146	HXAA_HUMAN	HOMEODOMAIN PROTEIN HOX-A10 (HOX-1H) (HOX-1.8) (PL)	4.00E-05
705	U95094	Xenopus laevis XL-INCENP (XL-INCENP) mRNA, complete cds	6.00E-06	YN39_SYNP7	HYPOTHETICAL 9.2 KD PROTEIN IN CYST-CYSR INTERGENIC REGION (ORF 81)	0.89
706	U95094	Xenopus laevis XL-INCENP (XL-INCENP) mRNA, complete cds	1.00E-11	MYSH_BOVIN	MYOSIN I HEAVY CHAIN-LIKE PROTEIN (MIHC) (BRUSH BORDER MYOSIN I) (BBMI)	0.001
707	M19961	Human cytochrome c oxidase subunit Vb (coxVb) mRNA, complete cds.	e-123	OTHU5B	<NONE>	3.00E-30
708	X68380	M.musculus gene for cathepsin D, exon 3	5.00E-04	42_MOUSE	ERYTHROCYTE MEMBRANE PROTEIN BAND 4.2 (P4.2) (PALLIDIN)	9.9
709	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	1.00E-11	TCPA_DROME	T-COMPLEX PROTEIN 1, ALPHA SUBUNIT (TCP-1-ALPHA)	4.3
710	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	3.00E-10	<NONE>	<NONE>	<NONE>
711	U95094	Xenopus laevis XL-INCENP (XL-INCENP) mRNA, complete cds	4.00E-12	<NONE>	<NONE>	<NONE>
712	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	0.002	<NONE>	<NONE>	<NONE>

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
713	AB018323	Homo sapiens mRNA for KIAA0780 protein, partial cds	3.00E-41	LBR_CHICK	LAMIN B RECEPTOR	3.4
714	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	6.00E-06	YM8L_YEAST	HYPOTHETICAL 71.1 KD PROTEIN IN DSK2-CAT8 INTERGENIC REGION	3.00E-08
715	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	4.00E-13	PSC_DROME	POSTERIOR SEX COMBS PROTEIN	0.6
716	L28101	Homo sapiens kallistatin (PI4) gene, exons 1-4, complete cds	7.00E-07	IRKX_RAT	INWARD RECTIFIER POTASSIUM CHANNEL BIR9 (KIR5.1)	5.4
717	AC001038	Homo sapiens (subclone 2_h2 from P1 H49) DNA sequence	8.00E-09	MGMT_YEAST	METHYLATED-DNA--PROTEIN-CYSTEINE METHYLTRANSFERASE	0.48
718	U95094	Xenopus laevis XL-INCENP (XL-INCENP) mRNA, complete cds	1.00E-11	YWDE_BACSU	HYPOTHETICAL 19.9 KD PROTEIN IN SACA-UNG INTERGENIC REGION PRECURSOR	1.8
719	U01139	Mus musculus B6D2F1 clone 2C11B mRNA.	e-110	GSC_DROME	HOMEBOX PROTEIN GOOSECOID	7.2
720	AB017430	Homo sapiens mRNA for kinesin-like DNA binding protein, complete cds	0	YBAV_ECOLI	HYPOTHETICAL 12.7 KD PROTEIN IN HUPB-COF INTERGENIC REGION	0.17
721	U95094	Xenopus laevis XL-INCENP (XL-INCENP) mRNA, complete cds	0.001	CPCF_SYNP2	PHYCOCYANOBILIN LYASE BETA SUBUNIT (EC 4.-.-.)	2.4
722	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	9.00E-10	<NONE>	<NONE>	<NONE>

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
723	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	0.04	YKK7_CAEEL	HYPOTHETICAL 54.9 KD PROTEIN C02F5.7 IN CHROMOSOME III	0.057
724	U95094	Xenopus laevis XL-INCENP (XL-INCENP) mRNA, complete cds	8.00E-08	H5_CAIMO	HISTONE H5	0.39
725	U95094	Xenopus laevis XL-INCENP (XL-INCENP) mRNA, complete cds	3.00E-09	DED1_YEAST	PUTATIVE ATP-DEPENDENT RNA HELICASE DED1	0.5
726	J04617	Human elongation factor EF-1-alpha gene, complete cds. > :: dbj E02629 E02629 DNA of human polypeptide chain elongation factor-1 alpha	5.00E-36	ALU7_HUMAN	!!!! ALU SUBFAMILY SQ WARNING ENTRY !!!!	0.84
727	X54859	Porcine TNF-alpha and TNF-beta genes for tumour necrosis factors alpha and beta, respectively.	3.3	Z165_HUMAN	ZINC FINGER PROTEIN 165	5.6
728	D49911	Thermus thermophilus UvrA gene, complete cds	0.014	CC48_CAPAN	CELL DIVISION CYCLE PROTEIN 48 HOMOLOG	9.9
729	U95098	Xenopus laevis mitotic phosphoprotein 44 mRNA, partial cds	2.00E-06	CA25_HUMAN	PROCOLLAGEN ALPHA 2(V) CHAIN PRECURSOR	0.011
730	D15057	Human mRNA for DAD-1, complete cds	0	DAD1_HUMAN	DEFENDER AGAINST CELL DEATH 1 (DAD-1)	8.00E-16
731	U95098	Xenopus laevis mitotic phosphoprotein 44 mRNA, partial cds	6.00E-06	ANFD_RHOCA	NITROGENASE IRON-IRON PROTEIN ALPHA CHAIN (EC 1.18.6.1) (NITROGENASE COMPONENT I) (DINITROGENASE	9.6

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
)	
732	U95098	Xenopus laevis mitotic phosphoprotein 44 mRNA, partial cds	7.00E-07	EFTU_CHLVI	ELONGATION FACTOR TU (EF-TU)	2.5
733	AB018335	Homo sapiens mRNA for KIAA0792 protein, complete cds	0	TRYM_RAT	MAST CELL TRYPTASE PRECURSOR (EC 3.4.21.59)	5.6
734	X98743	H.sapiens mRNA for RNA helicase (Myc-regulated dead box protein)	0.04	<NONE>	<NONE>	<NONE>
735	U95098	Xenopus laevis mitotic phosphoprotein 44 mRNA, partial cds	2.00E-07	<NONE>	<NONE>	<NONE>
736	Z49314	S.cerevisiae chromosome X reading frame ORF YJL039c	3.2	<NONE>	<NONE>	<NONE>
737	D12646	Mouse kif4 mRNA for microtubule-based motor protein KIF4, complete cds	0	KIF4_MOUSE	KINESIN-LIKE PROTEIN KIF4	2.00E-76
738	J04038	Human glyceraldehyde-3-phosphate dehydrogenase	2.00E-47	SDC1_HUMAN	SYNDECAN-1 PRECURSOR (SYND1) (CD138)	3.5
739	AF010238	Homo sapiens von Hippel-Lindau tumor suppressor	1.00E-09	LIN1_HUMAN	LINE-1 REVERSE TRANSCRIPTASE HOMOLOG	0.001
740	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	2.00E-06	YQJX_BACSU	HYPOTHETICAL 13.2 KD PROTEIN IN GLNQ-ANSR INTERGENIC REGION	9.9

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
741	L21186	Human lysyl oxidase-like protein mRNA, complete cds.	e-145	OXRTL	<NONE>	1.00E-34
742	U95094	Xenopus laevis XL-INCENP (XL-INCENP) mRNA, complete cds	2.00E-05	CC48_SOYBN	CELL DIVISION CYCLE PROTEIN 48 HOMOLOG (VALOSIN CONTAINING PROTEIN HOMOLOG) (VCP)	7.6
743	AF009203	Homo sapiens YAC clone 377A1 unknown mRNA, 3'untranslated region	3.3	<NONE>	<NONE>	<NONE>
744	Z74894	S.cerevisiae chromosome XV reading frame ORF YOL152w	0.12	CD14_RABIT	Q28680 oryctolagus cuniculus (rabbit). monocyte differentiation antigen cd14 precursor. 11/98	1.9
745	U95094	Xenopus laevis XL-INCENP (XL-INCENP) mRNA, complete cds	9.00E-10	KIN3_YEAST	SERINE/THREONINE-PROTEIN KINASE KIN3 (EC 2.7.1.-)	2.5
746	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	2.00E-05	YA53_SCHPO	HYPOTHETICAL 24.2 KD PROTEIN C13A11.03 IN CHROMOSOME I	7.00E-17
747	S61044	ALDH3=aldehyde dehydrogenase isozyme 3 [human, stomach, mRNA Partial, 1362 nt]	0	DHAP_HUMAN	ALDEHYDE DEHYDROGENASE, DIMERIC NADP-PREFERRING (EC 1.2.1.5) (CLASS 3)	2.00E-71
748	U95094	Xenopus laevis XL-INCENP (XL-INCENP) mRNA, complete cds	2.00E-08	CA1E_CHICK	COLLAGEN ALPHA 1(XIV) CHAIN PRECURSOR (UNDULIN)	0.36
749	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	7.00E-06	<NONE>	<NONE>	<NONE>

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
750	L14815	Entamoeba histolytica HM-1:IMSS galactose-specific adhesin 170kD subunit (hgl3) gene, complete cds.	0.12	<NONE>	<NONE>	<NONE>
751	X63785	T.thermophila gene for snRNA U2-2	1.1	<NONE>	<NONE>	<NONE>
752	M83756	Mytilus edulis mitochondrial NADH dehydrogenase subunit 5 (ND5) gene, 3' end; NADH dehydrogenase subunit 6 (ND6) gene, complete cds; and cytochrome b (cyt b), 5' end.	0.042	DSC1_HUMAN	DESMOCOLLIN 1A/1B PRECURSOR (DESMOSOMAL GLYCOPROTEIN 2/3) (DG2 / DG3)	2.6
753	AB001066	Brown trout microsatellite DNA sequence	0.38	IMB3_HUMAN	IMPORTIN BETA-3 SUBUNIT (KARYOPHERIN BETA-3 SUBUNIT)	1.2
754	AF064787	Lotus japonicus rac GTPase activating protein 1 mRNA, complete cds	0.51	<NONE>	<NONE>	<NONE>
755	U20608	Dictyostelium discoideum unknown spore germination-specific protein-like protein, orf1, orf2 and orf3 genes, complete cds	0.043	<NONE>	<NONE>	<NONE>
756	M77812	Rabbit myosin heavy chain mRNA, complete cds.	1.2	RBL1_HUMAN	RETINOBLASTOMA-LIKE PROTEIN 1 (107 KD RETINOBLASTOMA-ASSOCIATED PROTEIN) (PRB1) (P107)	4.9

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
757	X63789	T.thermophila genes for snRNA U5-1, snRNA U5-2	0.058	<NONE>	<NONE>	<NONE>
758	D50646	Mouse mRNA for SDF2, complete cds	2.00E-27	PMT3_YEAST	DOLICHYL-PHOSPHATE-MANNOSE--PROTEIN MANNOSYLTRANSFERASE 3 (EC 2.4.1.109)	0.002
759	L81583	Homo sapiens (subclone 3_g2 from P1 H11) DNA sequence	3.00E-19	ALU5_HUMAN	!!!! ALU SUBFAMILY SC WARNING ENTRY !!!!	0.86
760	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	2.00E-06	SYFA_YEAST	PHENYLALANYL-TRNA SYNTHETASE ALPHA CHAIN CYTOPLASMIC	5.7
761	AF000370	Homo sapiens polymorphic CA dinucleotide repeat flanking region	6.00E-89	APP1_MOUSE	AMYLOID-LIKE PROTEIN 1 PRECURSOR (APLP)	5.7
762	U95098	Xenopus laevis mitotic phosphoprotein 44 mRNA, partial cds	0.002	<NONE>	<NONE>	<NONE>
763	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	7.00E-06	PSF_HUMAN	PTB-ASSOCIATED SPLICING FACTOR (PSF)	0.72
764	AB018288	Homo sapiens mRNA for KIAA0745 protein, partial cds	0	TC2A_CAEBR	TRANSPOSABLE ELEMENT TCB2 TRANSPOSASE	1.5
765	AF020282	Dictyostelium discoideum DG2033 gene, partial cds	0.38	PMT2_YEAST	DOLICHYL-PHOSPHATE-MANNOSE--PROTEIN MANNOSYLTRANSFERASE 2 (EC 2.4.1.109)	0.18

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
766	AF017357	Oryza sativa low molecular early light-inducible protein mRNA, complete cds	0.38	RGS3_HUMAN	REGULATOR OF G-PROTEIN SIGNALLING 3 (RGS3) (RGP3)	0.23
767	U67599	Methanococcus jannaschii section 141 of 150 of the complete genome	0.13	<NONE>	<NONE>	<NONE>
768	X74178	B.taurus microsatellite DNA INRA153	0.13	FAG1_SYNY3	P73574 synechocystis sp. (strain pcc 6803). 3-oxoacyl-[acyl-carrier protein] reductase 1 (ec 1.1.1.100) (3-ketoacyl- acyl carrier protein reductase 1). 11/98	5.00E-16
769	AF041858	Mus musculus synaptojanin 2 isoform delta mRNA, partial cds	0.043	CA44_HUMAN	COLLAGEN ALPHA 4(IV) CHAIN PRECURSOR	0.24
770	J01404	Drosophila melanogaster mitochondrial cytochrome c oxidase subunits, ATPase6, 7 tRNAs (Trp, Cys, Tyr, Leu(UUR), Lys, Asp, Gly) genes, and unidentified reading frames A6l, 2 and 3.	0.021	NUIM_CITLA	NADH-UBIQUINONE OXIDOREDUCTASE CHAIN 1 (EC 1.6.5.3)	7.2
771	AL022317	Human DNA sequence from clone 140L1 on chromosome 22q13.1-13.31, complete sequence [Homo sapiens]	3.00E-41	ALU7_HUMAN	!!!! ALU SUBFAMILY SQ WARNING ENTRY !!!!	4.00E-08
772	U95094	Xenopus laevis XL-INCENP (XL-INCENP) mRNA, complete cds	1.00E-09	<NONE>	<NONE>	<NONE>

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
773	AF095927	Rattus norvegicus protein phosphatase 2C mRNA, complete cds	0	P2C_PARTE	PROTEIN PHOSPHATASE 2C (EC 3.1.3.16) (PP2C)	1.00E-16
774	X87212	H.sapiens mRNA for cathepsin C	0	CATC_HUMAN	DIPEPTIDYL-PEPTIDASE I PRECURSOR (EC 3.4.14.1)	2.00E-46
775	X05283	Drosophila melanogaster PKCG7 gene exons 7-14 for protein kinase C	4.5	<NONE>	<NONE>	<NONE>
776	X03558	Human mRNA for elongation factor 1 alpha subunit	0	EF11_HUMAN	ELONGATION FACTOR 1-ALPHA 1 (EF-1-ALPHA-1)	1.00E-83
777	X06960	Aspergillus nidulans mitochondrial DNA for cytochrome oxidase subunit 3, tRNA-Tyr	0.23	<NONE>	<NONE>	<NONE>
778	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	3.00E-09	YMT8_YEAST	HYPOTHETICAL 36.4 KD PROTEIN IN NUP116-FAR3 INTERGENIC REGION	5.00E-07
779	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	2.00E-07	NAT1_YEAST	N-TERMINAL ACETYLTRANSFERASE 1 (EC 2.3.1.88)	5.00E-23
780	U59706	Gallus gallus alternatively spliced AMPA glutamate receptor, isoform GluR2 flop, (GluR2) mRNA, partial cds.	0.014	PPOL_SARPE	POLY (ADP-RIBOSE) POLYMERASE (EC 2.4.2.30) (PARP)	0.021
781	U57391	Rattus norvegicus FceRI gamma-chain interacting protein SH2-B (SH2-B) mRNA, complete cds	1.00E-84	<NONE>	<NONE>	<NONE>

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
782	AB014591	Homo sapiens mRNA for KIAA0691 protein, complete cds	7.00E-57	SSGP_VOLCA	SULFATED SURFACE GLYCOPROTEIN 185 (SSG 185)	5.3
783	AJ008065	Chrysolina bankii 16S rRNA gene, mitotype B2	0.043	<NONE>	<NONE>	<NONE>
784	AF067212	Caenorhabditis elegans cosmid F37F2	0.005	MEK1_RAT	MAPK/ERK KINASE KINASE 1 (EC 2.7.1.-) (MEK KINASE 1)	4.5
785	U95094	Xenopus laevis XL-INCENP (XL-INCENP) mRNA, complete cds	0.042	<NONE>	<NONE>	<NONE>
786	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	9.00E-09	<NONE>	<NONE>	<NONE>
787	Y13401	Homo sapiens CD3 delta gene, enhancer sequence	8.00E-08	<NONE>	<NONE>	<NONE>
788	AE001038	Archaeoglobus fulgidus section 69 of 172 of the complete genome	0.13	<NONE>	<NONE>	<NONE>
789	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	2.00E-06	<NONE>	<NONE>	<NONE>
790	AF041463	Manihot esculenta elongation factor 1-alpha	1.4	<NONE>	<NONE>	<NONE>
791	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	0.002	HXA3_HAEIN	HEME:HEMOPEXIN-BINDING PROTEIN PRECURSOR	2.7
792	Z12112	pWE15A cosmid vector DNA	3.00E-29	PKWA_THECU	PUTATIVE SERINE/THREONINE-PROTEIN KINASE PKWA (EC 2.7.1.-)	2.00E-04

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
793	U85193	Human nuclear factor I-B2 (NFIB2) mRNA, complete cds	4.00E-44	<NONE>	<NONE>	<NONE>
794	U89331	Human pseudoautosomal homeodomain-containing protein (PHOG) mRNA, complete cds	7.00E-06	NRL_HUMAN	NEURAL RETINA-SPECIFIC LEUCINE ZIPPER PROTEIN (NRL)	6.3
795	AF055666	Mus musculus kinesin light chain 2 (Klc2) mRNA, complete cds	0.52	PSPD_BOVIN	PULMONARY SURFACTANT-ASSOCIATED PROTEIN D PRECURSOR	0.33
796	L13321	Homo sapiens iduronate-2-sulfatase (IDS) gene, exon 1, incomplete 5' end.	0.14	YRP2_YEAST	HYPOTHETICAL 84.4 KD PROTEIN IN RPC2/RET1 3'REGION	0.27
797	AL010270	Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from contig 4-96, complete sequence	0.37	YTH3_CAEEL	HYPOTHETICAL 75.5 KD PROTEIN C14A4.3 IN CHROMOSOME II	2
798	U95098	Xenopus laevis mitotic phosphoprotein 44 mRNA, partial cds	0.015	IMB3_HUMAN	IMPORTIN BETA-3 SUBUNIT (KARYOPHERIN BETA-3 SUBUNIT)	0.063
799	U70139	Mus musculus putative CCR4 protein mRNA, partial cds	0	CCR4_YEAST	GLUCOSE-REPRESSIBLE ALCOHOL DEHYDROGENASE TRANSCRIPTIONAL EFFECTOR (CARBON CATABOLITE REPRESSOR PROTEIN 4)	5.00E-11
800	L26507	Mouse myocyte nuclear factor (MNF) mRNA, complete cds.	3.00E-41	MNF_MOUSE	MYOCYTE NUCLEAR FACTOR (MNF)	4.00E-18

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
801	U20527	Mus musculus chemokine KC gene, 5' region.	0	GRO_MOUSE	GROWTH REGULATED PROTEIN PRECURSOR (PLATELET-DERIVED GROWTH FACTOR-INDUCIBLE PROTEIN KC) (SECRETORY PROTEIN N51)	1.00E-28
802	AF065482	Homo sapiens sorting nexin 2 (SNX2) mRNA, complete cds	0	MYSA_DROME	MYOSIN HEAVY CHAIN, MUSCLE	0.089
803	U05823	Mus musculus pericentrin mRNA, complete cds.	1.00E-94	M84D_DROME	MALE SPECIFIC SPERM PROTEIN MST84DD	0.099
804	U67468	Methanococcus jannaschii section 10 of 150 of the complete genome	0.4	<NONE>	<NONE>	<NONE>
805	U14178	Human type II IL-1 receptor gene, exon 1B	1.00E-19	AMPH_HUMAN	AMPHIPHYSIN	2.9
806	L40411	Homo sapiens thyroid receptor interactor	0	TRI8_HUMAN	THYROID RECEPTOR INTERACTING PROTEIN 8 (TRIP8)	4.00E-86
807	D17218	Human HepG2 3' region MboI cDNA, clone hmd3g02m3	e-136	CA1A_HUMAN	COLLAGEN ALPHA 1(X) CHAIN PRECURSOR	3.00E-04
808	Z57610	H.sapiens CpG DNA, clone 187a10, reverse read cpg187a10.rt1a .	e-102	HN3B_MOUSE	HEPATOCTE NUCLEAR FACTOR 3-BETA (HNF-3B)	1.00E-24
809	D14678	Human mRNA for kinesin-related protein, partial cds	0	NCD_DROME	CLARET SEGREGATIONAL PROTEIN	1.00E-70

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
810	X56317	Xiphophorus maculatus Xmrk(proto-oncogene) gene for receptor tyrosine kinase.	0.49	WN1B_MOUSE	WNT-10B PROTEIN PRECURSOR (WNT-12)	7.2
811	M36200	Human synaptobrevin 1 (SYB1) gene, exon 5.	0.2	VE2_HP14	REGULATORY PROTEIN E2	3.1
812	M18157	Human glandular kallikrein gene, complete cds.	1.5	EKLF_MOUSE	ERYTHROID KRUEPPEL-LIKE TRANSCRIPTION FACTOR (EKLF)	1.1
813	D25215	Human mRNA for KIAA0032 gene, complete cds	1.9	YXIS_SACER	HYPOTHETICAL 28.9 KD PROTEIN IN XIS 5'REGION (ORF1)	1.3
814	M96628	Human gene sequence, 5' end.	2.00E-06	AGRI_DISOM	AGRIN (FRAGMENT)	9.5
815	Z57610	H.sapiens CpG DNA, clone 187a10, reverse read cpg187a10.rt1a.	e-102	HN3B_MOUSE	HEPATOCYTE NUCLEAR FACTOR 3-BETA (HNF-3B)	1.00E-19
816	X14168	Human pLC46 with DNA replication origin	5.00E-16	ZN44_HUMAN	ZINC FINGER PROTEIN 44 (ZINC FINGER PROTEIN KOX7)	1.6
817	M19262	Rat clathrin light chain (LCB3) mRNA, complete cds.	0.28	LMA_DROME	LAMININ ALPHA CHAIN PRECURSOR	4.7
818	AF058055	Mus musculus monocarboxylate transporter 1	0.2	<NONE>	<NONE>	<NONE>
819	AB014570	Homo sapiens mRNA for KIAA0670 protein, partial cds	0.16	YGR1_YEAST	HYPOTHETICAL 34.8 KD PROTEIN IN SUT1-RCK1 INTERGENIC REGION	4.00E-06
820	M19262	Rat clathrin light chain (LCB3) mRNA, complete cds.	0.27	LMA_DROME	LAMININ ALPHA CHAIN PRECURSOR	4.5

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
821	Z54367	H.sapiens gene for plectin	0.29	YO93_CAEEL	HYPOTHETICAL 58.5 KD PROTEIN T20B12.3 IN CHROMOSOME III	1.00E-14
822	AB017026	Mus musculus mRNA for oxysterol-binding protein, complete cds	0	OXYB_HUMAN	OXYSTEROL-BINDING PROTEIN	2.00E-49
823	X58170	M.musculus mRNA for t-Complex Tcp-10a gene	1.00E-20	UL52_HSV11	DNA HELICASE/PRIMASE COMPLEX PROTEIN (DNA REPLICATION PROTEIN UL52)	5.3
824	X58430	Human Hox1.8 gene	0	HXAA_HUMAN	HOMEODOMAIN PROTEIN HOX-A10 (HOX-1H) (HOX-1.8) (PL)	1.00E-44
825	X53754	Porcine sarcoplasmic/endoplasmic-reticulum Ca(2+) pump gene 2 3'-end region	1.3	<NONE>	<NONE>	<NONE>
826	AB005786	Arabidopsis thaliana tRNA-Glu gene	0.46	<NONE>	<NONE>	<NONE>
827	AB012130	Homo sapiens SBC2 mRNA for sodium bicarbonate cotransporter2, complete cds	1.9	<NONE>	<NONE>	<NONE>
828	AB017430	Homo sapiens mRNA for kinesin-like DNA binding protein, complete cds	0	YBAV_ECOLI	HYPOTHETICAL 12.7 KD PROTEIN IN HUPB-COF INTERGENIC REGION	0.063
829	AB007886	Homo sapiens KIAA0426 mRNA, complete cds	0.042	YDF3_SCHPO	PROBABLE EUKARYOTIC INITIATION FACTOR C17C9.03	0.52
830	AB018335	Homo sapiens mRNA for KIAA0792 protein, complete cds	e-172	UROT_BOVIN	TISSUE PLASMINOGEN ACTIVATOR PRECURSOR (EC 3.4.21.68)	0.86

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
831	D12646	Mouse kif4 mRNA for microtubule-based motor protein KIF4, complete cds	0	KIF4_MOUSE	KINESIN-LIKE PROTEIN KIF4	9.00E-96
832	U38376	Rattus norvegicus cytosolic phospholipase A2 mRNA, complete cds	0.048	<NONE>	<NONE>	<NONE>
833	L40411	Homo sapiens thyroid receptor interactor	0	TRI8_HUMAN	THYROID RECEPTOR INTERACTING PROTEIN 8 (TRIP8)	4.00E-86
834	U08110	Mus musculus RNA1 homolog (Fug1) mRNA, complete cds.	8.00E-04	YNW7_YEAST	HYPOTHETICAL 68.8 KD PROTEIN IN URE2-SSU72 INTERGENIC REGION	0.02
835	D50646	Mouse mRNA for SDF2, complete cds	1.00E-40	YB64_YEAST	HYPOTHETICAL 57.2 KD PROTEIN IN MET8-HPC2 INTERGENIC REGION	4.9
836	D50646	Mouse mRNA for SDF2, complete cds	1.00E-40	YB64_YEAST	HYPOTHETICAL 57.2 KD PROTEIN IN MET8-HPC2 INTERGENIC REGION	4.9
837	U67459	Methanococcus jannaschii section 1 of 150 of the complete genome	5.00E-05	GCS1_HUMAN	MANNOSYL-OLIGOSACCHARIDE GLUCOSIDASE (EC 3.2.1.106)	9.2
838	U18657	Haemophilus influenzae LeuA (leuA) gene, partial cds, DprA (dprA+), orf272 and orf193 genes, complete cds, and PfkA (pfkA) gene, partial cds.	0.01	STE6_YEAST	MATING FACTOR A SECRETION PROTEIN STE6 (MULTIPLE DRUG RESISTANCE PROTEIN HOMOLOG) (P-GLYCOPROTEIN)	7

WO 99/33982

PCT/US98/27610

Table 2

SEQ ID	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
839	U12523	Rattus norvegicus ultraviolet B radiation-activated UV98 mRNA, partial sequence.	1.00E-10	YMT8_YEAST	HYPOTHETICAL 36.4 KD PROTEIN IN NUP116-FAR3 INTERGENIC REGION	2.00E-06
840	D78255	Mouse mRNA for PAP-1, complete cds	e-175	<NONE>	<NONE>	<NONE>
841	D17263	Human HepG2 3' region Mbol cDNA, clone hmd5f07m3	1.00E-58	<NONE>	<NONE>	<NONE>
842	AF006751	Homo sapiens ES/130 mRNA, complete cds	0.061	YRP2_YEAST	HYPOTHETICAL 84.4 KD PROTEIN IN RPC2/RET1 3'REGION	2.00E-07
843	U67459	Methanococcus jannaschii section 1 of 150 of the complete genome	6.00E-05	YC14_METJA	HYPOTHETICAL PROTEIN MJ1214	8.1
844	D88689	Mus musculus mRNA for flt-1, complete cds	0.084	ICP0_HSV2H	TRANS-ACTING TRANSCRIPTIONAL PROTEIN ICP0 (VMW118 PROTEIN)	0.014

WO 99/33982

PCT/US98/27610

Table 5 All Differential Data for Libs 1-4 and 8-9

Clone Name	Cluster ID	Clones in Lib1	Clones in Lib2	Clones in Lib3	Clones in Lib4	Clones in Lib8	Clones in Lib9
M00001340B:A06	17062	3	0	0	0	0	0
M00001340D:F10	11589	2	2	1	3	3	8
M00001341A:E12	4443	10	6	2	6	3	11
M00001342B:E06	39805	2	0	0	0	1	0
M00001343C:F10	2790	7	15	13	14	6	0
M00001343D:H07	23255	3	0	1	1	0	0
M00001345A:E01	6420	8	0	2	0	1	0
M00001346A:F09	5007	4	8	3	6	2	6
M00001346D:E03	6806	5	2	1	2	0	3
M00001346D:G06	5779	5	4	3	4	0	0
M00001346D:G06	5779	5	4	3	4	0	0
M00001347A:B10	13576	5	0	0	0	12	11
M00001348B:B04	16927	4	0	0	2	0	0
M00001348B:G06	16985	4	0	0	0	0	0
M00001349B:B08	3584	5	11	5	0	0	2
M00001350A:H01	7187	5	3	1	0	1	0
M00001351B:A08	3162	10	14	1	6	6	5
M00001351B:A08	3162	10	14	1	6	6	5
M00001352A:E02	16245	4	0	0	0	0	0
M00001353A:G12	8078	4	3	1	0	1	0
M00001353D:D10	14929	4	0	0	1	23	16
M00001355B:G10	14391	3	1	0	0	0	0
M00001357D:D11	4059	8	6	8	16	0	1
M00001361A:A05	4141	5	2	10	16	4	27
M00001361D:F08	2379	26	13	4	2	2	3
M00001362B:D10	5622	7	4	2	13	1	2
M00001362C:H11	945	9	21	2	1	0	0
M00001365C:C10	40132	2	0	0	0	3	0
M00001370A:C09	6867	7	3	0	0	0	0
M00001371C:E09	7172	3	5	1	2	0	1
M00001376B:G06	17732	1	3	5	0	1	4
M00001378B:B02	39833	2	0	0	0	0	0
M00001379A:A05	1334	27	38	35	28	3	0
M00001380D:B09	39886	2	0	0	0	0	0
M00001382C:A02	22979	2	1	0	0	0	0
M00001383A:C03	39648	2	0	0	0	0	0
M00001383A:C03	39648	2	0	0	0	0	0
M00001386C:B12	5178	5	5	4	2	5	2
M00001387A:C05	2464	5	19	25	16	1	0
M00001387B:G03	7587	6	2	1	0	0	0
M00001388D:G05	5832	10	3	0	1	5	0
M00001389A:C08	16269	3	0	0	0	1	1
M00001394A:F01	6583	2	7	3	2	0	0
M00001395A:C03	4016	5	14	0	6	0	0
M00001396A:C03	4009	6	4	13	5	4	10
M00001402A:E08	39563	2	0	0	0	0	0

WO 99/33982

PCT/US98/27610

Table 5 All Differential Data for Libs 1-4 and 8-9

Clone Name	Cluster ID	Clones in Lib1	Clones in Lib2	Clones in Lib3	Clones in Lib4	Clones in Lib8	Clones in Lib9
M00001407B:D11	5556	8	1	5	0	2	0
M00001409C:D12	9577	5	2	0	1	11	12
M00001410A:D07	7005	8	2	0	0	0	0
M00001412B:B10	8551	4	4	0	3	0	0
M00001415A:H06	13538	5	0	0	0	9	1
M00001416A:H01	7674	5	2	0	5	0	0
M00001416B:H11	8847	4	1	3	0	6	1
M00001417A:E02	36393	2	0	0	1	0	0
M00001418B:F03	9952	4	2	1	1	0	0
M00001418D:B06	8526	3	2	1	5	1	0
M00001421C:F01	9577	5	2	0	1	11	12
M00001423B:E07	15066	4	0	0	0	0	0
M00001424B:G09	10470	5	1	0	2	0	1
M00001425B:H08	22195	3	0	0	0	0	0
M00001426D:C08	4261	4	9	7	9	12	15
M00001428A:H10	84182	1	0	0	0	0	0
M00001429A:H04	2797	15	11	18	16	1	14
M00001429B:A11	4635	7	9	2	0	0	0
M00001429D:D07	40392	2	0	1	8	12	16
M00001439C:F08	40054	1	0	0	0	0	0
M00001442C:D07	16731	3	1	0	0	0	0
M00001445A:F05	13532	3	2	1	0	1	2
M00001446A:F05	7801	5	2	4	6	1	0
M00001447A:G03	10717	7	2	0	5	8	0
M00001448D:C09	8	1850	2127	1703	3133	1355	122
M00001448D:H01	36313	2	0	0	0	1	30
M00001449A:A12	5857	6	2	3	4	0	0
M00001449A:B12	41633	1	1	0	0	0	0
M00001449A:D12	3681	12	5	10	1	2	5
M00001449A:G10	36535	2	0	0	0	0	0
M00001449C:D06	86110	1	0	0	0	0	0
M00001450A:A02	39304	2	0	0	0	0	0
M00001450A:A11	32663	1	1	0	0	0	0
M00001450A:B12	82498	1	0	0	0	0	0
M00001450A:D08	27250	2	0	0	0	0	0
M00001452A:B04	84328	1	0	0	0	0	0
M00001452A:B12	86859	1	0	0	0	0	0
M00001452A:D08	1120	44	41	5	11	5	0
M00001452A:F05	85064	1	0	0	0	0	0
M00001452C:B06	16970	4	0	0	0	3	4
M00001453A:E11	16130	3	1	0	0	0	1
M00001453C:F06	16653	3	1	0	0	0	0
M00001454A:A09	83103	1	0	0	0	0	0
M00001454B:C12	7005	8	2	0	0	0	0
M00001454D:G03	689	58	95	17	36	66	95
M00001455A:E09	13238	4	1	0	0	0	0
M00001455B:E12	13072	4	1	0	0	0	0
M00001455D:F09	9283	4	1	0	1	0	1

WO 99/33982

PCT/US98/27610

Table 5 All Differential Data for Libs 1-4 and 8-9

Clone Name	Cluster ID	Clones in Lib1	Clones in Lib2	Clones in Lib3	Clones in Lib4	Clones in Lib8	Clones in Lib9
M00001455D:F09	9283	4	1	0	1	0	1
M00001460A:F06	2448	23	22	2	3	3	1
M00001460A:F12	39498	2	0	0	0	0	0
M00001461A:D06	1531	20	23	32	17	14	14
M00001463C:B11	19	1415	1203	1364	525	479	774
M00001465A:B11	10145	2	0	2	0	0	0
M00001466A:E07	4275	11	2	5	0	4	2
M00001467A:B07	38759	2	0	0	0	1	1
M00001467A:D04	39508	2	0	0	0	0	0
M00001467A:D08	16283	3	0	0	0	0	0
M00001467A:D08	16283	3	0	0	0	0	0
M00001467A:E10	39442	2	0	0	0	0	0
M00001468A:F05	7589	6	2	1	1	1	0
M00001469A:C10	12081	4	0	0	0	0	0
M00001469A:H12	19105	2	0	2	0	1	0
M00001470A:B10	1037	53	48	4	22	0	0
M00001470A:C04	39425	2	0	0	0	0	0
M00001471A:B01	39478	2	0	0	0	0	0
M00001481D:A05	7985	3	1	4	0	1	0
M00001490B:C04	18699	2	1	0	0	0	3
M00001494D:F06	7206	4	3	3	1	2	0
M00001497A:G02	2623	12	4	31	4	6	1
M00001499B:A11	10539	2	1	1	0	1	0
M00001500A:C05	5336	9	2	4	8	3	15
M00001500A:E11	2623	12	4	31	4	6	1
M00001500C:E04	9443	4	2	1	1	0	0
M00001501D:C02	9685	3	2	0	7	2	3
M00001504C:A07	10185	5	1	0	0	2	4
M00001504C:H06	6974	7	3	0	1	0	0
M00001504D:G06	6420	8	0	2	0	1	0
M00001507A:H05	39168	2	0	0	0	0	0
M00001511A:H06	39412	2	0	0	0	0	0
M00001512A:A09	39186	2	0	0	0	0	0
M00001512D:G09	3956	9	9	5	2	0	0
M00001513A:B06	4568	10	4	0	9	2	0
M00001513C:E08	14364	1	0	0	0	0	0
M00001514C:D11	40044	2	0	0	0	0	0
M00001517A:B07	4313	13	6	1	0	1	0
M00001518C:B11	8952	3	4	0	4	2	0
M00001528A:C04	7337	4	4	3	16	12	21
M00001528A:F09	18957	3	0	0	0	0	0
M00001528B:H04	8358	3	3	2	0	0	0
M00001531A:D01	38085	2	0	0	0	0	0
M00001532B:A06	3990	6	12	4	1	3	1
M00001533A:C11	2428	14	14	13	9	2	19
M00001534A:C04	16921	4	0	0	1	2	1
M00001534A:D09	5097	6	5	1	1	3	2
M00001534A:F09	5321	11	7	1	5	10	26

WO 99/33982

PCT/US98/27610

Table 5 All Differential Data for Libs 1-4 and 8-9

Clone Name	Cluster ID	Clones in Lib1	Clones in Lib2	Clones in Lib3	Clones in Lib4	Clones in Lib8	Clones in Lib9
M00001534C:A01	4119	9	4	2	2	5	3
M00001535A:B01	7665	3	1	5	0	0	0
M00001535A:C06	20212	2	0	1	1	0	0
M00001535A:F10	39423	2	0	0	0	0	0
M00001536A:B07	2696	23	11	9	18	10	21
M00001536A:C08	39392	2	0	0	0	0	0
M00001537A:F12	39420	2	0	0	0	0	0
M00001537B:G07	3389	4	11	13	2	0	0
M00001540A:D06	8286	6	1	0	3	4	0
M00001541A:D02	3765	19	6	0	0	0	0
M00001541A:F07	22085	3	0	0	0	0	1
M00001541A:H03	39174	2	0	0	0	0	0
M00001542A:A09	22113	3	0	0	0	0	0
M00001542A:E06	39453	2	0	0	0	0	0
M00001544A:E03	12170	2	1	2	0	0	0
M00001544A:G02	19829	2	0	1	0	0	0
M00001544B:B07	6974	7	3	0	1	0	0
M00001545A:C03	19255	2	0	0	0	0	0
M00001545A:D08	13864	3	0	2	1	2	4
M00001546A:G11	1267	43	55	5	0	0	0
M00001548A:E10	5892	5	1	4	4	1	3
M00001548A:H09	1058	40	44	37	47	39	59
M00001549A:B02	4015	10	5	8	15	2	0
M00001549A:D08	10944	3	0	3	1	0	7
M00001549B:F06	4193	12	7	2	2	0	1
M00001549C:E06	16347	4	0	0	0	0	0
M00001550A:A03	7239	5	2	1	0	2	0
M00001550A:G01	5175	8	1	3	2	0	0
M00001551A:B10	6268	6	4	3	18	5	0
M00001551A:F05	39180	2	0	0	0	0	0
M00001551A:G06	22390	2	1	0	0	0	1
M00001551C:G09	3266	12	14	0	1	0	6
M00001552A:B12	307	73	60	196	75	79	27
M00001552A:D11	39458	2	0	0	0	0	0
M00001552B:D04	5708	5	4	4	3	1	4
M00001553A:H06	8298	4	3	1	3	0	0
M00001553B:F12	4573	5	7	2	5	0	1
M00001553D:D10	22814	3	0	0	0	0	0
M00001555A:B02	39539	2	0	0	0	1	0
M00001555A:C01	39195	2	0	0	0	0	0
M00001555D:G10	4561	8	4	4	8	0	0
M00001556A:C09	9244	2	0	3	2	10	17
M00001556A:F11	1577	12	40	25	3	4	0
M00001556A:H01	15855	2	1	1	2	12	213
M00001556B:C08	4386	7	8	3	1	3	21
M00001556B:G02	11294	4	0	2	0	0	1
M00001557A:D02	7065	5	3	2	1	0	0
M00001557A:D02	7065	5	3	2	1	0	0

WO 99/33982

PCT/US98/27610

Table 5 All Differential Data for Libs 1-4 and 8-9

Clone Name	Cluster ID	Clones in Lib1	Clones in Lib2	Clones in Lib3	Clones in Lib4	Clones in Lib8	Clones in Lib9
M00001557A:F01	9635	3	0	2	1	0	0
M00001557A:F03	39490	2	0	0	0	1	0
M00001557B:H10	5192	8	5	0	5	0	0
M00001557D:D09	8761	3	4	0	1	0	1
M00001558B:H11	7514	5	3	0	0	0	0
M00001560D:F10	6558	4	3	4	0	0	5
M00001561A:C05	39486	2	0	0	0	0	0
M00001563B:F06	102	289	233	278	116	123	184
M00001564A:B12	5053	11	4	2	2	1	1
M00001571C:H06	5749	4	1	9	0	0	0
M00001578B:E04	23001	2	1	0	2	0	0
M00001579D:C03	6539	8	3	0	0	0	1
M00001583D:A10	6293	3	5	2	6	0	0
M00001586C:C05	4623	3	4	12	2	1	1
M00001587A:B11	39380	2	0	0	0	0	0
M00001594B:H04	260	189	188	27	2	15	0
M00001597C:H02	4837	6	2	10	0	3	1
M00001597D:C05	10470	5	1	0	2	0	1
M00001598A:G03	16999	4	0	0	0	0	0
M00001601A:D08	22794	2	0	0	0	0	0
M00001604A:B10	1399	49	27	19	7	10	23
M00001604A:F05	39391	2	0	0	0	0	0
M00001607A:E11	11465	5	0	0	0	0	0
M00001608A:B03	7802	5	4	0	1	0	0
M00001608B:E03	22155	3	0	0	0	0	0
M00001614C:F10	13157	4	1	0	3	1	0
M00001617C:E02	17004	4	0	1	0	1	0
M00001619C:F12	40314	2	0	0	0	1	0
M00001621C:C08	40044	2	0	0	0	0	0
M00001623D:F10	13913	2	1	2	0	0	1
M00001624A:B06	3277	10	11	8	3	5	1
M00001624C:F01	4309	4	13	3	10	0	0
M00001630B:H09	5214	10	2	2	2	4	3
M00001644C:B07	39171	2	0	0	0	0	0
M00001645A:C12	19267	2	0	0	0	0	1
M00001648C:A01	4665	5	9	0	0	0	0
M00001657D:C03	23201	3	0	0	0	3	0
M00001657D:F08	76760	1	0	2	2	0	5
M00001662C:A09	23218	3	0	0	0	0	0
M00001663A:E04	35702	2	0	0	0	0	0
M00001669B:F02	6468	4	3	3	8	1	0
M00001670C:H02	14367	3	0	0	0	0	0
M00001673C:H02	7015	6	3	1	2	1	1
M00001675A:C09	8773	4	1	4	4	4	6
M00001676B:F05	11460	4	2	0	0	0	0
M00001677C:E10	14627	1	2	1	0	1	0
M00001677D:A07	7570	5	3	0	0	0	0
M00001678D:F12	4416	9	5	2	6	1	3

WO 99/33982

PCT/US98/27610

Table 5 All Differential Data for Libs 1-4 and 8-9

Clone Name	Cluster ID	Clones in Lib1	Clones in Lib2	Clones in Lib3	Clones in Lib4	Clones in Lib8	Clones in Lib9
M00001679A:A06	6660	7	0	4	2	1	0
M00001679A:F10	26875	1	0	0	0	1	0
M00001679B:F01	6298	2	4	5	3	1	0
M00001679C:F01	78091	1	0	0	0	0	0
M00001679D:D03	10751	3	2	0	1	0	1
M00001679D:D03	10751	3	2	0	1	0	1
M00001680D:F08	10539	2	1	1	0	1	0
M00001682C:B12	17055	4	0	0	0	0	0
M00001686A:E06	4622	7	6	4	2	3	0
M00001688C:F09	5382	6	2	6	2	0	3
M00001693C:G01	4393	10	6	2	4	1	1
M00001716D:H05	67252	1	0	0	1	0	0
M00003741D:C09	40108	2	0	0	0	0	0
M00003747D:C05	11476	6	0	0	0	0	0
M00003759B:B09	697	76	52	30	72	21	30
M00003762C:B08	17076	4	0	0	0	0	0
M00003763A:F06	3108	14	11	7	5	0	1
M00003774C:A03	67907	1	0	0	0	0	0
M00003796C:D05	5619	3	5	3	3	0	4
M00003826B:A06	11350	3	3	0	0	1	0
M00003833A:E05	21877	2	1	0	0	0	1
M00003837D:A01	7899	5	4	0	2	1	0
M00003839A:D08	7798	5	2	2	0	0	1
M00003844C:B11	6539	8	3	0	0	0	1
M00003846B:D06	6874	6	3	0	0	0	0
M00003851B:D10	13595	4	0	1	0	0	1
M00003853A:D04	5619	3	5	3	3	0	4
M00003853A:F12	10515	5	1	0	1	1	2
M00003856B:C02	4622	7	6	4	2	3	0
M00003857A:G10	3389	4	11	13	2	0	0
M00003857A:H03	4718	4	5	5	2	4	6
M00003871C:E02	4573	5	7	2	5	0	1
M00003875B:F04	12977	5	0	0	0	0	0
M00003875B:F04	12977	5	0	0	0	0	0
M00003875C:G07	8479	4	3	1	1	2	4
M00003876D:E12	7798	5	2	2	0	0	1
M00003879B:C11	5345	7	1	7	4	6	27
M00003879B:D10	31587	1	1	0	0	1	0
M00003879D:A02	14507	3	1	0	0	3	1
M00003885C:A02	13576	5	0	0	0	12	11
M00003885C:A02	13576	5	0	0	0	12	11
M00003906C:E10	9285	4	3	0	0	1	2
M00003907D:A09	39809	1	0	0	0	2	1
M00003907D:H04	16317	3	0	0	0	0	0
M00003909D:C03	8672	4	4	0	0	0	0
M00003912B:D01	12532	4	1	0	1	0	1
M00003914C:F05	3900	9	6	8	1	7	13
M00003922A:E06	23255	3	0	1	1	0	0

WO 99/33982

PCT/US98/27610

Table 5 All Differential Data for Libs 1-4 and 8-9

Clone Name	Cluster ID	Clones in Lib1	Clones in Lib2	Clones in Lib3	Clones in Lib4	Clones in Lib8	Clones in Lib9
M00003958A:H02	18957	3	0	0	0	0	0
M00003958A:H02	18957	3	0	0	0	0	0
M00003958C:G10	40455	2	0	0	0	0	0
M00003958C:G10	40455	2	0	0	0	0	0
M00003968B:F06	24488	2	0	1	4	0	0
M00003970C:B09	40122	2	0	0	0	0	0
M00003974D:E07	23210	3	0	0	0	0	0
M00003974D:H02	23358	3	0	0	0	1	0
M00003975A:G11	12439	4	0	0	0	0	0
M00003978B:G05	5693	7	4	1	3	1	1
M00003981A:E10	3430	9	10	7	3	0	0
M00003982C:C02	2433	10	13	21	18	8	8
M00003983A:A05	9105	5	1	1	1	0	0
M00004028D:A06	6124	4	8	1	9	1	0
M00004028D:C05	40073	2	0	1	0	0	1
M00004031A:A12	9061	5	2	0	0	0	0
M00004031A:A12	9061	5	2	0	0	0	0
M00004035C:A07	37285	2	0	0	1	0	1
M00004035D:B06	17036	4	0	0	0	0	0
M00004059A:D06	5417	10	4	0	9	2	0
M00004068B:A01	3706	7	14	4	22	1	0
M00004072B:B05	17036	4	0	0	0	0	0
M00004081C:D10	15069	3	0	0	1	0	0
M00004081C:D12	14391	3	1	0	0	0	0
M00004086D:G06	9285	4	3	0	0	1	2
M00004087D:A01	6880	2	6	1	1	0	0
M00004093D:B12	5325	5	5	2	0	2	1
M00004093D:B12	5325	5	5	2	0	2	1
M00004105C:A04	7221	5	2	2	2	0	0
M00004108A:E06	4937	4	9	3	1	3	1
M00004111D:A08	6874	6	3	0	0	0	0
M00004114C:F11	13183	2	3	0	7	0	1
M00004138B:H02	13272	3	2	0	3	0	0
M00004146C:C11	5257	2	8	5	5	5	25
M00004151D:B08	16977	4	0	0	0	0	0
M00004157C:A09	6455	3	1	6	0	0	0
M00004169C:C12	5319	6	2	8	2	2	3
M00004171D:B03	4908	6	7	2	2	2	0
M00004172C:D08	11494	4	0	0	0	0	0
M00004183C:D07	16392	3	0	0	0	0	0
M00004185C:C03	11443	5	1	0	0	0	0
M00004197D:H01	8210	2	6	0	0	0	0
M00004203B:C12	14311	4	0	0	0	1	2
M00004212B:C07	2379	26	13	4	2	2	3
M00004214C:H05	11451	3	2	1	2	1	1
M00004223A:G10	16918	4	0	0	0	0	0
M00004223B:D09	7899	5	4	0	2	1	0
M00004223D:E04	12971	4	0	0	0	1	0

WO 99/33982

PCT/US98/27610

Table 5 All Differential Data for Libs 1-4 and 8-9

Clone Name	Cluster ID	Clones in Lib1	Clones in Lib2	Clones in Lib3	Clones in Lib4	Clones in Lib8	Clones in Lib9
M00004229B:F08	6455	3	1	6	0	0	0
M00004230B:C07	7212	3	5	2	1	3	0
M00004269D:D06	4905	7	6	3	1	3	1
M00004275C:C11	16914	3	0	0	1	0	0
M00004283B:A04	14286	3	1	0	1	1	1
M00004285B:E08	56020	1	0	0	0	0	0
M00004295D:F12	16921	4	0	0	1	2	1
M00004296C:H07	13046	4	1	0	1	0	0
M00004307C:A06	9457	2	0	5	0	3	0
M00004312A:G03	26295	2	0	0	0	0	0
M00004318C:D10	21847	2	1	0	0	0	0
M00004372A:A03	2030	13	10	32	4	0	0
M00004377C:F05	2102	12	20	23	21	6	5

WO 99/33982

PCT/US98/27610

Table 6 All Differential Data for Libs 15-20

Clone Name	Cluster ID	Clones in Lib15	Clones in Lib16b	Clones in Lib17	Clones in Lib18	Clones in Lib19	Clones in Lib20
M00001340B:A06	17062	0	0	0	0	0	0
M00001340D:F10	11589	0	0	0	0	0	0
M00001341A:E12	4443	0	0	0	1	0	0
M00001342B:E06	39805	0	0	0	0	0	0
M00001343C:F10	2790	0	0	0	0	0	0
M00001343D:H07	23255	0	0	0	0	0	0
M00001345A:E01	6420	0	0	0	0	0	0
M00001346A:F09	5007	0	0	0	0	0	0
M00001346D:E03	6806	0	0	0	0	0	0
M00001346D:G06	5779	0	0	0	0	0	0
M00001346D:G06	5779	0	0	0	0	0	0
M00001347A:B10	13576	0	0	0	0	0	0
M00001348B:B04	16927	0	0	0	0	0	0
M00001348B:G06	16985	0	0	0	0	0	0
M00001349B:B08	3584	0	0	0	0	0	0
M00001350A:H01	7187	0	0	0	0	0	0
M00001351B:A08	3162	0	1	0	0	1	0
M00001351B:A08	3162	0	1	0	0	1	0
M00001352A:E02	16245	0	0	0	0	0	0
M00001353A:G12	8078	0	0	0	0	0	0
M00001353D:D10	14929	0	3	1	0	5	0
M00001355B:G10	14391	0	0	0	0	0	0
M00001357D:D11	4059	0	0	0	0	0	0
M00001361A:A05	4141	0	0	0	0	0	0
M00001361D:F08	2379	0	0	0	0	0	0
M00001362B:D10	5622	0	0	0	0	0	0
M00001362C:H11	945	0	0	0	0	0	1
M00001365C:C10	40132	0	0	0	0	0	0
M00001370A:C09	6867	0	0	0	0	0	0
M00001371C:E09	7172	0	0	0	0	0	0
M00001376B:G06	17732	0	0	0	0	0	1
M00001378B:B02	39833	0	0	0	0	0	0
M00001379A:A05	1334	0	0	0	0	0	1
M00001380D:B09	39886	0	0	0	0	0	0
M00001382C:A02	22979	0	0	0	0	0	0
M00001383A:C03	39648	0	0	0	0	0	0
M00001383A:C03	39648	0	0	0	0	0	0
M00001386C:B12	5178	0	0	0	0	0	0
M00001387A:C05	2464	0	0	0	0	0	0
M00001387B:G03	7587	0	0	0	0	0	0
M00001388D:G05	5832	0	0	0	0	0	0
M00001389A:C08	16269	0	1	0	0	0	0
M00001394A:F01	6583	1	4	1	0	0	0
M00001395A:C03	4016	0	0	0	0	0	0
M00001396A:C03	4009	0	0	0	0	0	0
M00001402A:E08	39563	0	0	0	0	0	0
M00001407B:D11	5556	0	0	0	0	0	0
M00001409C:D12	9577	0	0	0	0	0	0

WO 99/33982

PCT/US98/27610

Table 6 All Differential Data for Libs 15-20

Clone Name	Cluster ID	Clones in Lib15	Clones in Lib16b	Clones in Lib17	Clones in Lib18	Clones in Lib19	Clones in Lib20
M00001410A:D07	7005	0	0	0	0	0	0
M00001412B:B10	8551	0	0	0	0	0	0
M00001415A:H06	13538	0	0	0	0	0	0
M00001416A:H01	7674	0	0	0	0	0	0
M00001416B:H11	8847	0	0	0	0	0	0
M00001417A:E02	36393	0	0	0	0	0	0
M00001418B:F03	9952	0	0	0	0	0	0
M00001418D:B06	8526	0	0	0	0	0	0
M00001421C:F01	9577	0	0	0	0	0	0
M00001423B:E07	15066	0	0	0	0	0	0
M00001424B:G09	10470	0	0	0	0	0	0
M00001425B:H08	22195	0	0	0	0	0	0
M00001426D:C08	4261	0	0	1	0	0	1
M00001428A:H10	84182	0	0	0	0	0	0
M00001429A:H04	2797	0	0	0	0	0	0
M00001429B:A11	4635	0	0	0	0	0	0
M00001429D:D07	40392	0	0	0	0	0	0
M00001439C:F08	40054	0	0	0	0	0	0
M00001442C:D07	16731	0	0	0	0	0	0
M00001445A:F05	13532	0	0	0	0	0	0
M00001446A:F05	7801	0	0	0	0	0	0
M00001447A:G03	10717	0	0	0	0	0	0
M00001448D:C09	8	1	6	6	1	14	1
M00001448D:H01	36313	0	3	0	0	3	0
M00001449A:A12	5857	0	0	0	0	0	0
M00001449A:B12	41633	0	0	0	0	0	0
M00001449A:D12	3681	0	0	0	0	0	0
M00001449A:G10	36535	0	0	0	0	0	0
M00001449C:D06	86110	0	0	0	0	0	0
M00001450A:A02	39304	0	0	0	0	0	0
M00001450A:A11	32663	0	0	0	0	0	0
M00001450A:B12	82498	0	0	0	0	0	0
M00001450A:D08	27250	0	0	0	0	0	0
M00001452A:B04	84328	0	0	0	0	0	0
M00001452A:B12	86859	0	0	0	0	0	0
M00001452A:D08	1120	0	0	0	0	0	0
M00001452A:F05	85064	0	0	0	0	0	0
M00001452C:B06	16970	0	0	2	0	1	0
M00001453A:E11	16130	0	0	0	0	0	0
M00001453C:F06	16653	0	0	0	0	0	0
M00001454A:A09	83103	0	0	0	0	0	0
M00001454B:C12	7005	0	0	0	0	0	0
M00001454D:G03	689	0	2	2	0	4	2
M00001455A:E09	13238	0	0	0	0	0	0
M00001455B:E12	13072	0	0	0	0	0	0
M00001455D:F09	9283	0	0	0	0	0	0
M00001455D:F09	9283	0	0	0	0	0	0
M00001460A:F06	2448	0	0	0	0	0	0
M00001460A:F12	39498	0	0	0	0	0	0

WO 99/33982

PCT/US98/27610

Table 6 All Differential Data for Libs 15-20

Clone Name	Cluster ID	Clones in Lib15	Clones in Lib16b	Clones in Lib17	Clones in Lib18	Clones in Lib19	Clones in Lib20
M00001461A:D06	1531	0	0	0	0	0	0
M00001463C:B11	19	2	13	13	0	69	10
M00001465A:B11	10145	0	0	0	0	0	0
M00001466A:E07	4275	0	0	0	0	0	0
M00001467A:B07	38759	0	0	0	0	0	0
M00001467A:D04	39508	0	0	0	0	0	0
M00001467A:D08	16283	0	0	0	0	0	0
M00001467A:D08	16283	0	0	0	0	0	0
M00001467A:E10	39442	0	0	0	0	0	0
M00001468A:F05	7589	0	0	0	0	0	0
M00001469A:C10	12081	0	0	0	0	0	0
M00001469A:H12	19105	0	0	0	0	0	0
M00001470A:B10	1037	0	0	0	0	0	0
M00001470A:C04	39425	0	0	0	0	0	0
M00001471A:B01	39478	0	0	0	0	0	0
M00001481D:A05	7985	0	0	0	0	0	0
M00001490B:C04	18699	0	0	0	0	0	0
M00001494D:F06	7206	0	0	0	0	0	0
M00001497A:G02	2623	0	0	0	0	0	0
M00001499B:A11	10539	0	0	0	0	0	0
M00001500A:C05	5336	0	0	0	0	0	0
M00001500A:E11	2623	0	0	0	0	0	0
M00001500C:E04	9443	0	0	0	0	0	0
M00001501D:C02	9685	0	0	0	0	0	0
M00001504C:A07	10185	0	0	0	0	0	0
M00001504C:H06	6974	0	0	0	0	0	0
M00001504D:G06	6420	0	0	0	0	0	0
M00001507A:H05	39168	0	0	0	0	0	0
M00001511A:H06	39412	0	0	0	0	0	0
M00001512A:A09	39186	0	0	0	0	0	0
M00001512D:G09	3956	0	0	1	0	0	0
M00001513A:B06	4568	0	0	0	0	0	0
M00001513C:E08	14364	0	0	0	0	0	0
M00001514C:D11	40044	0	1	0	0	0	0
M00001517A:B07	4313	0	0	0	0	0	0
M00001518C:B11	8952	0	0	0	0	0	0
M00001528A:C04	7337	0	0	0	0	0	0
M00001528A:F09	18957	0	0	0	0	0	0
M00001528B:H04	8358	0	0	0	0	0	0
M00001531A:D01	38085	0	0	0	0	0	0
M00001532B:A06	3990	1	1	0	0	0	0
M00001533A:C11	2428	0	0	1	0	0	0
M00001534A:C04	16921	0	0	0	0	0	0
M00001534A:D09	5097	0	0	0	0	0	0
M00001534A:F09	5321	0	1	0	0	2	0
M00001534C:A01	4119	0	0	0	0	0	0
M00001535A:B01	7665	0	0	0	0	0	0
M00001535A:C06	20212	0	0	0	0	0	0
M00001535A:F10	39423	0	0	0	0	0	0

WO 99/33982

PCT/US98/27610

Table 6 All Differential Data for Libs 15-20

Clone Name	Cluster ID	Clones in Lib15	Clones in Lib16b	Clones in Lib17	Clones in Lib18	Clones in Lib19	Clones in Lib20
M00001536A:B07	2696	0	0	0	0	3	0
M00001536A:C08	39392	0	0	0	0	0	0
M00001537A:F12	39420	0	0	0	0	0	0
M00001537B:G07	3389	0	0	0	0	0	0
M00001540A:D06	8286	0	0	0	0	0	0
M00001541A:D02	3765	0	0	0	0	0	0
M00001541A:F07	22085	0	0	0	0	0	0
M00001541A:H03	39174	0	0	0	0	0	0
M00001542A:A09	22113	0	0	0	0	0	0
M00001542A:E06	39453	0	0	0	0	0	0
M00001544A:E03	12170	0	0	0	0	0	0
M00001544A:G02	19829	0	0	0	0	0	0
M00001544B:B07	6974	0	0	0	0	0	0
M00001545A:C03	19255	0	0	0	0	0	0
M00001545A:D08	13864	0	0	0	0	0	0
M00001546A:G11	1267	1	0	0	0	7	0
M00001548A:E10	5892	0	0	0	0	0	0
M00001548A:H09	1058	0	0	1	0	0	0
M00001549A:B02	4015	0	0	0	0	0	0
M00001549A:D08	10944	0	0	0	0	0	0
M00001549B:F06	4193	0	0	0	0	0	0
M00001549C:E06	16347	0	0	0	0	0	0
M00001550A:A03	7239	0	0	0	0	0	0
M00001550A:G01	5175	0	0	0	0	0	0
M00001551A:B10	6268	0	0	0	0	0	0
M00001551A:F05	39180	0	0	0	0	0	0
M00001551A:G06	22390	0	0	0	0	0	0
M00001551C:G09	3266	0	0	1	0	0	0
M00001552A:B12	307	0	0	0	0	3	0
M00001552A:D11	39458	0	0	0	0	0	0
M00001552B:D04	5708	0	1	0	0	0	0
M00001553A:H06	8298	0	0	0	0	0	0
M00001553B:F12	4573	0	0	0	0	0	0
M00001553D:D10	22814	0	0	0	0	0	0
M00001555A:B02	39539	0	0	0	0	0	0
M00001555A:C01	39195	0	0	0	0	0	0
M00001555D:G10	4561	0	0	0	0	0	0
M00001556A:C09	9244	0	0	0	0	0	0
M00001556A:F11	1577	0	0	0	0	0	0
M00001556A:H01	15855	3	5	5	0	3	1
M00001556B:C08	4386	1	2	0	0	0	0
M00001556B:G02	11294	0	0	0	0	0	0
M00001557A:D02	7065	0	0	0	0	0	0
M00001557A:D02	7065	0	0	0	0	0	0
M00001557A:F01	9635	0	0	0	0	0	0
M00001557A:F03	39490	0	0	0	0	0	0
M00001557B:H10	5192	0	0	0	0	0	0
M00001557D:D09	8761	0	0	0	0	0	0
M00001558B:H11	7514	0	0	0	0	0	0

WO 99/33982

PCT/US98/27610

Table 6 All Differential Data for Libs 15-20

Clone Name	Cluster ID	Clones in Lib15	Clones in Lib16b	Clones in Lib17	Clones in Lib18	Clones in Lib19	Clones in Lib20
M00001560D:F10	6558	0	0	0	0	0	0
M00001561A:C05	39486	0	0	0	0	0	0
M00001563B:F06	102	22	38	65	7	43	10
M00001564A:B12	5053	0	0	1	0	0	0
M00001571C:H06	5749	0	0	0	0	0	0
M00001578B:E04	23001	0	0	0	0	0	0
M00001579D:C03	6539	0	0	0	0	0	0
M00001583D:A10	6293	0	0	0	0	0	0
M00001586C:C05	4623	0	0	0	0	1	0
M00001587A:B11	39380	0	0	0	0	0	0
M00001594B:H04	260	0	0	0	0	1	0
M00001597C:H02	4837	0	0	0	0	0	0
M00001597D:C05	10470	0	0	0	0	0	0
M00001598A:G03	16999	1	1	1	0	0	0
M00001601A:D08	22794	0	0	0	0	0	0
M00001604A:B10	1399	0	0	0	0	0	0
M00001604A:F05	39391	0	0	0	0	0	0
M00001607A:E11	11465	0	0	0	0	0	0
M00001608A:B03	7802	0	0	0	0	0	0
M00001608B:E03	22155	0	0	0	0	0	0
M00001614C:F10	13157	0	0	0	0	0	0
M00001617C:E02	17004	0	0	0	0	1	0
M00001619C:F12	40314	0	0	0	0	0	0
M00001621C:C08	40044	0	1	0	0	0	0
M00001623D:F10	13913	0	0	0	0	0	0
M00001624A:B06	3277	0	0	0	0	0	0
M00001624C:F01	4309	0	0	0	0	0	0
M00001630B:H09	5214	1	0	0	1	1	0
M00001644C:B07	39171	0	0	0	0	0	0
M00001645A:C12	19267	0	0	0	0	1	0
M00001648C:A01	4665	0	0	0	0	0	0
M00001657D:C03	23201	0	0	0	0	0	0
M00001657D:F08	76760	0	0	0	0	0	0
M00001662C:A09	23218	0	0	0	0	0	0
M00001663A:E04	35702	0	0	0	0	0	0
M00001669B:F02	6468	0	0	0	0	0	0
M00001670C:H02	14367	0	0	0	0	0	0
M00001673C:H02	7015	0	0	0	0	0	0
M00001675A:C09	8773	0	0	0	0	0	0
M00001676B:F05	11460	0	0	0	0	0	0
M00001677C:E10	14627	0	1	0	0	0	0
M00001677D:A07	7570	0	0	0	0	0	0
M00001678D:F12	4416	0	0	0	0	0	0
M00001679A:A06	6660	0	0	0	0	0	0
M00001679A:F10	26875	0	0	0	0	0	0
M00001679B:F01	6298	0	0	0	0	0	0
M00001679C:F01	78091	0	0	0	0	0	0
M00001679D:D03	10751	0	0	0	0	0	0
M00001679D:D03	10751	0	0	0	0	0	0

WO 99/33982

PCT/US98/27610

Table 6 All Differential Data for Libs 15-20

Clone Name	Cluster ID	Clones in Lib15	Clones in Lib16b	Clones in Lib17	Clones in Lib18	Clones in Lib19	Clones in Lib20
M00001680D:F08	10539	0	0	0	0	0	0
M00001682C:B12	17055	0	0	0	0	0	0
M00001686A:E06	4622	0	0	0	0	0	0
M00001688C:F09	5382	0	0	0	0	0	0
M00001693C:G01	4393	0	0	0	0	0	0
M00001716D:H05	67252	0	0	0	0	0	0
M00003741D:C09	40108	0	0	0	0	0	0
M00003747D:C05	11476	0	0	0	0	0	0
M00003759B:B09	697	0	0	0	0	1	0
M00003762C:B08	17076	0	0	0	0	0	0
M00003763A:F06	3108	0	0	0	0	0	0
M00003774C:A03	67907	0	0	0	0	0	0
M00003796C:D05	5619	0	0	0	0	0	0
M00003826B:A06	11350	0	0	0	0	0	0
M00003833A:E05	21877	0	0	0	0	0	0
M00003837D:A01	7899	0	0	0	0	0	0
M00003839A:D08	7798	0	0	0	0	0	0
M00003844C:B11	6539	0	0	0	0	0	0
M00003846B:D06	6874	0	0	1	0	0	0
M00003851B:D10	13595	0	0	0	0	0	0
M00003853A:D04	5619	0	0	0	0	0	0
M00003853A:F12	10515	0	0	0	0	0	0
M00003856B:C02	4622	0	0	0	0	0	0
M00003857A:G10	3389	0	0	0	0	0	0
M00003857A:H03	4718	0	0	0	0	0	0
M00003871C:E02	4573	0	0	0	0	0	0
M00003875B:F04	12977	0	0	0	0	0	0
M00003875B:F04	12977	0	0	0	0	0	0
M00003875C:G07	8479	0	0	0	0	0	1
M00003876D:E12	7798	0	0	0	0	0	0
M00003879B:C11	5345	0	0	0	2	0	1
M00003879B:D10	31587	0	0	0	0	0	0
M00003879D:A02	14507	0	0	0	0	0	0
M00003885C:A02	13576	0	0	0	0	0	0
M00003885C:A02	13576	0	0	0	0	0	0
M00003906C:E10	9285	0	0	0	0	0	0
M00003907D:A09	39809	0	0	0	0	0	0
M00003907D:H04	16317	0	0	0	0	0	0
M00003909D:C03	8672	0	0	0	0	0	0
M00003912B:D01	12532	0	0	0	0	0	0
M00003914C:F05	3900	0	0	0	0	1	0
M00003922A:E06	23255	0	0	0	0	0	0
M00003958A:H02	18957	0	0	0	0	0	0
M00003958A:H02	18957	0	0	0	0	0	0
M00003958C:G10	40455	0	0	0	0	0	0
M00003958C:G10	40455	0	0	0	0	0	0
M00003968B:F06	24488	0	0	0	0	0	0
M00003970C:B09	40122	0	0	0	0	0	0
M00003974D:E07	23210	0	0	0	0	0	0

WO 99/33982

PCT/US98/27610

Table 6 All Differential Data for Libs 15-20

Clone Name	Cluster ID	Clones in Lib15	Clones in Lib16b	Clones in Lib17	Clones in Lib18	Clones in Lib19	Clones in Lib20
M00003974D:H02	23358	0	0	0	0	0	0
M00003975A:G11	12439	0	0	0	0	0	0
M00003978B:G05	5693	0	0	0	0	0	0
M00003981A:E10	3430	0	0	0	0	1	0
M00003982C:C02	2433	0	0	0	0	0	0
M00003983A:A05	9105	0	0	0	0	0	0
M00004028D:A06	6124	0	0	0	0	0	0
M00004028D:C05	40073	0	0	0	0	0	0
M00004031A:A12	9061	0	0	0	0	0	0
M00004031A:A12	9061	0	0	0	0	0	0
M00004035C:A07	37285	0	0	0	0	0	0
M00004035D:B06	17036	0	0	0	0	0	0
M00004059A:D06	5417	0	0	0	0	0	0
M00004068B:A01	3706	0	0	0	0	0	0
M00004072B:B05	17036	0	0	0	0	0	0
M00004081C:D10	15069	0	0	0	0	0	0
M00004081C:D12	14391	0	0	0	0	0	0
M00004086D:G06	9285	0	0	0	0	0	0
M00004087D:A01	6880	0	0	0	0	0	0
M00004093D:B12	5325	1	1	0	1	0	1
M00004093D:B12	5325	1	1	0	1	0	1
M00004105C:A04	7221	0	0	0	0	0	0
M00004108A:E06	4937	0	0	0	0	0	0
M00004111D:A08	6874	0	0	1	0	0	0
M00004114C:F11	13183	0	0	0	0	0	0
M00004138B:H02	13272	0	0	0	0	0	0
M00004146C:C11	5257	0	1	0	0	0	0
M00004151D:B08	16977	0	0	0	0	0	0
M00004157C:A09	6455	0	0	0	0	0	0
M00004169C:C12	5319	0	0	0	0	0	0
M00004171D:B03	4908	0	0	0	0	0	0
M00004172C:D08	11494	0	0	0	0	0	0
M00004183C:D07	16392	0	0	0	0	0	0
M00004185C:C03	11443	0	0	0	0	0	0
M00004197D:H01	8210	0	0	0	0	0	0
M00004203B:C12	14311	0	0	0	0	0	0
M00004212B:C07	2379	0	0	0	0	0	0
M00004214C:H05	11451	0	0	0	0	0	0
M00004223A:G10	16918	0	0	0	0	0	0
M00004223B:D09	7899	0	0	0	0	0	0
M00004223D:E04	12971	0	0	0	0	0	0
M00004229B:F08	6455	0	0	0	0	0	0
M00004230B:C07	7212	0	0	0	0	0	0
M00004269D:D06	4905	0	0	0	0	0	0
M00004275C:C11	16914	0	0	0	0	0	0
M00004283B:A04	14286	0	0	0	0	0	0
M00004285B:E08	56020	0	0	0	0	0	0
M00004295D:F12	16921	0	0	0	0	0	0
M00004296C:H07	13046	0	0	0	0	0	0

WO 99/33982

PCT/US98/27610

Table 6 All Differential Data for Libs 15-20

Clone Name	Cluster ID	Clones in Lib15	Clones in Lib16b	Clones in Lib17	Clones in Lib18	Clones in Lib19	Clones in Lib20
M00004307C:A06	9457	0	0	0	0	0	0
M00004312A:G03	26295	0	0	0	0	0	0
M00004318C:D10	21847	0	0	0	0	0	0
M00004372A:A03	2030	0	0	0	0	0	0
M00004377C:F05	2102	0	0	0	0	0	0

WO 99/33982

PCT/US98/27610

Table 7 All Differential Data for Libs 12-14

Clone Name	Cluster ID	Clones in Lib12	Clones in Lib13	Clones in Lib14
M00001340B:A06	17062	0	0	0
M00001340D:F10	11589	0	0	0
M00001341A:E12	4443	4	2	0
M00001342B:E06	39805	0	0	0
M00001343C:F10	2790	0	0	0
M00001343D:H07	23255	0	0	0
M00001345A:E01	6420	0	0	0
M00001346A:F09	5007	0	0	0
M00001346D:E03	6806	0	1	1
M00001346D:G06	5779	0	0	0
M00001346D:G06	5779	0	0	0
M00001347A:B10	13576	0	0	0
M00001348B:B04	16927	0	0	0
M00001348B:G06	16985	0	0	0
M00001349B:B08	3584	0	0	0
M00001350A:H01	7187	0	0	0
M00001351B:A08	3162	0	0	1
M00001351B:A08	3162	0	0	1
M00001352A:E02	16245	0	0	0
M00001353A:G12	8078	0	0	0
M00001353D:D10	14929	0	1	0
M00001355B:G10	14391	0	0	0
M00001357D:D11	4059	0	0	0
M00001361A:A05	4141	1	2	1
M00001361D:F08	2379	0	0	0
M00001362B:D10	5622	0	2	1
M00001362C:H11	945	0	0	0
M00001365C:C10	40132	0	0	0
M00001370A:C09	6867	0	0	0
M00001371C:E09	7172	0	0	1
M00001376B:G06	17732	2	0	0
M00001378B:B02	39833	0	0	0
M00001379A:A05	1334	0	0	0
M00001380D:B09	39886	0	0	0
M00001382C:A02	22979	1	0	0
M00001383A:C03	39648	0	0	0
M00001383A:C03	39648	0	0	0
M00001386C:B12	5178	0	0	0
M00001387A:C05	2464	0	0	0
M00001387B:G03	7587	0	0	0
M00001388D:G05	5832	0	0	0
M00001389A:C08	16269	2	0	0
M00001394A:F01	6583	0	0	0
M00001395A:C03	4016	0	0	0
M00001396A:C03	4009	2	0	0
M00001402A:E08	39563	0	0	0
M00001407B:D11	5556	0	0	0

WO 99/33982

PCT/US98/27610

Table 7 All Differential Data for Libs 12-14

Clone Name	Cluster ID	Clones in Lib12	Clones in Lib13	Clones in Lib14
M00001409C:D12	9577	0	0	0
M00001410A:D07	7005	0	0	0
M00001412B:B10	8551	0	0	0
M00001415A:H06	13538	0	0	0
M00001416A:H01	7674	0	0	0
M00001416B:H11	8847	1	0	0
M00001417A:E02	36393	0	0	0
M00001418B:F03	9952	0	0	0
M00001418D:B06	8526	0	0	0
M00001421C:F01	9577	0	0	0
M00001423B:E07	15066	0	0	0
M00001424B:G09	10470	0	0	0
M00001425B:H08	22195	0	0	0
M00001426D:C08	4261	0	0	0
M00001428A:H10	84182	0	0	0
M00001429A:H04	2797	0	0	0
M00001429B:A11	4635	0	0	0
M00001429D:D07	40392	0	0	0
M00001439C:F08	40054	0	0	0
M00001442C:D07	16731	0	0	0
M00001445A:F05	13532	0	0	0
M00001446A:F05	7801	0	1	0
M00001447A:G03	10717	0	0	0
M00001448D:C09	8	7	6	9
M00001448D:H01	36313	1	0	0
M00001449A:A12	5857	0	0	0
M00001449A:B12	41633	0	0	0
M00001449A:D12	3681	1	0	0
M00001449A:G10	36535	0	0	0
M00001449C:D06	86110	0	0	0
M00001450A:A02	39304	0	1	0
M00001450A:A11	32663	0	0	0
M00001450A:B12	82498	0	0	0
M00001450A:D08	27250	0	0	0
M00001452A:B04	84328	0	0	0
M00001452A:B12	86859	0	0	0
M00001452A:D08	1120	0	0	0
M00001452A:F05	85064	0	0	0
M00001452C:B06	16970	1	0	0
M00001453A:E11	16130	0	0	0
M00001453C:F06	16653	0	0	0
M00001454A:A09	83103	0	0	0
M00001454B:C12	7005	0	0	0
M00001454D:G03	689	0	0	1
M00001455A:E09	13238	0	0	0
M00001455B:E12	13072	0	0	0
M00001455D:F09	9283	0	0	0
M00001455D:F09	9283	0	0	0

WO 99/33982

PCT/US98/27610

Table 7 All Differential Data for Libs 12-14

Clone Name	Cluster ID	Clones in Lib12	Clones in Lib13	Clones in Lib14
M00001460A:F06	2448	0	0	0
M00001460A:F12	39498	0	0	0
M00001461A:D06	1531	0	0	1
M00001463C:B11	19	17	32	31
M00001465A:B11	10145	0	0	0
M00001466A:E07	4275	0	0	0
M00001467A:B07	38759	0	0	0
M00001467A:D04	39508	0	0	0
M00001467A:D08	16283	0	0	0
M00001467A:D08	16283	0	0	0
M00001467A:E10	39442	0	0	0
M00001468A:F05	7589	0	0	0
M00001469A:C10	12081	0	0	0
M00001469A:H12	19105	0	0	0
M00001470A:B10	1037	0	0	0
M00001470A:C04	39425	0	0	0
M00001471A:B01	39478	0	0	0
M00001481D:A05	7985	0	0	0
M00001490B:C04	18699	0	0	0
M00001494D:F06	7206	0	0	0
M00001497A:G02	2623	1	0	0
M00001499B:A11	10539	0	1	0
M00001500A:C05	5336	0	0	0
M00001500A:E11	2623	1	0	0
M00001500C:E04	9443	0	0	0
M00001501D:C02	9685	0	0	0
M00001504C:A07	10185	0	0	0
M00001504C:H06	6974	0	0	0
M00001504D:G06	6420	0	0	0
M00001507A:H05	39168	0	0	0
M00001511A:H06	39412	0	0	0
M00001512A:A09	39186	0	0	0
M00001512D:G09	3956	0	0	0
M00001513A:B06	4568	0	0	0
M00001513C:E08	14364	0	0	0
M00001514C:D11	40044	0	0	0
M00001517A:B07	4313	0	0	0
M00001518C:B11	8952	0	0	0
M00001528A:C04	7337	1	2	2
M00001528A:F09	18957	0	0	0
M00001528B:H04	8358	0	0	0
M00001531A:D01	38085	0	0	0
M00001532B:A06	3990	0	0	0
M00001533A:C11	2428	0	0	0
M00001534A:C04	16921	0	0	0
M00001534A:D09	5097	0	0	0
M00001534A:F09	5321	4	7	6
M00001534C:A01	4119	0	0	0

WO 99/33982

PCT/US98/27610

Table 7 All Differential Data for Libs 12-14

Clone Name	Cluster ID	Clones in Lib12	Clones in Lib13	Clones in Lib14
M00001535A:B01	7665	0	2	4
M00001535A:C06	20212	0	0	0
M00001535A:F10	39423	0	0	0
M00001536A:B07	2696	0	0	0
M00001536A:C08	39392	0	0	0
M00001537A:F12	39420	0	0	0
M00001537B:G07	3389	0	0	0
M00001540A:D06	8286	0	0	0
M00001541A:D02	3765	0	0	0
M00001541A:F07	22085	0	0	0
M00001541A:H03	39174	0	0	0
M00001542A:A09	22113	0	0	0
M00001542A:E06	39453	0	0	0
M00001544A:E03	12170	0	0	0
M00001544A:G02	19829	0	0	0
M00001544B:B07	6974	0	0	0
M00001545A:C03	19255	0	0	0
M00001545A:D08	13864	0	0	0
M00001546A:G11	1267	0	0	0
M00001548A:E10	5892	0	1	0
M00001548A:H09	1058	1	3	0
M00001549A:B02	4015	0	1	0
M00001549A:D08	10944	1	0	0
M00001549B:F06	4193	0	0	0
M00001549C:E06	16347	0	0	0
M00001550A:A03	7239	0	1	0
M00001550A:G01	5175	1	0	0
M00001551A:B10	6268	0	0	1
M00001551A:F05	39180	0	0	0
M00001551A:G06	22390	0	0	1
M00001551C:G09	3266	0	0	0
M00001552A:B12	307	6	11	4
M00001552A:D11	39458	0	0	0
M00001552B:D04	5708	0	0	0
M00001553A:H06	8298	0	0	0
M00001553B:F12	4573	0	0	0
M00001553D:D10	22814	0	0	0
M00001555A:B02	39539	0	0	0
M00001555A:C01	39195	0	0	0
M00001555D:G10	4561	0	0	0
M00001556A:C09	9244	0	1	0
M00001556A:F11	1577	0	0	2
M00001556A:H01	15855	1	1	0
M00001556B:C08	4386	3	0	1
M00001556B:G02	11294	0	0	0
M00001557A:D02	7065	0	0	0
M00001557A:D02	7065	0	0	0
M00001557A:F01	9635	0	0	0

WO 99/33982

PCT/US98/27610

Table 7 All Differential Data for Libs 12-14

Clone Name	Cluster ID	Clones in Lib12	Clones in Lib13	Clones in Lib14
M00001557A:F03	39490	0	0	0
M00001557B:H10	5192	0	0	0
M00001557D:D09	8761	0	0	0
M00001558B:H11	7514	0	0	0
M00001560D:F10	6558	0	0	0
M00001561A:C05	39486	0	0	0
M00001563B:F06	102	2	1	2
M00001564A:B12	5053	0	0	0
M00001571C:H06	5749	0	0	0
M00001578B:E04	23001	0	0	0
M00001579D:C03	6539	0	0	0
M00001583D:A10	6293	0	0	0
M00001586C:C05	4623	0	0	0
M00001587A:B11	39380	0	0	0
M00001594B:H04	260	1	0	0
M00001597C:H02	4837	1	0	0
M00001597D:C05	10470	0	0	0
M00001598A:G03	16999	4	2	6
M00001601A:D08	22794	0	0	0
M00001604A:B10	1399	6	3	3
M00001604A:F05	39391	0	0	0
M00001607A:E11	11465	0	0	0
M00001608A:B03	7802	0	0	0
M00001608B:E03	22155	0	0	0
M00001614C:F10	13157	0	0	0
M00001617C:E02	17004	0	0	0
M00001619C:F12	40314	0	0	0
M00001621C:C08	40044	0	0	0
M00001623D:F10	13913	0	0	0
M00001624A:B06	3277	0	0	0
M00001624C:F01	4309	0	0	0
M00001630B:H09	5214	0	1	2
M00001644C:B07	39171	0	0	0
M00001645A:C12	19267	0	0	0
M00001648C:A01	4665	0	0	0
M00001657D:C03	23201	0	0	0
M00001657D:F08	76760	0	0	0
M00001662C:A09	23218	0	0	0
M00001663A:E04	35702	0	0	0
M00001669B:F02	6468	0	0	0
M00001670C:H02	14367	0	0	0
M00001673C:H02	7015	0	0	0
M00001675A:C09	8773	0	0	0
M00001676B:F05	11460	2	0	0
M00001677C:E10	14627	0	0	0
M00001677D:A07	7570	0	0	0
M00001678D:F12	4416	1	2	0
M00001679A:A06	6660	0	0	0

WO 99/33982

PCT/US98/27610

Table 7 All Differential Data for Libs 12-14

Clone Name	Cluster ID	Clones in Lib12	Clones in Lib13	Clones in Lib14
M00001679A:F10	26875	0	0	0
M00001679B:F01	6298	0	0	0
M00001679C:F01	78091	0	0	0
M00001679D:D03	10751	0	0	0
M00001679D:D03	10751	0	0	0
M00001680D:F08	10539	0	1	0
M00001682C:B12	17055	0	0	0
M00001686A:E06	4622	0	0	0
M00001688C:F09	5382	0	0	0
M00001693C:G01	4393	0	0	0
M00001716D:H05	67252	0	0	0
M00003741D:C09	40108	0	0	0
M00003747D:C05	11476	0	0	0
M00003759B:B09	697	0	0	0
M00003762C:B08	17076	0	0	0
M00003763A:F06	3108	0	0	0
M00003774C:A03	67907	0	0	0
M00003796C:D05	5619	0	1	0
M00003826B:A06	11350	0	0	0
M00003833A:E05	21877	0	0	0
M00003837D:A01	7899	0	0	0
M00003839A:D08	7798	0	0	0
M00003844C:B11	6539	0	0	0
M00003846B:D06	6874	0	0	0
M00003851B:D10	13595	0	0	0
M00003853A:D04	5619	0	1	0
M00003853A:F12	10515	0	0	1
M00003856B:C02	4622	0	0	0
M00003857A:G10	3389	0	0	0
M00003857A:H03	4718	0	0	0
M00003871C:E02	4573	0	0	0
M00003875B:F04	12977	0	0	0
M00003875B:F04	12977	0	0	0
M00003875C:G07	8479	1	0	0
M00003876D:E12	7798	0	0	0
M00003879B:C11	5345	4	8	3
M00003879B:D10	31587	0	0	0
M00003879D:A02	14507	0	0	0
M00003885C:A02	13576	0	0	0
M00003885C:A02	13576	0	0	0
M00003906C:E10	9285	0	0	0
M00003907D:A09	39809	0	0	0
M00003907D:H04	16317	0	0	0
M00003909D:C03	8672	0	0	0
M00003912B:D01	12532	0	0	0
M00003914C:F05	3900	0	1	0
M00003922A:E06	23255	0	0	0
M00003958A:H02	18957	0	0	0

WO 99/33982

PCT/US98/27610

Table 7 All Differential Data for Libs 12-14

Clone Name	Cluster ID	Clones in Lib12	Clones in Lib13	Clones in Lib14
M00003958A:H02	18957	0	0	0
M00003958C:G10	40455	0	0	0
M00003958C:G10	40455	0	0	0
M00003968B:F06	24488	0	0	0
M00003970C:B09	40122	0	0	0
M00003974D:E07	23210	0	0	0
M00003974D:H02	23358	0	0	0
M00003975A:G11	12439	0	0	0
M00003978B:G05	5693	0	0	0
M00003981A:E10	3430	0	0	0
M00003982C:C02	2433	2	4	0
M00003983A:A05	9105	0	0	0
M00004028D:A06	6124	0	0	0
M00004028D:C05	40073	0	1	0
M00004031A:A12	9061	0	0	0
M00004031A:A12	9061	0	0	0
M00004035C:A07	37285	0	0	0
M00004035D:B06	17036	0	0	0
M00004059A:D06	5417	0	0	0
M00004068B:A01	3706	0	0	0
M00004072B:B05	17036	0	0	0
M00004081C:D10	15069	0	0	0
M00004081C:D12	14391	0	0	0
M00004086D:G06	9285	0	0	0
M00004087D:A01	6880	0	0	0
M00004093D:B12	5325	0	0	0
M00004093D:B12	5325	0	0	0
M00004105C:A04	7221	0	0	0
M00004108A:E06	4937	0	0	0
M00004111D:A08	6874	0	0	0
M00004114C:F11	13183	0	0	0
M00004138B:H02	13272	0	0	0
M00004146C:C11	5257	0	0	1
M00004151D:B08	16977	0	0	0
M00004157C:A09	6455	0	0	0
M00004169C:C12	5319	0	0	0
M00004171D:B03	4908	0	0	0
M00004172C:D08	11494	0	0	0
M00004183C:D07	16392	0	0	0
M00004185C:C03	11443	2	0	0
M00004197D:H01	8210	0	0	0
M00004203B:C12	14311	0	0	0
M00004212B:C07	2379	0	0	0
M00004214C:H05	11451	0	0	0
M00004223A:G10	16918	0	0	0
M00004223B:D09	7899	0	0	0
M00004223D:E04	12971	0	0	0
M00004229B:F08	6455	0	0	0

WO 99/33982

PCT/US98/27610

Table 7 All Differential Data for Libs 12-14

Clone Name	Cluster ID	Clones in Lib12	Clones in Lib13	Clones in Lib14
M00004230B:C07	7212	0	0	1
M00004269D:D06	4905	0	0	0
M00004275C:C11	16914	0	0	0
M00004283B:A04	14286	0	0	0
M00004285B:E08	56020	0	0	0
M00004295D:F12	16921	0	0	0
M00004296C:H07	13046	0	0	0
M00004307C:A06	9457	1	0	0
M00004312A:G03	26295	0	0	0
M00004318C:D10	21847	0	0	0
M00004372A:A03	2030	0	0	0
M00004377C:F05	2102	0	0	0

WO 99/33982

PCT/US98/27610

We Claim:

1. A library of polynucleotides, the library comprising the sequence information of at least one of SEQ ID NOS:1-844.

5

2. The library of claim 1, wherein the library is provided on a nucleic acid array.

3. The library of claim 1, wherein the library is provided in a computer-readable format.

10

4. The library of claim 1, wherein the library comprises a differentially expressed polynucleotide comprising a sequence selected from the group consisting of SEQ ID NOS:9, 39, 42, 52, 62, 74, 119, 172, 317, and 379.

15

5. The library of claim 1, wherein the library comprises a polynucleotide differentially expressed in a human breast cancer cell, where the polynucleotide comprises a sequence selected from the group consisting of SEQ ID NOS: 4, 9, 39, 42, 52, 62, 65, 66, 68, 74, 81, 114, 123, 144, 130, 157, 162, 172, 178, 183, 202, 214, 219, 223, 258, 298, 317, 338, 379, 384, 386, and 388.

20

6. The library of claim 1, wherein the library comprises a polynucleotide differentially expressed in a human colon cancer cell, where the polynucleotide comprises a sequence selected from the group consisting of SEQ ID NOS: 1, 39, 52, 97, 119, 134, 172, 176, 241, 288, 317, 357, 362, and 374.

25

7. The library of claim 1, wherein the library comprises a polynucleotide differentially expressed in a human lung cancer cell, where the polynucleotide comprises a sequence selected from the group consisting of SEQ ID NOS: 9, 34, 42, 62, 74, 106, 119, 135, 154, 160, 260, 308, 323, 349, 361, 369, 371, 379, 395, 381, and 400.

30

8. An isolated polynucleotide comprising a nucleotide sequence having at least 90% sequence identity to an identifying sequence of SEQ ID NOS:1-844 or a degenerate variant thereof.

9. An isolated polynucleotide according to claim 8, wherein the polynucleotide comprises a sequence encoding a polypeptide of a protein family selected from the group consisting of: 4 transmembrane segments integral membrane proteins, 7 transmembrane
5 receptors, ATPases associated with various cellular activities (AAA), eukaryotic aspartyl proteases, GATA family of transcription factors, G-protein alpha subunit, phorbol esters/diacylglycerol binding proteins, protein kinase, protein phosphatase 2C, protein tyrosine phosphatase, trypsin, wnt family of developmental signaling proteins, and WW/rsp5/WWP domain containing proteins.
- 10
10. The polynucleotide of claim 9, wherein the polynucleotide comprises a sequence of one of SEQ ID NOS: 24, 41, 101, 157, 291, 305, 315, 341, 63, 116, 134, 136, 151, 384, 404, 308, 213, 367, 188, 251, 202, 315, 367, 397, 256, 382, 169, 23, 291, 324, 330, 341, 353, 188, 379, and 395.
- 15
11. The polynucleotide of claim 8, wherein the polynucleotide comprises a sequence encoding a polypeptide having a functional domain selected from the group consisting of: Ank repeat, basic region plus leucine zipper transcription factors, bromodomain, EF-hand, SH3 domain, WD domain/G-beta repeats, zinc finger (C2H2 type),
20 zinc finger (CCHC class), and zinc-binding metalloprotease domain.
12. The polynucleotide of claim 11, wherein the polynucleotide comprises a sequence of one of SEQ ID NOS: 116, 251, 374, 97, 136, 242, 379, 306, 386, 18, 335, 61, 306, 386, 322, 306, and 395.
- 25
13. A recombinant host cell containing the polynucleotide of claim 8.
14. An isolated polypeptide encoded by the polynucleotide of claim 8.
- 30
15. An antibody that specifically binds a polypeptide of claim 14.
16. A vector comprising the polynucleotide of claim 8.

WO 99/33982

PCT/US98/27610

17. A polynucleotide comprising the nucleotide sequence of an insert contained in a clone deposited as ATCC accession number xx, xx, xx, xx, xx, xx, xx, or xx.

18. A method of detecting differentially expressed genes correlated with a cancerous state of a mammalian cell, the method comprising the step of:

detecting at least one differentially expressed gene product in a test sample derived from a cell suspected of being cancerous, where the gene product is encoded by a gene corresponding to a sequence of at least one of SEQ ID NOS:4, 9, 39, 42, 52, 62, 65, 66, 68, 74, 81, 114, 123, 144, 130, 157, 162, 172, 178, 183, 202, 214, 219, 223, 258, 298, 317, 338, 379, 384, 386, 388, 1, 39, 52, 97, 119, 134, 172, 176, 241, 288, 317, 357, 362, 374, 9, 34, 42, 62, 74, 106, 119, 135, 154, 160, 260, 308, 323, 349, 361, 369, 371, 379, 395, 381, and 400;

wherein detection of the differentially expressed gene product is correlated with a cancerous state of the cell from which the test sample was derived.

19. The method of claim 18, wherein said detecting step is by hybridization of the test sample to a reference array, wherein the reference array comprises an identifying sequence of at least one of SEQ ID NOS:1-844.

20. The method of claim 18, wherein the cell is a breast tissue derived cell, and the differentially expressed gene product is encoded by a gene corresponding to a sequence of at least one of SEQ ID NOS: 4, 9, 39, 42, 52, 62, 65, 66, 68, 74, 81, 114, 123, 144, 130, 157, 162, 172, 178, 183, 202, 214, 219, 223, 258, 298, 317, 338, 379, 384, 386, and 388.

21. The method of claim 18, wherein the cell is a colon tissue derived cell, and the differentially expressed gene product is encoded by a gene corresponding to a sequence of at least one of SEQ ID NOS: 1, 39, 52, 97, 119, 134, 172, 176, 241, 288, 317, 357, 362, and 374.

22. The method of claim 18, wherein the cell is a lung tissue derived cell, and the differentially expressed gene product is encoded by a gene corresponding to a sequence of at least one of SEQ ID NOS: 9, 34, 42, 62, 74, 106, 119, 135, 154, 160, 260, 308, 323, 349, 361, 369, 371, 379, 395, 381, and 400.

WO 99/33982

PCT/US98/27610

SEQUENCE LISTING

<110> Lewis T. Williams
Jaime Escobedo
Michael A. Innis
Pablo Dominiguez Garcia
Julie Sudduth-Klinger
Christoph Reinhard
Klause Giese
Filippo Randazzo
Giulia C. Kennedy
David Pot
Altaf Kassan
George Lamson
Radoje Drmanac
Radomir Crkvenjakov
Mark Dickson
Snezana Drmanac
Ivan Labat
Dena Leshkowitz
David Kita
Veronica Garcia
William Lee Jones
Birjit Stache-Crain

<120> Novel Human Genes and Gene Expression
Products I

<130> 2300-1480P

<140> 09/
<141> 1998-12-21

<150> 60/068,755
<151> 1997-12-23

<150> 60/080,664
<151> 1998-04-03

<150> 60/105,234
<151> 1998-10-21

<160> 844

<170> FastSEQ for Windows Version 3.0

<210> 1
<211> 300
<212> DNA
<213> Homo sapiens

WO 99/33982

PCT/US98/27610

<400> 1

tctcccctga gctgcaggcc tgcatatcca gtaggtctac tggacatctg tactggttgt	60
tgnggaggaa cctctggctt gctcattaag tcctactgat ttctactatc ccctgaattt	120
ccccacttat ttttgtcttt cactatcgca ggcccttagaa gaggtctacc tgcctccagt	180
cttacctagt ccagtctacc ccctggagtt agaatggcca tcctgaagtg aaaagtaatg	240
tcacattact cccttcagtg atttcttgta gaagtgccaa tccctgaatg ccaccaagat	300

<210> 2

<211> 299

<212> DNA

<213> Homo sapiens

<400> 2

cccagctgct caggaggctg aggcaggaga attgcttgaa cccaagaggc ggaggttggtg	60
gtgagccgag attgcacctt tgtactccag cctgggcaac gagcaaaaaa ctctgtctca	120
aacaaaaaga agaaaaaaaa aaaaaaaann nnnnnnnnnn nnnnnnnnnn nnnttnttct	180
ggcgncnagt cccaaantcn taccttgtaa gacctttann tnnctgngg tntttntnna	240
cncttanata nnntnttttn ctatcaanta tagggagant tttcntttng gggcaactt	299

<210> 3

<211> 300

<212> DNA

<213> Homo sapiens

<400> 3

atacgattcg aacnnggaca agacgagtat ggaataatat cccactnnnt ttacaatact	60
ganattatgc ngngatagng cttgttccat tcnaccageg aatnatgcat tnacncnaca	120
cnngagttac tatccaaaca cacgttttca cgntacctga ngctggtnga naattatgcg	180
accatgaggc tttccangat ntttctannt ancagacngn gnacaatgnt gaanaagcng	240
tacacaccgc nctngncnnc cnnactgan cangtnacnn ngctcactgn ngcctctttc	300

<210> 4

<211> 287

<212> DNA

<213> Homo sapiens

<400> 4

aaancngcac gangccacgt ncgnnnngnt nntactnnnc natngccncn tcantggcng	60
ncagctagac gcctaacage cgangancca nccntnntgt gancngtcn tgacngnnag	120
cntgccggtc ttgctenttt tgtctaccnn gagganannn ntntgggaca tcccagactg	180
agtgaggaga tctgcngetg cnnctgtact tggttacanc ncacacgang actntncctt	240
ggactanana cactagccta anattcngca ctacctantc ctctgggc	287

<210> 5

<211> 300

<212> DNA

<213> Homo sapiens

<400> 5

gtccttttga accaccccaa agaactcaac atggcaaagc aaatggtaaa agcttcccga	60
ctgtttctact ttgggtccgc gcgaagccca ctcacgtgtg atctgtgttg cccctgggag	120

WO 99/33982

PCT/US98/27610

```

gccccggggcg accggaaaag ggctctctca agttctgaaa agagaatctg ccaccagatc      180
gaatttcgac cctgagctt gttcggacgt atgggtccaaa ttcagattaa ggtggtcacc      240
caacccgaga tgtcaggaaa ggccttctgc agagaaaatg tccccccacc cgccatctgc      300

```

```

<210> 6
<211> 284
<212> DNA
<213> Homo sapiens

```

```

<400> 6
tntcccccttt gacgccttan tgccctnneg ctacnngtcc nttaggcctt atccccatcgn      60
ccntcgtttn gcattctgcc nnagantgac tttncnatca tgcntnatnn gtnnttacna      120
ggggctnggg tgaattntta caccctgcna ntccatanca cantgcentg cnagctncac      180
cctcntgaat aaatgcaata aantttcngt tgatcttata caccttatgc ncctantta      240
atcagccctn tnttacnana tcnanttatg cnggtattaa aaca                        284

```

```

<210> 7
<211> 277
<212> DNA
<213> Homo sapiens

```

```

<400> 7
gtgctgcaga caacacacct tctgatgga ggtgtccggc tgatggagaa gtctgtgggc      60
ttgtaaataca tctttgatgt taaccaggcc gacgctgtgg ccacattccg aaagattaac      120
cctgtcaaac cctannnnnn nnnnnnnnnn nnnggatttg atnagcctgt nccanacctc      180
tgcagcctcn ancggtnngtn ntaccatagt ggggatgacc ctctgatact ttgnccctggt      240
ngancatgnt gacanntgct tctacagctt nngggac                        277

```

```

<210> 8
<211> 292
<212> DNA
<213> Homo sapiens

```

```

<400> 8
cttgggagggc tgagtcagga gaattgcttg agcccaggag atggaggttg cagtgaagcca      60
agatcatgcc actgcactcc agactgggca acagaggag actccgtctc aaaaactaaa      120
aaaaaaaaata catttagtat agcggggggg gggcgggaga aataatgtta tttcctatgc      180
aaatgacgnn nnnnnnnnnn cccatggtaa atgtnaatat actgcgtctn ttttgggana      240
gccttttant aaangagtct tanatgaatc tctanntnat gantttaact tg                        292

```

```

<210> 9
<211> 300
<212> DNA
<213> Homo sapiens

```

```

<400> 9
ccaggttagc tgctgaatca aagcttcaaa cagaagttaa agaaggaaaa gaaacttcaa      60
gcaaattgga aaaagaaaact tgtaagaaat cacaccctat tctatatgtg tcttctaaat      120
ctactccaga gacccagtgc cctcaacagt aaagactttt cttaataag agtacgggtgc      180
cacttgcttc aaaagttact atgggtgctta agattgtctt gatctgacat atatcacctt      240
ctgggttatt tactcattgt gccaggacct ggcattttca tgtgcctttg accaagtgtt      300

```

WO 99/33982

PCT/US98/27610

<210> 10
<211> 300
<212> DNA
<213> Homo sapiens

<400> 10
aggaggcgga gcttgcaagt agctgagatc gcgccactgc actccagcct gggcaacaga 60
gtgagactct gtctcaaaaa aaaaaaaaaa nnnnnnnnnn nnnnnnnnaa nctcgtnttn 120
gnaaggaaan ggggnaangg accggtntta tncctatgtn gtntttgcag gcaaangaaa 180
nggaccnttt tttgtaaaaa aaagtctttt gnncaantaa acgggggtntg ngggtncagg 240
ccctggnggg gcnncantt gcctggnggc ttntgnnaaa tcggnaaagg gaggaaaggc 300

<210> 11
<211> 300
<212> DNA
<213> Homo sapiens

<400> 11
cgtctgtaat ccagctgct tgggaggctg aggcaggaga atcacttgaa ccctggaggt 60
ggcggtttca gtgagcacag atcatgccac tgcactccag cctgggcaac aaaacgagac 120
ttcgtctcaa aaaaaaaaaa nnnnnnnnnn nnnnnnnnnn nncgggttct cccaaattnt 180
ttnnaggggn ccatggncaa ctgnttnacn tttgtttngg naacccttg cccnaagncg 240
cananaggct gtnnttncc ttgttnccaa ggntgaggan caaaaagtac cctntgtttt 300

<210> 12
<211> 300
<212> DNA
<213> Homo sapiens

<400> 12
caaagatggt cgtattacta aaggtgaata accagcgcg ggggcacgtg gagtcactgg 60
aacatttggt caatgctggt gggaatgtca acccggtggg ccctctggaa taagcctggc 120
agctcctcca agagttaccg tgtgaccag caattccact cctagctcca cccacaggaa 180
ttgaaagcaa agacgcaa acatgcctgt gcaccaaagt tcacggcagc atccttcgcc 240
atagtggcag catccgtcgt cacagcggca tcaccttcca tcatagcggc agcatccgtc 300

<210> 13
<211> 278
<212> DNA
<213> Homo sapiens

<400> 13
cctgcagcca ctaatgcatt gtgtatgata acaaaaactc tggtatgaca cattttctgt 60
gatcattggt aattagtgac atagtaacat ctgtagcagc tggttagtaa acctcatgtg 120
ggggagggtg gggaggtttt nncggnannn nngcnnnnn annccccgg nngnnngaag 180
ctgnnnttn naanngcnn nnnannatga naannncnn ngactggnnn nangaggcct 240
anccntgnt ttananaaac nnncnnnagn ntctctca 278

<210> 14
<211> 300

WO 99/33982

PCT/US98/27610

<212> DNA

<213> Homo sapiens

<400> 14

gtgtcttcat	cttaccagct	ggaacctaat	aaattaaatt	ctccagaaga	aactgctttt	60
cagacaccaa	aatctagcca	gatgcctcgg	ccttcagtgc	caccattagt	taaaacatca	120
ctgttttctt	caaaattatc	tacacctgat	gttgtgagcc	catttgggac	cccatttggc	180
tctagtgtaa	tgaatcggat	ggctggaatt	tttgatgtaa	acacctgcta	tgggtcaccc	240
caaagtcctc	agctaataag	aagggggcca	agattgtgga	catcagcttc	tgatcagcaa	300

<210> 15

<211> 300

<212> DNA

<213> Homo sapiens

<400> 15

gttatattaa	attattcttt	gtttttcttt	ttctttta	aaagcctgca	agttactaaa	60
ttgtagtttc	ataaattctg	tagtaaagta	tcactctggc	agtgtgccaa	aggtgaaaat	120
gatgctttct	ctaacagaga	aattcttagt	gactccagtc	gtagaaaaac	gtctttacaa	180
cctgaataag	attgaagaat	tgtgaacata	ccatggccta	ttggatgaat	catttgccgt	240
aggctaaatc	agactgtagg	gtttgcgatg	gatttatgga	gtatgtgggt	atagaaatca	300

<210> 16

<211> 276

<212> DNA

<213> Homo sapiens

<400> 16

gtttcattta	agaagaatga	gctagataaa	tgtgctcttc	tggttacccc	accctgacag	60
agtgcatttt	tacacggcta	gcaggggttg	agactgcagc	ctggcctnnn	nnnnnnnnnn	120
ngnnnnnnng	nnacttnact	tccngaanc	actataattg	gnanacnttn	ctaannngtn	180
atctngccga	cctgnnagat	anactcnnga	taaaancenn	tgagaaaagc	gcccttccat	240
gtcangcncn	tnaganacnn	ncntaccncc	tangna			276

<210> 17

<211> 300

<212> DNA

<213> Homo sapiens

<400> 17

ggtgcccac	accacacca	gctaactttt	gtatttttag	tagagacggg	gtttcaccat	60
gttgccagg	ctggtcttga	actcctgacc	tcgtgatccg	ccgccttgg	ccccgcaaag	120
tgctgggatt	acaagcatga	gcccagcgcc	tggtgtatc	tttcatttta	cccaagtcac	180
tttacccaag	taagtaatta	ggggaaagcc	tgagtcttgt	accacctgtt	catttgggga	240
actgtgggaa	acggagccaa	cggacctaat	tgccctttga	cagtgagttt	cataccattt	300

<210> 18

<211> 273

<212> DNA

<213> Homo sapiens

WO 99/33982

PCT/US98/27610

<400> 18

```

ctcagctgag gcaattaaac tggaaaagaa atagattgaa aagatactac agaagaagca      60
gtacagaagt tgggggactg aaggagaggg agccactgca ggtgctagct gcttaagggg      120
ataccagtcc ttttacagat ataatagata cagcttctga ggtggagggt gataggagtg      180
tgtagagaaa ttgcagttca gaactggagc atgcagttag gcaagaggca tcccatgtga      240
agatgtcaag caagtactgg aaaatgctga act                                     273

```

<210> 19

<211> 300

<212> DNA

<213> Homo sapiens

<400> 19

```

gggtcctggg gggagttcca tccagcagtg agtgcatttt ttccccagag cagttaaggg      60
tcttattaaa agccaccact ttgctgaggc ctgtacaggc cttggggggt tggggaagag      120
aaataaggca ggcacttgtc ccttcagggg gggacttgtc cctcactggg aggtttgggg      180
ttgaccttgg ctccagcaga gatacccagc ctggcggtga aggggcagggt ctgagcttac      240
gcttgactgc agggcaagct gcaggcctct tctgccttcc cctgcattca ccaaggacag      300

```

<210> 20

<211> 300

<212> DNA

<213> Homo sapiens

<400> 20

```

atggcatgca ctgacctctt cttggagccc agaactttat agagttgcct accagggtta      60
ctgtaatgga atttatgac ttaagaaatt actagttgta ttatttatcc tatgattcat      120
tcattcaata agcttttact gcataaactt tacatccagc actgtagtta agtaccctaaa      180
attgaataga aataatggct tttgaaaatc gcacaaagca ggccaggcac ggtggctcac      240
gcctgtaatc ccagcatttt gggaggccga ggcaggcgga tcacgaggtc aagagatcca      300

```

<210> 21

<211> 293

<212> DNA

<213> Homo sapiens

<400> 21

```

cgtctgtaat cccagctgct tgggaggctg aggcaggaga atcacttgaa ccctggagggt      60
ggcggttgca gtgagcacag atcatgccac tgcactccag cctgggcaac aaaacgagac      120
ttcgtctcaa aaaaaaaaaa nnnnnnnnnn nnnnccttng gncgggttnt cccaaattnt      180
tttgaggngn ccatggncaa ctgcttnanc tttgttttgg caaccctntg ccnaagtcg      240
catataggct gtncttcacc ttgtttccaa ggctgnggaa canaaagtaa cct                                     293

```

<210> 22

<211> 300

<212> DNA

<213> Homo sapiens

<400> 22

```

ctgggtctga acacctgacc tcaggtgate cattcgtctt ggctctctga agtgctggga      60
ttccaggcgt gagccactgc ggccagcaca ttccacttt tagatcctac tccataccac      120

```

WO 99/33982

PCT/US98/27610

```
aggttttcatt taagaagaaa gagctagata aatgtgctct tctggttacc ccacctgac      180
agagtgcatt tttacacggc tagcaggggt tgagactgca gcctggcctg ccagccattg      240
gaggtgttta aggaagggca gataatgtga ctctttgcgg ggtgccatct gttacccat      300
```

```
<210> 23
<211> 300
<212> DNA
<213> Homo sapiens
```

```
<400> 23
gaaccaaaga cgtgtatgga gtgttctctt gtccttatcg acttgctctg ctcccagctt      60
tccaagcgac cggatctgag tgatgcttct agaacatttg ggtgttgggg ggttcccaat      120
agtagaaagg gtccccattc ctgctcagca cgcacacctt ctaccccccc acagacacac      180
atgcagacac acacatgcag acaacacgca gacacacaca tgcaggcact cacatgcagg      240
cccatgcaca cacacgtgca cacacatgca gagacatgca gacacgcagg cacacatgca      300
```

```
<210> 24
<211> 300
<212> DNA
<213> Homo sapiens
```

```
<400> 24
cctcccacaa cacgtgggaa ttcaagatga gatttggttg gggacacagc caacccatat      60
cacccatgcc tggatgccct tctcatgctt gggttctgtc atctgcacca ggccttctgc      120
tgcccgctctg tcttaccac caggactctg actctccacg ctgggccacc tctcttctcc      180
aacactgcta tggattgaat gtttatgtta tcccaaatt tgcatgttgc aatcccaatc      240
tccaatgcc tagtattagg aggtgggggc ctttgggagg tgatttggtc atgaagggtg      300
```

```
<210> 25
<211> 300
<212> DNA
<213> Homo sapiens
```

```
<400> 25
ggaaaatgaa atctgactat ctgctagttg ccaaaaccca gaaacattcc tgtgtaatgg      60
ttagttggga aagaaggcag cacttgaaaa aatttaccag gttcctcact gggagatgtg      120
ggaaggggcg tgggacgcac gcggtcactc cctctcagcc cccacattt ctagaacaca      180
ctgtagctgt gcctctacag actcccgtct cctggcctcc acagatcctg ctcagattca      240
ccagtaggca aagcttggcc ctattagctt tttctctcca tggctctgtg ggaatgtgcg      300
```

```
<210> 26
<211> 300
<212> DNA
<213> Homo sapiens
```

```
<400> 26
ctgcagtgtg attctctgca atgactggcc tcagcaaggg ggcagcttag gaccctgaca      60
tcccagggtc ctaagccaca taggataagt aatgggtgga cagaagcggg aaaggagaag      120
ggcagggcac atgtttaaaa cttgaacttt ctgaggctaa gactggaaaa ggaatggttt      180
cagctgatat atttggatac cagttgacta tttttaggaa aaaaacacaa atggctttta      240
```


WO 99/33982

PCT/US98/27610

aacatcacag tgtgatacag tctaactcag aattagagac aggcaaaaca gaactccatc 300

<210> 27

<211> 300

<212> DNA

<213> Homo sapiens

<400> 27

gtactgcttc	tgtggctctt	cacagacctc	acggatgtga	cggagatga	gtgccgatga	60
ccacgtttta	aaggagaaag	agagctcctg	gtggggccct	cggggtgggc	tcaggtccca	120
tttgcaagtct	gcaacagtga	cgcgcagccc	ggtcaggagc	gtggtgagct	ttgtttgcct	180
tctgggtcag	ctttcgctgt	gtctcctgtg	tgtgttagaa	tccagagccc	agaggaagtg	240
caagcgggtc	ctccgccaac	ggggagagcc	tcttcgcggc	gctgttggcg	acagcacgct	300

<210> 28

<211> 298

<212> DNA

<213> Homo sapiens

<400> 28

aangnaannn	ngggnggttg	antcnacctn	ngaaccgtgt	anaaacccat	ggaaacagct	60
antaganntt	gggcagganc	agagnagggc	caagntacgg	gggaggcnag	gagcngagan	120
tggggnnnnn	nnangnnaan	tnnngaaggg	gngngannga	gggggggana	naagggggga	180
ngagggcgaa	ngncaggann	nagaaaannn	ggggacgana	ngngaacag	ggnnnaaacg	240
gaannnnnga	gnnnnnanag	atgncgggca	gngncngngn	aggnganann	ngagacgg	298

<210> 29

<211> 300

<212> DNA

<213> Homo sapiens

<400> 29

cctcagcccc	acaccagctc	tatttcaggg	gtgagagtca	gagagcactg	caatatgtgc	60
ttcatgggat	ttcgattcga	agatccctaga	ccaggagagac	actgtgagcc	agggatacaa	120
caaaatacta	ggtaagtcac	tgcagaccga	cctccctgca	gtttgggaaa	gaagctgggt	180
ttgtggagaa	tcagagcatc	ttgacatgac	tgctgacctc	aagatccctg	gcattggcca	240
gggatcctgt	ggaacctctt	ctagtccagg	ggtgtgagca	ttagactgcc	agttgtctag	300

<210> 30

<211> 300

<212> DNA

<213> Homo sapiens

<400> 30

gtttgtttcc	ccgagatgtg	aacttgctga	aggaaaacag	tgtaaagagg	aaggccatac	60
agagaactgt	cagctcttca	ggatgtgaag	gcaagaggaa	tgaagacaag	gaagcagtga	120
gcatgttggt	taactgccct	gcctactaca	gtgtgtctgc	tccaaggcct	gagctactga	180
acaaaatcaa	agagatgccca	nnnnnnnnnn	nntgaggaag	aggaacaggc	anatgtcaat	240
gaaaagaagg	ctgatctcat	tggaagtctc	accacaagc	tggagaccct	ccaggaggcg	300

<210> 31

WO 99/33982

PCT/US98/27610

<211> 300
 <212> DNA
 <213> Homo sapiens

<400> 31
 tttaaactga gctccaaatg acgttcaaac acccctctcg ggtagagttt tcatgggtgga 60
 acggttgcg ccaccaaaca gaagcttatg tttttggcac agaaggcctg ggccattttc 120
 atggacacct ggctggacct cggtggaagt gaactccgta ggttgttgcg ttcactgcag 180
 cacctcacat gataccgtcc cctctcatgg aacggagcct ccccatgca gccccactc 240
 aaatggagtt ttaaaggctg ggttcaggtt acggggggtt ttctcacgt ctgaatgcgg 300

<210> 32
 <211> 300
 <212> DNA
 <213> Homo sapiens

<400> 32
 gtgaaacaga aagtggagat gctttccttg acctgaagaa gcctcctgcc tccaaatgcc 60
 cccatcgcta tacaaaagaa gaactcttgg atataaaaga actcccccatt tccaaacaga 120
 ggcccttcatt cctttctgaa aaatatgaca gtgatgggtg ctgggaccct gagaagtggc 180
 atgcctctct ctaccagct tcagggcgga gtcaccagt ggaaagtctg aagaaagagt 240
 tggatacaga ccggccttcc ctgggtcgca ggatagtaga tccacgagag cgtgtgaaag 300

<210> 33
 <211> 300
 <212> DNA
 <213> Homo sapiens

<400> 33
 gtctgattga agctgttcag gtttatcatg caaatcctcg cctctggcta cggtctggctg 60
 aatgtgtcat tgtgccaat aaggggactt ctgaacaaga aactaaaggc cttcccagca 120
 aaaaaggaat tgtacagtct attgttggtc aaggctatca tcgtaaaata gttttggcat 180
 cacagtctat acagaatact gtttataatg atgggcagtc ttcggccatt cctgtagcca 240
 gtatggagtt tgcagccata tgtctcagaa atgccttggt gctgctacct gaagaacagc 300

<210> 34
 <211> 300
 <212> DNA
 <213> Homo sapiens

<400> 34
 tgacagagct gttcagcgta caccagatcg atgagctggc caagtgcaca tcagacactg 60
 tgttcctgga gaagaccagt aagatctcgg accttatcag cagcatcacg caggactacc 120
 acctggatga gcaggatgct gagggccgcc tggtagcgcg catcattcgc attattaccc 180
 gaaagagccg tgctcgccca cagacctcgg agggtcgttc aactcgggct gctgccccaa 240
 ccgctgctgc cctgacagt ggccatgaga ccatggtggg ctcaggcttc agccaggatg 300

<210> 35
 <211> 300
 <212> DNA
 <213> Homo sapiens

WO 99/33982

PCT/US98/27610

<400> 35

cttttttaag	caaagcagtt	tctagttaat	gtagcatctt	ggactttggg	gcgtcattct	60
taagcttggt	gtgcccggta	accatgggcc	tcttgctctg	attaaccctt	ccttcaatgg	120
gcttcttcac	ccagacacca	aggtatgaga	tggccctgcc	aagtgtcggc	ctctcctggt	180
aaacaaaaac	attctaaagc	cattgttctt	gcttcatgga	caagaggcag	ccggagagag	240
tgccagggtg	ccctgggtctg	agctggcatc	cccatgtctt	ctgtgtccga	gggcagcatg	300

<210> 36

<211> 300

<212> DNA

<213> Homo sapiens

<400> 36

gctggccaaa	gccaaatctc	ctaagtccac	cgcccaggag	ggaaccctga	agcctgaagg	60
agttacggag	gccaaacatc	cagctgcagt	tgcctccaa	gaaggggtcc	atggccctag	120
tcgagtccat	gtgggtctctg	gggaccatga	ctattgtgtc	cggagcagga	ccccccaaa	180
aaagatgcct	gccctagtca	ttccagaggt	gggctcccga	tggaatgtca	agcgccatca	240
ggacatcacc	atcaaacctg	tcttgtcctt	gggccagct	gcccttcgcc	ccatgcatag	300

<210> 37

<211> 300

<212> DNA

<213> Homo sapiens

<400> 37

gtocaaggac	aacttcgaga	catttctttt	tgccaccgta	tctaacaggg	agcaggaaga	60
tctctgccga	ggaattgtcc	agctctgctt	caatgagcaa	agccaacagc	tgctagcaga	120
ggtccagccc	tctgactctt	tcctcatggt	agagacaact	gcatactttg	aggcctacag	180
gcacgtcctg	gaaggactcc	aggaggtcca	ggaggaagat	gttcccttcc	agaggaatat	240
cgtggagtgt	aactctcatg	tgaaggagcc	aaggtacttg	ctaattggggg	gcagatatga	300

<210> 38

<211> 300

<212> DNA

<213> Homo sapiens

<400> 38

catccaggga	gaacctcggg	gctgggacac	ctcctggccc	tcaccctggg	tcatgtttac	60
agtctcagt	gccccacacc	ggtggccccc	tgaggacacc	tccaccctga	ccttgatttt	120
cccaaacgct	gcctcttggt	gacagactca	gcccaaaacc	ccttccttct	gtctctggag	180
acccttgagc	ttggggaaat	atggaggggt	gtgtgtctgc	aatcaaggcc	tctgcagctc	240
acggctggcc	cggtgggctg	ggacttccgt	atgaattnta	aataacttagg	gttcattttt	300

<210> 39

<211> 300

<212> DNA

<213> Homo sapiens

<400> 39

gggaaggagc	gggcgtgagg	ccagctgagg	catggtgacc	cctgggaagg	agcgggcgtg	60
aggccagctg	aggcatggcg	accctggga	aggagcgggc	gtgaggccag	ctgaggcatg	120

WO 99/33982

PCT/US98/27610

```

gtgacccttg ggaaggagcg ggcgtgaggc cagctgaggc atggtgaccc ctgggtacgg      180
gggacttggg ggcgcacct tggtttggcc agggcccctc ctgcaccacg ggccacatgc      240
ggaggacggc gtgggatagc ctccctgggt ccacagcttc tgcccgtgta tggggaaccc      300

```

```

<210> 40
<211> 300
<212> DNA
<213> Homo sapiens

```

```

<400> 40
ccaaaagctt gtggcaaatt tgaaatttct gccattaggg accttacaac tggctatgat      60
gatagccaac ctgataaaaa agctgttctt cccactagta aaagcagcca aatgatcacc      120
ttcacctttg ctaatggagg cgtggccacc atgcgcacca gtgggacaga gcccaaatc      180
aagtactatg cagagctgtg tgccccacct gggaacagtg atcctgagca gctgaagaag      240
gaactgaatg aactgggtcag tgctattgaa gaacattttt tccagccaca gaagtacaat      300

```

```

<210> 41
<211> 300
<212> DNA
<213> Homo sapiens

```

```

<400> 41
aaaaggtccc cttcttggga aagaccgagt gaagaaaggt ggatcctaca tgtgccatag      60
gtcttattgt tacaggtatc gctgtgctgc tcggagccag aacacacctg atagctctgc      120
ttcgaatctg ggattccgct gtgcagccga ccgctgccc actatggact gacaaccaag      180
gaaagtcttc cccagtccaa ggagcagtcg tgtctgacct acattgggct tttctcagaa      240
ctttgaacga tcccatgcaa agaattccca ccctgagggtg ggttacatac ctgcccgaatg      300

```

```

<210> 42
<211> 300
<212> DNA
<213> Homo sapiens

```

```

<400> 42
ttctaagtca ggagtacagt acaaaggaca tgtggagatc cccaatttgt ctgatgaaaa      60
cagcgtggat gaagtggaga ttagtgtgag ccttgccaaa gatgagcctg acacaaatct      120
cgtggcctta atgaaggaag aaggggtgaa acttctaaga gaagcaatgg gaatttacat      180
cagcaccctc aaaacagagt tcacccaggg catgatctta cctacaatga atggagagtc      240
agtagacca gtggggcagc cagcactgaa aactgaggag cgcaaggcta agcctgctcc      300

```

```

<210> 43
<211> 300
<212> DNA
<213> Homo sapiens

```

```

<400> 43
gccaccgaag cttcaggatg acatcttaga ctctcttggc caggggatca atgagttaaa      60
gactgcagaa caaatcaacg agcatgttct agggcccttt gtgcagttct ttgtcaagat      120
tgtgggcat tatgcttctt atatcaagcg ggaagcaa atggcaaggcc acttccaaga      180
aagatccttc tgtaaggctc tgacctccaa gaccaaccgc cgatttgtga agaagtttgt      240
gaagacacag ctcttctcac ttttcatcca ggaagccgag aagagcaaga atcctcctgc      300

```

WO 99/33982

PCT/US98/27610

<210> 44
<211> 300
<212> DNA
<213> Homo sapiens

<400> 44
ggcttatatacatatagtgagggaacgcacatgggaatggacttcagactgggtgactgttcat60
cattctgttg aagaaacgct taacccaaaa ggtccccctt ctgggaaaga cagagtgaag120
aaagtggtgat cctacatgtg ccataggtct tattgtttaca ggtatcgctg tgctgctcgg180
agccagaaca cacctgatag ctctgcttcg aatctgggat tccgctgtgc agccgaccgg240
ctgcccacta tggactgaca accaaggaaa gtcttcccca gtccaaggag cagccgtgtc300

<210> 45
<211> 300
<212> DNA
<213> Homo sapiens

<400> 45
gtggaagaaa attttttctgt gcttcttggtt cccagaaaag ggagccattt taacagacac60
atctgtcaaa agaaatgact tctcgattat ttctggctaa tttttcttta tagcagagtt120
tctcacacct ggcgagctgt ggcacgtctt taaacagagt tcatttccag taccctccat180
cagtgacccc tgctttaaga aaatgaactt atgcaaatac acatccacag cgtcggtaaa240
ttaaggggtg atcaccaagt ttcataatat tttcccttta taaaaggatt tgttggccag300

<210> 46
<211> 300
<212> DNA
<213> Homo sapiens

<400> 46
gtggaagaaa attttttctgt gcttcttggtt cccagaaaag ggagccattt tangngacac60
atctgtcaaa agaaatgact tctcgattat ttctggctaa tttttcttta tagcagagtt120
tctcacacct ggcgagctgt ggcacgtctt taaacagagt tcatttccag taccctccat180
cagtgacccc tgctttaaga aaatgaactt atgcaaatac acatccacag cgtcggtaaa240
ttaaggggtg atcaccaagt ttcataatat tttcccttta taaaaggatt tgttggccag300

<210> 47
<211> 300
<212> DNA
<213> Homo sapiens

<400> 47
acacagataa ttttaataca atgtgaaaaa gtgtatgggt gtgtagaaga ggggttctta60
gagtttcttg agagaatgat tctgagctcg gttttgacaa aagaggagct gctgaggcta120
aaagtggatg aaaagggcct tataattaaa agaaacaaga caggactcag aggtgtgaaa180
caaataattat gcatggtgaa ttacaatgag ttgggggttat tctgtagccc taaagtacaa240
ggtataaaga gacagaaaaa gatcctggaa tatagacaga ggatacttca tctctcatga300

<210> 48
<211> 300
<212> DNA

WO 99/33982

PCT/US98/27610

<213> Homo sapiens

<400> 48

gatggaacat	gagtggaagt	gggcagtctt	tttctttccc	tatcagctga	gtgaatgaag	60
atttagaggg	cagcagagtc	atgacatgga	tgacgttggg	tctctggatg	gctaaatgga	120
agaccgcgcc	ccaacgcaca	ctctaccccc	ctgctttgaa	ctatgctttg	agaaatgagc	180
ttatgagacc	actgagactt	gggggctgtt	tgttcagcag	ttcacctaca	cttattagga	240
aaggttgact	tcttgtaact	acgcctttcc	ttaaatcatc	ttttgtataa	ttctcagaag	300

<210> 49

<211> 300

<212> DNA

<213> Homo sapiens

<400> 49

ccctccccgg	cttccccggg	agtgggtcac	cacactgttt	tttatcatca	tgggaatcat	60
ttcattgact	gtcacatgtg	gtttgctggg	ggcttcccac	tggcgaagag	aagctacaaa	120
atatgctcga	tggatagcat	tcactggaac	cactatgaga	agattatagg	aaaaacacca	180
agactagagg	actctgggtt	ccttttatgc	aaagtcaact	cttctgggtc	acagttaccc	240
agcaacaaaa	ataaagagag	gaccaggacg	atgccagcac	cccgtttatc	ctgagtgaac	300

<210> 50

<211> 300

<212> DNA

<213> Homo sapiens

<400> 50

ctcctgtctc	agcctcctgg	gtagctggga	ctacaggtgc	atgccaccat	gcctgggctaa	60
cttttgattt	tttagtacag	acagggtttc	accacattgg	tcaggctggg	ctcgaactcc	120
taacctcagg	tgatccacct	gccttggcct	cccaaagtgc	tgagattaca	ggcgtgagcc	180
accgcgcctg	gcctgattgg	ttttttaaca	tgatttttct	ctaagcttaa	ataccacaag	240
gccaaagaga	aatggtcata	atttaaacca	ttattatatt	ggtgaggtat	ccctagctat	300

<210> 51

<211> 300

<212> DNA

<213> Homo sapiens

<400> 51

ggaggctaga	ctcaagctgt	ctggagagtg	tgaaacaaaa	gtgtgtgaag	agttgtaact	60
gtgtgactga	gcttgatggc	caagttgaaa	atcttcattt	ggatctgtgc	tgcttgctg	120
gtaaccagga	agaccttagt	aaggactctc	taggtcctac	caaatcaagc	aaaattgaag	180
gagctggtac	cagtatctca	gagcctccgt	ctcctatcag	tccgtatgct	tcagaaagct	240
gtggaacgct	acctcttcc	ttgagacctt	gtggagaagg	gtctgaaatg	gtaggcaaa	300

<210> 52

<211> 300

<212> DNA

<213> Homo sapiens

WO 99/33982

PCT/US98/27610

<400> 52

atatggtata	gttggaaata	ggttattgtg	agttatttgt	agtcattgtct	ttaatggccc	60
ttgcatgggtg	tctaacttct	gcaataaatg	atctgccagt	cctagtgtct	ggctttatgc	120
aatttgtttt	cctttgtgga	tgaagtggga	gtaagacttg	ttgctgtgag	gattagatga	180
agtggctagg	atatggacac	actttacttg	aattggaaaa	caagccatgt	atccctaatac	240
tgcaaaatgt	ggcatgtcac	acgtgtaatc	tctgagggtt	agtttttgc	caagattgca	300

<210> 53

<211> 300

<212> DNA

<213> Homo sapiens

<400> 53

aagaagctct	gcttgggtact	actattatga	acaacattgt	tatttgggaat	ttaaaaaactg	60
gtcaactcct	gaaaaagatg	cacattgatg	attcttacc	agcttcagtc	tgtcacaaag	120
cctattctga	aatggggctt	ctctttattg	tcctgagtca	tccctgtgcc	aaagagagtg	180
agtcgttgcg	aagccctgtg	tttcagctca	ttgtgattaa	ccctaagacg	actctcagcg	240
tgggtgtgat	gctgtactgt	cttcctccag	ggcaggctgg	caggttcctg	gaaggtgacg	300

<210> 54

<211> 300

<212> DNA

<213> Homo sapiens

<400> 54

ccaagatgcc	aatttccatg	aagtcttgat	ttatatatat	gtacacatgt	tatgcacata	60
catgtttggt	ttctaacagt	tattttttaa	gcttttgaga	taattttaga	cttacagaag	120
agttgtaaaa	gtagtagagt	tcttgatatac	tctgcaccca	ccttgccctt	atgttaacat	180
cttacgtaac	aatagaacat	ttgtcaaaat	taagaaatta	accttgatat	aataactaact	240
aaagtagaaa	gtttaaaaag	tagagatttt	agtcttttca	ctaattgtcct	tttactgttc	300

<210> 55

<211> 300

<212> DNA

<213> Homo sapiens

<400> 55

gggagggacc	cttgggggca	ggttgtgggt	agccagttgc	agtctgtggc	ctccctcaga	60
ggtttgaggt	cgggcgtggc	atgctgctgt	tggcctcttt	ccgagggagt	gccatccact	120
ccctgtccca	ccgctgtccg	cgggtaggac	agtgagggca	gtgctacgtg	gtggggaggt	180
gtgtgagaag	ccacggaagg	gcttcacagg	gcagatgcca	aggccagtgg	gccccggaca	240
gagtcaggct	ccctgggcgg	ccttgtgtct	tgggtggcct	gatcatcctg	ccaatgcaaa	300

<210> 56

<211> 300

<212> DNA

<213> Homo sapiens

<400> 56

ctttgctctc	tccattccaa	gttggttctct	gttctagaaa	gcagatgtag	tagacatcta	60
ctgtttttgc	ctaaacagaa	tccctttttc	ctttttttgt	taaaagtact	catccctaata	120

WO 99/33982

PCT/US98/27610

```
attacattgt tctggaagga ctgaaaataa cagaactcag caccatgatc ggaccgggac 180
aatcagatta ttccattcct cagcaaacgg agatcgatcc gaaaagtgga aatatgagct 240
cttctttggt gttggcatat ggaccctgag agaaagaact ttaatttttt ctcttggaact 300
```

<210> 57

<211> 276

<212> DNA

<213> Homo sapiens

<400> 57

```
cctccctgga tgtgcagaca tggaggagga cagaaggccc agctcagtgg cccccgctcc 60
ccacccccca cgcccgaaca gcaggggcag agccagnnnn nnntcgaagt gtgtccnngt 120
tgtcttttga nccttgttnt ggngcettgc ctanatgtat ntntntntnn tntntnatt 180
tnnnnntnn ntntnttct nttnttaaat tgnttnnaan ttntntann ttnttnnatt 240
nnnnnnnnnn ntantgtnt gnattgntat nnatca 276
```

<210> 58

<211> 300

<212> DNA

<213> Homo sapiens

<400> 58

```
ctgtaagtct ctttcttgcc catcaccaca tccctagtagc tgggtatcag tctggccact 60
tggtcttctg gtttgcccca atgtggtcta ttcttgatgc agctaccaa gtaatgtttt 120
aaaaccatta taccaagtta ctatccttgt caaaaccccc agtaactgcc aatctcactt 180
agaataaaat cgggactcct gtgaagcaca gcataaactg gccactgcct atgcagcaac 240
ctcatcttta cegtttctg ccttgctcac tccctccag cgccgttatt ctctctgatg 300
```

<210> 59

<211> 300

<212> DNA

<213> Homo sapiens

<400> 59

```
gaccaggtta gaccagctca agagtccatg ttctttgtca tcttngtgtg agctctctgt 60
aagtctcttt ctgcccac accacatccc tagtactggg tatcagtctg gccacttggc 120
tttctggttt gcccgaatgt ggtctattct tgatgcagct accaaagtaa tgttttaaaa 180
ccattatacc aagttactat ccttgtcaaa acccccagta actgccaatc tcaactagaa 240
taaaatccgg actcctgtga agcacagcat aaactggcca ctgcctatgc agcaacctca 300
```

<210> 60

<211> 300

<212> DNA

<213> Homo sapiens

<400> 60

```
gggtcctggt gggagttcca tccagcagtg agtgcatttt ttcccagag cagggttaagg 60
gtcttattaa aagccaccac tttgctgagg cctgtacagg ccttgggggt ttggggaaga 120
gaaataaggc aggcacttgt cccttcaggg agggacttgt ccctcactgg gaggtttggg 180
gttgaccttg gctccagcag agatacccag cctggcgtgg aaggggcagg tctgagctta 240
cgcttgactg cagggaagc tgcaggcctc ttctgccttc ccctgcattc accaaggaca 300
```


WO 99/33982

PCT/US98/27610

<210> 61
<211> 292
<212> DNA
<213> Homo sapiens

<400> 61
caaggcccca ggtgccatcc cctctgggaa gcagaagcct ggnggcaccc agagtgggta 60
ctgtngnggt aaagnntca cctcttcaca gcaccaccag cggcgagaca gacccaccca 120
ccatcttccc ctgcaaggag tngggcaaag tcttcttcaa gatcaaaagc cgaaatgcac 180
acatgaaaac tcacaggcag caggaggaac aacagaggcn aaaggctcag aaggcggtt 240
tngcagctga gatggcagcc acgattgaga ggactacggg gcccggtggg gc 292

<210> 62
<211> 300
<212> DNA
<213> Homo sapiens

<400> 62
agcaaatcaa gatcttcagg tacagttgga ccaggcactc cagcaagcct tggatcccaa 60
tagtaaaggc aactctttgt ttgcagaggt ggaagatcga agggcagcaa tggacgtca 120
gcttatcagt atgaaagtca agtatcagtc actaaagaag caaaatgtat ttaacagaga 180
acagatgcac agaatgaagt tacaaattgc cacgttgcta cagatgaaag ggtctcaaac 240
tgaatttgag cagcaggaac ggttgcttgc catgttgag cataataatg gtgaaataaa 300

<210> 63
<211> 300
<212> DNA
<213> Homo sapiens

<400> 63
caggcctgga cttcgcccc aggcctagga ccgcgagggg tggaaacctg ctactgcccc 60
aacagggaact ccaatcaatc ggagttctcc ccttgccgga gctgcccttc acctttgggg 120
cccagacag tcataaggga tggacttagt tttcttgag ggaaaaaggt ggacagccgt 180
gtttcttaag gatgctgagg gcatggggcc aggaccaggg gagaggcaca gctccttct 240
gagcagcctc tcaccactgc cacaaggctc cctaattgctg gtctctgctc cactccccgg 300

<210> 64
<211> 294
<212> DNA
<213> Homo sapiens

<400> 64
gctgcatctg caatgaggat gccaccctac gctgcgctgg ctgcgatggg gacctcttct 60
gtgcccgtg cttccggtgg gtgcaggtgg aatgttctgt gcgagagctc aagggtgcc 120
tggatccctg acttgatatc ctttgttcca cagagagggc catgatgcct ttgagcttaa 180
agagcaccag acatctgcct actctctcc acgtgcaggc caagagcact gaagacaccc 240
tggtcctccc ggaagggcag tcccacaggc agcggcaccc atttctgggc cccg 294

<210> 65
<211> 300

WO 99/33982

PCT/US98/27610

<212> DNA

<213> Homo sapiens

<400> 65

aattgatgag	ccttattaac	tatcttttca	ttatgagaca	aaggttctga	ttatgcctac	60
tggttgaaat	tttttaattct	agtcaagaag	gaaaatttga	tgaggaagga	aggaatggat	120
atcttcagaa	gggcttcgcc	taagctggaa	catggataga	ttccattcta	acataaagat	180
ctttaagttc	aaatatagat	gagttgactg	gtagatttgg	tggtagtgtc	tttctcgga	240
tataagaagc	aaaatcaact	gctacaagta	aagaggggat	ggggaagggtg	ttgcacattt	300

<210> 66

<211> 300

<212> DNA

<213> Homo sapiens

<400> 66

agcagatttg	tgataaactt	gctgtagaag	aaaccaaagg	ggaacttctg	ttgcaactat	60
gtcgtttgga	agatgctgca	gatgtttata	gaggattgca	agagagaaat	cctgaaaact	120
gggcctatta	caaaggcttg	gaaaaagcac	tcaagccagc	taatatgtta	gaacggctaa	180
aaatttatga	ggaagcctgg	actaaatata	ccaggggact	ggtgccaaaga	aggctgccgt	240
taaacttttt	atctggtgag	aagttttaaag	aatgtttgga	taagttccta	aggatgaatt	300

<210> 67

<211> 300

<212> DNA

<213> Homo sapiens

<400> 67

tgttcttgta	gtgtttgttg	ctattgttag	aaagattatt	agtgatatgt	ggggtgtctt	60
anctaaacaa	cagacacatg	taagaaaaca	ccagtttgat	catggagagc	tggtttacca	120
tgcattgcaa	ttgttagcat	atacagccct	tggtatttta	attatgagac	taaaactctt	180
cttgacacca	cacatgtgtg	ttatggcatc	actgatctgc	tcaagacagc	tatttggtatg	240
gctctttttg	aaagtacatc	ctggtgctat	tgagtttgct	atattagcag	caatgtcaat	300

<210> 68

<211> 300

<212> DNA

<213> Homo sapiens

<400> 68

agacaaagaa	aagggtggcaa	tcatagaaga	gttagtagta	ggttatgaaa	cctctctaaa	60
aagctgccgg	ttattttaacc	ccaatgatga	tggaaggag	gaaccaccaa	ccacattact	120
ttgggtccag	tactacttgg	cacaacatta	tgacaaaatt	ggtcagccat	ctattgcttt	180
ggagtacata	aatactgcta	ttgaaagtac	acctacatta	atagaactct	ttctcgtgaa	240
agctaaaatc	tataagcatg	ctggaaatat	taaagaagct	gcaagggtgga	tggatgaggc	300

<210> 69

<211> 300

<212> DNA

<213> Homo sapiens

WO 99/33982

PCT/US98/27610

<400> 69

aattcnacac	gaggtggccc	ataagtttta	cctttttaaac	atccggctgc	ctgtgaatga	60
gaagaataaa	atcaatgtgg	gaattgggga	gataaaggat	atccggttgg	tggggatcca	120
ccacaatgga	ggcttcacca	aggcgtgggt	tgccatgaag	acctttctta	cgcccagcat	180
cttcatcatt	atggtgtggt	attggaggag	gatcaccatg	atgtcccga	ccccagtgt	240
tctggaaaaa	gtcatctttg	cccttgggat	ttccatgacc	tttatcaata	ttccagtagg	300

<210> 70

<211> 300

<212> DNA

<213> Homo sapiens

<400> 70

cccaaggcaa	gctgttaaca	aaatcaacct	gggccaatca	tcaaagggtt	ggacctaaagg	60
ttgtataact	caatagaaca	agcattttta	ataaattttct	cgtaagttgt	tgttttcttt	120
atgtggtggg	tgtggcttta	aagagcacia	aaccacaaca	aatcaaagag	tagctcgggc	180
ttgtcttttg	ctttatggct	gagggtttga	aggatgattc	atggacttgt	gaatgccagc	240
cccagtcctg	gcttaggtct	atctgccaat	accaccaggg	ccaacaaatt	cacgcaacaa	300

<210> 71

<211> 300

<212> DNA

<213> Homo sapiens

<400> 71

ggaaatgcaa	gtcaaaacag	ctttgttaggt	ctcagagttt	gcttttaaga	agtagtacaa	60
gaaggaatag	ttatatcaat	acaccagtgg	ctgaaattat	catgaaacca	aatgttggac	120
aaggcagcac	aagtgtgcaa	acagctatgg	aaagtgaact	cggagagtct	agtgccacaa	180
tcaataaaaag	actctgcaaa	agtacaatag	aactttcaga	aaattcttta	cttccagctt	240
cttctatggt	gactggcaca	caaagcttgc	tgcaacctca	tttagagagg	gttgccatcg	300

<210> 72

<211> 300

<212> DNA

<213> Homo sapiens

<400> 72

ggattctttc	actgagcaca	aagagttggt	ggggcttttag	catctgactg	attttggttac	60
ggggttgatt	ctgaccatag	gaagtatgca	atgtgaatca	ctatttacag	agaaacctac	120
aacagatgct	tgatgttgta	gaaactggga	catatagata	ccaagcaaaa	ttataagaaa	180
cctataaggt	gttcaatacg	cttgtgtttc	caaaattcac	tgtacatgat	cagtttggtg	240
ttcttgtagc	acagttttta	actgaaggaa	ccagttgtaa	cagtctcaat	tttaactaaa	300

<210> 73

<211> 300

<212> DNA

<213> Homo sapiens

<400> 73

ataacacaca	tcacagtatg	ctctcagaaa	tttcttttatt	tgaaccttat	accaatatct	60
gttgatcaat	gaccattttt	gtcagcatg	gagaaacagt	gccctgcatg	aagggtagtg	120

WO 99/33982

PCT/US98/27610

```

agaataaaaa ggatcttacc acctttatca tgagggtggc tttgctctct ccattccaag      180
ttgtttctctg ttctagaaag cagatgtagt agacatctac tgtttttgcc taaacagaat      240
ccctttttcc tttttttggtt aaaagtactc atccctaata ttacattgtt ctggaaggac      300

```

```

<210> 74
<211> 300
<212> DNA
<213> Homo sapiens

```

```

<400> 74
cagagtcaac atggagcatc tcaactgtgaa atgatccatg gattgaagga tatggtaaaa      60
tgttttatagg ttactttgaa agtaaaatat actatgtctt ggttttgagg atattggata      120
caaaactctc ttcttttagg gctactgaga cttgattcct gatcatcaga aatttcacca      180
gaaacaactt gcttccaata tacccaattc tatatgaaga attcatggag agtgtactgg      240
cactgnnnnn nnnnnnnngan ncntgctgct ncgaanntnt nntattnact gannntgaat      300

```

```

<210> 75
<211> 300
<212> DNA
<213> Homo sapiens

```

```

<400> 75
caagagagag tgatagaatt ggcagtgaaa tatacgaacc accctcctgc cctctggggt      60
cacaatacgt gtacacttga ctgtgaagtg gctgtgagag tgggtggaga gttcttcttt      120
gaccctcagc ctgcggatgc ctctagaaac ctcgtgttga ttgcaggagg agtcggaatt      180
aacctctctg tttccatcct gcggcacgca gcagatctcc tcagagagca ggcaaacaaa      240
agaaatggat atgagatagg aacaataaaa ctattctaca gtgcaaaaaa taccagcgaa      300

```

```

<210> 76
<211> 300
<212> DNA
<213> Homo sapiens

```

```

<400> 76
gctagacgaa gtggtgaagc ccaaggactt atttttgagc tcgctgtaag actgagaaat      60
cacgtactcc ttcctgaaac cactaagagg aaaaatgtct gtgacactgc atacagatgt      120
aggtgatatt aaaattgaag tcttctgtga gaggacaccc agaacatgtg agatggagtc      180
tcgctgtgtc ccccaggctg gagtacaatg gcgcgatctc ggctcactgc aacctccgcc      240
tactgggttc aagcaagtct tctgcctcag cctcccagaga actgcaagag gaggcaactg      300

```

```

<210> 77
<211> 300
<212> DNA
<213> Homo sapiens

```

```

<400> 77
agagactttt gtttgtgttt aattagggct atgagagatt tcaggtgaga agttaaacct      60
gagacagaga gcaagtaagc tgcccccttt aactgttttt ctttggctct tagtcaccca      120
gttgcacact ggcattttct tgctgcaagc ttttttaaat ttctgaactc aaggcagtgg      180
cagaagatgt cagtcacctc tgataactgg aaaaatgggt ctcttggggc ctggcactgg      240

```

WO 99/33982

PCT/US98/27610

ttctccatgg cctcagccac agggteccct tggacccct ctcttcctc cagatcccag 300

<210> 78

<211> 300

<212> DNA

<213> Homo sapiens

<400> 78

caggagcaat	caattcctgt	cgaagtgaat	accatgcagc	ttttaacagt	atgatgatgg	60
aacgcagac	cacagatatc	aatgcactga	agcggcagta	ctctcgaatt	aaaaagaagc	120
aacagcagca	ggttcatcag	gtgtacatca	gggcagacaa	agggccagtg	accagcattc	180
tcccgtctca	ggtaaacagt	tctccagtta	taaaccacct	tcttttagga	aagaagatga	240
aaatgactaa	cagagctgcc	aagaatgctg	tcatccacat	ccctgggtcac	acaggagggg	300

<210> 79

<211> 278

<212> DNA

<213> Homo sapiens

<400> 79

gtgctgcaga	ggaagacagc	ctgtcaggat	actgacgagg	aggaggaaga	ggaagatgat	60
gatcaggctg	aatacgacgc	catgttgctg	gagcacgctg	gagaggccat	ccctgccctg	120
gcagccgcgg	ctgggggaga	ctcctttgcc	ccattctttg	ccggtttcct	gccattattg	180
gtgtgcaaga	caaaacaggg	ctgcacagtg	gcagagaagt	cctttgcagt	ggggacottg	240
gcagagacta	ttcagggcct	gggtgctgct	cagcccag			278

<210> 80

<211> 300

<212> DNA

<213> Homo sapiens

<400> 80

ggaacttctg	agtaattggt	atcatttcct	agtgactcgg	ctcttgctact	ccaatcccac	60
agtaaaaccc	attgatctgc	actactatgc	ccagtccagc	ctggacctgt	ttctgggagg	120
tgagagcagc	ccagaacccc	tggacaacat	cttggtggca	gcctttgagt	ttgacatcca	180
tcaagtaatc	aaagagtgca	gcatcgccct	gagcaactgg	tggtttggtg	cccacctgac	240
agacctgctg	gaccttgca	agctcctcca	gtcacacaac	ctctatttcg	gttccaacat	300

<210> 81

<211> 300

<212> DNA

<213> Homo sapiens

<400> 81

acctgtaccg	cctggccact	ggctgtcacc	ggcgtgatga	gctgccggtg	ttngaacgca	60
acctatgctg	gactctcccg	gcagactgcc	tggatatggt	cgccatgcag	gaagccgccc	120
agcacctcct	cggcacacac	gacttcagcg	ccttcacgtc	cgctggcagc	ccggtgccga	180
gccccgtgcg	aacgctgcgc	cgggtctccg	tttcccagc	ccaagccagc	cccttgggtca	240
cccccgagga	gagcaggaag	ctgcggttct	ggaacctgga	gtttgagagc	cagtctttcc	300

<210> 82

WO 99/33982

PCT/US98/27610

<211> 300
 <212> DNA
 <213> Homo sapiens

<400> 82
 cccagctgga cctggtggcc ctttcctagt gcctctgctg ggggaggaga acctgggtcc 60
 acgtggaggc taggaggtct caggtgctgc cctggcagca ccagagtgtg ggccggggccc 120
 gagtgtctgc ccctcggccc tcagggtggg gcacttagca ccagaaggg accaaaagca 180
 gggcatggcg gtgcagagga gtttgggagg tgtaaacagc cccatgcacg tggaggagga 240
 gctggccttc agccccagac cccacgctag cactttccac gctgcttgcc cgtgttgat 300

<210> 83
 <211> 272
 <212> DNA
 <213> Homo sapiens

<400> 83
 tctagatatt gcccaatgc tgcccacagt gcacatacct ttccaccagt cacatgtgag 60
 agggcagatt ttccaaatgc tcatcaccac ttggcactgt gtggactata attttggcca 120
 gttaggaaat ggcactctcat tgttttcatc ttaatttgcg tcagcctgat tactcattga 180
 aacttgtgag gttgagaaac ttttcttaag cttattggcc attcaagttt cctcctttat 240
 gaaatggttg ttcattgtcat ttgctcattt tt 272

<210> 84
 <211> 300
 <212> DNA
 <213> Homo sapiens

<400> 84
 cccactgccc ccggtcaaca aaccacttt tatgacagtt ttcttccgca gcttggctct 60
 taaattttac tggcaggtgt atggttggtg gagggttcct agtgagttgg gggacctggc 120
 aatagagctg cttggttgga ggaagtgaag ctggccttagt accagcagct gatctcttcc 180
 acgtgctgct gctttttttg ccactctgat actaaaccag agaaagctgc aggtggataa 240
 agaagctgtg gctgtttttt gcttttgggt ggcaatgaga aagagtcaca gtgtgggtta 300

<210> 85
 <211> 300
 <212> DNA
 <213> Homo sapiens

<400> 85
 ctgggagcca ccaacatagc agattacat gtgaagttgc cactgctgca tctcctgaaa 60
 cctggctgat gggagaggtc tcattttgtg tctgagaatg tccaggttgt ctgcagacca 120
 cagcactgat ttcccattag cagttattat ttcttgcca tttcttctg aaggttttgt 180
 ggttaaactc cctgtcctca atattttatc agcagtaggg ctgtcattct tctggttattc 240
 aacctctaca ttatgaagta aggttcaacc cttctgcttt tctcaggccc ccaaaacggt 300

<210> 86
 <211> 300
 <212> DNA
 <213> Homo sapiens

WO 99/33982

PCT/US98/27610

<400> 86

agaacattgg	tgtgtgagtg	ttttttgatg	gtgcaggacc	cggaggtgct	ttccttgcca	60
agaatagaaa	catccagaat	gtcctcctcc	atcccccaat	cccagacagc	aattatgtca	120
gccctgtaag	gcattgcctg	ctcttgaccc	tttggtcccat	ctttttatatt	ttaaaaaatt	180
cccatgtcac	agatgccctg	tctatgcaga	gggtggcgtg	ggatgggtga	ccactaagtt	240
taggctgggtg	aaggtggtga	gcccttctga	ggccttgata	gaactttcca	ggagttcatg	300

<210> 87

<211> 300

<212> DNA

<213> Homo sapiens

<400> 87

ctccaaggaa	aatccacctc	gcagcttgta	aatctacagc	ctgattacat	caaccccaga	60
gccgtgcagc	tgggctccct	tctcgtccgc	ggcctcacca	ctctgggtttt	agtcaacagc	120
gcatgtggct	tcccctggaa	gacgagtgat	ttcatgccct	ggaatgtatt	tgacgggaag	180
ctttttcatc	agaagtactt	gcaatctgaa	aagggttatg	ctgtggaggt	tcttttagaa	240
caaaatagat	ctcggtcac	caaattccac	aacctgaagg	cagtcgtctg	caaggcctgc	300

<210> 88

<211> 300

<212> DNA

<213> Homo sapiens

<400> 88

ctgaaacaaa	agatgtattt	caattaaaag	acttgagaaa	gattgctccc	aaagagaaaag	60
gcattactgc	tatgtcagta	aaagaagtcc	ttcaaagctt	agttgatgat	ggtatggttg	120
actgtgagag	gatcggaact	tctaattatt	attgggcttt	tccaagtaaa	gctcttcatg	180
caaggaaaac	taagttggag	gttctggaat	ctcagttgtc	tgagggaagt	caaaagcatg	240
caagcctaca	gaaaagcatt	gagaaagcta	aaattggccg	atgtgaaacg	gaagagcgaa	300

<210> 89

<211> 300

<212> DNA

<213> Homo sapiens

<400> 89

ggggacatgt	gtccctcagc	tcagcagagg	ctgtggtaca	acatggctcct	tggtgaagac	60
ctgcaccctt	ggaacctccc	accatcgtea	caactgtagt	ctcattttgca	gtggagaaaa	120
gaacccgatg	tcccacagcc	agatatacac	ccagctccat	gccagccctt	catgtttacc	180
ttttgttttg	tttaattacat	gtcagactcc	tagagggcct	ccagactaat	aggaagcatt	240
tctgtaacca	acctgccacc	cactgattca	gaaatggaaa	tcacattcca	caatctatgg	300

<210> 90

<211> 300

<212> DNA

<213> Homo sapiens

<400> 90

ctcatacaga	aagtcagatc	aacaaagagt	ccaagaaaaa	tgcgaccag	ctagaccatt	60
------------	------------	------------	------------	-----------	------------	----

WO 99/33982

PCT/US98/27610

tgatcccagg	cttagcacac	gattgcatgg	catccccctt	agccacttca	accactgcag	120
acatccagga	agctggactc	tctcctcagt	ccctccagac	ttctggccac	cacagaatga	180
aaaccccatt	ttcaactgag	ctatctttgc	tccagcctga	tactccagac	tgtgctggag	240
atagtcatac	cccactggct	ttttccttca	ccgaggactt	ggaaagttct	tgtttgctag	300

<210> 91

<211> 300

<212> DNA

<213> Homo sapiens

<400> 91

aatgcaaagg	gctgcagttc	tcattcaggc	tacttttcagg	atgcacagaa	catatattac	60
atttcagact	tggaacatg	cttcaattct	aattcagcaa	cattatcgaa	catatagagc	120
tgcaaaattg	caaagagaaa	attatatcag	acaatggcat	tctgctgtgg	ttattcaggc	180
tgcatataaa	ggaatgaaag	caagacaact	tttaagggaa	aaacacaaaag	cttctattgt	240
aatacaaggc	acctacagaa	tgtataggca	gtattgtttc	tacccaaaagc	ttcagtgggc	300

<210> 92

<211> 300

<212> DNA

<213> Homo sapiens

<400> 92

aagatatgca	gagatattcc	aggatctttt	agcttttggtg	cggctctcctg	gagacagtgt	60
tattcgccaa	cagtgtgttg	aatatgtcac	atccattttg	cagtctctct	gtgatcagga	120
cattgcaatt	atcttaccaa	gctcttctga	aggttctatt	tctgaaactgg	agcagctctc	180
caattctcta	ccaataaaag	aattgatgac	ctcaatctgt	gactgtctgt	tggctacgct	240
agctaactct	gagagcagtt	acaactgttt	actgacatgt	gtcagaacaa	tgatgtttct	300

<210> 93

<211> 300

<212> DNA

<213> Homo sapiens

<400> 93

cgattcgcca	gttctccatt	ctgagagtca	atcacgttcc	tgatagggtg	tcattgattt	60
ttttcttcgt	tggttttaac	cttctaaaca	tctccaggcc	actttcttag	cctttttcta	120
ggtactaaaa	agaggtccta	cccacacctg	cctcacactt	ctcctttcca	aggctgcctg	180
agtttgagg	ggcttggtg	tgtgtgaaca	agggccctgc	attgtctagg	cctgcagttc	240
ccaggccttg	gttcactttc	accatgcatt	ggcaaaaacta	gaaaagtaag	cttgtgacaa	300

<210> 94

<211> 300

<212> DNA

<213> Homo sapiens

<400> 94

tttgtgcctg	agcaccacac	atttcaggat	ttagactgtg	tggcacctca	gctttcctct	60
ggatgtaac	actccttggt	gagagagggg	actcctcacc	aatcccattt	gacaaaggct	120
aggcaatctt	cattctgctt	ggctttagtc	attcttgtca	ttgggctgca	gaagaaaaac	180
aactttgctg	ggtgatccca	ctgccttgat	ttcacctcgg	agcgaggctg	ggccatgtcc	240

WO 99/33982

PCT/US98/27610

aagtcttatg aggtcaccct gactagaaaa aattgaactc acctacaaat agtctgaaag 300

<210> 95

<211> 300

<212> DNA

<213> Homo sapiens

<400> 95

gtgagtccca	gcatacagtg	cttctggagc	agaccagcca	cgtggaagag	aagccttaca	60
gagatgggtc	ggcagagccc	tgctgatggc	tgggccttgt	gggcagccac	tctgtgtgag	120
caggggtgtg	ggccatata	cttcaaagac	cagagccctg	cactgggaga	gtgctcctgg	180
cccaggctgg	gaatcacctt	tcgaggccct	tcagactctg	gcggggcttg	ctgtggcctc	240
cctccagcta	gtggtgtggc	tgagcagact	ccaggggcag	ggccagttcc	cttctccct	300

<210> 96

<211> 300

<212> DNA

<213> Homo sapiens

<400> 96

acaactccag	acataattaa	agactggccc	aggaggaaga	gggcgggtggg	ctgtggcgcc	60
ggctcctctt	ccgggagggg	cgaggtcggc	gcagaccttc	ctgggagcct	gtcactgctt	120
gagacagagg	gcaaggacca	cggccttgaa	ctcagcatcc	acaggacgcc	catcttgga	180
gattttgagc	tcgagggagt	gtgccagctc	ccagaccagt	cgcctcccag	gaacagcatg	240
cctaaggccg	aggaagcctc	ttcctgggga	cagtttggtt	tgagttccag	gaagagagtc	300

<210> 97

<211> 286

<212> DNA

<213> Homo sapiens

<400> 97

gtccagggcc	cangttttta	ttntttttta	aaaagcttta	ggctcttgccg	ggacgggtggt	60
tcacncnnnn	nnnnnnnnnn	nnnnnnnagg	cctagggcggg	tggatcacia	ggtcagcagt	120
tcaagaccag	cctgaccagc	atggtgagac	cctgtctcta	ctggaaatac	aaaaaaattg	180
gctggggcag	gtggcaggca	cctgtggtcc	cagctacctg	ggaggctgag	gcgggagagt	240
ctcttgaaac	tggaaaggcag	aggttgcggt	gagccgagat	tgcgcc		286

<210> 98

<211> 300

<212> DNA

<213> Homo sapiens

<400> 98

caccattttt	attttgatgc	ttacactcat	ttattctgtt	tttgtaaaac	agtttcggga	60
atttaaaaa	ccttcagtt	aatagagctt	ttgttattat	attataattt	tgtaaaccac	120
ctttgtttt	ccacttttaa	agccacaggg	tcgactcatg	gatgatacct	ctattgctgc	180
tgcatgatgt	tcaagaccgg	cccttggtcg	ttgttacaga	gatgttgggc	agagctatgc	240
aggtgtttca	ttgtgaactc	tagctttgat	catggtaaaa	agttaaccct	ttctattttt	300

<210> 99

WO 99/33982

PCT/US98/27610

<211> 300
<212> DNA
<213> Homo sapiens

<400> 99
agcctcgccct gggccggcct gtggctccca ttttcctttc agcggggacaa aggggacttg 60
ttaccaggcc attttctgga tggcctgtga gatctctgcc cctccaagac cctccaagtc 120
tgagcctgac ccacagctgg gacactgaat tcagccctgg gaaccatggg ggcttctatc 180
tggcaccagg ctgcagcctc cccaatccca gcccactttg ctgtgtctct ggcgggctgt 240
cctccttggg gggagctgtc ctgcacactg taggatgctt aaaggtatcc ctggcctcca 300

<210> 100
<211> 300
<212> DNA
<213> Homo sapiens

<400> 100
tccaaccctg gcgatgtcac cagcatgggtg gctcagggtta gagctctctg aggaccacgc 60
atagagcact ggtgccaggg accaaactga gacccaccca ccgtcatcaa cacttacata 120
ccataaagggt cttcagagtg ccttggccct agacctccct tcattctttg tagagatgga 180
atctaagaat gaaacatctc cactcagtc tgc aaatatg gaagttcttg agataccttt 240
ttttggtaga tacttgtgtc ggtattctga gagtcacttt actctgatgg tttgcaagat 300

<210> 101
<211> 300
<212> DNA
<213> Homo sapiens

<400> 101
gtgtttcttc tacctcccct gcacaacatt gtttatatgc ccctaataat gtaacttctt 60
tagattctgt tggtacgtgc aacactgtat atctctccat agcacttaat cagagtttgt 120
aattaggcat ctttttgtgt gattatttgg taaatgtcca tatcccctac tagcctataa 180
gctccatgac ttctaggtac cctgtctgac tacgtgtatc actggttcta ccgcctaaca 240
ttgcctagca cattcattgc ttcacaggca tctgaatatg ggtttataaa atacattgct 300

<210> 102
<211> 270
<212> DNA
<213> Homo sapiens

<400> 102
cctggccctg ctgcccctcc tgaatctcgt atgatgggtca cagtccgggtg gccgtggggg 60
tgctctgcct tccctgggtc ccaactgccc tatctgtgga ctgccccttc caaagacccc 120
tggaggaggt gttnnnnnnn nnnttnntgn nccactacc ntgcactgaa ctggccntgt 180
tacaancaann actgncccn nttgttatna cacctntnac aaacacctgc tgctgtacat 240
gncnctactt taaggactnn anacctgtgc 270

<210> 103
<211> 300
<212> DNA
<213> Homo sapiens

WO 99/33982

PCT/US98/27610

<400> 103

gctggagcac	gctggagagg	ccatccctgc	cctggcagcc	gcggtgggg	gagactcctt	60
tgccccattc	tttgccggtt	tcctgccatt	attggtgtgc	aagacaaaac	agggctgcac	120
agtggcagag	aagtcctttg	cagtggggac	cttggcagag	actattcagg	gcctgggtgc	180
tgctcagcc	cagtttgtgt	ctcggctgct	ccctgtgctg	ttgagcaccg	cccaagaggc	240
agaccccgag	gtgcgaagca	atgccatctt	cgggatgggc	gtgctggcag	agcatggggg	300

<210> 104

<211> 300

<212> DNA

<213> Homo sapiens

<400> 104

ctcgcgtctc	ttcactgcac	attgcaatgc	atttgcgatt	cccatttctc	tgctaggagc	60
cagcctgggt	ggcgtgctc	ccagagccgt	gggtcccaga	ccttgcgttc	cttttgttcc	120
tgtccgttta	tcaggacacg	ggccccacct	gtcacgtgcc	cagggccacc	caagcccagc	180
ctgcggggcg	ttcccactgc	ctggatgccg	gcttgagtgc	tgcgcacgca	ggattcagtg	240
tggggacggc	ccctgccgga	taggcctagc	cctggcccag	gtggtgagcg	gtttgcagtg	300

<210> 105

<211> 300

<212> DNA

<213> Homo sapiens

<400> 105

gggcaactgtg	gggctctccc	cgcctctcct	gccttgtttg	cccctcagcg	tgccaggcag	60
actgggggca	ggacagccgg	aagctgagac	caaggctcct	cacagaaggg	cccaggaagt	120
ccccgccttt	gggacagcct	cctccgtagc	ccctgcacgg	caccagtctc	ccgagggacg	180
cagcaggccg	cctcccgcag	cggccgtggg	tctgcacagc	ccagcccagc	ccaaggcccc	240
caggagctgg	gactctgcta	caccagtgta	aatgctgtgt	cccttctccc	ccgtgcccct	300

<210> 106

<211> 300

<212> DNA

<213> Homo sapiens

<400> 106

gctcaacgcc	tatgtgaccc	atctccatgc	cgaatacaat	cgacagaagg	acatctacct	60
agcacatcgt	gtggcccaag	cttggaatt	ggcccagttc	atccaccaca	catccaagaa	120
ggcagacgtg	gttctgttgt	gtggagacct	caacatgcac	ccagaagacc	tgggctgctg	180
cctgctgaag	gagtggacag	ggcttcatga	tgcctatctt	gaaactcggg	acttcaaggg	240
ctctgaggaa	ggcaacacaa	tggtaaccaa	gaactgctac	gtcagccagc	aggagctgaa	300

<210> 107

<211> 300

<212> DNA

<213> Homo sapiens

<400> 107

tgtgagtttc	ctatctgttc	cagactagta	tcgccaatct	ctcccagctc	tcttctttcc	60
tccttggcct	ttgtcctgca	ggaggtagca	tcacctcttg	gcatttttga	catgctttta	120

WO 99/33982

PCT/US98/27610

```

aacaattgga ggagctgccc aggcagtttt atggcctcct ggttgtgtgc cttcacaccc 180
gcctacagcc ccacctcacc atcaagcgct gagccaatgc ggggtgtggct ggccctgagt 240
tcctgagtca gctccttgcc agggccagag ctggtaacag cggggcagca ggggtgggtag 300

```

<210> 108

<211> 300

<212> DNA

<213> Homo sapiens

<400> 108

```

agggttgctca cctgaaggag cacaggaggg ttttccaggc catgtggctc aggttcctca 60
agcacaaagct gcccctcagc ctctacaaga agtgctgtgt gattgtgcat gacgccatcc 120
tgccgcagct ggcgcagccc acgctcatga tcgacttctt caccgcgcc tgcgacctcg 180
ggggggccct cagcctcttg gccttgaacg ggctgttcat cttgattcac aaacacaacc 240
tggagtaccg tgacttctac cggaagctct acggcctctt ggaccctct gtctttcacg 300

```

<210> 109

<211> 300

<212> DNA

<213> Homo sapiens

<400> 109

```

cacaaggaga agaaagttaa ttaacattga aagatgagaa gacatcttgg aagaacttga 60
attgggcctt ggaagaagaa cagccattca aatagataga attgtggtag caaaggcata 120
gaggtaggaa agtatagatc tccagggaca gtagtcatgg ggttggggca ctgttggaat 180
ttaaggttgg aaggatatat tggagcccc tgaatacggg aacaaggcac accttgggca 240
gtggagagtt atcagagtgt ttgaaaagga gggttattga gtaaataaat agactggtac 300

```

<210> 110

<211> 300

<212> DNA

<213> Homo sapiens

<400> 110

```

gacaccccag atgcagccac caccagcaga agcgatcagc tgaccccaca agggcacgtg 60
gctgtggccg tgggctcagg tggcagctat ggagccgagg atgaggtgga ggaggagagt 120
gacaaggccg cgctcctgca ggagcagcag cagcagcagc agccgggatt ctggaccttc 180
agctactatc agagcttctt tgacgtggac acctcacagg tcctggaccg gatcaaaggc 240
tcactgctgc cccggcctgg ccacaacttt gtgcggcacc atctgcggaa tcggccggat 300

```

<210> 111

<211> 271

<212> DNA

<213> Homo sapiens

<400> 111

```

cctggccctg ctgcccctcc tgaatctcgt atgatgggtca cagtccggtg gccgtggggg 60
tgctctgctt tccctgggtc ccaactgccc tatctgtgga ctgccccttc caaagacccc 120
tggggggggg ggggnnttcc ttctannccn ntacnctatg tgtttaatnn ncntantnct 180
ttantantat ttnccantgn tnntnatatn nntnnanana nncntnctta nnnacattat 240
tttanntang ngatnntacc ttnntgnaan g 271

```

WO 99/33982

PCT/US98/27610

<210> 112
<211> 300
<212> DNA
<213> Homo sapiens

<400> 112
gttccctcac cttattcctc caagttcccc cttgggaacc tctgagatta acttgataag 60
ctccttgggc aagctcttta tcctaagatt cctcagtgag ccttatagag ttgctgcgag 120
aattacattt gttcatgatg tcaagtgctc ggtatgtagc taatgcttat tgaacacata 180
gtaatttatt gaataattgt catgatcact ggatgagata tagccactgt ggaggtaggc 240
acaccagggt tttagaggct tgggatcttg caacaggatt ttctctcttg ctctccaaac 300

<210> 113
<211> 300
<212> DNA
<213> Homo sapiens

<400> 113
cccacatgta ccaggttgag tttgaagatg gatcccagat agcaatgaag agagaggaca 60
tctacacttt agatgaagag ttacccaaga gagtgaagc tcgattttcc acagcctctg 120
acatgcgatt tgaagacacg ttttatggag cagacattat ccaaggggag agaaagagac 180
aaagagtgtc gagctccagg tttaagaatg aatatgtggc cgaccctgta taccgcactt 240
ttttgaagag ctctttccag aagaagtgcc agaagagaca gtagtctgca tacatcgctg 300

<210> 114
<211> 300
<212> DNA
<213> Homo sapiens

<400> 114
acagttagtg taaaggatct gaatggcata gacttaactc ctgtgcaaga tactcctgtg 60
gcttcaagaa aagaagatac atatgtacat tttaatgtgg acattgagct ccagaagcat 120
gttgaaaaat taaccaaagg tgcagctatc ttctttgaat tcaaacta caagcctaaa 180
aaaaggttta ccagcaccaa gtgttttgtc ttcattggaga tggatgaaat taaacctggg 240
ccaattgtaa tagaactata cacgaaaccc actgacttta aaagaaagaa attgcaatta 300

<210> 115
<211> 288
<212> DNA
<213> Homo sapiens

<400> 115
gtgatctgcc tgccttggtc tcccaaagtg ctgggaatac aggcattgagc caccgcactc 60
ggccaggagc tagttttatc agcatcctgc tccactgcct tcctctagtg cagcctggaa 120
gacatggcag cgggtagctc ctggggctga gccagaagca tcaactgcagt gaaagtctct 180
gcttacctgt ctggctcagc ttgggcaagg gctgggccat atgtgctcag ggacgtgctt 240
ctcttgtaag gcaggaggat anaanaggac cannaanggn gggagctg 288

<210> 116
<211> 300

WO 99/33982

PCT/US98/27610

<212> DNA

<213> Homo sapiens

<400> 116

tcaattagta	acatctgaaa	aaacagcttt	gtcctgggtg	aaaaaggatg	ccaaaattgc	60
ctggaaaaga	gcagtgagag	gagtcgga	gatgtgtgat	gcatgtgaag	caacattggt	120
taacattcac	tgggtctgcc	aaaaatgtgg	atttgtggtc	tgcttagatt	gttacaaggc	180
aaaggaaagg	aagagttcta	gagataaaga	actatatgct	tggatgaagt	gtgtgaaggg	240
acagcctcat	gatcacaac	atttaatgcc	aacccaaatt	atacctggtt	ctgttttgac	300

<210> 117

<211> 300

<212> DNA

<213> Homo sapiens

<400> 117

gcactttcca	gaattctctc	atatttgtgg	gctgggatca	agcctgcagc	ttgaggaaag	60
cacaaggaaa	ggaaagaaga	tctgggtggaa	agctcaggtg	gcagcggact	ctgactccac	120
tgaggaaactg	cctcagaagc	tgcatcaca	actttggctg	aagcccctgc	ctcactctag	180
ggcacctgac	ctggcctctt	gcctaaacca	caaggctaag	ggctatagac	aatggtttcc	240
ttaggaacag	taaaccagtt	tttctagga	tggcccttgg	ctgggggatg	acagtgtggg	300

<210> 118

<211> 300

<212> DNA

<213> Homo sapiens

<400> 118

agaacgttct	caggttgacc	agctgctgaa	tatttcttta	agggaggaag	aacttagtaa	60
gtcattgcag	tgcatggata	acaatcttct	gcaagcccgt	gcagcccttc	agacagctta	120
tgtggaagtt	cagaggctac	ttatgctcaa	gcagcagata	actatggaga	tgagtgcact	180
gaggaccat	agaatacaga	ttctacaggg	attacaagaa	acatatgaac	cttctgagca	240
cccaggtttg	gcatagaaat	ggtaccctt	gttcaaatg	aacaagaagc	cttagatttg	300

<210> 119

<211> 300

<212> DNA

<213> Homo sapiens

<400> 119

gaacaaagaa	ggaatgtctt	cctcatgttt	gggtctatag	aagacgttaa	agaaaacttc	60
cagaaagtgg	gtttgaggca	tgagccacca	cgctggcca	aaggatttaa	tgaattaatg	120
gatgtacagt	gctggggctg	gtattctagg	gcctgcattg	agactcacat	tttgccatca	180
aaagcctttt	aagaggtgga	ggttgcggtg	agctgacatg	gtgccactgc	actccggcct	240
gagtgcaga	gtgagactct	gtctcacaaa	aaaaataatg	cccttttaat	aatgaataat	300

<210> 120

<211> 273

<212> DNA

<213> Homo sapiens

WO 99/33982

PCT/US98/27610

<400> 120

cctcagcctt	ctaaaaagct	ggggctacac	ccagctgaag	aaattgtaac	taaagataga	60
ttgttttaaag	caaagcaaga	aacttctgaa	gaaatggaaac	aaagtggaga	agcctcagga	120
aagcccaaca	gagagtgtgc	accccagatt	ccttgtagta	ctcctattgc	tactgaaagg	180
acagttgcac	atttgaacac	tctgaaggac	cgtcacccag	gtgatttgtg	ggcccgcattg	240
cacatctcat	cccttggaat	atgctgcagg	aga			273

<210> 121

<211> 300

<212> DNA

<213> Homo sapiens

<400> 121

agaacgttct	caggttgacc	agctgctgaa	tatttcttta	agggaggaag	aacttagtaa	60
gtcattgcag	tgcatggata	acaatcttct	gcaagcccgt	gcagcccttc	agacagctta	120
tgtggaagtt	cagaggtac	ttatgctcaa	gcagcagata	actatggaga	tgagtgcact	180
gaggacccat	agaatacaga	ttctacaggg	attacaagaa	acatatgaac	cttctgagca	240
cccaggtttg	gcatagaaat	ggtacccctt	gttcaaaatg	aacaagaagc	cttagatttg	300

<210> 122

<211> 300

<212> DNA

<213> Homo sapiens

<400> 122

gttgcaagca	gccttggaat	agtaactctt	ctcatttggt	tgggatctgg	ccaccaagtt	60
ccagaatgat	acacggatca	gtgcagaagt	tcatcaggct	ctcggacctt	agggctgttg	120
gagaaggctt	cagcagcaga	actgatggtg	aaggctcgtg	ttctccatcc	tcaactttct	180
ttgcttcgat	catacacaag	aatacatctt	gaagggcaaa	aaaatgaaca	ctgtcgttca	240
ttgcagccgt	gttttgtgac	acagatgcac	agtctgctgt	gaagaccttc	tctcaagtgg	300

<210> 123

<211> 300

<212> DNA

<213> Homo sapiens

<400> 123

gtgatttcag	cttccaaact	ggtatacatt	ccaaactgat	agtacattgc	catctccagg	60
aagacttgac	ggctttggga	ttttgtttaa	actttttataa	taaggatcct	aagactgttg	120
ccttttaaata	gcaaagcagc	ctacctggag	gctaagtctg	ggcagtgggc	tggccccctgg	180
tgtgagcatt	agaccagcca	cagtgcctga	ttggtatagc	cttatgtgct	ttcctacaaa	240
atggaattgg	aggccgggag	cagtggctca	cgctgtaat	cccagcactt	tgggaggcca	300

<210> 124

<211> 300

<212> DNA

<213> Homo sapiens

<400> 124

catgttgcc	agcatccctg	cctgtgcaag	ctctggatga	gctgtgagcc	cctgccaccc	60
acacccccac	tccctgccag	cctggcctca	gggcctctga	tccatgtgca	ctggagagga	120

WO 99/33982

PCT/US98/27610

```
gatgactgac agggccactg gggcatttcc acgttaacag cagctgccac tggcaaaaga      180
agtgactcgc caatggaggc atctcagatg tgggccagg agtctgggga gctactttga      240
acagggctat ccattcattg tcccaccaa ggctatggag cccaccacc atgtgctgga      300
```

```
<210> 125
<211> 300
<212> DNA
<213> Homo sapiens
```

```
<400> 125
ggtaaattgg ttgaattatt gtattgaagc ttgagctgta gctaaaagta atttaggttt      60
cccctaagat gttattatgt tagggacata acacttttgat gaggttggtg tgggagatgg      120
ttgatttagg ttttcaaaag ctagaaataa aatttaccatg ccttagattt cataaaattc      180
tgctctaatt gggtggaagg tgctgtatct aacttggtgt cctcctaagg ttatgtccta      240
ataactattc ttttaggagt atacttctac tttatagaag gttgcttttc tttttaattt      300
```

```
<210> 126
<211> 300
<212> DNA
<213> Homo sapiens
```

```
<400> 126
tgaagaggag atcggtgacc tgggctcctt atgtgcctga aagagtttga gtttcctgtt      60
aactccaat caacagtatt ttcaacaaga aatgtgcaat tgaaatcaag tgctgtttaa      120
gtgcagctag gatttccaca ggaagacact tgcagtgaac agagttagtg agcagcaaaa      180
acacagatct atttggaaaa agagaaaaca tatgcgttgt attttgcttc aattataaaa      240
taccatctc tcaaagggtg ttctaaatta caaaggactt tgatttctag gtagattctg      300
```

```
<210> 127
<211> 300
<212> DNA
<213> Homo sapiens
```

```
<400> 127
ggtgattccc atgctgaaca gtttgatctc ctgccagagt gtcgggccac aaactgggca      60
gcacatcagg atcacctggg ggccttcaaa aatcaaaaat ccacccccag gccatgccct      120
ggaccactg caccaggaca agaaatccac cccaggcctc tcccagacc cactgcacca      180
ggacaagaaa tccacccccg ggccacgccc cagaccact gccctaggat gtgggggtgg      240
gaaccaggtg gtgctttgta aagacgtgca ggtggtaacc ccaggcccc acgctcgga      300
```

```
<210> 128
<211> 300
<212> DNA
<213> Homo sapiens
```

```
<400> 128
tgagctggga gaaggggaga aagtttgtga agaggagatc ggtgacctgg gctccttatg      60
tgacctgaaag agtttgagtt tctgttaac tccaaatcaa cagtattttc aacaagaaat      120
gtgcaattga aatcaagtgc tgtttaagtg cagctaggat ttccacagga agacacttgc      180
agtgaacaga gttatggagc agcaaaaaca cagatctatt tggaaaaaga gaaaacatat      240
gcgttgtatt ttgcttcaat tataaaatac catcctctca aaggtggttc taaattacaa      300
```


WO 99/33982

PCT/US98/27610

<210> 129
<211> 285
<212> DNA
<213> Homo sapiens

<400> 129
ggaaagcaca aggaaaggaa agaagatctg gtggaaagct caggtggcag cggactctga 60
ctccactgag gaactgcctc agaagctgcg atcacaactt tggtgaagc cctgcctca 120
ctctagggca cctgacctgg cctcttgctt aaaccacaag gctaagggt atagacaatg 180
gtttccttag gaacagtaaa ccagtttttc tagggatggc ccttggtgg gggatnnnnn 240
nnnnnnnnnn nnnnnnnnnn nnaggaagat accatttctt gacgg 285

<210> 130
<211> 300
<212> DNA
<213> Homo sapiens

<400> 130
ccggacgcag gccctcgggc aggagcatct ggcagagtgg gggcggtggc aggcaccctc 60
ctttgcaggg cgaggtgggg cctctgcagc catcctggac aggccggggg ggcggcagct 120
ttgcccacgt ggaagcgggg tgggtctcac ttgcgtggtg gccctggcc ccatcttgcc 180
tgctgcggcc tggggagcag gcgctgggtg gtggttctgc ctgcttgctg ctggtcccc 240
gggcatgcgt gggcagcggg gggcatgcgt gggcagcagg gggcggtggc cagcgggggc 300

<210> 131
<211> 300
<212> DNA
<213> Homo sapiens

<400> 131
gatctctata ctagtgaaca gtgccagttc cacacttttg acttagaact gttctctagt 60
tattgtaaca cagaatactg tcaatcccta atttacttaa tgttacttat tggaagtggg 120
gctgatgaaa tacgcacagg agggaaatct actgtgttta ggcacaggca gccccagtgt 180
ataaggagat catattccaa aaggttgtca gttggttggt tgcaacctgg aatgtatttt 240
ccttttagaga ccaggttatc catggtgggt aggcccttag agcagctgga aaagatgata 300

<210> 132
<211> 300
<212> DNA
<213> Homo sapiens

<400> 132
ctcccatgga ggtggtggga atggcaccca gaagtttgat gacagttatc taatggacta 60
gaggttgga aactttctgt aaatggccag gtagtaaata gttctgcttt tgaaggcata 120
tggtctcttg cacctactcg aggtgaaag cagctataga caatacataa atgaatgagc 180
gtgagtgtgt tccaataaga aaaaaacatg gctgtttgct tcggccccag ggttgtagct 240
taccagtect gtaacagatc acagtttgct cttttggtca caaatacttg aacctctccc 300

<210> 133
<211> 269
<212> DNA

WO 99/33982

PCT/US98/27610

<213> Homo sapiens

<400> 133

atgctatgcc	aaagcctgct	gccagctcca	tagcctggac	ctacagcact	gcatggtgga	60
gtccacagct	gtggtgagct	tcttgaggga	ggcaggggtcc	cgaatgcgca	agttgtggct	120
gacctacagc	tcccagacga	cagccatcct	gggcgcactg	ctgggcagct	gctgccccca	180
gctccaggct	ctggagggtga	gcaccggcat	caaccgtaat	agcattcccc	ttcagctgcc	240
tgtccaggct	ntgcaaaaag	gctgccctc				269

<210> 134

<211> 300

<212> DNA

<213> Homo sapiens

<400> 134

gatggatgag	actgttgctg	agttcatcaa	gaggaccatc	ttgaaaatcc	ccatgaatga	60
actgacaaca	atcctgaagg	cctgggattt	tttgtctgaa	aatcaactgc	agactgtaaa	120
tttccgacag	agaaaggaat	ctgtagttca	gcacttgatc	catctgtgtg	aggaaaagcg	180
tgcaagtatc	agtgatgctg	ccctgttaga	catcatttat	atgcaatttc	atcagcacca	240
gaaagtttgg	gatgtttttc	agatgagtaa	aggaccaggt	gaagatgttg	acctttttga	300

<210> 135

<211> 300

<212> DNA

<213> Homo sapiens

<400> 135

ggcgagcggg	aacagctctt	gaggagtgag	actgcaggag	atgtgggccc	tgccaaagag	60
atggatgaga	ctgttgctga	gttcatcaag	aggaccatct	tgaaaatccc	catgaatgaa	120
ctgacaacaa	tctgaaggc	ctgggatttt	ttgtctgaaa	atcaactgca	gactgtaaat	180
ttccgacaga	gaaaggaatc	tgtagttcag	cacttgatcc	atctgtgtga	ggaaaagcgt	240
gcaagtatca	gtgatgctgc	cctgttagac	atcatttata	tgcaatttca	tcagcaccag	300

<210> 136

<211> 300

<212> DNA

<213> Homo sapiens

<400> 136

gacttctaaa	tatatcttgg	atataatagg	tgataagttc	tgtcaattag	taacatctga	60
aaaaacagct	ttgtcctggg	tgaaaaagga	tgccaaaatt	gcctggaaaa	gagcagtgag	120
aggagtccgg	gagatgtgtg	atgcatgtga	agcaacattg	tttaacattc	actgggtctg	180
ccaaaaatgt	ggatttgtgg	tctgcttaga	ttgttacaag	gcaaaggaaa	ggaagagttc	240
tagagataaa	gaactatatg	cttggatgaa	gtgtgtgaag	ggacagcctc	atgatcacia	300

<210> 137

<211> 300

<212> DNA

<213> Homo sapiens

<400> 137

WO 99/33982

PCT/US98/27610

```
ttgacaaatt gctggaacac acttattgtg gtttaccggt ttttaattat gtcagagatt      60
gcatcatcct tatgcttggt tacatctata atcttctatg aaatggtggt accaaggggc      120
gccaacagc  ttttatcccc attcttagag catattcttt attataatga ttatccaaca      180
tattttcttta attttaatac aaaaaataca tcatttaatt tttgttacat atgaacattc      240
atttttaaat gctcagcctc aagtgcaggc atttttgagt ggcctgatta catattcctc      300
```

<210> 138

<211> 300

<212> DNA

<213> Homo sapiens

<400> 138

```
ggaaggggag ggttggtgag tcccagacct taaaaataca aggttaagag ggaccccaaa      60
gcaaaaaatt ccaacccttt tctcccagt cattgaaaca ccaaaactat tataccggag      120
ggtgtaatag ttttgctgcc cagttgtggt aggccagtag tggcctccca agatgcccat      180
gtcctaatcc caggaacctg tcaaaattac cttgtatggc caaaggggct ttgcagatgt      240
aatgaagtta aggatctttc gccaggaaga ttatcccagc ttgttcagga gggcttgatg      300
```

<210> 139

<211> 300

<212> DNA

<213> Homo sapiens

<400> 139

```
gacatcattt tcttattcta gtaagagaaa gtacacagat tcaactttag agaggacttt      60
tttttttctg gagctaaatc aaggaaggat tatcacgtgg cctcccttga atataatttt      120
gaagctgtga acagtacat cagtaacatt ttatggacag ctctgatggt ttttatacca      180
cggcactctt cttacccttg ggggaagcta tctggagtta tgactgatgt gtaaagtggg      240
ttactgttag aatcctgggt tgctaggatt ctgggagagt cactttcagg aagttacctg      300
```

<210> 140

<211> 300

<212> DNA

<213> Homo sapiens

<400> 140

```
gctgccagag cagttttatg gectcctggt tgtgtgcctt cacaccgcc tacagcccca      60
cctcaccatc aagcgctgag ccaatgcggg tgtggctggc cctgagttcc tgagtcagct      120
ccttgccagg gccagagctg gtaacagcgg ggcagcaggg tgggtagcct ctaccagcca      180
gggcagtccc tgagggggcca gcaggggggc tgactgccta gtggctcaac ctctgaacc      240
caccactcc  cagcgatgct acccagaacc ccaacggcat gaatcctgca cagtgcggg      300
```

<210> 141

<211> 300

<212> DNA

<213> Homo sapiens

<400> 141

```
cccaaactta tcgggggtgc cagaggcaga gtagacaagc cttagtggcc gccatttggt      60
gaatatctac tgtgcgcca gacgtgcgtc acaactttat gaagtaggta ttattatcat      120
ccccatttta caggtgaaga aactgagtct ctgagagacc aacttttcca aggtcacaca      180
```

WO 99/33982

PCT/US98/27610

```

gaggtgggat ccagccact tccgtctgac cccaagcccc tgctgttaac cctgccccca      240
ttgtggggag gttccggccc actctggagt tctctgggtct gcgtcagtec tcaggagaag      300

```

<210> 142

<211> 300

<212> DNA

<213> Homo sapiens

<400> 142

```

gaaaggtggc gcgcttctca cggtctgagtt gctgcgcctg cagacggaag ctccccacag      60
gcagagctgc ttggatgtgt gagtcattgaa gccagagaag ccccgctcca tgagcagtga      120
ctccccaggc cctgtgacct cctcctgttc ttgcagatcc tcctggcacc agtccccagg      180
gctctcctgt tggtagttcc tgcttttctt cttggaaatt cctcgtggac ctcgagatct      240
ttaccctaaa atagtctctgt tgaatttcac cctggcaatg taaattgata gcttatcttc      300

```

<210> 143

<211> 300

<212> DNA

<213> Homo sapiens

<400> 143

```

cttggccttg cttctctgag aaaacttttg tcacacctcc agagccaggg tgggtgcctc      60
cctggaggag ggggctttcc tggttggtgg cacagcagga gtccaggctt tgtaccgtgg      120
acaccatggg ctatggcaac accttctctca ccatccttcc atgaggacct cgggagagag      180
tggacatgaa accctttgtg ctctgaagca ttcaacagaa gctttctggt tctgtgccta      240
tttctttggc acttgagcgt gtttgcaggt tcattacaca catgatgaaa gctctggccc      300

```

<210> 144

<211> 300

<212> DNA

<213> Homo sapiens

<400> 144

```

cctgactgag tgcttgacgg tggaccccct cagtgccagc gtctgaaggc agctgtaccc      60
taagcacctg tcacagtcca gccttctgct ggagcacttg ctgagctcct gggagcagat      120
tcccaagaag gtacagaagt ctttgcaaga aaccattcag tccttcaagc ttaccaacca      180
ggagctgctg aggaagggtg gcagtaacaa ccaggatgtc gtcacctgtg acatggcctg      240
caagggcctg ttgcagcagg ttcagggtcc tcggctgccc tggacgcggc tcctcctggt      300

```

<210> 145

<211> 300

<212> DNA

<213> Homo sapiens

<400> 145

```

gccagagcct agaggagaga tcaaagacct tggccgaagt gaagcccatt ctgcaagcaa      60
ctgggttccc atggcatgtg gtggccttag aggaggtgtt cagcctgcca ccgtcgggtgc      120
tttggtgctc tgcccaggag ctggtgggat ccgagggggc ctacaaggcg gccgtggaca      180
gcttcctcca gcagcagcat gtgctggggg ccgggggttg tcctggnccg actcaagggg      240
annnnnnnnn nnnncaacc cccgctggac ccccnngaanc tggcaagacc ngctgccctc      300

```

WO 99/33982

PCT/US98/27610

<210> 146
<211> 300
<212> DNA
<213> Homo sapiens

<400> 146
tgacttttgta cctggtccaa gctggtgggg aattgctgct gttgaccag gcaggagtct 60
gactagagaa caaactaagg ttgctgcaac aaacaaggac ctcttccaag aagggctccc 120
aggcctggcg cagtgactca tgctgtgat ccagcactt gggaggccga ggcgggtgga 180
tcatttgagg ccaggagtgc gagaccagct tggccaacat gatgagacc cgtctctatt 240
aaaaatacaa aaattagcca ggcgtggtgg cgctgtagt ccagctact caggaggttg 300

<210> 147
<211> 295
<212> DNA
<213> Homo sapiens

<400> 147
ggnaangcna nngnaggaga nagagaagna ncagtnnagn cccangaaac ccnntgaaac 60
ccttagaagn cagaggagng aaaggangaa aananggnn ggangagaac nnannnnggn 120
caaannaagg angannnta gngngaaaa anaanaacaa anggggaaaa ngggaaaaaa 180
ggcganaaag gnaanannag nanaaggngg aananannnn annagaaagg ncaanaaaag 240
aagnacaaag aaaaangana anaagnaann annanannga cagagacaag aagga 295

<210> 148
<211> 300
<212> DNA
<213> Homo sapiens

<400> 148
cgctgtgctt gagaccaacc tgacgggtac cttctacatg tgcaaagcag tttacagctc 60
ctggatgaaa gagcatggag gatctatcgt caatatcatt gtccctacta aagctggatt 120
tccattagct gtgcattctg gagctgcaag agcagggtgtt tacaacctca ccaaatcttt 180
agctttggaa tgggcctgca gtggaatacg gatcaattgt gttgcccctg gagttattta 240
ttcccagact gctgtggaga actatggttc ctggggacaa agcttctttg aagggtcttt 300

<210> 149
<211> 300
<212> DNA
<213> Homo sapiens

<400> 149
agtgtcagtt ttcctaattct cagtccaggt aggaattaag aaatatctca agtgttgatg 60
ctatccaagc atgttggggg ggaagggaat tgggtgccag aaaatgggac tggagtggag 120
aatatctttt cttttgagag taccgccagt ttatttctac tgtgctttat tgctactggt 180
ctttattgtg aatgttgtaa cattttaaaa atgttttgcc atagcttttt aggacttggt 240
gttaaaggag ccagtgtct ctctgggtgg gtactataat gagttattgt gaccacagc 300

<210> 150
<211> 300
<212> DNA

WO 99/33982

PCT/US98/27610

<213> Homo sapiens

<400> 150

tgtagacttt	atgtcagttc	tgtgtagact	ttatgtcagt	ttttgtcatt	atttgaaaat	60
ctattctgac	aacttttta	ttcctttgat	cttataagtt	aaagctgtaa	caactgaaat	120
tgcatggatc	aagtaagcat	agttttatcc	agggagaaaa	ataaaaaggaa	gccatagaat	180
tgctctggtc	aaaaccaagc	acaccatagc	cttaactgaa	tatttaggaa	atctgcctaa	240
tctgcttata	tttggtgttt	gttttttgac	tgttgggctt	tgggaagatg	ttatttatga	300

<210> 151

<211> 300

<212> DNA

<213> Homo sapiens

<400> 151

gccccccgg	ccagcggaag	cccctgcgcc	cgcgccatgt	caaagaaaaa	aggactgagt	60
gcagaagaaa	agagaactcg	catgatggaa	atattttctg	aaacaaaaga	tgtatttcaa	120
ttaaaagact	tggagaagat	tgctccaaa	gagaaaggca	ttactgctat	gtcagtaaaa	180
gaagtccttc	aaagcttagt	tgatgatggg	atggttgact	gtgagaggat	cggaacttct	240
aattattatt	gggcttttcc	aagtaaagct	cttcatgcaa	ggaaacataa	gttggagggt	300

<210> 152

<211> 300

<212> DNA

<213> Homo sapiens

<400> 152

gatattcaca	cagtatgtat	tatattaacc	atatcacact	taagttatta	aattcagact	60
atttgaact	tattgttata	gggcctgccg	tatggcttag	gatatttgag	taatcatata	120
tttaaagtaa	aaactttggg	ctgggcacag	tggctcacac	ctgtaatccc	agcactggg	180
gaagctgagg	tgggcagatc	agttgaggtc	aggagttcta	gaccagcctg	gtcaacatgg	240
cgaaacccca	tctctactaa	aaatacaaaa	attagctggg	cgtgggtggca	cacacctgta	300

<210> 153

<211> 300

<212> DNA

<213> Homo sapiens

<400> 153

cagagaccag	ccttctccag	aggetgtcac	tgcaggagcc	gtgggcctgg	gaagacttgg	60
aagcggcctc	tctcaactgg	tttctgtctc	cgtggagctg	gaactgcctg	cacttgctt	120
cagagggagg	cacagtccac	ccagatccac	ctttccagca	agacccccag	tggctgceca	180
gcctgggagc	acctctttgc	ttttcacacc	aaacccaaaac	tggcgagagc	ccctcctagc	240
caccagtgat	ccccaaagcat	ccagtacaga	accaggcatc	gagctagctc	cctgcacggc	300

<210> 154

<211> 300

<212> DNA

<213> Homo sapiens

WO 99/33982

PCT/US98/27610

<400> 154

cttgacctct	gtactttaaa	gaaatcacta	accaaatttt	caaagtttcc	ttttaaatgc	60
gtttagctag	aaatctatgt	atztatccct	ttcctatttt	gcattcttct	cccactattt	120
ttaaaaactc	atttacagta	gaaaccattc	ttctttctcc	caacagtatc	ctttgccaaag	180
accatgagaa	cagtatggga	gcatgtttgt	ggtcaggggt	tcagaatacg	cgatgatgtca	240
ctgagaatgt	ttgctcacag	tcaataattg	tctttgtgga	tgtgataatt	ttggagatac	300

<210> 155

<211> 81

<212> DNA

<213> Homo sapiens

<400> 155

gatcattggt	aattagtgac	atagtaacat	ctgtagcagc	tggttagtaa	acctcatgtg	60
ggggagggtg	gggaggtttt	a				81

<210> 156

<211> 300

<212> DNA

<213> Homo sapiens

<400> 156

ggcagcacia	gtgtgcaaac	agctatggaa	agtgaactcg	gagagtctag	tgccacaatc	60
aataaaaagac	tctgcaaaaag	tacaatagaa	ctttcagaaa	attctttact	tccagctttct	120
tctatgttga	ctggcacaca	aagcttgctg	caacctcatt	tagagagggg	tgccatcgat	180
gctctacagt	tatgttgttt	gttacttccc	ccaccaaadc	gtagaaagct	tcaactttta	240
atgcgtatga	tttcccgaat	gagtcaaaaat	gttgatatgc	ccaaacttca	tgatgcaatg	300

<210> 157

<211> 300

<212> DNA

<213> Homo sapiens

<400> 157

ctgggtgagga	gtctttgcga	gagcgaggag	cagcgggttac	tggaaacaggt	gcatggcgaa	60
gaggagcggg	cccaccagag	catcctgaca	cagcgggtgc	actgggcccga	ggcgctgcag	120
aaacttgaca	ccatccgcac	tggcctgggtg	ggcatgctta	ctcacctgga	tgacctccag	180
ctgattcaga	aggagcaaga	gatttttcgag	aggaccgaag	aagcagaggg	cattttggat	240
cccaggaggt	cggaaatggt	aaactttaat	gagaagtgc	ctcggagccc	actactgacc	300

<210> 158

<211> 300

<212> DNA

<213> Homo sapiens

<400> 158

cgacagctct	ccaataactca	ggttaatgct	gaaaaatcat	ccaagacagt	tattgcaaga	60
gtttaatttt	tgaaaactgg	ctactgctct	gtgtttacag	acgtgtgcag	ttgtaggcat	120
gtagctacag	gacattttta	agggcccagg	atcgtttttt	cccagggcaa	gcagaagaga	180
aaatgttgta	tatgtctttt	acccggcaca	ttccccttgc	ctaaatacaa	gggctggagt	240
ctgcacggga	cctattagag	tattttccac	aatgatgatg	atttcagcag	ggatgacgtc	300

WO 99/33982

PCT/US98/27610

<210> 159
<211> 300
<212> DNA
<213> Homo sapiens

<400> 159
agtaccacaga gttgcgagga gttttttaac tgatttagcc aggtggcaat catgagtga 60
tggatgaaga aaggccctt agaatggcaa gattacattt acaaagggt ccgagtgaca 120
gccagtgaga agaatgagta taaaggatgg gttttaacta cagaccagat ctctgccaat 180
attgtccttg tgaacttcct tgaagatggc agcatgtctg tgaccggaat tatgggacat 240
gctgtgcaga ctggtgaaac tatgaatgaa ggggaccata gagtgaggga gaagctgatg 300

<210> 160
<211> 294
<212> DNA
<213> Homo sapiens

<400> 160
ctttgagcta ggataaaaat tgggttaaagg acatttgctt acctgcaaat gaatcactgt 60
ggaaatgtga tcttcccata tcatcaagaa acttgttttc tggatgaata ctgggagaat 120
aaaatgagaa ctctggagtg agctaaattg atcccaatta agtttttctg cttagcagac 180
agaaggtata attttttgac accctttccc acctggtgcc tatgctaggc ttgtnctgat 240
aacatccctc actnactnga tnntcacatn gnnettnenc tgangtecca tttt 294

<210> 161
<211> 300
<212> DNA
<213> Homo sapiens

<400> 161
cttctcaaaa gcatggttgc tgagtaccca gagttgcgag gagtttttta actgatttag 60
ccaggtggca atcatgagtg aatggatgaa gaaaggcccc ttagaatggc aagattacat 120
ttacaaagag gtccgagtga cagccagtga gaagaatgag tataaaggat gggttttaac 180
tacagaccca gtctctgcca atattgtcct tgtgaacttc cttgaagatg gcagcatgtc 240
tgtgaccgga attatgggac atgctgtgca gactgttgaa actatgaatg aaggggacca 300

<210> 162
<211> 300
<212> DNA
<213> Homo sapiens

<400> 162
gccccgtgtg gggagacgga cagcaccctc ctcatctggc aggtgccctt gatgctatag 60
cgcctcccct ctcccctcag agggcacagc tgcaggcctg accaaggcca cgcccgctc 120
tcgtgctcta ggacctgcac gggacttggt gatgggcctg gactctccag aaactacttg 180
ggccagagca aagggaaaacc tcttgtttta aaaaaatttt tttcagagtg ttttggggag 240
gagttttagg gcttggggag agggaggaca catctggagg aaatggcctt ctttttaaaa 300

<210> 163
<211> 300
<212> DNA

WO 99/33982

PCT/US98/27610

<213> Homo sapiens

<400> 163

gaccggctgg	gcctacaaaa	agatcgagct	ggaggatctc	aggtttcctc	tggctctgtgg	60
ggagggcaaa	aaggctcggg	tgatggccac	cattgggggtg	acccgaggct	tgggagacca	120
cagccttaag	gtctgcagtt	ccaccctgcc	catcaagccc	tttctctcct	gcttccctga	180
ggtacgagtg	tatgacctga	cacaatatga	gcactgcccc	gatgatgtgc	tagtccctggg	240
aacagatggc	ctgtgggatg	tcactactga	ctgtgaggta	tctgccactg	tggacagggg	300

<210> 164

<211> 300

<212> DNA

<213> Homo sapiens

<400> 164

aaaatttata	ngtaatgaca	aatgacttat	cagtgttcat	catctgaaag	ctaagtgggt	60
cgttcaatca	ctttttcaaa	gttgatagta	gattgcatgg	tttcatgttt	cctcatattg	120
gtttattaat	tctatttaat	caaggaaaat	aacttcagat	tccataaagt	ttcagtttat	180
ttttagttta	ctactaggtg	agatagcaca	ttacatactt	ttactatcaa	atattatttt	240
agcagcttcc	catagtacca	aatgatttga	ttccctactc	tcatttttta	aagcatataa	300

<210> 165

<211> 300

<212> DNA

<213> Homo sapiens

<400> 165

ctggactctg	agtcgtcttg	gtcccaggag	ccagtagtga	aggcaacagt	ctgcccacct	60
gtggacacca	gatcctggga	gtccctgggt	agcaagtgag	atctctggga	tgtcagtgg	120
gctggttgaa	gaccagaggt	aaactgcaga	ggtcaccacc	cccaccatgt	cccaggtgat	180
gtccagcccc	ctgctggcag	gaggccatgc	tgtcagcttg	gcgccttggt	atgagcccag	240
gaggaccctg	caccagcac	ccagccccag	cctgccaccc	cagtgttctt	actacaccac	300

<210> 166

<211> 300

<212> DNA

<213> Homo sapiens

<400> 166

cttctgttga	ttggtttggt	taaagtacct	aagtactacc	ctttgactcc	ctacaaaag	60
ttcttttggt	ttttaaacia	cttttatttg	tgacttactt	tcttgagaag	tgttcttaat	120
gaattgcata	aaatagtgg	agcagcttat	ttcttaagta	ctttattatt	tgtgctttac	180
catttcaggt	tcttatcttt	aacccttatt	tactcagttt	tccatctgaa	tgatcctatc	240
tctaaattaa	ggatttaata	aatgctgcaa	attgtccact	ttgcaaattg	tccaaaagct	300

<210> 167

<211> 300

<212> DNA

<213> Homo sapiens

<400> 167

WO 99/33982

PCT/US98/27610

```

gcgagatgaa gctacactgt gaggtggagg tgatcagccg gcaattgccc gccttggggc      60
ttaggaaccg gggcaagggc gtccgagccg tgttgagcct ctgtcagcag acttccagga      120
gtcagccgcc ggtccgagcc ttctgtctca tctccaccct gaaggacaag cgcgggaccc      180
gctatgagct aaggggagaac attgagcaat tcttcaccaa atttgtagat gaggggaaag      240
ccactgttcg gttaaaggag cctcctgttg atatctgtct aagtaaggat tccatatggc      300

```

<210> 168

<211> 300

<212> DNA

<213> Homo sapiens

<400> 168

```

gtctggggcag cctacgcttt ccggataaaa atggcagaat gaaagaatta tgagtggaaac      60
tagagaatag gaaagacatg aaccaacgcc caaaatgaga aagaaggaca tataaagaaa      120
aagacaaata caagtgaaaa aaatatacta atggattaac gtccctgtcg agtgacattt      180
tctgactatg gaaatgatat tagacaaaaa gcaacttcaa gtgggtttct tatttgagtt      240
caaaatgggt cataacgcag catagataac ttgaaacatg aacagcgcat ttggcccagg      300

```

<210> 169

<211> 296

<212> DNA

<213> Homo sapiens

<400> 169

```

gagatctctg ggatgtcagt gaggtcggtt gaagaccaga ggtaaactgc ggaggtcacc      60
accctcacca tgtcccaggt gatgtccagc ccactgctgg caggaggcca tgctgtcagc      120
ttggcgccct gtgatgagcc caggaggacc ctgcaccagc caccagccc cagcctgcca      180
ccccagtgtt cttactacac cacggaaggc tggggagccc aagccctgat ggccccgtgc      240
cctncattgg gncccctggc tanttcancn agnccncag gtngagncca aagcca      296

```

<210> 170

<211> 300

<212> DNA

<213> Homo sapiens

<400> 170

```

gggtgttgga gcagattgta gttgatccac agcaaagagc atcaccaaag ccattccagg      60
aggaactaga tccaccactt cctctgctgg gcatgctcca aaaatggttg tggcttccag      120
agaggactcc aaaagaaagc acaaaaaacta gacagtggga gggcataccc aaaagccctg      180
agtttctgaa aaaatattga aagtttctat ggtgaaatag gaagttaatg tgcttaggaa      240
gaaaaaagtg gtaatgattc aaggaaacat aatcacacac gggttttagtt ttaatggaca      300

```

<210> 171

<211> 300

<212> DNA

<213> Homo sapiens

<400> 171

```

atggaggcac cagcaggtag tggccccctgt aagcagggcc agagtcggga caaagagcag      60
gagtgaagca gccaaagagc agaggaccag gctggagcca gtgggcacgc aggagcctgc      120
ctgggaaaaag ccgggggggca aggctggcat gggaatgaac acctgctggt gacacctctc      180

```

WO 99/33982

PCT/US98/27610

tgagcttcag ttcccttaac tagaaaaata gaacaggccc ggtgcggtgg ctcataacctg 240
taatcccagc actttgggag gctgaggcgg gtggatcatg aggtcaggag atcaagacca 300

<210> 172
<211> 300
<212> DNA
<213> Homo sapiens

<400> 172
ggcggaggag cagaagctca agctggagcg gctcatgaag aacccggaca aagcagttcc 60
aattccagag aaaatgagtg aatgggcacc tcgacctccc ccagaatttg tccgagatgt 120
catgggttca agtgctgggg ccggcagtgg agagttccac gtgtacagac atctgcgccg 180
gagagaatat cagcgacagg actacatgga tgccatggct gagaagcaaa aattggatgc 240
agagtttcag aaaagactgg aaaagaataa aattgctgca gaggagcaga ccgcaaagcg 300

<210> 173
<211> 300
<212> DNA
<213> Homo sapiens

<400> 173
gtctttccca ttcaacttctc tagaaagctg ccaagacaga ggcagaaaga aatggatgat 60
agttctgtca agcacacttc tgttctctta gaacttagaa gtgtttctaa gagaacagaa 120
gtaataagag aaacagttac gtgtggaatt caacatcttt gggtggaacg cattggcctt 180
ttttttcttg ttttgataga aatggaatta agcaaaagta gtttttgtct tttctgttgt 240
cttcaaattt caggccatct atttttaatt taatcccgtt caagtacttg attgttatac 300

<210> 174
<211> 300
<212> DNA
<213> Homo sapiens

<400> 174
attattttcca aagcagccta cagtagaaaa tagtcattat ggcagcagct tctgatgttt 60
ttgtttggta ggttttctga tttcaatata tagaatcata ttcataagat atcttctttt 120
aacgaattgc acaaagtacc catttaaaat ttacatgcac agttcattgc cacctttctt 180
aggcctatgc atagttaata aggttataat ctactcaaca tggaaaatgg agcctatttg 240
caaacacaca agtaattaaa gtaccaattc tctcttagtt tcttttttta tagttggttt 300

<210> 175
<211> 300
<212> DNA
<213> Homo sapiens

<400> 175
tgganactct ttantatgga aggtgaattt cctgtcaaca tagtccagga caaagcagtt 60
ccaattccag agaaaatgag tgaatgggca cctcgacctc cccagaatt tgtccgagat 120
gtcatgggtt caagtgtctg ggccgcaggt ggagagttcc acgtgtacag acatctgcgc 180
cggagagaat atcagcgaca ggactacatg gatgccatgg ctgagaagca aaaattggat 240
gcagagtttc agaaaagact ggaaaagaat aaaattgctg cagaggagca gaccgcaaag 300

WO 99/33982

PCT/US98/27610

<210> 176
<211> 300
<212> DNA
<213> Homo sapiens

<400> 176
tataaaacttt attttattct cttctggggt agagttacat gacaagaaat tgaattaatt 60
caataaaaatt ttagttcggg ttgcttaggt ttttactgct cccattcttg cttttactaa 120
tttatccaag attagatgtg attactatct aataataatt tagtcctcac acttacaaac 180
cacttacaat accagcatgc ttctatcact gtaattctat tcaattctca ggcccatgag 240
gcatgccagc cagacgacca gacagcattt atagagaggg cactcaatac cagccacaaa 300

<210> 177
<211> 300
<212> DNA
<213> Homo sapiens

<400> 177
gactggagaa gtcagaagta gaaaagcaga ttgctaggag agacaggatg acagattttg 60
gtcagaaaaat gggatattgg agtttaaagt atcaaataca gaatagtcc agatgttcag 120
agatccagca tgggattagg tactgaaatg gattagaact aaaagtcact agaatttaga 180
aattgagaac catgagagtg gatgcaatga cttgttgctt gattgaaaaa taaattaata 240
ataataaagg accatgagac tagcctgtta tagggggat ctccatgann nttgtttttc 300

<210> 178
<211> 300
<212> DNA
<213> Homo sapiens

<400> 178
tcctgggtgc aaacactata aacctttgac cagctgagct gtgactgctg tcacatatct 60
gagtcctgtg tgcacagtaa tatcctgggt caggtaaaat ccaggctctc aagttttaag 120
gattttttga agaattcggg cttctttaag acgatccatg cccaaatcca caagcttggt 180
gacagtggat tacagtttgt gtggcaaagt ccaagttggt aactgtgct ttaaaaaaaaa 240
tcttatctgc atgtattgtt aacttagaga ccatgagatc tatttatcag gaccaggaag 300

<210> 179
<211> 300
<212> DNA
<213> Homo sapiens

<400> 179
ctcatgcctg taatcccagc actttgggaa gcagaggtgg caggatcatt ccagcccagg 60
agttcaagac cagcctgggc aacacagtga gtgagaccct gtctctatct aagaaaaaat 120
aattaagaaa ttttattaaa aaagaagaat caggaaacca agtccaaccc aactaaacct 180
caaatgaacc agcccctaac acagatgagg ggatttggga ctgataagct ctgtgctgtg 240
tccatggccc gtcatttatc aaggctgcag ctttgtaaat gtggctatct ttatgttgtg 300

<210> 180
<211> 300
<212> DNA

WO 99/33982

PCT/US98/27610

<213> Homo sapiens

<400> 180

gtgatctgcc	tgccttggtc	tcccaaagtg	ctgggaatac	aggcatgagc	caccgcactc	60
ggccaggagc	tagttttatc	agcatcctgc	tccactgcct	tcctctagtg	cagcctggaa	120
gacatggcag	egggtagctc	ctggggctga	gccagaagca	tactgacagt	gaaagtctct	180
gcttacctgt	ctggctcagc	ttgggcaagg	gctgggccat	atgtgctcag	ggacgtgctt	240
ctcttgtaag	gcaggaggat	agaagaggac	caagaaggga	gggagctgcc	ctgtggtgca	300

<210> 181

<211> 300

<212> DNA

<213> Homo sapiens

<400> 181

cccattgccg	gatcttccca	caccgcctct	cacagatcca	gccccagccc	cttgettccc	60
aggccatctc	tcagcagcac	ctgcaggatg	cgggcacccg	ggagtggagc	cctcagaacg	120
catccatgtc	ggagtctctc	tccatcccag	cttccctgaa	cgacgcggct	ttggctcaga	180
tgaacagtga	ggtgcagctc	ctgactgaaa	aggccctgat	ggagcttggg	ggtgggaagc	240
cgcttccgca	cccccgggcg	tggttcgtct	ccttggtatg	caggtccaac	gctcacgtta	300

<210> 182

<211> 300

<212> DNA

<213> Homo sapiens

<400> 182

tttgacgtgt	tgtcagaaac	aaataataaa	gccccaaaag	attaactagt	tgaaaaaact	60
ggcaaaatct	gtatacgtgg	aaatttacca	ggacagagac	tgaagaataa	agaaaaatgag	120
tttcattgcc	agatcatgaa	atccaaagaa	actttaaaga	agatgagttg	tgtaaatgga	180
actgaaggga	gggaagagct	gccttcgcct	gggacaaaaga	aaacatgtgt	atacacatgg	240
gtcaagcagt	gctggtctgt	ggctgcctgt	ccagaggaat	ggaaatatcc	cttgtcttta	300

<210> 183

<211> 300

<212> DNA

<213> Homo sapiens

<400> 183

cggaacctac	ggagcgtaac	ctggatctcc	gcaggcctgg	cggaggccgg	ccacctggag	60
gggcattgct	tggttcgcgt	ggtagcagag	gagcttgaga	atgttcgcat	cttaccacat	120
acagttcttt	acatggctga	ttcagaaact	ttcattagtc	tggaagagtg	tcgtggccat	180
aagagagcaa	ggaaaagaac	tagtatggaa	acagcacttg	cccttgagaa	gctattcccc	240
aaacaatgcc	aagtccttgg	gattgtgacc	ccaggaattg	tagtgactcc	aatgggatca	300

<210> 184

<211> 300

<212> DNA

<213> Homo sapiens

<400> 184

WO 99/33982

PCT/US98/27610

```

ctgttttgcg gatgaggaaa ctgaggtaca gaattottag ggaacttacc caaaatggct      60
tttctgcact ctgccctttg gtattgtccc atgtgaattg tttaaaactt atgtgtatag      120
tggcatgagt aggtgatttc agaaacagaa ctcacttttg ttgtttggtc ttaaaattag      180
gaacttttct tcatctgggc ttcatttccc tgcaccttcc cagctttcta gtcatgcaag      240
ccacatgtct ccacgtgagg ggttcattgg aaagcagcca cagagccacc ccctggctgg      300

```

<210> 185

<211> 260

<212> DNA

<213> Homo sapiens

<400> 185

```

attatagaga ttaatctcct ttgctcgaag tctattttaa tattagtcac atctaaaaca      60
tactttttaca gcaacatcta gactgggtgt tgaccaaaca actgggcata atagctgaca      120
cataaaaatta accatcacaa ccatgttcta ggcactgttc ctcactgcct gagaagacac      180
cgttatgttt attagggttt ttgagtttta tccacagctt ttggttatct gcaaccatgt      240
ctcccacctt taacatagtt                                     260

```

<210> 186

<211> 300

<212> DNA

<213> Homo sapiens

<400> 186

```

gataaactct tcagtgcga atattagaaa aagttagtta tacatttgag gaaaactata      60
aaagtaccaa taatgagtag gaaatcactt ctgcagtatt tttggagcat tttccttaag      120
catgacataa aagccaaagg tcacaaggga aaaaactgat agatttgtct gtgatattga      180
gagatgtatg cacatataca tacaacagtc atagtaagac accgttagac aaaaggtgat      240
gtatgaaaaa gagggcaaac aacaagaaga aaagattgaa aaaatgagag ctgaagacgg      300

```

<210> 187

<211> 300

<212> DNA

<213> Homo sapiens

<400> 187

```

aaaaagtaaa gcttttcatg agcacaaatc ccttgcattg tttgatgtta ctgatattcg      60
taaaatgaat attttttggt ttgttttggt ttattttttt gagacaagtc ttgctttggt      120
gccagggctg gagtgcgaat gcatgatctt ggctcactgc aacccttgcc ttgcgagttc      180
aagtgattct tctgcctcag cctcctgagt agctgggatt acaggcgctc accaccacac      240
ccagctaatt tctgtatttt tagtagacac aggggttttac catgttggcc angtcgggtct      300

```

<210> 188

<211> 300

<212> DNA

<213> Homo sapiens

<400> 188

```

gagcattcct cctttgttaa cgaagcaaca ttacacaag atggacatta cattattagt      60
gcatgctctg atggcactgt aaagatctgg aatatgaaga ccacagaatg ttcaaatacc      120
tttaaatccc tgggcagcac cgcagggaca gatattaccg tcaacagtgt gattctactt      180

```

WO 99/33982

PCT/US98/27610

cctaaaaacc ctgagcactt tgtggtgtgc aacagatcaa acacgggtgg catcatgaac 240
atgcaggggc agattgtcag aagcttcagt tctggtaaaa gagaagggtg ggactttgtt 300

<210> 189

<211> 300

<212> DNA

<213> Homo sapiens

<400> 189

ctaatatcca gaatctacaa agaactcaac aagaaaaaaa ccaaccccac aagcgggcaa 60
aggacatgaa cagacatttc ccaaaagaag acatacaagc aacctaaaat aatctaaaat 120
aatTTTTTaaa aagaaaaaat gcttgacaga gttttgatag tacttagtaa aaagttatat 180
ctagtggcctt tttgtttgtt tgTTTTTgtt ttgtTTTTaa gaaatagtct ctgtttccca 240
agctggagta cagtggcgca atcttggtc actgcaacct cgaactcctg ggctcaagcg 300

<210> 190

<211> 300

<212> DNA

<213> Homo sapiens

<400> 190

aaccactatg gaggcattgat tgggtggccac tacactgcct gtgcacgcct gccaatgat 60
cgtagcagtc agcgcagtga cgtgggctgg cgcttgtttg atgacagcac agtgacaacg 120
gtagacgaga gccaggttgt gacgcgttat gcctatgtac tcttctaccg ccggcggaac 180
tctcctgtgg agaggccccc cagggcaggt cactctgagc accaccaga cctaggccct 240
gcagctgagg ctgctgccag ccagggacta ggccctggcc agggcccccga ggtggcccca 300

<210> 191

<211> 300

<212> DNA

<213> Homo sapiens

<400> 191

gcggcgctga ccggcgccgc ccacaccccg ctcttccctt tctttgccgc ggactccctt 60
tcttgctcc aagacctggg gtctcccaact gtgagcccag ctgtcccaca ggcagtcccc 120
atggacctag actcaccttc cccttgcttc tatgaacctc tgctgggccc agccccctgtc 180
ccagctcccg acctgcactt cctgctggac tcaggcctcc agctccctgc ccagcgagcg 240
gcctcagcca ccgcctcccc tttcttccgg gccctgctgt caggcagctt tgcagaagcc 300

<210> 192

<211> 300

<212> DNA

<213> Homo sapiens

<400> 192

gacagaccgt tgagaggacg tggaggcccg agagggggta tgcgcggcag aggcagaggt 60
ggccctggga acagagtttt tgacgctttt gaccagagag gaaagcgaga atttgaaaga 120
tatgggtggga atgacaaaat agcagtcaga actgaagaca acatgggtgg atgtggagtt 180
cgaacctggg gatcgggtaa agataccagt gatgtggagc caactgcacc gatggaggaa 240
cccacagtgg tggaggagtc ccagggcacc ccggaagagg agtctccagc caaagttcct 300

WO 99/33982

PCT/US98/27610

<210> 193
<211> 300
<212> DNA
<213> Homo sapiens

<400> 193
ctcaagaaag gagaagtttt tttgtatgaa attggaggaa atattgggga acgctgcctt 60
gatgatgaca cttacatgaa ggatttatat cagcttaacc caaatgctga gtgggttata 120
aagtcaaagc cattgtagaa gacttaacaa gctgcagata accatgtgga cttctgtcat 180
aattcttgct gagtcaagag tgtaaataaa agaaatggca ggactcatat tattcagttg 240
taccaagta tttaaaaatg actctcttaa gccttaaaaa gtcatagatt tgtgctgctg 300

<210> 194
<211> 300
<212> DNA
<213> Homo sapiens

<400> 194
cagaagctta gtcatatctc aaaatgatca aatatcaaga aaaattctga gctgcataac 60
ttgtataaag taattttcag tgattttttt catgggtatg ataaaagaac tggattagca 120
gaaactttta ccctgaatca agatttaatt tttctttgag ctcatcttaa ggatatcgga 180
acatagggag caaacgatgg tgtggctgcc tcagtgcttg atttttaacg gttttgaaga 240
gaatagttac atttcttctc ctagtaagaa ctaataaata cattaacaga aatgaattcc 300

<210> 195
<211> 300
<212> DNA
<213> Homo sapiens

<400> 195
ctctactaaa aatacaaaaa ttagctgggc gtgggtggcac acacctgtaa tcccagttac 60
ttgggaggct gaggcacaag aatcgcttga acccgggagg cggagggttg agttagccaa 120
gatgccectg ctgcactcca gcctgggcaa cagagggaga ctctgtctcc aaaaacaaaa 180
acaaaaactg ttagtgaagg ttccctggga cttttgatat tttaaaaatt gatcttatga 240
ctaagtagat aaattcattg ccataatgag gctagctccc agataaacag cgtattttct 300

<210> 196
<211> 300
<212> DNA
<213> Homo sapiens

<400> 196
tggatactga caatgggtggc aggcatttca agccttttaa attagtactt tttgtcgtct 60
tgcttattaa aattttgtta attttagcaa agaccaattg ttgtgataaa ctgggtgttt 120
ttggatgctt caagcacacg ttaaccaatt ttttaattcc ccttttggtt cctcccattg 180
ttctaaaata ggactttcat attattaaaa cctcaaaaga tgatccaccc aggatgaaca 240
aagatcacca aggggaaaga aaacattttt tatctttaca gaaaacatgt taagattata 300

<210> 197
<211> 300
<212> DNA

WO 99/33982

PCT/US98/27610

<213> Homo sapiens

<400> 197

atccagatgg	gatacctcta	aacacgaaaa	gaaagaagat	tccattagtg	aattttttaag	60
tttggctaga	tcaaaagccg	agccaccta	acaacagtcc	agcccccttag	taaacaaaga	120
ggaagagcat	gcaccagaat	catccgcaaa	tcagacagtc	aacaaagatg	tggacgcaca	180
ggctgaagga	gaagggagcc	gcccattccat	ggacttattc	agggccatct	ttgccagttc	240
ctcagatgaa	aagtcctcat	cctccgagga	tgagcaaggt	gacagtgaag	atgatcaggc	300

<210> 198

<211> 300

<212> DNA

<213> Homo sapiens

<400> 198

gcaacatttg	tctacaactc	tactgtaaaa	ttggaaatgc	ttttccacag	aaaaacctct	60
caaaatgctg	aatgcaaaag	ttgggatcac	agaaacattg	tgcctatttt	tggctctgctg	120
gaaactgtat	ttttacaagg	taatccctgt	tttcaatata	gttcctgtct	tgccactggc	180
ggttttcttg	tagcattttt	ctagttctga	gattgctact	acccaaagta	ttcattttctt	240
tcttactggg	gtgtcctctg	tcttcacagc	ctgcttctgg	attgtaggtt	ttttcctttc	300

<210> 199

<211> 300

<212> DNA

<213> Homo sapiens

<400> 199

gcaacatttg	tctacaactc	tactgtaaaa	ttggaaatgc	ttttccacag	aaaaacctct	60
caaaatgctg	aatgcaaaag	ttgggatcac	agaaacattg	tgcctatttt	tggctctgctg	120
gaaactgtat	ttttacaagg	taatccctgt	tttcaatata	gttcctgtct	tgccactggc	180
ggttttcttg	tagcattttt	ctagttctga	gattgctact	acccaaagta	ttcattttctt	240
tcttactggg	gtgtcctctg	tcttcacagc	ctgcttctgg	attgtaggtt	ttttcctttc	300

<210> 200

<211> 300

<212> DNA

<213> Homo sapiens

<400> 200

agtagaaaaa	tacaaagact	gtgatccgca	agttgtggaa	gaaatacgcc	aagcaaataa	60
agtagccaaa	gaagctgcta	acagatggac	tgataacata	ttcgcaataa	aatcttgggc	120
caaaagaaaa	tttgggtttg	aagaaaataa	aattgataga	acttttggaa	ttccagaaga	180
ctttgactac	atagactaaa	atattccatg	gtggtgaagg	atgtacaagc	ttgtgaatat	240
gtaaatttta	aactattatc	taactaagtg	tactgaattg	tcgtttgccc	tgtaactgtg	300

<210> 201

<211> 300

<212> DNA

<213> Homo sapiens

<400> 201

WO 99/33982

PCT/US98/27610

```

ttctactttg ggtccgcgcg aagcccaactc acgtgtgac tgtgttgccc ctctcgggtg      60
tcccaggcga tccagccatg cccctgccc ctctgcccag atgcttcagg ggcccggctt      120
ttcaggcttg ccctcaccag cggccgctcag ccgacactca gggatgtagc taacaccact      180
ccgccagtgc ttccagtagg aagagctgag gctgcctggg aggcccgggg cgaccggaaa      240
agggctctct caagttctga aaagagaatc tgcaccacaga tcgaatttcg acccctgagc      300

```

<210> 202

<211> 281

<212> DNA

<213> Homo sapiens

<400> 202

```

ggccatggga cagttgcaac agcagttaaa tggactgtca gtcagtgaag gtcatgattc      60
tgaagatatt ttgagcaaaa gtaacctgaa ccagatgcc aaggagttaa ttccaggaga      120
gaagtactga gccagaaaag ctttgaggaa gacttgtctg tccccacatc tggggatagt      180
aatgcccaaa atggtggagc tgaagagggg gatggggcgg gcgaggggtg cacagcggga      240
aggggagtgg tgggtctcac atactgtgac tctgagtaac t                                281

```

<210> 203

<211> 300

<212> DNA

<213> Homo sapiens

<400> 203

```

gccctcagcc acccccatcc ctgccccttc tgagaactcac agcaccctt tccttctctc      60
ctcccacct cctccctcag cccctcattc tccttgggaa tctgcagagg gctctgggac      120
tcaactgcgg atgtgaaatc caggcgctcag ctgtttccta ggcaagggca ggaaagtggc      180
ctccagccct tgetccactc atgctggggg gcttggggct gagtggatc cctacctggc      240
ctcccctgg cctctggggc tccagcgctg ggtttgtcga gtgagagaga gagaggagct      300

```

<210> 204

<211> 269

<212> DNA

<213> Homo sapiens

<400> 204

```

gcggactctc aggacgaaaa gagccaaacc tttttgggaa aatcagagga agtaactgga      60
aagcaagaag atcatggtat aaaggagaaa ggggtcccag tcagcgggca ggaggcgaaa      120
gagccagaga gttgggatgg gggcaggctg ggggcattgg gaagagcgag gagcagggaa      180
gaggagaatg agcatcatgg gccttcaatg cccgctctga tagccctga ggactctcct      240
cactgtgacc tgtttcagga gcctcatat                                269

```

<210> 205

<211> 300

<212> DNA

<213> Homo sapiens

<400> 205

```

ttctactttg ggtccgcgcg aagcccaactc acgtgtgac tgtgttgccc ctctcgggtg      60
tcccaggcga tccagccatg cccctgccc ctctgcccag atgcttcagg ggcccggctt      120
ttcaggcttg ccctcaccag cggccgctcag ccgacactca gggatgtagc taacaccact      180

```

WO 99/33982

PCT/US98/27610

ccgccagtgc tttcagtagg aagagctgag gctgcctggg aggcccgggg cgaccggaaa 240
agggctctct caagtctga aaagagaatc tgccaccaga tcgaatttcg accctgagc 300

<210> 206

<211> 300

<212> DNA

<213> Homo sapiens

<400> 206

gggattacag gcatgacca ccgcgccag cctgtaattt cttatacttg gtattttgta 60
cttggattat gcttctgata cgctataatt atttatgtac atgttatttt tcttcaatag 120
actgtgaact cttcgaatgt aggactccta gagctagata ctcaattatt ttttattaaa 180
ttgaatgact tgaaactaca gatcctttat ttaaacttcc caaatttctg ctttatctag 240
gcaactcttt aaattctttg atctcatgta gattccaaag gctgaaataa ttgagatttt 300

<210> 207

<211> 300

<212> DNA

<213> Homo sapiens

<400> 207

tcctgaagct cggggggctg caggtcctga ggaccttggg gcaggagaag ggcacggagg 60
tgctgcgcgt gcgcgtgggc aactgctct acgacctggg caccgagaag atgttcgccg 120
aggaggaggc tgagctgacc caggagatgt cccagagaa gctgcagcag tatcgccagg 180
tacacctct gccaggcctg tgggaacagg gctgggtgcga gatcacggcc cacctcctgg 240
cgctgcccg gcatgatgcc cgtgagaagg tgctgcagac actgggcgtc ctctgacca 300

<210> 208

<211> 300

<212> DNA

<213> Homo sapiens

<400> 208

attccaaagg tttcaaagaa cttggtcata aatatgataa tgagaagaca aagtatttat 60
attaaaacag tttagtagcc ttcagttttg tgaaaatagt tttcagcaca gaaactgact 120
tctttagaca aagttttaac caatgatggg gtttgcctct aggatataca ctttaaaaga 180
actcactgtc ccagtgggtg tcattgatgg ccttttagtaa attggagctg cttaatcata 240
ttgatatcta atttctttta accacaatga attgtcctta attaccaaca gtgaagcact 300

<210> 209

<211> 300

<212> DNA

<213> Homo sapiens

<400> 209

gagacagcag cccccaggga atgaagctga tgccagagtc agacccgagg aggaagagga 60
gccactgatg gagatgcggc tccgggatgc gcctcagcac ttctatgcag cactgctgca 120
gctgggcctc aagtacctct ttatccttgg tattcagatt ctggcctgtg ccttggcagc 180
ctccatcctt cgcaggcctc tcatggctct gaaagtgttt gcccctaagt tcatatttga 240
ggctgtgggc ttcatgtgta gcagcgtggg acttctcctg ggcatagctt tgggtgatga 300

WO 99/33982

PCT/US98/27610

<210> 210
 <211> 300
 <212> DNA
 <213> Homo sapiens

<400> 210
 gtaacgtgac acgtatttta cttcttttag taggcggaca cactttctta aagtggtaat 60
 acgtcatggc cctgctataa ggtagtagtt ctagaagact gtttatctaa taattcagac 120
 taaagctatt tatattgctg tgacaccacg tggaaaactt ttataattcc atcttatttc 180
 tgatgtatat gttttatttt ctctgccttc ataagaacta aaaaccaaag ttatttacgt 240
 gaaaacaaga tttttgtttg agttcattta cttgagatat gtttaaaaaa tccaccttct 300

<210> 211
 <211> 300
 <212> DNA
 <213> Homo sapiens

<400> 211
 gtccgtcagc tggtagcttt cattcgtaaa agagataaaa gagtgcaggc gcatcgaaaa 60
 cttgtggaag aacagaatgc agagaaggcg aggaaagccg aagagatgag gcggcagcag 120
 aagctaaagc aggccaaact ggtggagcag tacagagaac agagctggat gactatggcc 180
 aatttgagga aagagctcca ggagatggag gcacgggtacg agaaggagtt tggagatgga 240
 tcggatgaaa atgaaatgga agaacatgaa ctcaaagatg aggaggatgg taaagacagt 300

<210> 212
 <211> 300
 <212> DNA
 <213> Homo sapiens

<400> 212
 geetgtgtgt tcatgcegcc ggcgtcctgc tccacgtctc tgtgtgtgtg ggcectgcac 60
 tgtcggccct gctgcgagcc cacaagcccc tccacatggc tgcctcctc ctgcttccct 120
 ggctcatgtt gctcacaggc agagtgtctc tggcacagtt tgctttggcc ttcgtgacgg 180
 acacgtgcgt ggcggtgctg ctgctgtgct gggtgtggct gctcttccat gggatgctgc 240
 tgctgcgggg ccagaccaca tgggagtggg ctcgggggcca gcactcctat gacctgggtc 300

<210> 213
 <211> 300
 <212> DNA
 <213> Homo sapiens

<400> 213
 ggtatggttg gagtgttaga atgaatatc atgaaatggt tcttattgtt tttccttccc 60
 taattcatac aatgaatgta tttggaatac ttacatatta taaaataaac tatacctctt 120
 caagaggtat cctgttctgt aagatcagat gtttttattg caggtcaata taatactgcc 180
 agagacagaa aataccccct tatcagtcct ttagtgccct tttctgtttg tggcatggtg 240
 agaaaacca tgctgaaaag attgtacttt gtgatcccaa tcagagggag gagctaactc 300

<210> 214
 <211> 300
 <212> DNA

WO 99/33982

PCT/US98/27610

<213> Homo sapiens

<400> 214

ggaaagggcc	ctaaaagaga	tgaacaatac	ccgtatcatg	tggaatgaat	tagaaaccct	60
tgtcagagcc	catatcaaca	actcagagaa	acatcaaaga	gtcttggaat	gtctgatggc	120
atgcaggagc	aaacccccag	aagaggaaga	acgaaaagaa	cgaggaagaa	agagggaaga	180
caaagaggac	aagtcagaga	aagcagtga	agattatgaa	caggaaaagt	cttgggaaga	240
ctcagagaga	ttaaaaggaa	tcttagaacg	tggaaaagaa	gaattggctg	aagctgagat	300

<210> 215

<211> 300

<212> DNA

<213> Homo sapiens

<400> 215

atacttttta	aacctttttt	ggcagctcag	atggtgtaaa	ttttaaaatt	ttgtataggt	60
atttcataac	aaaaatatgt	atctcttttt	tgttatttta	tcttgaaaac	ggtacatatt	120
ttagtatttg	tgcagaaaaa	caagtcctaa	agtatttggt	tttatttgta	ccatccactt	180
gtgccttact	gtatcctgtg	tcatgtccaa	tcagttgtaa	acaatggcat	ctttgaacag	240
tgtgatgaga	ataggaatgt	ggtgttttaa	agcagtgttg	cattttaatc	agtaatctac	300

<210> 216

<211> 300

<212> DNA

<213> Homo sapiens

<400> 216

gcagatattt	actgaaggaa	tctaggttgt	atcttcagtg	gacaatggga	ataaagcatt	60
tctaaagcac	cgactggaga	ggaaggcaac	agagacaagg	agagaagccg	agagacatgt	120
ctgcgtgctg	ccacgcctct	gagcgattgc	tctgtgaaga	gttgtaacct	gaacattttc	180
aggggaggct	gtttaccag	gcaatgtcct	caaacaagcc	tgtgccgggg	agtcctggaa	240
tctgtgccag	gactgtgttt	ttagcccttc	acctctcagc	tttagcagga	catgaaccag	300

<210> 217

<211> 300

<212> DNA

<213> Homo sapiens

<400> 217

ccccatctt	cactggttat	tccacttatt	taaaatgtcc	agaataagca	aatctccata	60
tagaggaagt	agattagtgg	ttgcttcggg	atgggaggaa	tgggaagatt	gaggtctttc	120
ttttgcagtg	ataaaaatgt	cctaaaattg	actgtagcga	tggtcacaca	actctgaata	180
tgccttaagac	cattgaatta	cacactttac	gttggtgaat	tgtatggtat	gtaaattata	240
gttcaataac	atagttacaa	aagataatca	aaagcatgaa	agcactgttg	atgtggtttg	300

<210> 218

<211> 300

<212> DNA

<213> Homo sapiens

<400> 218

WO 99/33982

PCT/US98/27610

```

acggcctggt ggagcagctg tacgacctca ccctggagta cctgcacagc caggcacact      60
gcatcggtt cccggagctg gtgctgcctg tggctcctgca gctgaagtcg ttctctccggg    120
agtgaagggt ggccaactac tgccggcagg tgcagcagct gcttgggaag gttcaggaga    180
actcggcata catctgcagc cgcgccaga gggtttcctt cggcgtctct gagcagcagg    240
cagtggaaag ctgggagaag ctgacccggg aagagggggac acccttgacc ttgtactaca    300

```

<210> 219

<211> 300

<212> DNA

<213> Homo sapiens

<400> 219

```

caactagaga agattggaca gcaggctcgac agagaacctg gagatgtagc tactccacca      60
cggaagagaa agaagatagt ggttgaagcc ccagcaaagg aaatggagaa ggtagaggag    120
atgccacata aaccacagaa agatgaagat ctgacacagg attatgaaga atggaaaaga    180
aaaatttttg aaaatgctgc cagtgtctcaa aaggtacag cagagtgatt tcagcttcca    240
aactgggtata cattccaaac tgatagtaca ttgccatctc caggaagact tgacggcttt    300

```

<210> 220

<211> 260

<212> DNA

<213> Homo sapiens

<400> 220

```

ggtaagtcag gtgattgaat cccggaaagg ttcattgtct tcaagctcac aatactattt      60
tgggacaaac agttgtctag tgtttgact catgaaccct gattcttgag ggtgggtattt    120
tactgctttt gtgatttggg ttcaacatat atagtctttt ctccggagtt accttaggtc    180
agtggccagt gtttcagccc ctggaaaggg catgggctgc cactgagggt ggtcacaggc    240
ctctcagctc atggtgggag

```

<210> 221

<211> 300

<212> DNA

<213> Homo sapiens

<400> 221

```

gggttccatc cttccaccc aggaaatgga ggcacgactt gcagcgttgc agggcagagt      60
tctaccttct caaaccccc agccggcaca tcacacaccg gacaccagga cccaagccca    120
gcagacacag gatctgctaa cgcagctggc agctgagggt gctatcgatg aaagctggaa    180
aggaggaggc ccagtgaccc tccaggacta tcgcctccca gacagtgatg acgacgagga    240
tgaggagaca gccatccaaa gagtctctgca gcagctcact gaagaagctg ccttgatgag    300

```

<210> 222

<211> 300

<212> DNA

<213> Homo sapiens

<400> 222

```

gcggtgaccc acgtgtcctg catgattgcc ctactgctgt ggagacctcg tgctgaccat      60
ctggcagtggt tcttcgtatt ctctggcctg tggggcgtgg cagatgccgt ctggcagaca    120
caaaacaatg ctctctacgg cgttctgttt gagaagagca aggaagctgc cttcgccaat    180

```

WO 99/33982

PCT/US98/27610

taccgcctgt	gggagggcct	gggcttcgtc	attgccttcg	ggtacagcac	gtttttgtgc	240
gtgcacgtca	agctctacat	tctgctgggg	gtcctgagcc	tgaccatggt	ggccgtatgg	300

<210> 223

<211> 300

<212> DNA

<213> Homo sapiens

<400> 223

gccccctctg	gacctgagc	tccttctct	agacagtgat	ggtgattcag	atgatggcga	60
agatgggtcg	ggtgatgaga	aacggaaaaa	taaaggcact	tcggacagct	cctctggcaa	120
tgtatctgaa	gggggaaagc	cctcctgaca	gccaggagga	ctctttccag	ggaagacaga	180
aatcaaaaaga	caaagctgcc	actccaagaa	aagatgggcc	caaacgttct	gtactgtcca	240
agtcagttcc	tgggtacaag	caaagggtca	ttccaaatgc	tatatgtgga	atttgtctga	300

<210> 224

<211> 300

<212> DNA

<213> Homo sapiens

<400> 224

ctgcggccgc	aggagctgtg	gcggttttcc	taatcctgcg	aatatgggta	gtgcttcgtt	60
ccatggacgt	tacgccccgg	gagtctctca	gtatcttggt	agtggctgag	tccggtgggc	120
ataccactga	gacctgagg	ctgcttgga	gcttgaccaa	tgctactca	cctagacatt	180
atgtcattgc	tgacactgat	gaaatgagtg	ccaataaaat	aaattctttt	gaactatgat	240
cgagctgata	gagaccctag	taacatgtat	accaaatact	acattcaccg	aattccaaga	300

<210> 225

<211> 300

<212> DNA

<213> Homo sapiens

<400> 225

gccccgctcc	atgagcagtg	actccccage	tcctcctggc	accagtcacc	agggctctcc	60
tgttggtagt	tcctgctttt	cttcttgga	attcctcgtg	gacctcgaga	tctttaccct	120
aaaatagttc	tgttgaattt	cacctggca	atgtaaattg	atagcttata	ttcacagatg	180
ccagacaatg	gacaactcac	catcagtcct	ctgctcacct	gagacaaatg	catgtctgat	240
tgcttcctct	gccctattgt	ttatgtgaaa	atgcagattc	actgagccag	actaaggcat	300

<210> 226

<211> 300

<212> DNA

<213> Homo sapiens

<400> 226

tatataacaa	cttttgcttt	caaagttggg	tgggactaga	acacacaatg	gaaggatgga	60
gtcaggagac	ctggattctt	gtgcccgtc	tggcttttac	agtctgccta	actctatgca	120
gtcacttcct	gccagcctgt	ttccttacct	acaagaggga	gagacactcc	ctggccagcc	180
tagttctcag	ggtgaacgaa	aggtcattat	cactgcatcc	tctagtcatt	tgcttcttcg	240
ctaattaaca	catcttgagc	acctgcgatg	ttccaggaac	aggagatggc	agcgtgcaag	300

WO 99/33982

PCT/US98/27610

<210> 227
<211> 300
<212> DNA
<213> Homo sapiens

<400> 227
ttgctgaaat gggcacttct gctgtgatgc tagtggtgat tttgctctca gatgaacaca 60
atgtctcata ctaaccaaga agcaagaaaa gccccatgca ttcatttttc acttggagtg 120
acaatgggag aggtcaggaa tcaagttcac tttcaagatc taagggagtc cactatctgt 180
gcaattgtat ttggcttttt tttgcaactgt ttcaatgctg gtaattgaaa ccattttaat 240
atatttggtt gtattcactt tatatgtcct tccaaaaatg ttgttggtga cataccatgc 300

<210> 228
<211> 300
<212> DNA
<213> Homo sapiens

<400> 228
gctatgtatt gtgtcctacc atgaattcac tccatgctag ccacattggc ctgtatggct 60
attccttgga cacacctagg atgttcttgc ctcttagctt gctaccttt ctctcatcat 120
ttggggcctca gcgaggatat catctcctca gagaagcctt ctgtgaccat gctatctaaa 180
atactccagc acttcagtca ccccttatcc cattactctg ctttttcaga aacattgggtg 240
ctccctgaaa catatttggt tacttgctta gtgtcttttc tcccgcacta ccatgtaagc 300

<210> 229
<211> 300
<212> DNA
<213> Homo sapiens

<400> 229
gattttcgaa actcttcagc tacttgccct tttttatctg aaaccatcat accttctgaa 60
agaaaaaagc atatcttcat tgacataaca gaagtgagat ggcccagtc t gatacagat 120
gggtaccatga tatatatgga gagtggcatt gtgaagataa catctttaga tggatcatgca 180
tacctctgcc tgcccagatc tcagcatgaa tttacagtac attttttgtg taaagttagc 240
cagaagtcag actcatctgc agtgttggtca gaaacaaata ataaagcccc aaaagataaa 300

<210> 230
<211> 300
<212> DNA
<213> Homo sapiens

<400> 230
acttcttggt tgcctttttt ataaggaaat gttggagagt tacatcattg ctaatgtaga 60
aatgttaagt ggaaaaatat acagtttggt aaaataaact agattctaca tttattttgtg 120
gggttttttc cctccttttc tttccacagc acttttgata tcaagcaagt ggcttccttt 180
ttgagatatt aaaaaaaaaa agaaaaggaa aaaagtaaata gannnnnnnn nnnnnnaaccc 240
tttctnattn gnattngttt nagnattgng aagttngttt aaanagtnct agntagaaat 300

<210> 231
<211> 300
<212> DNA

WO 99/33982

PCT/US98/27610

<213> Homo sapiens

<400> 231

tgattctttt	tgtnntttt	tttgatattg	acaaaagctt	anncnttnn	attaaaaang	60
ccactaatta	gactttttan	ntaaaaaang	taggggggtt	taaaactact	ttcctactac	120
caaaaaatca	naaagtatct	agctttctaa	atnggggaa	g	caagcaatgt	180
ctgaaggaat	ctctttcttc	gggacctttt	gttaaactcg	gttnaagctg	taaaccttat	240
ttaaaataaa	atttaccaca	naacaggaaa	tanaacctgg	ggaanactcn	aaatacnct	300

<210> 232

<211> 300

<212> DNA

<213> Homo sapiens

<400> 232

ggaagccaag	gcctggagct	gcaggtcccc	cggcattctt	ctctgtcccg	gcagcccagg	60
atggcctgg	gccccacct	gctgcagcag	gagccccaag	gagtgtctagc	tgagggtgg	120
tgctggggtg	gtcctcatgg	acagtggagt	gtgcaagggt	gcaactgagg	tggtgggagg	180
ggatcacctg	ggttccaggc	catccttgct	gagcatcttt	gagcctgcct	tccggtggga	240
gcagaaaagg	ccagaccctg	ctgagttaga	ggctgctggg	atccactgtt	tccacacagc	300

<210> 233

<211> 300

<212> DNA

<213> Homo sapiens

<400> 233

gaggaagagg	cctgtccac	ttgtctggga	acctgggcag	gaggcacaga	ggaagccaag	60
gcctggagct	gcaggtcccc	cggcattctt	ctctgtcccg	gcagcccagg	atggcctgg	120
gccccacct	gctgcagcag	gagccccaag	gagtgtctagc	tgagggtgg	tgctggggtg	180
gtcctcatgg	acagtggagt	gtgcaagggt	gcaactgagg	tggtgggagg	ggatcacctg	240
ggttccaggc	catccttgct	gagcatcttt	gagcctgcct	tccggtggga	gcagaaaagg	300

<210> 234

<211> 300

<212> DNA

<213> Homo sapiens

<400> 234

ggaacataat	tagcttactg	atttgatgg	tctgtgtagt	tcctgaaact	cttggctctt	60
gtttgccttt	ctttaactct	ggctccttct	ccttcttctg	tttgtgtatc	tgtttaattc	120
attgagttag	gaggacaggc	agaactgtgt	ctgccaagga	ccggatgtac	ttctttcctt	180
gctcttgggt	ttttgtcac	ttttatatgt	aaggatttag	tacaaacct	aaggagagaa	240
agtagaggat	cagatcattg	ggacttgctt	tggtttcaag	aaagaattaa	caaattgccg	300

<210> 235

<211> 300

<212> DNA

<213> Homo sapiens

<400> 235

WO 99/33982

PCT/US98/27610

```
gttggctcaa gggccaccag aagcatttct ttattattat tattttttta cctggacatg      60
cattaaaggg tctattagct ttctttccgt ctgtctcaac agctgagatg gggccgcca      120
ggagtgcctt ccttttgctc cctcctagct gggagtgcag ggtgggagtg tgtgtgcca      180
ggtgggggtg tctcctggct gggaaggagg gaaagggagg gagagttttg cgggggttg      240
cagtggagag caggctggag aggagatggc taatagctgt ttaatggaaa cctgctgggc      300
```

<210> 236

<211> 300

<212> DNA

<213> Homo sapiens

<400> 236

```
gaatcatcga aggttgagac cgtgtctagt tacatagtta taaataccca tctatgtact      60
gatgccttct aaatgtctat ctccagtatg gtcttttccct ttaagctcta gatccattga      120
caccctcacc atctctaaaa ggcatttcaa actgaacaca tctgatacag aacttttcat      180
ttccttccca actttgcca cggcagcctg ctctctcttc acgttttcca cttagtatat      240
gatcccacta ttcactcagt ctctgaagct taaaacctag gattcatcct tgactactgt      300
```

<210> 237

<211> 300

<212> DNA

<213> Homo sapiens

<400> 237

```
caggacatgg agcagtacct gtccactggc tacctgcaga ttgcagagcg gcgagagccc      60
ataggcagca tgtcatccat ggaagtgaac gtggacatgc tggagcagat ggacctgatg      120
gacatatcgg accaggaggc cctggacgtc ttcctgaact ctggaggaga agagaacact      180
gtgctgtccc ccgccttagg gcctgaatcc agtacctgtc agaatgagat taccctccag      240
gttccaaatc cctcagaatt aagagccaag ccaccttctt ctctctccac ctgcaccgac      300
```

<210> 238

<211> 300

<212> DNA

<213> Homo sapiens

<400> 238

```
cactggctac ctgcagattg cagagcggcg agagcccata ggcagcatgt catccatgga      60
agtgaacgtg gacatgctgg agcagatgga cctgatggac atatcggacc aggaggccct      120
ggacgtcttc ctgaactctg gaggagaaga gaacactgtg ctgtcccccg ccttagggcc      180
tgaatccagt acctgtcaga atgagattac cctccagggt ccaaaccct cagaattaag      240
agccaagcca cttcttctt cctccacctg caccgactcg gccacccggg acatcagtga      300
```

<210> 239

<211> 300

<212> DNA

<213> Homo sapiens

<400> 239

```
atttccteca gtccctgggc ccctccttga gggccttccc agccagccag caggagaggc      60
aagaactggg ggaacacagg aacctagggg aggaggggag cgctgggcat cctcaggctg      120
gcggccaagg cctgcccctg gaggcactag aggagggcat ctgtctgtgg gagcccagag      180
```

WO 99/33982

PCT/US98/27610

gctgcagggg ggaggaggag ggaggtatct ggtgtgagcg ttgccctgc gacatttggg 240
accacacagg tgggcttctt tattccctga caaagcctct gtttccagct cttccgcctt 300

<210> 240
<211> 274
<212> DNA
<213> Homo sapiens

<400> 240
catgagtgat attttgggtct gggtttcttc ttaagatttt agtttgtctg aattaaggaa 60
aatgtttttt aatatacatt cttattttgt cccacccttc cagaaataag ctggaaatct 120
taactttttt gggggtcttt tttggtgttt taatgggcc agaaactgtg tttaaatttt 180
tatgtatgta ttttcttttt tgtggagtat aaatttaaaa actggatttg ggacctaaaa 240
tactctcag gttgatgtat tcatgaaagt tttta 274

<210> 241
<211> 300
<212> DNA
<213> Homo sapiens

<400> 241
ctgttgectg ccaagctcag ggcccattha tcatgcatct tcccatectt gtctccccc 60
actgtccctt acctgagtca caatttcgcc aaagccaaag ggattgtcct aagccaatgt 120
tgatttatca ctcttctgc tcaaaagccc ccaagatcac ctatcaatca cctacttgag 180
tgcaagcttt gactctgtca cctgacatcc aagtccccct ctgcccccat gccagtctta 240
tccctcccc tacatatgcc ctatgctca gtttgecttc cctccacttt aaaaagcctc 300

<210> 242
<211> 300
<212> DNA
<213> Homo sapiens

<400> 242
ccgctggcta tgtggacgct ggggcagagc caggccggag tcgaatgatc agccaggaag 60
agtttgccag gcagctacag ctctctgac ctcagacggt ggctgggtgcc tttggctact 120
tccagcagga taccaagggg ttggtggact tccgagatgt ggcccttgca ctacgagctc 180
tggtatgggg caggagcctg gaagagctaa ctctctggc ctttgaggta atggggggtg 240
gcgggtggtg ggggtgctta gtggctatgc tcaccccgct ccaggaggcc tattttggtg 300

<210> 243
<211> 300
<212> DNA
<213> Homo sapiens

<400> 243
caagatctgg aggaatgcag agaggaactt gatacagatg aatatgaaga aaccaaaaag 60
gaaactctgg agcaactaag tgaatttaat gattcactaa agaaaattat gtctggaaat 120
atgacttttg tagatgaact aagtggaaat cagctggcta ttcaggcagc tatcagccag 180
gcctttaaaa cccagaggt catcagattg tttgcaaaga aacaaccagg tcagcttcgg 240
acaaggttag cagagatgga tagagatctg atggtaggaa agctggaaag agacctgtac 300

WO 99/33982

PCT/US98/27610

<210> 244
<211> 300
<212> DNA
<213> Homo sapiens

<400> 244
agtaaatttt ttatgcatat tttattgcaa taaaaaatga aaacagtttc aatctaggag 60
gatttttgat gcacttatgc cttgagaaat gaatggtttg atgtaaatgc atggtagcaa 120
gaataaataa ttatgttaat tcatataata tgttatataat agttttaaag aaaattctat 180
cactgtcttc ctatgggtag ggctataatg tccagttctt tcagggatta agagggtagg 240
gtctgaagtt aatccttggt tgcgtaatg ttattaattt attcaaccaa gacttaattg 300

<210> 245
<211> 300
<212> DNA
<213> Homo sapiens

<400> 245
tagacataga aaacatacag taagaatatg gtattataat cttacgggac cactgtcaaa 60
tacgcgggtct gtctttgaaa agttgtaatg cggcgcgatga ctataaatac ctactgtggtt 120
agcattttaca ttccttgcca gggagtgtga aattttatact atagaaataa ctttaggttt 180
taggtagagt taaagaggta aagcacatgt tgccacaacc caggaaagta tttttaagaa 240
agattggatt ttcctacctt tagagatcta aaaaaaattt aatataaaaa atcattttgt 300

<210> 246
<211> 300
<212> DNA
<213> Homo sapiens

<400> 246
tggaatatatt gctgtgaagg gagaaaggga gagaaaactc ttctgaggat catttgtctt 60
ggtagtatag taaaaccaac cagctgaacc tttcaggcta caagagaacc cgggtcggta 120
atgtcttttt aagaataatt ttttaattgct tataacaagc atattttgtg gcatttgaac 180
tatattttact gtcctaatat ccgttatatt ccaaaggatt ttgtatcttt ttgaaaatgt 240
ttacatcatc agatgatcca cagaattcac tttatgtgag atctcccag agtttccatc 300

<210> 247
<211> 300
<212> DNA
<213> Homo sapiens

<400> 247
gtgttgctca gtgagcagac ccgactccag aaggacatca gtgaatgggc aaatagggtt 60
gaagactgtc agaaagaaga ggagacaaaa caacaacaac ttcaagtgtc tcagaatgag 120
attgaagaaa acaagctcaa actagtccaa caagaaatga tgtttcagag actccagaaa 180
gagagagaaa gtgaagaaag caaattagaa accagttaaag tgacactgaa ggagcaacag 240
caccagctgg aaaaggaatt aacagaccag aaaagcaaac tggaccaagt gctctcaaa 300

<210> 248
<211> 300
<212> DNA

WO 99/33982

PCT/US98/27610

<213> Homo sapiens

<400> 248

gagaggatca	cttgagctta	ggagttcaaa	tccagcctga	gccaacataa	caagactttg	60
tctctaaaca	aaacagttat	tgtttaaaaga	atctgaaatc	ttcatcttta	attcaggtag	120
caatgaatcg	agcccaagtt	tgtttgatat	ccagttccaa	gtctggagag	aggcatcttt	180
atcttattaa	agtatcgaga	gacaaaatat	cagacagcaa	tgaccaagag	tcagcaaatt	240
gtgatgcaaa	agggtatca	aaggagggt	ttttacagag	aactaaggaa	gagaaggagg	300

<210> 249

<211> 300

<212> DNA

<213> Homo sapiens

<400> 249

ctagcctggg	caatatagta	cgacctgtc	tttactaaaa	atgcaaaaat	taaccacgta	60
tggtggctca	cacctgtagt	cctggctact	gaggaggctg	atgcaggaga	atcatttgaa	120
cccaggaggt	caaggctgca	gtgagctatg	attgcaccac	tgcaatccag	cctggacaac	180
acagtgaagc	cctgcctcac	aaaaattata	ttctgatttt	ctgagtccat	gaacacattg	240
tccaaatgga	tttttctagc	tcctccaagt	tacagatagt	tccacgcaca	cacagaactc	300

<210> 250

<211> 300

<212> DNA

<213> Homo sapiens

<400> 250

aggaaggtgg	aggggcagga	acaggacgga	caggccccgg	gctctggcac	atcctgggga	60
acaagggacc	acaaggacgg	gggcagtctc	cagacttccc	ctgggcgctt	gaccccaggc	120
cttgacaggg	agagagccag	ggcctccctc	aggtctttgt	tcattgctgt	ttccctgccg	180
tggaacacct	ttcccgtctc	ccgattctct	aaatcctgcc	ccatctccca	gatcttggtc	240
atgtccaagc	ttttccagga	agtcttagca	gctcccacac	cgcagagctc	gagatgtctc	300

<210> 251

<211> 300

<212> DNA

<213> Homo sapiens

<400> 251

gaaggcagaa	gtgtaaata	acatacagaa	gaaggagaaa	gcctgctgtg	tttggtttgt	60
tcagcagggt	attatgaatt	agcacaagta	ttgcttgcta	tgcatgctaa	tggtgaagat	120
cgaggggaata	aaggagacat	aactcccctg	atggcagctt	ccagtggagg	ttacttagat	180
attgtgaaat	tattacttct	tcattgatgt	gatgtcaact	cccagtctgc	aacaggaaac	240
actgcgctaa	cttatgcatg	tgctggagga	ttgtttgaca	ttgttaaagt	gctccttaat	300

<210> 252

<211> 300

<212> DNA

<213> Homo sapiens

<400> 252

WO 99/33982

PCT/US98/27610

```

gcactttctct ctactggaa agagaactgt tctcctttct ctttcttctg cctattaagc      60
ctctgtcctt aaactcctca tgtgtgtctg tgtcctaaat tttcctggca tggcaggaca      120
aaccctgggt atttaccaca gacaacaaaa ccgcttcact atgatgtatg catgctgcaa      180
aggaagagac agaatcttgc tctatcacc ccgcttcact atgatgtatg catgctgcaa      240
actgcagcct caaactcctg gctcaaggga tccttcagct tcagcctcct ggttaactag      300

```

<210> 253

<211> 300

<212> DNA

<213> Homo sapiens

<400> 253

```

gtctgatgca ggagaattgc taaaaccag gagggagagg ttacattgag ccgagattgc      60
gccactgcac tctagcctgg ggcacagagc aagactccgt ctcgaaagaa agaaagagaa      120
aggaaattcc ccagggaagt acctcggtt atttcataaa cagggtactga aggaagcaga      180
ggcatgtgga ggacttcccc acctcgtgca gctatttggg ccgtggcatt tgaaatttct      240
tatttcagag tcacctctt gatgacctg gcagtgaact gcagtcatt gtttaggcct      300

```

<210> 254

<211> 300

<212> DNA

<213> Homo sapiens

<400> 254

```

atgttacaga catgaaatat gaacagaatg ctaaaagaac ataaaagaat aagagctcct      60
taaagattat aaataaatgg tgatgttaaa gtaatagcac cattggacga agctagggaa      120
tcaacacttg acagaaagat acatatcttt tttatacaaa ctacatatat ttgagcaatc      180
aagtagtaga catagagaat tttcttttta tggaagtact ctaataagta aagggtgat      240
agaattatat cagcattttc tagctcctgg ggaattatgc attgggcatt catggctgct      300

```

<210> 255

<211> 300

<212> DNA

<213> Homo sapiens

<400> 255

```

gctgcctgtg gcatagccac tgctgtacgt ttttggttgt tnttaagaaa ctgatgaag      60
aggggtgtca ttctgggctc ggggtggttg ccaatttttc accagaaagg gagccacccc      120
ttgcaaccac ttctgtctcc gttagcccc cctctgccct cctccaagcc aaagcgtggc      180
ctggcttttg tcttccatt tagttttcct cttttaccct tccttttgtg ctttaatttat      240
taaaatagtt gctgtataat ttattttcat aaactataaa aaaatactaa atggttaaaa      300

```

<210> 256

<211> 300

<212> DNA

<213> Homo sapiens

<400> 256

```

acagtctcgg gtttcatatt ttgctgtttt tgatggacat ggaggaattc gagcctcaaa      60
atttgcgtga cagaatttgc atcaaaactt aatcagaaaa tttcctaaag gagatgtaat      120
cagtgtagag aaaaccgtga agagatgcct tttggacact ttcaagcata ctgatgaaga      180

```

WO 99/33982

PCT/US98/27610

gttccttaaa caagcttcca gccagaagcc tgcttggaag gatgggtcca ctgccacgtg 240
tgttctggct gtagacaaca ttctttatat tgccaacctc ggagatagtc gggcaatctt 300

<210> 257

<211> 300

<212> DNA

<213> Homo sapiens

<400> 257

atagaactag gcactgattt gtttatattt atcctgctcg agacacatga tgtttcatgt 60
atctgtggct ttttatagtt taaaataatt tctggaaaag tcatagtcac tatctcttta 120
accgctccct ctcttccatt ctctttgttc tctcttcttc gaactcctgt tagtcatttg 180
atcctccata tctctgaata tttttgtatt tcttttatta tttatttctt gtctctgcta 240
cattttacat tgagtaaaag tgggatgtga cagtgggaaa tcattagtga cttagaaatt 300

<210> 258

<211> 285

<212> DNA

<213> Homo sapiens

<400> 258

tactctatta tattgtgcat gctcctgatt tagctgctct tggcatcatt ggtcgcagtg 60
gaaccttgaa atgcatctgg ctagatttat gctcaaatac ttctcagtta gccttttagt 120
gcctcttcaa aggttttttt ttgtatgttt tctattctta ataaaagctt aggattaatt 180
agaaagaatc tgatatgggt atgtttcccc ttgtgtacgc tgacctcatt catacgtttt 240
tcatagtcca gtggtctaaa cgctttcaag agcccagctc cttggg 285

<210> 259

<211> 300

<212> DNA

<213> Homo sapiens

<400> 259

gccttctctg gcctcaccaa ttaggtcaaa tgttccttag aatgtgttgt ggggcatggg 60
ctctccctgt gaggacctgt ccagctggac ctccgccttc ctgagactgt attggtgtct 120
ttccctctca agcctatgag ctctgcaagg gcagggaccc tgtatgattt tgctatcgt 180
atgtcctcca gccccagca cagcgctggg tgtccagtga gagctcagca aatactttgt 240
gagttaagga caggcggctg ggtagatgga tcgtctgcct agacagggca gttattcgct 300

<210> 260

<211> 300

<212> DNA

<213> Homo sapiens

<400> 260

gaaaagggag ccgcgcagcg cctacgggag tccggcggca gcagccggta ccggcaacca 60
cgggcagctc tcagggaatc tccgtcgtga ggccagaggc tccagtcctc gcgagtcag 120
atgcctgtcc agcctccaag caaagacaca gaagagatgg aagcagaggg tgattctgct 180
gctgagatga atggggagga ggaagagagt gaggaggagc ggagcggcag ccagacagag 240
tcagaagagg agagctccga gatggatgat gaggactatg agcgacgccg cagcgagtgt 300

WO 99/33982

PCT/US98/27610

<210> 261
<211> 300
<212> DNA
<213> Homo sapiens

<400> 261
tttgctttca gtggttggct ttcactgaaa gaaagtgtaa aaaaagtcag aatttatagc 60
tttcactatg tccaagacta ggactggggt ataaagattt tcttttgtga aggaaaataa 120
aagaaaattt gccactactg cattttacttt actattgtaa acttaagatt cattccttag 180
tctttggaat tttgatgtct caaaaccaga tgagtggaag tgctgaattt gcaaaataaa 240
gctaagaatg cttaactctg cactttaagt tctactctga ccaaattgaa gatgagcaga 300

<210> 262
<211> 300
<212> DNA
<213> Homo sapiens

<400> 262
ttttttaaga gataaggtct tgctatgtta tctaggtcgg cctaaacttc tgggctgaag 60
tgatcctcct gtgtagctgg gactacaagc atgtgccacc aatgcctggc ttctcacact 120
gttttgtaac atagatatgt gaagatgtgt attatagaat tgtttgtaat actgtagtgt 180
tgtaggcaat gtgactgtct atagggaagt ggacagggtta tttgtggtaa atactcatgg 240
aaaacggtca agcagttaaa agcaatcaat tatggtcacc cagcaatgca gataaatctt 300

<210> 263
<211> 300
<212> DNA
<213> Homo sapiens

<400> 263
agaacagga gaagagagga agagggagct gcaggtgccga gaagagaaca gggcggaactc 60
tcaggacgaa aagagtcaaa cttttttggg aaaatcagag gaagtaactg gaaagcaaga 120
agatcatggt ataaaggaga aaggggtccc agtcagcggg caggaggcga aagagccaga 180
gagttgggat gggggcaggc tgggggcagt ggggaagagcg aggagcaggg aagaggagaa 240
tgagcatcat gggccttcaa tgcccgtctc gatagccctt gaggactctc ctcaactgtga 300

<210> 264
<211> 300
<212> DNA
<213> Homo sapiens

<400> 264
ttaaaggtag ttttagaagg aagtacaaat tggctttcat cttgcaaaca atcgtttttt 60
acttcattat cttaatttgc tttgtcactc ataaaaagga aaccatacct gagttgtaga 120
caatgaggaa acacttgagg cttctgctgt gtgttctttt gttattgttg ttattgttgt 180
tactcagtaa cttgaatatt gtttaatgtg ttgtgaagac tagagtttat ctcaagctgt 240
taaaaatggt aatgtacaaa tgtgaataga cacttatcta tataatatgg gtaagttttg 300

<210> 265
<211> 300
<212> DNA

WO 99/33982

PCT/US98/27610

<213> Homo sapiens

<400> 265

caggaaagtc ttcctagagg taatttttaa gctgattggt ttagaattag tagaagcttg	60
ccagatggaa aagtccaggc aaagtgtaac atgaatggga aaggccacag tctagaaatg	120
gcagagtgtg ttcctagttt gtttgtttgt ttgtttgtac ctgccttggt ccaggaagga	180
tttaaatgtgg tttatattcc agtcctttta tgctggaagg gctgagatga gactgaaaga	240
tgggcaggaa gtatatcatc acaagctttg tgtttgatgt taatgtgtat gatttttata	300

<210> 266

<211> 300

<212> DNA

<213> Homo sapiens

<400> 266

tgtgccacca ccccagctc attattatta ttattattat tattattttg agacgaagtt	60
tcactcttat ccccaggct ggagtgcaat ggtgcgatac tggtcactg caacctctgc	120
ctcctgggtt caagcgttc tctgccttg gcaggcacct gtagtgtcag ctactcgaag	180
gctgaggtgg gagaatcgct tgaacctggg gggcggagat tgcaatgggt tggctcgggc	240
tcactgcact cgagcctggc gacagagcaa gactctgtct caaaaaaaaa aaaaaaaaaan	300

<210> 267

<211> 300

<212> DNA

<213> Homo sapiens

<400> 267

atataactct ggaggtcagg acataggaga tattgattca ggacttgcca gagtatggtc	60
ttgggggtgt cctgatatt acaaacaggg atcttagtgg ctagggtgat aggccatggc	120
aaatgtagat ggaccaagat caatttgcct ttctagatga ggttttctag gtgaaatggt	180
tttgaaacta tttttagacc tagtataatt tataaaagta gagagaaact ataaatataa	240
at ttggaagg ggttagctaa aaggagaaaa cagcagaatc ttcatatata tagaaatgga	300

<210> 268

<211> 300

<212> DNA

<213> Homo sapiens

<400> 268

cctacttatt ggatgttggc tcttttgtgt catggagatg gctttactgt aggtttgtgt	60
gtgttgcatc acttttcatt gggattgaac tgagaaataa caaacaagct ttaagtggga	120
aattaaaaaa aagaagtaac ctatgtagat ccaaacttaa aatgtgagaa attattgaaa	180
tttcattttc tacaaacttg aaattagcct gctaattgta agtttgtttt aataatgctg	240
acaaatgtca gttacgtttg caaaggagtg tatggttcta ggtatttgcc tactgttacc	300

<210> 269

<211> 300

<212> DNA

<213> Homo sapiens

<400> 269

WO 99/33982

PCT/US98/27610

```
cctacttatt ggatgttggc tctttggtgt catggagatg gctttactgt aggtttgttg      60
tgttgcatta cttttcattg ggattgaact gagaaataac aaacaagctt taagtgggaa      120
attaaaaaaaa agaagtaacc tatgtagatc caaacttaaa atgtgagaaa ttattgaaat      180
ttcattttct acaaacttga aattagcctg ctaattgtaa agttgtttta ataatgctga      240
caaatgtcag ttacgtttgc aaaggagtgt atggttctag gtatttgcct actgttaacc      300
```

<210> 270

<211> 300

<212> DNA

<213> Homo sapiens

<400> 270

```
cctacttatt ggatgttggc tctttggtgt catggagatg gctttactgt aggtttgttg      60
tgttgcatta cttttcattg ggattgaact gagaaataac aaacaagctt taagtgggaa      120
attaaaaaaaa agaagtaacc tatgtagatc caaacttaaa atgtgagaaa ttattgaaat      180
ttcattttct acaaacttga aattagcctg ctaattgtaa agttgtttta ataatgctga      240
caaatgtcag ttacgtttgc aaaggagtgt atggttctag gtatttgcct actgttaacc      300
```

<210> 271

<211> 300

<212> DNA

<213> Homo sapiens

<400> 271

```
ccacatttaa gtgagatatg ggaaggagga gcagattggt tttgaaggga ggaagagcag      60
ttacttaggg tcaaattaag ttgtaaaatc cccccggga ttttgtatgt aagtcaaagt      120
gaattgtatt tggaagaaga actggggagc ccacctctgg tatttttttt atgtccctca      180
tatggacaaa taaacctctg gtattaaatg aattttcttt tgggggattc tatatattcg      240
ggatttcaac caccaacctc tctggttttt cccgctgaaa tgttgggtga tggaatcagg      300
```

<210> 272

<211> 300

<212> DNA

<213> Homo sapiens

<400> 272

```
gaacgcttcc attttatacc tgtgtctagt tagtttctgc ctatctatcc aagaagcttt      60
tatcaagggg ccaccatgtg ccagccactg aagtagatat aaatacaagg atgtgtaagg      120
tatggatgat ggtatacgaa ctgtcatctt actggatttg tccgctctgt taaagatacg      180
gttccgaaaa ctttttaaaag ccttagagag ggctttaagg caatgtagca tcatatatag      240
aggcatcaac ctgttcatat ctttctatatt aacagaactg tgcacctggg cacaaggggt      300
```

<210> 273

<211> 300

<212> DNA

<213> Homo sapiens

<400> 273

```
gaatggcgtg aacctgggag gcagatgggc ttaaagtggg gagacctggg ttacaggcct      60
gactgcatca ctaactcgct gtgtgtccct gggcaagtca gtgcagtgca gtagcctctc      120
cgtctccgac tgaggagcaa agccctcggc tcaagatcct cacctacttc acagggattt      180
```

WO 99/33982

PCT/US98/27610

gaaatagtgc agtcaacagg aaaagaaaag cgctatagaa atgctcgacg ctatcacttg 240
gggcccacgt ggaagtatca acgtataaat tggcccaggc agacagaagg atgcagggga 300

<210> 274
<211> 300
<212> DNA
<213> Homo sapiens

<400> 274
ggaaccaggg gctgcagaac cagccccctcc ccaatgagga ccccctctgg acgccccctcc 60
ccatggagaa caccaggagc cacagacccc agaccacagg agcacacagg ggagggcacg 120
gggcgggcgg ggcaggggtgt ctgctgcctc gtttatggga ttgctccgc gtctagcaca 180
ctgctgcctg cagtgtcctc gtcccctgca gtggctactc tgggcctacg ggcctaatacc 240
tggttggcat gaaaatgtcc tgaggctact gtgacaaatt tccacaagct gagtggctta 300

<210> 275
<211> 300
<212> DNA
<213> Homo sapiens

<400> 275
ctttgggaag cagaggtggc aggatcattc cagcccagga gttcaagacc agcctgggca 60
acacagtgag tgagaccctg tctctattta agaaaaata attaagaaat tttattaaaa 120
aagaagaatc aggaaaccaa gtccaaccca actaaacctc aaatgaacca gcccctaaca 180
cagatgaggg gatttgggac tgataagctc tgtgctgtgt ccatggcccg tcatttatca 240
aggctgcagc tttgtaaatg tggtatattt tatgttgtgt atagtttcta tcatttattt 300

<210> 276
<211> 300
<212> DNA
<213> Homo sapiens

<400> 276
tttgtatttt tagtagagac agggtttctt catgttggtc aggctggtct caaactccta 60
acctcgtgat ccgcctgcct cgacctccca aagtgtggtg attacaggca tgagccacca 120
tgcccagcca aagatcattt ttttatatag acttcagccc tttgtaaata ttgtaactgg 180
ggagtataga gtagaaaaaa agtatagtta aaacatttgt tctacaaatt aacctttaa 240
aatataatta ctgctaaaaa tagagtgtct ttacacttaa ggaaaattag tgccattttg 300

<210> 277
<211> 300
<212> DNA
<213> Homo sapiens

<400> 277
ctcacacagc atgtgtcaga tccatggggg aggagtcggc cagagacttg gtaacagaca 60
gattgctgga tcccacccct agactctctg attcagttag tttggggtaa ggcgcaagac 120
tgaatttttc acaagtttcc cagtgggtgt gatacttctg gtccaggaaac ttagtggggag 180
agaacgacta atctagacca tttcacttca cattctgagc ttcttgtaca ctgtcacact 240
gcatectttt aacaatgcat tccctatcct attgcaatac tgacatctca tcaatatattt 300

WO 99/33982

PCT/US98/27610

<210> 278
<211> 300
<212> DNA
<213> Homo sapiens

<400> 278
ctgacaactt gattgggttc tccttcaggt ttgaagcgcc ctcgagaagt gtctaaagga 60
gacagttgat agccaaacaa cagttttgga ttactgact gattatgaaa gaagcagtag 120
actggtatca agaatcagtc agcaaggagg ccctcaccag acgccagtgc catgttcttg 180
gactttctcag cctccatatt catgaactaa gtttttggaa tccttaggct tccacgtgtg 240
gaaagcctga gctaacctac tggaggatga gccatcacct ggagcagatt caggccatcc 300

<210> 279
<211> 300
<212> DNA
<213> Homo sapiens

<400> 279
ggtaaacctt tttatataat agaaggatga ttataaacat ttaataaatt atatcaaata 60
gatattatat attaaatggg cagataatag aaatctgtcc aagcaaaact ctggataatt 120
tttatgttgc cttatTTTTT gttttctgtg aactccaaga aaaatgagat accagtttgg 180
aacagatgta atattgctga tttaacagtt tagggatact ccccaagtgc aataattttg 240
ccaagataca aattttaaag gaacctttta tgaagcttca tagtgtgtga agaacttacc 300

<210> 280
<211> 300
<212> DNA
<213> Homo sapiens

<400> 280
ataactgctt gcgaagatgt agtttctctt tggaaagcta cacacacgag attatacaca 60
tcaggcactg gaactatctg taatactgga acctctgcga agtgccaggt ataaagtttt 120
tcccactgcc aagcatccag agctttggga aatttggaaa tcagagagat cagggcattg 180
ttttgttctt ctgatgatga aagtgaaaag caagtactac tgaagtctgg aaatataaaa 240
gctgtgcttg gcctgacaaa gaggaggcta gttagtagca gtgggaccct ttctgatcaa 300

<210> 281
<211> 300
<212> DNA
<213> Homo sapiens

<400> 281
caccatcgaa tatttttatt tattttgaga gacagactct gtcacccagg ctagtcttaa 60
actggttggtg aatcttaagt gattctccca cctcagcctc ccaaagtgtc gggattacag 120
gcatgagcca ctacccttgg ctgtgatcaa gtatttagtc tgttgttaaa tgtttactaa 180
atagtctgaa gtagagaaaa tagcacccaa tctaaaataa ggtgaggtct agtcacttat 240
ttaaatctac attttaagct atagtttact attagtttaa actttaagac aggtaatgtt 300

<210> 282
<211> 300
<212> DNA

WO 99/33982

PCT/US98/27610

<213> Homo sapiens

<400> 282

gcaaccttcg	cctcctgggt	tcaagtgatt	ctcctccctc	agcatcccaa	gtagctggga	60
ctacaggcac	gtgccaccac	acccagctaa	tttttgcat	tttagtagag	gcagggtttc	120
atcatgttgg	ccaggctggg	ctcaaactcc	tgatctcaag	taatctgcc	actttggcct	180
cccaaagtgc	tggcattaca	ggaatggagc	caccgcgcc	agcctgattt	cttttttttag	240
gtcttgtcag	gaaagatatt	gattcttttg	attcgtgaac	atgggttttg	gtcgtcttta	300

<210> 283

<211> 300

<212> DNA

<213> Homo sapiens

<400> 283

cccaggtagc	tgagactacc	cacaccttgg	tcccagctac	ttgggaggct	gagggtgggaa	60
aatcactttg	cccaggaatt	caaggccgca	gtgagctatg	attgcaccac	tgactccag	120
gcaacagagt	gagaccctgt	cttaaaaaaa	gaaggagaa	agtgtcagat	ggtgatgagg	180
tctggggggg	aaatagagaa	tggggatcag	gagtgtggat	ggtggtattc	cctcaccaag	240
aggtgacatg	tgagcagggg	gctgggaggt	gagggtgtga	cccgtgtgga	aatcagggaa	300

<210> 284

<211> 300

<212> DNA

<213> Homo sapiens

<400> 284

ggtgtcctcc	ccagtgcgcc	gcgatttttg	tgtccaagcc	ccagagtccc	tctgagacca	60
acccccagcc	agcagagact	tctgccttc	ccagctcgga	agcgccctcg	agaagtgtct	120
aaaggagaca	gttgatagcc	aaacaacagt	tttgattca	ctgactgatt	atgaaagaag	180
cagtagactg	gtatcaagaa	tcagtcaggt	ttttggaatc	cttaggcttc	cacgtgtgga	240
aagcctgagc	taacctactg	gaggatgagc	catcacctgg	agcagattca	ggccatccta	300

<210> 285

<211> 300

<212> DNA

<213> Homo sapiens

<400> 285

aattccgttg	ctgtcgggcc	gccatgtcat	tctggagaga	gacagagtaa	aacaaagaag	60
gtgatgggta	aagcgcagtc	gcctgtctata	tattgtctat	ttttggtttt	tcacttacct	120
tttataattta	tgtcttttat	gtacaacagg	attataagta	gcttgagtcc	agtgaatata	180
ccatttcatt	ttgctatcct	tcactgcact	tagcttagag	gaaataatca	cagcttatta	240
ttgattaatt	aattaattaa	tagatgaatg	gtgaacacat	gactatcatc	ccaagaaatg	300

<210> 286

<211> 300

<212> DNA

<213> Homo sapiens

<400> 286

WO 99/33982

PCT/US98/27610

```

agccaatgag gcttttgcct gccagcagtg gacccaagcc attcagcttt acagcaaggc      60
tgtgcagagg gccctcaca atgccatgct ttatggaaac cgagcagcag cctacatgaa      120
gcgcaagtgg gatggtgacc actatgatgc cctgagggac tgcctcaagg ccatctccct      180
aaacccatgc cacctgaagg cacactttcg cctggcccgc tgcctctttg agctcaagta      240
tgtggctgaa gccctggagt gcttggacga cttcaaaggg aaatttccgg agcaggccca      300

```

<210> 287

<211> 300

<212> DNA

<213> Homo sapiens

<400> 287

```

gggtgacaga gtgaaactcg tatctccaaa caaacaacaa aaaagtcctt aaacatatgt      60
gaacaaaaat tttgtgatgg aaggattcta gttaatgagt attgcatcaa gatttacatc      120
tttcttacta aggaaaagag ttaataaaaa ttgttcttta ttttacaggc agttactgag      180
gctcttccca gatctcagta aacagccact cagccttgaa aatggagtgt tgttgtttct      240
aaacatatat ttatgtcatt tattaagtag agttcactta aataacataa gtagattttc      300

```

<210> 288

<211> 300

<212> DNA

<213> Homo sapiens

<400> 288

```

accactaaca gcatctactt gactactgat actttgatca tggagttagg gcatgccact      60
tgatagaaat ttgaagagca attatatatt tcaaaaagag ttttgaataa tgtaagata      120
gattgcaaca tgactatcaa ttcttccctt cccatcaaag gagagagtcc gtttatccag      180
cctttgaatc ttgattattc aagtgacttg cttcacccaa tgtaacatta ataagcacia      240
tacaagcaga ggcttgccaa gaacttggtt tgtttctaata gcttagaaga agaatgggtg      300

```

<210> 289

<211> 300

<212> DNA

<213> Homo sapiens

<400> 289

```

tgtccttatc tgaaattcag cgatcttcat gaataagcat ttctctgatt gtggnatatg      60
cctttaattt tatttctaga gtgacaaatt tttggttttg acagtttttt tctagcttta      120
tagtttcttc ttggggagag aatatgtcaa cctcactcca tcatgctgaa gtaaactctc      180
atctcttaat tttatctctc aaaaatatcc taaggattcc ctctggagcc tgataagtaa      240
ttgcagtatc tggtttctat gggttgatga ttcaggattc caggaataat agttactttt      300

```

<210> 290

<211> 300

<212> DNA

<213> Homo sapiens

<400> 290

```

ggaaccatga gaaccgaagc tagaattgct attgaattac tttattttct cttcccttat      60
tggttagaga tacatcatta ctggcctcag gggtttacc aaagaaaggg tatttttgag      120
caaataatgt gatttcttgg ctattttgtt gggggcttaa gatttttttt tttcaaatgc      180

```

WO 99/33982

PCT/US98/27610

atttttagtc actaaaaatt aactgtcgtc ccatctagaa ctatactgtc cagtaccata 240
gcctctagcc gtatgtagct atttgtatta agattaatgg aaatttttaa tccagttcct 300

<210> 291
<211> 300
<212> DNA
<213> Homo sapiens

<400> 291
tatgatttta tttttggcct aatataggaa tgtttaaaaa aggcttttct atgaaaatta 60
gaaatttata cttgaaatta aaagtctaca agggggagga ccttaaagct aagctaccag 120
taagacaatg aataattcag aagagaacac tattctttta ctgactgagt gccaagatg 180
ccaatttcca tgaagtcttg atttatatat atgtacacat gttatgcaca tacatgtttg 240
ttttctaaca gttattcttt aagcttttga gataatttta gacttacaga agagttggaa 300

<210> 292
<211> 278
<212> DNA
<213> Homo sapiens

<400> 292
cccagaccta tggagtcaga cagtaggttt gaggccagc aatctatggt ttaacaagcc 60
atccagggtg ttctgatgca cagtgaaatt ggggtaccac tggattagg tttggtatgg 120
caacttttct atcacttggt ttatgtagtt gtctgatcaa ttgtgaaaac ataatgaatg 180
ttggaaatgg aacagtaaaa taacgaaagc caactttttt tttttttttn nnnnnnnnnn 240
nntgntttnn cccccaggnt gnanngcagg gncccaat 278

<210> 293
<211> 297
<212> DNA
<213> Homo sapiens

<400> 293
ggaaggcagt gggaggagag gaccaagtct caaactccag aagccccacc tccctgagct 60
cagctcctct gccaaagccc ctccgcgcga agtcctcgtc cagagaaggc aacggcgaga 120
aacaaatcca acatcctggg ctgctttttc ctccccccac tttttaaaag tttggtgtcc 180
aagtcacttg acaaaccag accctaacaa tgatattttg tgtagaattc tgggatcaaa 240
atataatttc aaaaataata tattttctga catcccccaa aaaaaaaaaa aaaaaaa 297

<210> 294
<211> 300
<212> DNA
<213> Homo sapiens

<400> 294
ggaacagttt gagcaaaggc tctcaagtaa tagggtgtct gacttgttca tttttgaaag 60
tagaactaat aggatttctt attggaacgt aggggtgaag agaaaagagg agtcaaaaag 120
agccacaaga tttttggtct cagcaattag aaggatagaa ttgacattta ctgagatttt 180
tgtttttgtt tttgagacgg agtttcgcta ttgttgccca agctggcgtg caatggcgtg 240
atctcggctc agtgcaacct ccacctccca gattcaaggc attctcctgc ctccagcctcc 300

WO 99/33982

PCT/US98/27610

<210> 295
<211> 299
<212> DNA
<213> Homo sapiens

<400> 295
gtaatatgga tgtgattggt gtcgcttgag aaaaaaaggc aacagctgat tctttcaaca 60
actgtcacag aatggctggg ctgagaacgc tgcccagggc cctgcagctg gcgggagnnn 120
nnnnnnnnnn nnnnngtgcn tgctgcaaca tntggttana tngtatcctt ccctanagnt 180
gctacnnctt nnatcccctt gtnaatatgt tgagntnnct tngcnttcnn gntnntccng 240
ntnnttgaca cntatgnaan ttntntngtc tngctctgct ngatnncttn nangctgcc 299

<210> 296
<211> 300
<212> DNA
<213> Homo sapiens

<400> 296
gcagaacctt tccccctcta ctcttgctta aaagttctgt gtggcacaca gagatgcgac 60
ctactcaatc tgacttagta aaaccatgct gaaaaatttt ggtctaaaaa ggaccatac 120
ccagcaccca tgaaataaaa gattcatctg taattgggat tcaaagggat taaattcctt 180
tggtcatact cataaatagc actaaagtgt tataacattt tcatttacct atttttagtt 240
ccttcatttt aacttaataa aaatccttga ttgatattct tttttttttt ttttgggacg 300

<210> 297
<211> 300
<212> DNA
<213> Homo sapiens

<400> 297
gctaggatta caggtgtgag ccaccatgcc cagccactta tcttttaaagg attaaagttta 60
tgtttcctac tatgggaaac catcccaccc caaacttgat gaccgcatta tgtgttttta 120
tagaacatgg cacttctcca ggatagcatt tattctgttt tgtaagtgtg aatgtaatta 180
ccctacacac agcatacaca taatcttcat attctttgcc ttgtcttggt aaggcaaggg 240
ccatgtctat cttattcgtc attagattcc cacatccaac atagtcttg ggacagcacc 300

<210> 298
<211> 300
<212> DNA
<213> Homo sapiens

<400> 298
ccaaatctgc ctagagattg agttcacagt gtatgttctg ggggcgctgg tgcagtcagc 60
ggtccagtcct ccagcctgca ggcgtgcaca ctgggggtgga cgatgggtgg ccccgaggt 120
gtacacattt ggggtggccc ggccctata cccagtggt ctctttgatc cagtcccga 180
acagagggag ccttgtgtac acgcctccaa agtggagctg ggaggtagaa ggggaggaca 240
ctggtggttc tactgaccca actgggggca aaggtttgaa gacacagcct ccccgccag 300

<210> 299
<211> 300
<212> DNA

WO 99/33982

PCT/US98/27610

<213> Homo sapiens

<400> 299

ctccattgtg	aagatccagg	cattttttccg	agccaggaaa	gcccagatg	actacaggat	60
attagtgc	gcacccacc	ctcctctcag	tgtggtacgc	agatttgccc	atctcttgaa	120
tcaaagccag	caagacttct	ctgctgctgt	gatctgcaca	ccctccaacc	tgggcaggga	180
ctggggggat	gcagtgtgtg	ttagtgccca	tgtggcattg	tggcactgtt	gcccccatg	240
gcggcatggg	caagatgacc	ttccattagc	ttcaagtctt	gttctcttgt	ctgtggtctg	300

<210> 300

<211> 300

<212> DNA

<213> Homo sapiens

<400> 300

agcaattcca	ctcctagctc	cacccacagg	aattgaaagc	aaagacgcaa	acagatgcct	60
gtgcaccaaa	gttcacggca	gcaccccttcg	ccatagtggc	agcatccgtc	gtcacagcgg	120
catcatcctt	catcatagcg	gcagcatccg	tcgtcacagc	ggcagcatcc	ttcgccacag	180
cggcagcatc	tgctcgtcaca	gcggcagcat	ccttcgccaa	agcggcagca	tccttcgtca	240
tagcggcagc	atcctttgcc	atagcggcaa	ggtggaaacc	ctgtccatcc	actgaggcgt	300

<210> 301

<211> 300

<212> DNA

<213> Homo sapiens

<400> 301

tcacagatat	gaaagttcag	tcagaggggc	tgggccgaca	tctgtgcttt	tccttcgagg	60
atcttttaga	tcagtgcagc	ggtgtgtatt	tgggaagcatt	tcaaagtgtg	taccatcgtg	120
ttactttccg	gggcacctgg	tggtattggg	tggactagtc	aggattctcc	agagcagcag	180
aagcaatggg	atgtgtgtgc	atgtgtttgt	gcagagacag	aaagagagat	tttaaggaac	240
tggcttatgc	agttgtgggg	gctagcaagt	ctgaaatttg	cagggcgggc	cagcaagctg	300

<210> 302

<211> 300

<212> DNA

<213> Homo sapiens

<400> 302

tcaccaggaa	tacagtgcac	ttaaaagtgt	gatatggttt	agctgtgccc	ccaccacat	60
ttcaacttga	actgtatcta	tctcccagaa	ttcccacatg	ttgtgggagg	gacccagggg	120
gaggtaactg	aatcatgggg	gctggtcttt	cccgtgctat	tctcgtgatg	gtgaagtctc	180
acgagatctg	atgggtttat	caggggtttc	cacttttggt	tcttcatttt	ctcttgccac	240
cagcatgtaa	gaagtgcctt	tggctctcta	ccatgattct	gaggcctccc	tagccatggg	300

<210> 303

<211> 300

<212> DNA

<213> Homo sapiens

<400> 303

WO 99/33982

PCT/US98/27610

```

gccctctcca ttttctgagg aggtgatatt tgggcagatt acaaactgag gaagcatact      60
ggatagacat caggatgaag agaataggca gttgaaaagt cccagaaagg ggagtgtgct      120
tagagtgttt gaggaacagc aaggaagcaa gcccttgttg aaacagattg agcaaggtag      180
aaagtggtaa aagatgaagt taaagaggta gctgagagcc agatcatgta aagccttggt      240
aaggactgac ttttatttta agagggttag gaagacattg gtaggttttg actctggctt      300

```

<210> 304

<211> 300

<212> DNA

<213> Homo sapiens

<400> 304

```

aacaggaata tggaaagaaa ctgagagccg agttagtggg aaagtggaaa gcagagagag      60
aggctcggct ggcaagagga gaaaaggaag aggaggagga agaggaggaa gagatcaaca      120
tctatgcagt caccgaggag gagtccgacg aggaaggcag ccaggagaaa ggaggggacg      180
acagccagca gaagttcatt gctcacgtcc ctgttccctc gcagcaagag attgaggagg      240
cactggtgcg aaggaagaaa atggaactcc tccagaagta tgcaagcgag accctgcagg      300

```

<210> 305

<211> 300

<212> DNA

<213> Homo sapiens

<400> 305

```

aatagtagaa agggccccca ttctgtctca gcaccgcacc tctctacccc cccacagaca      60
cacatgcaga cacacacatg cagacaacac gcagacacac acatgcaggc actcacatgc      120
aggcccatgc acacacacgt gcacacacat gcagagacat gcagacacgc aggcacacat      180
gcacacatgc aaagacacgc atgcaggcac acgcagacgc acacagagac acacatgcag      240
atacacatgc acacacacat acacacactg gccctgtttt ttctgtggtg tcaactgggtg      300

```

<210> 306

<211> 300

<212> DNA

<213> Homo sapiens

<400> 306

```

cagcaaagac ttatTTTTTg tacagaagat ggtgaagtcc aagacggtgg ctcaagtgcgt      60
ggagtactac tacacgtgga aaaagatcat gcggctgggg cggaacaccc ggacacgcct      120
ggcagaaatc atcgacgatt gtgtgacaag tgaagaagaa gaagagttag aggaggagga      180
ggaggaggac ccggaagaag ataggaaatc cacaaaagaa gaagggagtg aggtgccgaa      240
gtccccggag ccaccacccg tccccgtcct ggctcccacg gaggggcccgc ccctgcaggc      300

```

<210> 307

<211> 300

<212> DNA

<213> Homo sapiens

<400> 307

```

gctgcttctg gctggggggg ccttggcctt catcctgctg aggggtgagga ggaggaggaa      60
gagccctgga ggagcaggag gaggagccag tggcgacggg ggattctacg atccgaaagc      120
tcagggtgttg ggaaatgggg accccgtctt ctggacacca gtagtccctg gtcccatgga      180

```

WO 99/33982

PCT/US98/27610

accagatggc aaggatgagg aggaggagga ggaggannnn nnnnnnnnna ntggccttnt 240
gtggcctcca ccagcagctn tnnannatga catggagtcc caactgnacg nctccctcat 300

<210> 308

<211> 300

<212> DNA

<213> Homo sapiens

<400> 308

agttaagagt gtgaacccta gatttgccat ctgaaagtca tgtgtccttc agtgatgcat 60
ttaacctctc tgtgctctca atttctccct ctgggggtatg ttaggagtat acaaattaac 120
acatgtaaaag tgcttagaat agattggtac tgttaaataat gagctaacgt cacatttgat 180
atTTTTTTaa aaagaaaaaa tcattatgga gtctcagtc tagagattct gattcattaa 240
ttctgcttct cggcaaggag cgatttgctg gtgtagacat tccgggtccg tgtaaagggt 300

<210> 309

<211> 300

<212> DNA

<213> Homo sapiens

<400> 309

ccaacacca gttctcactc tgtcatccag gctgggtgtgc agtggtgcaa tgtgggctta 60
ctgcagcctt gacctccagg acaagtgatc tcccacctca gcctccggaa tagctgggac 120
tacagctcaa caacgcccct ctgaaagtag gactcttgga aatgaacctt gttgggagta 180
aagctgaacc ttcacctctc ctttccagga ttctaactca ttcatacggc ctcacactga 240
attaatgggt ctagcagcca catcactttg ttacccaatt gatctagtag taaagtcttc 300

<210> 310

<211> 300

<212> DNA

<213> Homo sapiens

<400> 310

aggaaacacc cccttataaa accatcatat caggctgggt gatctgacag agctagacac 60
tgtcaaacaa acaaacaaac aaacaaaaaa accccatcac atctcatgag acttatttac 120
tatcatgaga gcagctcagg aaacaccac tcccgtagatt cagttacatc ccactgggtc 180
tgtcccacaa attgtgggag ctacaattca agatgagggt tgggtgggga cacagccaaa 240
ccctatcacc atgtaaaata atatctaatt tgtagagatt aaagaacaag ataacttaaa 300

<210> 311

<211> 300

<212> DNA

<213> Homo sapiens

<400> 311

ttntgcagat ctccagcaca agcctctgct agttgatctc acggtagaag aaggcctaaag 60
attaaagggt atgtttggtt cacacactgg ttcccatgta attgatgttg attcaggaaa 120
ctcttatgat atctacatac catctcatat tcagggcaat atcactcctc atgctattgt 180
catcttgctt aaaacagatg gaatggaaat gcntgtttgc tatgaggatg angggtgna 240
tgtaaacacc tatggccgga taacnaagga tgtggtgctc caatggggag aaatgccac 300

WO 99/33982

PCT/US98/27610

<210> 312
 <211> 275
 <212> DNA
 <213> Homo sapiens

<400> 312
 cctccctgga tgtgcagaca tggaggagga cagaaggccc agctcagtgg cccccgctcc 60
 ccacccccca cgcccgaaca gcaggggcag aggcagnnnn nnnnnntaag nggtgtnnaan 120
 tntnnatttn ttctntttt ttttnnnntn aaatatnntg nnnntttttt nttantantta 180
 ttatnntntn nttattannn tntttttcnt ntnttacttt gttnttgatt ttanncnttt 240
 natntttttt ttgttcttct nttntattnn atctt 275

<210> 313
 <211> 300
 <212> DNA
 <213> Homo sapiens

<400> 313
 tcctgtcttc ttgccaaat gttgcatttt ccaagaccac tctggcctgc catgccaccc 60
 attctgtgcc tataaaaacc ctgagacccc agcgggcaca cacacaagcg gctggacgtc 120
 aagaggaaca cactggcaga agaacacatc gaaagacgct ggcaggccat tgatggtgga 180
 acgattcggg cgccaaggga aattcggccca aggacagtag gagatcccg ctgctgagca 240
 gccagactcc agaggaagac taccttccca tgctatcccc cttctggctc cccagccatc 300

<210> 314
 <211> 300
 <212> DNA
 <213> Homo sapiens

<400> 314
 ataagggtag ggccttaatt cagtagaatt ggtggcctcc taagcagagg aagagagatt 60
 tttctttctc tctctgccat gtgaagacag tgaggagtgc gccgtctgca agccaagaag 120
 agcccttata aggaacagac ttggctagca ccttcctcgt ggacctccag cctccagaat 180
 tgcaagaaaa tacatttccg tegttagaac caccagctct gtggtatttt gttatggcag 240
 cccaggcaga ctaatacgtg aagcctgctc taaatagata aaataagaaa ttactacaga 300

<210> 315
 <211> 300
 <212> DNA
 <213> Homo sapiens

<400> 315
 gtctcagtgt ggctgtggg gctggtgggc ggctgcgat tcgagggccc tcaggtacag 60
 gacggccggg tagtgggctt ccacacagca tgggagccca gcaggccctt ccctgtggat 120
 atggctggat ttgccgtggc cctgcccttg ctgttagata agcccaatgc ccaatttgat 180
 tccaccgtc cccggggcca cctggagagc agtcttctga gccaccttgt ggatcccaag 240
 gacctggagc cacgggctgc caactgcact cgggtactgg tgtggcatac tcggacagag 300

<210> 316
 <211> 300
 <212> DNA

WO 99/33982

PCT/US98/27610

<213> Homo sapiens

<400> 316

gaaatgcctc	tatgtagggtg	aagtgtttctc	tctgcatgca	acaggaaaaa	ttaatataat	60
atcccccca	caaaagaaac	acttaacaga	ggcaagtgc	atataataat	ttatatctaa	120
aggggaatca	tgattataag	tccttcagcc	cttggactct	aaattgaggg	gattaaaaag	180
aattttaa	aattttgaac	gaatttat	ttccctcagt	ttttgagggc	attaaaaagg	240
cattaaatca	agacaaatca	tgtgcttgag	aaaaataaaa	ttaatgaaaa	cacagcactt	300

<210> 317

<211> 295

<212> DNA

<213> Homo sapiens

<400> 317

acactgtccc	actccatcac	ccaggctgga	gtccagtgg	gtgatcatag	ctcgtgcat	60
cctccagttc	ctgggttcaa	gccatccctc	ctgcctcagc	ctccccagta	gctggaacta	120
cagggtgtgtg	ccatcacacc	tggttttaca	ttttctgtgtg	gggacttact	atgttgccca	180
ggccggcctc	aaactcctga	gctcaagtga	tcctctgcct	cagcctccag	agtatctggg	240
attacatatg	tcggctaccg	tgtctggccg	ttcacatctt	tggccactat	ttgct	295

<210> 318

<211> 261

<212> DNA

<213> Homo sapiens

<400> 318

cctgaatata	aagaggagga	ggaagaccaa	gacatacagg	gagaaatcag	tcctcctgat	60
ggaaaggtgg	aaaaggttta	taagaatggg	tgccgtgtta	tactgtttcc	caatgggaact	120
cgaagggaag	tgagtgcaga	tggaagacc	atcactgtca	ctttctttaa	tggtgacgtg	180
aagcaggtca	tgccgaccca	agaannnnnn	nnnnnnnnnn	nnntngccnn	aacnnttcac	240
caaatncccc	gggggggctt	g				261

<210> 319

<211> 300

<212> DNA

<213> Homo sapiens

<400> 319

gggacctctg	cccaagaaag	cctgggtatt	gaccaagggt	tccccccac	tgagacagcc	60
tgagatatgg	cctcatggga	agggaaagac	ctgactgtcc	cccagcccga	cacctgtaaa	120
gggtcggtgc	tgaggaggaa	tagtgaagga	gggaggcctc	tttgagttg	agataagagg	180
aaggcttctg	tctcctgctt	gtccctggta	atggaatgtc	tcggtgtaaa	gctgaccatt	240
cccattcggt	ctattctgag	ataggagaaa	accgccctgt	ggctggaggt	gagatatgct	300

<210> 320

<211> 289

<212> DNA

<213> Homo sapiens

<400> 320

WO 99/33982

PCT/US98/27610

```
caccttgctt ggccaagggg ctagacctcc caggctaagc ctcagattca gtgcaggaca      60
caagctcatg ccccgctctt gccagtgaca cttgaagcct cccgacttcc acagagtgtt      120
tcaggacaca ttttgagtgg tattttcttt tctttttttt ttcttttttt ttttnnnnnn      180
nnnnnntngt tntgtnnccc aggctgnann gcaggggcct gatntnggnt aantgnaacc      240
ttngcctcen aggttaaagc nattttttng cctaancctc naaagtacc      289
```

<210> 321

<211> 300

<212> DNA

<213> Homo sapiens

<400> 321

```
gaaagaccga gatagagaga gagacagaga cagagagcga gaccgtgatc gggacagaga      60
aagagaacgc accagagaga gagagaggga gcgtgatcac agtcctacac caagtgtttt      120
caacagcgat gaagaacgat acagatacag ggaatatgca gaaagagggt atgagcgtca      180
cagagcaagt cgagaaaaag aagaacgaca tagagaaaga cgacacaggg agaaagagga      240
aaccagacat aagtcttctc gaagtaatag tagacgtcgc catgaaagtg aagaaggaga      300
```

<210> 322

<211> 300

<212> DNA

<213> Homo sapiens

<400> 322

```
cgccctttaa ctgcagttct gctctatttt cttttctctc tctggagctg agagtcagag      60
ggcccttctc ctctctcttt cagcccccaa cactaagctg atggattgat aaatacctca      120
gccctctgcc ttctcaacc cacctggcaa gtcttcttag gatctgatcc cagttttctg      180
gaagcaatcc taccacagcc caagcttccc aagagtcgag ccttaatcct tctcacttct      240
cagtgtcaga gcagaaatga atcctggggt tgactgtgtc cattcggggt attagcagct      300
```

<210> 323

<211> 300

<212> DNA

<213> Homo sapiens

<400> 323

```
agattatgag catgtagaag atgaaacttt tcctcctttc ccacctccag cctctccaga      60
gagacaagat ggtgaaggaa ctgagcctga tgaagagtca ggaaatggag cacctgttcc      120
tgtacctcca aagagaacag ttaaaagaaa tatacccaag ctggatgctc agagattaat      180
ttcagagaga ggacttccag ccttaaggca tgtatttgat aaggcaaaat tcaaaggtaa      240
aggtcatgag gctgaagact tgaagatgct aatcagacac atggagcact gggcacatag      300
```

<210> 324

<211> 300

<212> DNA

<213> Homo sapiens

<400> 324

```
gtctgagaag tcaaggatcg ggggtctggc ctattcagtt cctggtaagg gctgtcttcc      60
tggtctgcag ttgaactact tcttgctgtg tcttcacaag catgccccca tcctgtgccg      120
ataagaactc cagaccccaa actcagctca tacacacacg gaagagagaa gcactctgaac      180
```

WO 99/33982

PCT/US98/27610

atcaagaaga gaagaagctg ctggacatca gaaactgtga aaggagagga gtttggtga 240
gctccagggg aagactgcct gcacattcta tcccccttcc agttcccat cctgctgtca 300

<210> 325
<211> 283
<212> DNA
<213> Homo sapiens

<400> 325
gtccgaagaa aaagactgtg gtggcggaga tgctctctcc aatggcatca agaaacacag 60
aacaagtttg ccttctccta tgttttccag aaatgacttc agtatctgga gcatcctcag 120
aaaatgtatt ggaatggaac tatccaagat cacgatgcca gttatatatta atgagcctct 180
gagcttccta gacgcctaa ctgaatacat ggagcatact tacctcgtcc acaaggccag 240
ttcactctct gatcctgtgg aaaggatgcn nggtgttagc tgc 283

<210> 326
<211> 300
<212> DNA
<213> Homo sapiens

<400> 326
atgacatcct cattatccac actgcaaagc caaccatccc tatgatgggt tcattgtgga 60
tcattgactta gtgggtcaag agtttggaag tggctcagct gggcggttct tctgctccat 120
gtggctgcca gatggtaccc tgctgggtggg cagtctggtc tagaggggtcc atgatggctt 180
tactcacatg cctggcatct tgacagggac agctggaagg caaggttcag ctgggactgt 240
ccacagagct cctccctgtg gcctttccag catgggtggtc tcagggtagc tggacttctc 300

<210> 327
<211> 300
<212> DNA
<213> Homo sapiens

<400> 327
ggtagactgg ctagggatcc tggacccagg gttccacgta gcaacacctg ctgagttctc 60
tgggttttct tctgcctca tgtagcccag acttggagct gaagaagctg gaaacatgga 120
aacaccaaca gctacagacc aaaaaaagtc ccaacaaagg cctgtcagtc tgccagcctg 180
ttctgtggat ttccaactca agattgcagc atcaactcac acctgaagtt ctggcttccc 240
tacaaacttt gaacttgcca gtccccacaa tggcataagc caattcctta aaatgaatgt 300

<210> 328
<211> 300
<212> DNA
<213> Homo sapiens

<400> 328
gtcacaggca ggtttaatgg ccagtttaaa acttatgcta tctgcggggc cattcgtagg 60
atgggtgagtg tttcctggg ctttgctcat cacttcggga catcgtggac tttaccgtgc 120
gcattggagt gtgtgatggg gcctgagtag atctgctggc agagtagttt gagccagctg 180
gactgggctg gccgcctgcc gcttcttgag ggtggaagag ggggtgctctg agaagacact 240
caggcagcag actctgcctc tcaacttaagg tgcccccccg acccgcctcc accatagtc 300

WO 99/33982

PCT/US98/27610

<210> 329
<211> 300
<212> DNA
<213> Homo sapiens

<400> 329
ttttgggtcgt ctttaatttg tctcatcagt gctccatgt gtttttgatg cttttgaact 60
ggatattttta aaatttcaat ttctaattgt tcattataga aacacaattg ggtttttatat 120
attggcattg tattttgcaa ctttcctaaa ctactagta attctagtag ctttttttgg 180
tagattctta aggattttct gtgtaaatag tcatgtcatt tgtgaataaa gccatttttt 240
tttccttttc aaattttgtg cctttttattt cttattctta ccatatcaca ttggcaaaga 300

<210> 330
<211> 300
<212> DNA
<213> Homo sapiens

<400> 330
tcaaggatcg ggggtgctggc ctattcagtt cctggtaagg gctgtcttcc tggcttgacg 60
ttgaactact tcttgctgtg tcttcacaag catgccccca tctgtgcccg ataagaactc 120
cagaccccaa actcagctca tacacacacg gaagagagaa gcactctgaac atcaagaaga 180
gaagaagctg ctggacatca gaaactgtga aaggagagga gtttggctga gctccagggg 240
aagactgcct gcacattcta tccccttttc agttcccat cctgctgtca gccacattta 300

<210> 331
<211> 300
<212> DNA
<213> Homo sapiens

<400> 331
accgccctgt ggctggaggt gagatatgct ggcagcaata ctgctctgtt actccttgct 60
acactgagat gtttgggtaa agagaaacat aaatctagcc tacgtgcaca tctgggcaca 120
gtacctttcc ttgaacttat tctgtatata gattcctttg ctacatgtt tccctgctga 180
ccttcttccc acctgttgcc ctgtacact ccctcgtga agacagtaaa aataatgatc 240
aataaatact gagggaaactc agaggccagc gccggtgcgg gtcccccca tgctgagcgc 300

<210> 332
<211> 300
<212> DNA
<213> Homo sapiens

<400> 332
ggaaaaacaa caggtttgag tcctataaag ccataattta actccagtag ctgatgtcag 60
acaagcttgt cctatgtcct atttgagtgg cagcagcgcc agcccagcaa gaaggctggg 120
ggttgctcaag gttgtcccca gaccttgctt gcagtgggtg gagaaccag ggggctgcct 180
tgggccctct ggccagaggg aagcgggcag ctctagccct ggagattgtg gtcacattgg 240
ggcttgttta ggattggagg gccaggtcac ctccccagcc accctccctt ctctcctctg 300

<210> 333
<211> 300
<212> DNA

WO 99/33982

PCT/US98/27610

<213> Homo sapiens

<400> 333

cctcctactc	ccaaacaaat	ctttggggaa	aaaaaaacta	ccaactgtca	gccatggggc	60
tgacggcgct	aagctctggg	gctccgtgca	ctgacgtggg	gccagccaca	gggagggggg	120
gatcaagtag	cggaggccag	gattttggcc	acctcccg	caagttgcag	ggcagtggcg	180
ccgggagcaa	aagcagcatg	atgcagctca	tgcacctgga	gtccttttat	gaaaaaacct	240
cctcctgggc	ttatcaagga	agatgacact	aagccagaag	actgcatacc	agatgtacca	300

<210> 334

<211> 262

<212> DNA

<213> Homo sapiens

<400> 334

gccatgcccc	tttgtttact	cattgtctat	ggttgctttc	atgccctcac	agcaaaggcg	60
agtagttgtg	atggatcaaa	tgccccacaa	agcctgaaat	atttactctt	tgacctttta	120
cagaaaaaaa	ccttgttgac	ccctgcttta	gagaatgaga	agccatgcag	ggatcagtga	180
tgccagagga	agggaaaggaa	ctgcttccag	ctattgtgac	aataataata	ataataatat	240
tgggtctttg	actagaacgt	gt				262

<210> 335

<211> 300

<212> DNA

<213> Homo sapiens

<400> 335

tctnttctcn	ntattnttgn	gtagtnccctc	ntttccttgt	ncnntnntcn	nctnttgnet	60
tttgccggacc	ctcgattcta	tctcatatga	gtgagaacgc	ttaccagtgc	agcgaatgtg	120
ggaaagcctt	ccgagggcac	tccgactttt	ctaggcatca	gagtcaccac	agcagtgaga	180
ggccttatat	gtgtaatgaa	tgtggaaaag	ccttcagcca	gaactcgagc	cttaaaaagc	240
acccaaaagtc	tcacatgagt	gagaagccct	atgaatgcaa	tgaatgtggg	aaggctttta	300

<210> 336

<211> 300

<212> DNA

<213> Homo sapiens

<400> 336

gaggacccac	tccccagga	ctcctttgaa	ggcgtggacg	aggacgagtg	ggactagcct	60
gcgcccccg	cacctccacc	tcacctgtgc	tgccacttcc	tagtgcacac	ctcacggctc	120
atcctcaagc	tggaaagatac	ctctctggcc	ccggcacatg	tcacctctgc	actcctgcct	180
tcccgtgggc	acttccacat	cctctgggcc	tctggcagtt	cccagggact	gttttcacct	240
ctgctgtctc	tggggtcagc	tgctgctcat	cagctgcccc	ctagcatgtg	gccaggggtg	300

<210> 337

<211> 300

<212> DNA

<213> Homo sapiens

<400> 337

WO 99/33982

PCT/US98/27610

```

agacaaccca gaaacaaatt catacatcta tgggtgaccac ttttgacaaa ggaatgaaga      60
acatacactg gggaaaagat aatgtcttta ataaatggtg ctgggaaaac tggatatcca      120
tatgcagaag aatgaaacta gacccccatc tcttagcata tacaaaaatc aaaattaatt      180
aaaaagttaa atctaagacc tcaaactatg aaacagctaa aagaaaacat cggggaatct      240
ctccaggaca ttggagtggg caaagatttc ttgtgtaata cctgacaaac aggcaaccaa      300

```

<210> 338

<211> 292

<212> DNA

<213> Homo sapiens

<400> 338

```

tcaataacca tgaagatgca tectaccacc gtcagggcaa tcattagata gctgatcttc      60
actcgcatct tcatggttat tgagggcaag aaggctgccc aaagacacga gactttaaca      120
agcttgaact tagaaaagaa agctcgtctg aaagaggaag cagctatgaa ggccaaaaca      180
gagtagcaga ggtatccgtg ttggctggat tttgaaaatc caggaattat gttataacgt      240
gcttgattta aaaaggatgt ggtacgagga tccatttcat aaagtatgat tt              292

```

<210> 339

<211> 300

<212> DNA

<213> Homo sapiens

<400> 339

```

gaaatttgca ctgatggctc agaaggetta cgtcatggag agtatgacct acctcagagc      60
agggggggct ggaccaacct ggctttcccg actgctccat cgaggcagcc atggtgaagg      120
tgttcagctc cgaggccgcc tggcagtgtg tgagtgaggc gctgcagatc ctggggggct      180
tgggctacac aagggaactat ccgtacgagc gcatactgcy tgacacccgc atcctcctca      240
tcttcgaggg aaccaatgag attctccgga tgtacatcgc cctgacgggt ctgcagcatg      300

```

<210> 340

<211> 300

<212> DNA

<213> Homo sapiens

<400> 340

```

ctcagngcan cgatcatggc tcagtgcagc ctcaaactct tgggctcaan canagcgggn      60
acctcaacct cctgagtagc taggactata ggcacacagc accatgcccc ggctatTTTT      120
ttatTTTTgt gagatggggg ctcaactatgt tgcccaggct agtcttgaac tccctggcctc      180
aagcaatcct ccacctcgg cctcccaaag tgctgggatt aaaggcgtga gccaccgtac      240
ctggcccttg gtggaatctt tagggttttc tattcataca tataaaatca tatcattggc      300

```

<210> 341

<211> 296

<212> DNA

<213> Homo sapiens

<400> 341

```

atccagggtgt ttctgatgca cagtgaatatt ggggtaccac tgggtattagg ttgggtatgg      60
caactTTTTc atcaacttgtt ttatgtagtt gtctgatcaa ttgtgaaaac ataatgaatg      120
ttggaaatgg aacagtaaaa taacgaaagc caactTTTTt tttttttttt tttnnnnnnnn      180

```

WO 99/33982

PCT/US98/27610

nnnnnnnnnt tnnccccng ncnngnanngc aggggcccac nntnggntnn ntgnancnc 240
cncncccggg ntnnnccct ttntcnngcc taaccnccc nagnacnngg aactac 296

<210> 342

<211> 300

<212> DNA

<213> Homo sapiens

<400> 342

ggcacgatca tggctcattg cagcctctaa ctccggggct caagcaatcc tcccacctca 60
gcctaccaag tagctgtgac cacagctgcc cctcaccatg ctaagctaatt ttttttaatt 120
agatagtaca taaacgtccc aaaattagaa gataaaaaga catgagggat ccatttctaatt 180
ttgtgttttg agtgtaatgg tccagctcca ttcttctgca catggatatc cagttttaca 240
caacactgtg aatgtaatga atgccactga atcatact caaaaatagc taaaatggca 300

<210> 343

<211> 300

<212> DNA

<213> Homo sapiens

<400> 343

gttttcatca ctacatattc tacacacact gggaagctct gacaacttat tccctgctat 60
tatcaactaa agatcacctt ttctactgct gtctctggag caggagctgg caaactatgg 120
cctgctgtct gttttgtac agttttactg aaacacagcc atgcccattt gtttactcat 180
tgtctatggt tgctttcatg cctcacagc aaaggcgagt agttgtgatg gatcaaattg 240
cccacaaagc ctgaaatatt tactctttga ccctttacag aaaaaaacct tgttgacccc 300

<210> 344

<211> 300

<212> DNA

<213> Homo sapiens

<400> 344

ccccaacctg cactctaccc acccccatca cctactccag ctcccaactt ttgtggactg 60
agcgcccgca gagactgggt cgccttggat tccctctgcc tccgaggacc ccaaaagaca 120
cccccaacc caggccagcc ggccctgctc tggcgctcc aaaatactac ctacacagc 180
cctctgctcg aggcaccccc aaactaccta tgtatccagc ccagagggc ctccattccc 240
aggaagtccc tatgtatccc aacactggca gacaccagc accaccctcc cagacccgca 300

<210> 345

<211> 300

<212> DNA

<213> Homo sapiens

<400> 345

ccccatcac ctactccagc tcccaacttt tgtggactga gcgcccgag agactgggtc 60
gccttggatt ccctctgctt ccgaggaccc caaaagacac ccccaacccc aggccagccg 120
gcctgctct ggcgctcca aaatactacc tagcacaggc ctctgctcga ggcaccccca 180
aactacctat gtatccagcc ccagagggcc tccattccca ggaagtccct atgtatccca 240
aactggcag acaccagca ccaccctccc agaccgcaa gaaagtgaat ctactacta 300

WO 99/33982

PCT/US98/27610

<210> 346
<211> 300
<212> DNA
<213> Homo sapiens

<400> 346
gtccacggtg ctgaacatca tcattcttga agactgtagg aaccagtggc ctatgtcccg 60
accactactt ggcttgatat tgcttaatga aaagtatttt tctgacctaa gaaacagtat 120
tgtgaacagc cagccaccgg agaagcagca ggccatgcac ctgtgttttg agaacctgat 180
ggaaggcatc gagcgaaatc ttcttacgaa aaacagagac aggttcaccc agaacctgtc 240
agcattccgt cgagaagtca acgactcaat gaagaattcc acttatggcg tgaatagcaa 300

<210> 347
<211> 300
<212> DNA
<213> Homo sapiens

<400> 347
gctctgagcc caggcgaggc cagggacatg gccatggacc tgtgtcggca ggaccccgag 60
tgtgagttct acttcagcct ggacgcccac gctgtcctca ccaacctgca gacctgcgt 120
atcctcattg aggagaacag gaagggtgatc agaccccatg ctgtcccgcc acggcaagct 180
gtggtccaac ttctggggcg ccctgagccc cgatgagtac tacgcccgtc ccgaggacta 240
ctgggagctg gtgcagcgga agcgagtggg tgtgtggaat gtaccataca tctcccaggc 300

<210> 348
<211> 300
<212> DNA
<213> Homo sapiens

<400> 348
gttctgtggc tggcatggtc tgccctgctac tggagagatc tcctgagaat tcaggtttgg 60
attggtgctg tcattcttct gggaatgctt gagaaagctg tcttctatgc ggaatttcag 120
aatatccgat acaaaggaga atctgtccag ggtgctttga tccttgacaga gctgctttca 180
gcagtgaaac gctcactggc tcgaaccctg gtcacatag tcagtctggg atatggcatc 240
gtcaagccac gccttgaggt cactcttcat aaaggtttag tagcaggagc cctctatctt 300

<210> 349
<211> 300
<212> DNA
<213> Homo sapiens

<400> 349
gtcagctttt gatgaagcta tgtcactatg tcgatatcat ccttccaaag ggnattggtg 60
gcacttcaaa gatcatgaag agcaagataa agtcagacct aaagccaaaa ggaaagaaga 120
accaagctct atttttcaga gacaacgtgt ggatgcttta ctttttagacc tcagacaaaa 180
atttccaccc aaatttggtc agctaaagcc tggagaaaag cctgttccag tggatcaaac 240
aaagaaagag gcagaacctt taccagaaac tgtaaaacct gaggagaagg agaccacaaa 300

<210> 350
<211> 270
<212> DNA

WO 99/33982

PCT/US98/27610

<213> Homo sapiens

<400> 350

ccatgctgnt aacgggtttc aaggggactc ttgaggaant gccccctaaa atagaacaca	60
gcaatanggn gggcttcctg tccccaggnc cccccacag tgctntntgg cactggnaac	120
tctgctangg agngantgna nnnnaccant aannnnnnan nnatcnacan nnnnnnnn	180
nnnnnnentn tnncnannn ntannctncc ntannnnanc cnnccannan cactcnat	240
naacgnnnnn ttantgagan nttctcaact	270

<210> 351

<211> 300

<212> DNA

<213> Homo sapiens

<400> 351

aaatgactcc ctgcaaaacc caacccatgc tgctggctgt gggatttttg gtgtaagcct	60
atctatgcac tctatcagcc agaatttggc atttagctct tagttaaatc tagtaaagga	120
cagtctattg tttaaagaga aggtgcattt gttcctcaat caagcaagag cacctgtgtt	180
gtactgcttt atatctcatg tatatttata gtaatgaaaa gactttttta attgtacacg	240
tttcagtgcc tttcttgtgt tatgaaaggc aggtagatat tatagccata ggtaaaaatc	300

<210> 352

<211> 300

<212> DNA

<213> Homo sapiens

<400> 352

aagaaatgcc tctatgtagg tgaagtgttc tctctgcatg caacagtaaa aattaatata	60
atattttccc cacaaaagaa acacttaaca gaggcaagtg caatttataa atttatatct	120
aaaggggaat catgattata agtccttcag cccttgact cttaaattgag gggattaaaa	180
agaatttaaa ataattttga acgaatttat tttccctca gtttttgagg gcattaaaaa	240
ggcattaaat caagacaaat catgtgcttg agaaaaataa aattaatgaa aacacagcac	300

<210> 353

<211> 300

<212> DNA

<213> Homo sapiens

<400> 353

cccacactcg gacactgtgg aattctacca ggcctgtcg accgagacac tcttcttcat	60
cttctactat ctggagggca ctaaggcaca gtatctggca gccaaggccc taaagaagca	120
gtcatggcga ttccacacca agtacatgat gtggttccag aggcacgagg agccaagac	180
catcactgac gagtttgagc agggcaccta catctacttt gactacgaga agtggggcca	240
gcggaagaag gaaggcttca cctttgagta ccgctacctg gaggaccggg acctccagt	300

<210> 354

<211> 299

<212> DNA

<213> Homo sapiens

<400> 354

WO 99/33982

PCT/US98/27610

```

gaaggaggac ctaggcacac acatatggtg gccacaccca ggagggtagt ggggagttag      60
atttcagagt ccaggcccta ggttgggacc cactccaaat aatctcctcg gtgtgggtgg      120
tggtttctata gagggataaa tgaataataa acattgttaa aatatacgaa aaaaaaaaaa      180
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa      240
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaacnncn ncnananaaa aaaaaaaaaa      299

```

<210> 355

<211> 300

<212> DNA

<213> Homo sapiens

<400> 355

```

actgttcatc ctaagttcca ctataaacag gctcatgact cgggcacaga cacttcttgc      60
gtgacttttt cctatgatgg taatgtcctt gcctctcgtg gaggtgacga ttcattaaaa      120
ttatgggaca tccgacaatt taataaacca cttttttcag cctcgggtct tcccaccatg      180
ttcccaatga ctgactgctg tttcagtcca gatgataagc tcatagtcac tggtagatct      240
attcaaagag gatgtggcag cggcaaaactt gttttctttg agcgtaggac tttccaaagg      300

```

<210> 356

<211> 300

<212> DNA

<213> Homo sapiens

<400> 356

```

ttcagaaaaga aacattttaat agggacttac aaacaaatta atgtctgagt ctcagggtggc      60
agcaagacaa gatggtggat ccccatgcc a ttacctgcta gactcagggt ttatatactg      120
tagtggagag gtgattccga aggaatggtg taagacaatt gaagagcagt aacatcaaag      180
ttatttgacc taagggcagg agttacagta agtatccact tttatacaag aaacaataga      240
taaactggaa atcttgagc ccttcctgga actgggggta atgagaagtc aacatggttg      300

```

<210> 357

<211> 300

<212> DNA

<213> Homo sapiens

<400> 357

```

acaaaaccta cagatggaga taaaaattac tactgttatt caacatgtgt tccagaacct      60
tattttgggg agtaaagtca attgggcaga ggatcctgcc cttaaggaaa ttgttctgca      120
gcttgagaag aatgttgaca tgatgtaata agaattcatt tctgacatat tttacatttc      180
tggcaatctc aactcttatt tggaataactt ctgtgcattt gtctgtccac cgtaatttta      240
gaaaagcata tccataacgt ttacagttgt agtacagttg tggttagtta tttgtagtgg      300

```

<210> 358

<211> 300

<212> DNA

<213> Homo sapiens

<400> 358

```

ggtgattaca gaagcccaga aggttgatac cagagccaag aacgctgggg ttacaatcca      60
agacacactc aacacattag acggcctcct gcattctgat gaccctgcac ttgatggacc      120
agctggcacc acccagatca ataaactggc ttattttgaat ttgcggcccc ccaccaggga      180

```

WO 99/33982

PCT/US98/27610

actgactcag tgcaagaaga cagcttcgac tccctgtgat ttcattctctg accaatccgc 240
actcctgggt cactggcttc cccaacccat gaagttttcc ttaaaaactc tgctcccgaa 300

<210> 359

<211> 300

<212> DNA

<213> Homo sapiens

<400> 359

atcaggtgtt cctcccatgg caggagggaa gaaacccagc aaacggccag cctgggactt 60
aaagggtcag ttatgtgacc taaatgcaga actaaaacgg tgccgtgaga ggactcaaac 120
gttggaccaa gagaaccagc agcttcagga ccagctcaga gatgccagc agcaggtcaa 180
ggccctgggg acagagcgca caacactgga ggggcattta gccaaaggta aggccaggc 240
tgagcagggc caacaggagc tgaagaactt gcgtgcttgn gtcctggagc tggaagagcg 300

<210> 360

<211> 300

<212> DNA

<213> Homo sapiens

<400> 360

tctgtctggt gatttttatt ttaagtgaac ctttggatct atctttaact ctctttattg 60
tgagtggtaa attccaattc tgcagcagat cagtaaacctc acagtatttt tccgtggaa 120
atctattcaa taaggaaacc aagacaggat aataaaattt aaaaaaaac aactttgaat 180
tccccctgct aggtcttcca gttgttttcc agcgcatacc tcaggtatga ctttgctagc 240
cggggacaaa attagcacct tccgattctc tagtccaaat gaactttgtg ctaaataaaa 300

<210> 361

<211> 300

<212> DNA

<213> Homo sapiens

<400> 361

gtagaacaga aaatgagcat ccgatttctt cactaaagga gaccaaactg ttcccttgcgg 60
tctagtattg aagaactgga acttgaaagt cctccttcta ccaactccac ctccaccccc 120
tcattcccct tctcccaaag tactactgct gttgcatgac aaccccaa atgttctgtc 180
aacacaaacc tgcctttggt gtataaacag ggcattacag aatggtacac cctatatatt 240
tctgttcagt atccattcac tagttcttca ttataaata tcattcttccc cattctgctg 300

<210> 362

<211> 300

<212> DNA

<213> Homo sapiens

<400> 362

actacccggg ctacggttcc cccatgcctg gcagcttggc catggggccc gtcacgaaca 60
aaacgggcct ggacgcctcg cccctggccg cagatacctc ctactaccag ggggtgtact 120
cccggcccat tatgaactcc tottaagaag acgacggcct caggcccggc taactctggc 180
accccgatc gaggacaagt gagagagcaa gtgggggtcg agactttggg gagacggtgt 240
tgagagagc caagggagaa gaaatccata acacccccac cccaacaccc ccaagacagc 300

WO 99/33982

PCT/US98/27610

<210> 363
 <211> 271
 <212> DNA
 <213> Homo sapiens

<400> 363
 ggcaattagc ctcgcttaag ttgccttttt tacacaccaa aacttttttac atgaagggtc 60
 ggtttcacat gaatactata ctgaaatctg tgctctcaag atctagcagt gaccagggtc 120
 gcccggcggg ggctctctctg gcaagtcagg aaggtnnnnn nnnnnnnnnn nnnnnnnnnn 180
 canattantn nctgatcttc tntnangaan nnnngantngc tctnttggnc nttgtnnnnn 240
 gncntnnnnnt naantntttt ntnatgtngc t 271

<210> 364
 <211> 300
 <212> DNA
 <213> Homo sapiens

<400> 364
 agaggaccct gcagttaggg ggtgttactt tgtcgcccag gatggcctgg acccccaggt 60
 tcagggatcc tcccgcgct gcttcctgag tagctgggac ctcaggcttc cgcctcgtgc 120
 ccgcacccct gctgtgttta ggcagcaggt ggtgacctca ctctccctg gcctgagctc 180
 tccgtccgc atcccaggcg gaggccctag ggaacacttt gaagctgagc acggggtgga 240
 ccctccctcc tgagtgaatg gagaatagaa agggagagga tttctgttct gttctgtggg 300

<210> 365
 <211> 300
 <212> DNA
 <213> Homo sapiens

<400> 365
 gttcttcaaa gccaaccaag acaggcttag cagttttaga gcttcagaac aaattgccaa 60
 aagccagagt tgtttatgct agtgcaactg gtgcttctga accacgcaac atggcctata 120
 tgaaccgtct tggcatatgg ggtgagggtg ctccatttag agaattcagt gattttattc 180
 aagcagtaga acggagagga gttgggtgcca tggaaatagt tgctatggat atgaagctta 240
 gaggaatgta cattgctcga caactgagct ttactggagt gaccttcaaa attgaggaag 300

<210> 366
 <211> 300
 <212> DNA
 <213> Homo sapiens

<400> 366
 gccagtcctc accttcctta gtctcgtgt gtatttttag agatgcgtgg gtgtggaaca 60
 gcctcctgcc tccggtccag gtgtactggg gtctgtgtgt tgtgtttctg cgtgttctcg 120
 gcagaaagtg gcatgctgtc ccgcctgggt gatattgctt ttacactat tgctgaagga 180
 caggaacgaa tccctatcca caagttcacc actgcactaa aggccactgg actgcagaca 240
 tcagatcctc ggctccgaga ctgcatgagc gagatgcacc gcgtggtcca agagtccagt 300

<210> 367
 <211> 300
 <212> DNA

WO 99/33982

PCT/US98/27610

<213> Homo sapiens

<400> 367

cattgccaga	gagcggtttc	agcaagctgc	agatctgatt	gatgctgagc	aacgaatgaa	60
gaagtccatg	tggggtcagt	tctgggtctgc	tcaccagagg	ttctttcaa	atttatgcat	120
agcatccaaa	gttaaaagg	ttgtgcaact	agctcgagag	gaaatcaaga	atggaaaatg	180
tgttgtaatt	ggctctcagt	ctacaggaga	agctagaaca	ttagaagctt	tggaaagagg	240
cgggggagaa	ttgaatgatt	ttgtttcaac	tgccaaaggt	gtgttgca	cactcattga	300

<210> 368

<211> 300

<212> DNA

<213> Homo sapiens

<400> 368

gccccggccc	gagacgctgg	cgacgctttc	gccccctgagg	tagtttggcg	accgcgaaga	60
aggaaaaagg	gcgggcgggc	ggctgtcttc	tcacgctcct	caccccgcca	ggccccggcc	120
gctcctccgt	cgtggatttc	gcggcgatcc	ccccggcagc	tctttgcaaa	gctgcttgaa	180
acttctccca	aactcggcat	ggatacgact	gcggcgggcg	cgctgcctgc	ttttgtggcg	240
ctcttgctcc	tctctccttg	gcctctcctg	ggatcggccc	aaggccagtt	ctccgcaggt	300

<210> 369

<211> 300

<212> DNA

<213> Homo sapiens

<400> 369

gtggggtgtg	cctcgtgtgc	gtggattcgt	gtgtgtgtgt	gtgtcttgta	tatgtgtgog	60
cagagtgc	cattttcaga	ctctactatt	tccgtcaagt	attctgtttg	atttgatca	120
tctcaggatc	ggattctgtt	ttagagtgtt	tctgggccag	gatccggggc	cctgccctcc	180
tctgcacctg	accacactcc	ctactcagg	ctagtctgtt	cttcccggac	atcttctggt	240
agccgtgcag	gagagggctg	ggtagggcag	aggccacaga	ggggacctgg	tgtgtcacct	300

<210> 370

<211> 273

<212> DNA

<213> Homo sapiens

<400> 370

cagaggctgg	ttcagaaaag	gaggaagagg	cccggctggc	agccctggaa	gagcagagga	60
tggaggggaa	gaagcccagg	gtgatggcag	gcaccttgaa	gctggaggat	aagcagcggc	120
tggcccagga	tgaggagagt	gaggcctagc	gcctggccat	tatgatgatg	aagaagctnn	180
nnnnnnnnnn	nnnnnnnnnc	atcatgtccn	ntgcattggc	acctatccca	tatttnatnt	240
ccctnncggt	gnttcnaatt	ncacattntc	ttt			273

<210> 371

<211> 300

<212> DNA

<213> Homo sapiens

<400> 371

WO 99/33982

PCT/US98/27610

```
gatgaggagt gtttaatcat tgatacagaa tgtaaaaata atagtgatgg aaagacagct      60
gttgtgggtt ctaacttaag ttccagacca gctagtccaa attcttcctc aggacaggct      120
tctgtaggaa accagactaa tactgcttgt agtcctgaag agtcatgtgt tttaaaaaaa      180
cctatcaaac gagtatataa aaaatttgat ccagttggag agatttttaa aatgcaggat      240
gagctcttaa agccaatttc cagaaaagta ccagaattgc ccttaatgaa tttagaaaat      300
```

<210> 372

<211> 300

<212> DNA

<213> Homo sapiens

<400> 372

```
gggccccaat gcagctgcc tctccagata cctggcagcc tcatatatca gccaaagcct      60
ggctcgggcg caggggcctg ggggaggggc cccgcagcc tcccggggct cctggtcctc      120
tgctcccaag tcacgggcat cttegcgcgc ccccagccc cagccaccac ctccgcagc      180
caggcggtct agctatgcca cgacggttaa catccacgtg ggcgggggtg ggcggctgcg      240
gccagccaag gccaggtcc ggttgaacca cctgtctctc ttggcctcca cacaggaatc      300
```

<210> 373

<211> 300

<212> DNA

<213> Homo sapiens

<400> 373

```
accctttctg cttctgttt gggaccagc tgggtgtctt tggtttgctt tcttcaggct      60
ctagggtgtg gctatccaat acagtaacca catgcggctg tttaaagtta agccaattaa      120
aatcacataa gattaaaaat tccttcctca gttgcactaa ccacgtttct agaggcgtca      180
ctgtatgtag ttcatggcta ctgtactgac agcgagagca tgtccatctg ttggacagca      240
ctattctaga gaactaaact ggcttaacga gtcacagcct cagctgtgct gggacgaccc      300
```

<210> 374

<211> 300

<212> DNA

<213> Homo sapiens

<400> 374

```
tcaaggccta cgaacaggtg atgcactacc ccggtacgg ttcccccatg cctggcagct      60
tggccatggg cccggtcacg aacaaaacgg gcctggacgc ctgcacctg gccgcagata      120
ctcctacta ccagggggtg tactcccgcc ccattatgaa ctctcttaa gaagacgacg      180
gcttcaggcc cggctaactc tggcaccgac gatcgaggac aagtgagaga gcaagtgggg      240
gtcgagactt tggggagacg gtgttgacga gacgcaaggg agaagaaatc cataacaccc      300
```

<210> 375

<211> 300

<212> DNA

<213> Homo sapiens

<400> 375

```
cttcagtgca cacaacagga gagaggagaa agaagaaacg ctagtaattc caagcactgg      60
aattaagttg cttcatcag tgtttgcttc agagtttgag gaagatgttg tgattgttaa      120
ataaagcagc tccagtttca ggacctcgac tggattttga tcttgacatt gttgcagctc      180
```

WO 99/33982

PCT/US98/27610

```

ttgatgatga ttttgacttt gatgatccag ataatctgct tgaggatgac tttattcttc      240
aggccaataa ggcaacagga gaggaagagg gaatggatat acagaaatct gagaatgaag      300

```

```

<210> 376
<211> 300
<212> DNA
<213> Homo sapiens

```

```

<400> 376
gggagactgg ggtctatttc acccctgcag tctcgaccat aagagatggc tacacccagg      60
ggggccagtt cagagaccca ctcccagggtg tgcattctct ttctcaagga tgttccttgc      120
tgagaaaaag aattcagtga ttttctccc atttgcttgt gaaagaagag aaatgtggct      180
ttgttcaccc tggctcaccc gcggtcagaa tttaaggtta tctctcttgt ttctaaaca      240
ttgctgttat cctgttcttt tttcaagggtg ccagatttc atattgctca aacacacatg      300

```

```

<210> 377
<211> 300
<212> DNA
<213> Homo sapiens

```

```

<400> 377
gatcagccca cctcggcctc acaaagtgtc gggattacag gcgtgagcca ccttgcccag      60
cccacatcat acagtttgaa atgaaacttt gccacaacca gcctttgctg tagcacacac      120
atatatcact gaacctgttt gaaataaagt ttttttcttt ttctctctgg tattctgggt      180
tctgaagtct ggtattctgg tattctgggt tcaaaagtat gacttgagag tgttgctctg      240
gtattctgag agttgctctg tattctgggt tctgaagatt atttgaaaaa taactcttac      300

```

```

<210> 378
<211> 300
<212> DNA
<213> Homo sapiens

```

```

<400> 378
tcgctgtgat ccaaggataa aaaagttcaa ggaagaagaa aaagccaaga aagaagcaga      60
aaagaaagca aaagcagaag ctaaacggaa ggagcaagaa gctaaagaaa acaaagaca      120
agctgaatta gaagctgctc ggtagctaa ggagaaagaa gaggaggaag tcagacagca      180
agcattgctg gcaaagaagg aaaaagatat ccagaaaaaa gccattaaga aggaaaggca      240
aaaacttcga aactcatgca agacctggaa tcatttttct gataatgagg cagagcgggt      300

```

```

<210> 379
<211> 300
<212> DNA
<213> Homo sapiens

```

```

<400> 379
acactataga atacaagcta cttgttcttt ttgcaggatc ccatcgattc gaattcggca      60
cgaggcagct tcgagccaat ggtgagctcc ttctggatca gctccttcag ctcttcttg      120
ctcaggatgc tgaaattgca aggctgatgg aagacttggc ccggaacaag gaccaggagg      180
tgaaacttcca ggagtatgtc accttctctg gggccttggc tttgatctac aatgaagccc      240
tcaagggctg aaaataaata ggaagatgg agacaccctc tgggggtcct ctctgagtca      300

```

WO 99/33982

PCT/US98/27610

<210> 380
<211> 296
<212> DNA
<213> Homo sapiens

<400> 380
acctggacag ggccagctgc tgggggagcg gcactgggga ctggaggctg gaagcgggtg 60
gtgtgtgtcc cctgtttact tttagctgag ctggggttg gtgtacgggt tctgttcctc 120
tgagccctgc ggcccacctg atgtttacgt gtgtgtgtga gggggggcnn nnnnnnnnnn 180
nnnnnnnnnn ngtnatangc ttaacanatg nanagncnac tnactnctga ttntttatnc 240
atttgtgcat tnaaactatg cttttncgat cttnctgntg nnatnacngg catgat 296

<210> 381
<211> 300
<212> DNA
<213> Homo sapiens

<400> 381
cagaaaagag tatagtaggg atgaccaagg tcaaagtggg taaagaagac tcatcatcca 60
ctgagtttgt agaaaaacgg agagcagctc ttgaaaggta tcttcaaaga acagtaaaac 120
atccaacttt actacaggat cctgatttaa ggcagttcct ggaaagtcca gagctgccta 180
gagcagttaa tacacaggct ctgagtggag caggaatatt gaggatggtg aacaaggctg 240
ccgacgctgt caacaaaatg acaatcaaga tgaatgaatc ggatgcatgg tttgaagaaa 300

<210> 382
<211> 300
<212> DNA
<213> Homo sapiens

<400> 382
gccaccggtc tcttcctaata ctgcacagac tattttgggt atttctgggc gggcagttcc 60
tttgcattgt tcgggagagg tttgctgatt tggggcttat atgtcaggcc tttggtttgc 120
gtcttatttt aggggttggt tgggggcctg ggtggtcggc ctcacatggg aaggggatgg 180
gtagtggatg gggtttctgt tgtatcttgt gggcgggtga ttttgctttt gtttttgttt 240
cacattcttc cccctccaca agccaaagtc gtttcatttg gtttccactg tgtggactgt 300

<210> 383
<211> 273
<212> DNA
<213> Homo sapiens

<400> 383
gagatttgat attcgagtgc tgggcttagg tctgttgata aatctagtgg agtatagtgc 60
tcggaatcgg cactgtcttg tcaacatgga aacatcgtgc tcttttgatt cttccatctg 120
tagtggagaa ggggatgata gttaaggat aggtggnnnn nnnnnnnngc cngcnttnac 180
ttnatngcnn ctttttcttg atcnacgnen gnnatncnna nnngtntata ntaatncnga 240
anantntttt gnnntgcttt atcaantntt cnt 273

<210> 384
<211> 259

WO 99/33982

PCT/US98/27610

<212> DNA

<213> Homo sapiens

<400> 384

aagagaagga	cctagagatt	gagaggctta	agacgaagca	aaaagaactg	gaggccaaga	60
tgttggccca	gaaggctgag	gaaaaggaga	accattgtcc	cacaatgctc	cggccccctt	120
cacatcgcac	agtcacagg	gcaaagcccc	tgaaaaaggc	tgtggtgatg	cccctacagc	180
taattcagga	gcaggcagca	tccccaaatg	ccgagatcca	catcctgaag	aataaaggcc	240
cgaagagaaa	gctggagtc					259

<210> 385

<211> 296

<212> DNA

<213> Homo sapiens

<400> 385

agagcctgca	agtgacaaag	gaagtgaggc	agaggccccc	atgcccccc	cgttcacacc	60
ctacgtgcct	cggattctga	acggcttggc	ctcggagagg	acagcactgt	ctccgcagca	120
gcagcagcag	cagacctatg	gtgccatcca	caacatcagc	gggactatcc	ctggacagtg	180
cttgggcgcat	agcgccacgg	gcagtgtggc	ttgctgcccc	ccaggaggcc	tgaggctggg	240
tctcactgct	ctgaaaaaga	cccnncctaaa	atgggccttg	gggctnnagg	cccttg	296

<210> 386

<211> 300

<212> DNA

<213> Homo sapiens

<400> 386

gaagaggagg	ctgtgtatga	ggaacctcca	gagcaggaga	ccttctacga	gcagccccca	60
ctgggtgcag	agcaagggtg	tggctctgag	cacattgacc	accacattca	gggccagggg	120
ctcagtgggc	aagggtctctg	tgcccgtgcc	ctgtacgact	accaggcagc	cgacgacaca	180
gagatctcct	ttgacccccga	gaacctcatc	acgggcatcg	aggtgatcga	cgaaggctgg	240
tggcgtggct	atgggcccga	tggccatttt	ggcatgttcc	ctgccaaacta	cgtggagctc	300

<210> 387

<211> 300

<212> DNA

<213> Homo sapiens

<400> 387

ccgcagaggg	cctggaagag	gtgctcacca	cgccagagac	tgtgctcaca	ggccacacgg	60
agaagatctg	ctccctgctc	ttccacccac	tggcagccaa	tgtgctggcc	tcgtcctcct	120
atgacctcac	tgttcgcctc	tgggaccttc	aggtctggagc	tgatcggtcg	aagctgcagg	180
gccaccaaga	ccagatcttc	agcctggcct	ggagtccctga	tgggcagcag	ctggccactg	240
tctgcaagga	tgggcgtgtg	cgggtctaca	ggccccggag	tggccctgag	cccctgcagg	300

<210> 388

<211> 300

<212> DNA

<213> Homo sapiens

WO 99/33982

PCT/US98/27610

<400> 388

tggaggtctc	ctttcgcccc	agcccaggtg	gccaaagcca	tcctggcctc	agaacatgct	60
gagcacattt	tgtagggtgg	caccttttta	tccaagttac	tagctacaca	tcagtgttta	120
aagagaaaaa	agtgaccttt	catttttttt	tcttgaaact	tgaggaaaca	agatacatac	180
tactgatttt	ttttttctta	aaactaaatg	catgactgca	gagcggtaga	gggtgtatatt	240
tttcatactg	tggggcaaag	tatttgtgct	gcttttttga	gatggactgg	aacgtctggt	300

<210> 389

<211> 293

<212> DNA

<213> Homo sapiens

<400> 389

gtcaagctgg	ccctggatgt	ggagatcgcc	acctaccgca	agctgctgga	gggcgaggag	60
tgcaggtga	atggcggaag	cgttggacaa	gtcaacatct	ctgtagtga	gtccaccgtc	120
tccagtggct	atggcgggtc	cagcgggtgc	ggcannnnnn	nnnnnnnnnn	nnnatgaanc	180
agntactcct	atggnttag	cnttntanct	atnacctgcn	cnaactannc	tnangtgcta	240
gnncttgccc	caaccctac	ttttgtattt	atattgtgtg	tgcgtgtgtg	cgt	293

<210> 390

<211> 300

<212> DNA

<213> Homo sapiens

<400> 390

ctcacacctg	ctttggatgc	ttcaagcacc	tcagccctct	gaactacaaa	acagangagc	60
ctgcacagtga	caaaggaagt	gaggcagagg	cccacatgcc	cccaccgttc	acaccctacg	120
tgccctcggat	tctgaacggc	ttggcctcgg	agaggacagc	actgtctccg	cagcagcagc	180
agcagcagac	ctatggtgcc	atccacaaca	tcagcggggac	tatccctgga	cagtgtcttg	240
cgcagagcgc	cacgggcagt	gtggctgctg	ccccccagga	ggcctgaggc	tgggtctcac	300

<210> 391

<211> 257

<212> DNA

<213> Homo sapiens

<400> 391

acccgtccgg	ggccggccaa	tttgcataatt	tggaaatgcgc	cgctataaac	ccggctgggg	60
ttttgcagcg	attttcttaga	tgtaaaaatg	agatctcaat	agcagcgggc	tgggcacatc	120
ctctctctct	tccttctctc	tctgcccggg	gctggtttcc	gtctctcggc	tcggggctgg	180
aactccggcc	caacctaggc	gcgcagccgc	cacgagatgg	cgcacttccg	atcaatgtca	240
aagccgccgg	ggagccc					257

<210> 392

<211> 300

<212> DNA

<213> Homo sapiens

<400> 392

gcgcgagcgt	cggtcccgcc	tgggcccttg	cggtgcgctg	cgggcaggcg	gtgaggctca	60
cgcagtgtgt	tacgggcaag	aacctgcaca	cgcaccactt	cccgtcgccg	ctgtccaaca	120

WO 99/33982

PCT/US98/27610

```
accaggaggt gagtgccttt ggggaagacg gcgagggcga cgacctggac ctatggacag      180
tgcgctgctc tggacagcac tgggagcgtg aggctgctgt gcgcttccag catgtgggca      240
cctctgtgtt cctgtcagtc acgggtgagc agtatggaag ccccatccgt gggcagcatg      300
```

<210> 393

<211> 300

<212> DNA

<213> Homo sapiens

<400> 393

```
gcgcgagcgt cggctccgcc tgggcccttg cggtgcgctg cgggcaggcg gtgaggctca      60
cgcatgtgct tacgggcaag aacctgcaca cgcaccactt cccgtcgccg ctgtccaaca      120
accaggaggt gagtgccttt ggggaagacg gcgagggcga cgacctggac ctatggacag      180
tgcgctgctc tggacagcac tgggagcgtg aggctgctgt gcgcttccag catgtgggca      240
cctctgtgtt cctgtcagtc acgggtgagc agtatggaag ccccatccgt gggcagcatg      300
```

<210> 394

<211> 300

<212> DNA

<213> Homo sapiens

<400> 394

```
gtccatacat ggagctccct ggagcccgtg tgctctcgctg tgactgaacg ttttgtgatg      60
aaaggaggag aggctgtctg cctttatgag gagccagtgt ctgaattgct gaggagatgt      120
gggaattgca cacgggaaag ctgtgtggtt tccttttacc tttcagctga ccatgaactc      180
ctgagcccga ccaactacca cttcctgtcc tcaccgaagg aggccgtggg gctctgcaag      240
gcgcagatca ctgccatcat ctctcacnag gngaccatat tggtttttga cctggagacc      300
```

<210> 395

<211> 300

<212> DNA

<213> Homo sapiens

<400> 395

```
gcaaaatcaa tgtggactga acataaatca cctgatggaa ggacttacta ctacaacact      60
gaaaccaaac agtctacctg ggagaaacca gatgatctta aaacacctgc tgagcaactc      120
ttatctaaat gcccctggaa ggaatacaaa tcagattctg gaaagcctta ctattataat      180
tctcaacaaa aagaatctcg ctgggccaaa cctaaagaac ttgaggatct tgaagcaatg      240
atcaaagctg aagaaagcag taagcaagaa gagtgcacca caacatcaac agccccagtc      300
```

<210> 396

<211> 300

<212> DNA

<213> Homo sapiens

<400> 396

```
aagagcacia gaggaagaga gagaccctca ctgctgggga gtccctgccca cactcagtcc      60
cccaccacac tgaatctccc ctcctcacag ttgccatgta gaccccttga agaggggagg      120
ggcctagggg gccgcacctt gtcattgtacc atcaataaag taccctgtgc tcaacaaaaa      180
aaaaaaaaaa aaaaacnnnn nnnnnnnnnn nntntngggn gnctnntnnc nnaaanccan      240
```

WO 99/33982

PCT/US98/27610

ncttnataaa anccttngnt natttggaac aaccncann taaanngcag ggaaaaaaag 300

<210> 397

<211> 300

<212> DNA

<213> Homo sapiens

<400> 397

gataaatacc	tcagcccctc	gccttctctca	acccacctgg	caagtcttct	taggatctga	60
tcccagtttt	ctggaagcaa	tcctacccca	gcccagctt	cccagagtcg	agccttaatc	120
cttctcactt	ctcagtgtca	gagcagaaat	gaatcctggg	gttgactgtg	tccattcggg	180
ttattagcag	ctaagaagcc	cagacgagta	gtgtgagctg	ccttgggagc	ctcagtgagg	240
gcactgggac	tggcctcact	ctcttgcccc	cagcctagt	ggctttctcc	tctgtctctc	300

<210> 398

<211> 300

<212> DNA

<213> Homo sapiens

<400> 398

ctgaacccta	aaggaaagcc	agcaaaccag	ctgcttgctc	tcaggacttt	ttgcaattgt	60
tttgttggcc	aggcaggaca	aaaactcatg	atgtcccaga	gggaatcact	gatgtcccat	120
gcaatagaac	tgaatcagg	gagcaataag	aacattcaca	ttgctctggc	tacattggcc	180
ctgaactatt	ctgtttgttt	tcataaagac	cataacattg	aagggaaagc	ccaatgtttg	240
tcactaatta	gcacaatctt	ggaagtagta	caagacctag	aagccacttt	tagactttct	300

<210> 399

<211> 300

<212> DNA

<213> Homo sapiens

<400> 399

gctgacctac	agcagaagct	gctggatgca	gaaagtgaag	acagaccaa	acaacgctgg	60
gagaatattg	ccaccattct	ggaagccaag	tgtgccctga	aatatttgat	tggagagctg	120
gtctctctca	aaatacaggt	cagcaaactt	gaaagcagcc	tgaaacagag	caagaccagc	180
tgtgctgaca	tgcataagat	gctgtttgag	gaacgaaatc	atthttgccga	gatagagaca	240
gagttacaag	ctgagctggg	cacaatggag	caacagcacc	aagagaaggt	gctgtacctt	300

<210> 400

<211> 300

<212> DNA

<213> Homo sapiens

<400> 400

ggctagcgat	ttctacctgc	gctactacgt	agggcacaa	ggcaagtttg	ggcaccgagt	60
ttctggagtt	cgaatttcgg	ccggacggaa	agcttagata	tgccaacaac	agcaattaca	120
aaaatgatgt	gatgatcaga	aaagaggctt	atgtgcacaa	gagtgtaatg	gaagaactga	180
agagaattat	tgatgacagt	gaaattacaa	aagaagatga	tgctttgtgg	cctccccctg	240
ataggggttg	ccgacaggag	cttgaaattg	taattggaga	tgagcacata	tctttttacca	300

<210> 401

WO 99/33982

PCT/US98/27610

<211> 300
<212> DNA
<213> Homo sapiens

<400> 401
accccttca tggacagatc cccacagcc tggggcagaa gaggcgtcga gggcgccaga 60
agtggcgga gcagcagccg cagcagccaa agagaggcaa gagaaagaga aagcgggcgg 120
tggaggggtc ccggaagagc tgggtccccgt gggtgagctg gtccccgtgg ttgaattgga 180
agaggccata gccccaggct cagaggccca gggcgctggg tctggtgggg acgcgggggt 240
gcccccaatg gtgcagctgc agcagtcacc actagggggg gatggagagg aagggggcca 300

<210> 402
<211> 300
<212> DNA
<213> Homo sapiens

<400> 402
ggatcctttc cagacagaag accccttcaa atctgaccca tttaaaggag ctgacccctt 60
caaaggcgac ccgttccaga atgacccctt tgcagaacag cagacaactt caacagatcc 120
atttggaggg gaccctttca aagaaagtga cccattccgt ggctctgcca ctgacgactt 180
cttcaagaaa cagacaaaga atgaccatt tacctcgat ccattcacga aaaacccttc 240
cttaccttcg aagctcgacc cctttgaatc cagtgatccc ttttcacctt ccagtgtctc 300

<210> 403
<211> 300
<212> DNA
<213> Homo sapiens

<400> 403
aattccgttg ctgtcggaca gattgcccta gtaccacccc acctatcagg gttatgcaat 60
ggaacatcct cgccaagct cttggagaag gcaaagacaa ctttgtacag tgccctgttg 120
aagcactcaa atgggaagaa aggaaatgtc tcatectgga agaaatcctg gcctaccagc 180
ctgatataatt gtgcctcaa gaggtggacc actattttga caccttcag ccactcctca 240
gtagactagg ctatcaaggc acgtttttcc ccaaaccctg gtcaccttgt ctagatgtag 300

<210> 404
<211> 300
<212> DNA
<213> Homo sapiens

<400> 404
agtgggataa aatgagacga gccctggaat ataccattta caatcaggaa cttaacgaga 60
ctcgtgccaa acttgatgag ctttctgcta agcgagagac tagtggagaa aaatccagac 120
aattaagaga tgctcagcag gatgcaagag ataaaatgga ggatatcgaa cgccaagtta 180
gagaattgaa aacaaaaatt tcagctatga aagaagaaaa agaacagctt agtgcgaaa 240
gataagagca gattaagcag aggactaagt tggagcttaa agccaaggat ttacaagatg 300

<210> 405
<211> 856
<212> DNA
<213> Homo sapiens

WO 99/33982

PCT/US98/27610

<400> 405

tggtgcngt	tcctattccg	tgctntcgtn	ctncnccagg	ancnangcgt	ntcgaattcg	60
gcacgaggaa	ggaggaccta	ggcacacaca	tatggtggcc	acacccagga	gggtagtggg	120
gagttagatt	tcagagtcca	ggccctaggt	tgggaccac	tccaaataat	ctcctcggtg	180
tgggtggtgg	ttctatagag	ggataaatga	ataataaaca	ttgttaaaat	atacgaaaaa	240
aaaaaaaaa	aaaaaaaaa	aaaaaaaaa	aaaaaaaaa	aaaaaaaaa	anaanaaaaa	300
aaaananaaa	aatnaaaaaa	annanaaaaa	aaaaaaaaa	aannccctn	cncctaaaaa	360
nattcngggg	ggntttttcc	tccannccnn	ntntttaata	nnctncttnt	tgnntcttng	420
netcaccnnt	tcttttggtg	ggcnntaana	naaaatnttn	nttttttttn	ggntanaaat	480
ncnntnncng	ttttttntnn	ttttttttcn	aaacctcct	ntntanctc	ncgtntcnaa	540
aaanntnttt	ntcncnncn	nttnntntnt	netntttcta	ttttnttct	ttntncaann	600
tccnangtg	nnnngngtnt	nttngngctt	gtttnttttt	ncnncctngc	gtcatcncnc	660
caataatttc	ttncncccc	nannccnnat	ttttntnnc	ctctatntnn	gnngggnnat	720
atnantcccc	tttattnttn	atnantagtc	ntntnttttn	ttntcctntg	tnatannatt	780
ttntntcccn	ntntaanttc	ctcannnnat	ttntntnnnc	ncgngntata	tttnangnta	840
nntcnncggg	gttnct					856

<210> 406

<211> 843

<212> DNA

<213> Homo sapiens

<400> 406

tnntnnnnnc	gnangctggn	nnnttctncc	cntttctaat	ngttnctaat	actanggatn	60
gtcacgaggn	tcccangtag	gcatagcgca	ctgctgtacg	tttttggttg	tttttaagaa	120
actcgatgaa	gaggggtgtc	attctgggct	cgggggtggt	gccaatTTTT	caccagaaaag	180
ggagccaccc	cttgcaacca	cttctgtctc	cgttagcccc	ccctctgcc	tcctccaagc	240
caaagcgtgg	cctggctttt	gtcttcccat	ttagttttcc	tcttttacc	ttccttttgt	300
gcttaattta	ttaaaatagt	tgctgtataa	tttattttca	taaactataa	aaaaatacta	360
aatggttaaa	atagacttgc	aggccaatct	taaatggggt	gggaggggtc	tgaggggtgg	420
atggggaaaag	ggaaagaggt	tttgatntaa	acaaaacaaa	tgcaacttgg	gtgtgtnnng	480
gnatttttct	ggggatanan	ggggtggggg	nnnnngnann	nnnnnnnnnn	nnnnnnnnnn	540
nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	600
nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	660
nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	720
nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	780
nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	840
ncn						843

<210> 407

<211> 743

<212> DNA

<213> Homo sapiens

<400> 407

tgggcngggn	ctantngngg	gctctcgact	tctacganc	ttccaatggt	tnggnggcac	60
gagcccccct	cttcactggt	tattccactt	atttaaaatg	tccagaataa	gcaaactctc	120
atatagagga	agtagattag	tgggtgcttc	gggatgggag	gaatgggaag	attgaggtct	180
ttcttttgca	gtgataaaaa	tgtcctaaaa	ttgactgtag	cgatggtcac	acaactctga	240
atatgcttaa	gaccattgaa	ttacacactt	tacgttggtg	aattgtatgg	tatgtaaatt	300
atagttcaat	aacatagtta	caaaaagataa	tcaaaagcat	gaaagcactg	ttgatgtggg	360

WO 99/33982

PCT/US98/27610

```

ttggatctgt gtcctcaccg agtctcatgt tgaaatgtaa gccccctggt gggaggcgat      420
gggattatgg ggcagagtcc tcacaaacgg ttacaccac ccgctcagtg ctggtctcct      480
gataattgagt cctcatcaca tctggttgct tcaaagtgtg tggcgctcc cctctatctc      540
cctnctgctc tggccatata agatgtgcct gcttctcttc gccttctaac atgattgnaa      600
gtttcctgag gcctncctag aacaaaactg ctgtgctttc tgnncccatc tacaggaccc      660
ggagccaatt naaccctttt tctttataaa aaaaaannnn nnnnnnnnnn nnnnnnnnnn      720
nnnnnnnnnn nnnnnnnnnn nnt                                     743

```

<210> 408

<211> 746

<212> DNA

<213> Homo sapiens

<400> 408

```

tgtccgnttc ttangntgng ctctncttc ctaggagntt cnaatcgctt ggtgcagacc      60
tccagcacia gcctctgcta gtngatctca cggtagaaga aggtcaaaga ttaaaggtna      120
tttttggttc acacactggt ttccatgtaa tngatgttga ttcaggaaac tcttatgata      180
tctacatacc atctcatatt cagggcaata tcaactcctca tgctattgtc atcttgctta      240
aaacagatgg aatggaaatg cttgtttgct atgaggatga gggggtgtat gtaaacacct      300
atggccggat aactaaggat gtgggtgctcc aatggggaga aatgccacg tctgtggcct      360
acattcatte caatcagata atggctgggg cgagaaagct attgagatcc ggcagtggaa      420
caggacattt ggatggagta ttatgcata agcagctca aaggttaaag tttctatgtg      480
aaagaaatga taaggnaatt tttgcattcc gtgcgatctg gaggaagtag cccaagtgtt      540
tttcatgacc ctcaacagaa attccatgat gaacctggta accagaagaa ccccttgcca      600
cttatcttca tggcgttatt ctaatttaaa aagaacataa ctcatgngga cttatgcccc      660
gtctagaggc agaatcagaa ggcttgggtg gaacatatcg ntttctcttt tctttctctt      720
cggccctncc agnccagtcc atnttt                                     746

```

<210> 409

<211> 761

<212> DNA

<213> Homo sapiens

<400> 409

```

ggatccggtt tccaatgctc gggcnctcga gctncctaag annttgctaa tgcttgnggg      60
ngtgctcgt gtgcgtggat tctgtgtgtgt gtgtgtgtct ngtatatgtg tgccagagat      120
gcatcatttt cagactctac tatttccgtc aagtttctgt ttgatttgga tcatctcagg      180
atcggattct gtttttagagt gtttctgggc caggatccgg gcccctgccc tctctgcac      240
ctgaccacac tccctactca gggctagtct gttcttcccg gacatcttct ggtagccgtg      300
caggagaggg ctgggtgggg cagagccagg aggggacctg gtgtgtcacc tgcccaccac      360
ctggctcatc cctcangccc accctgaccc tacattacat aggttacgtc agcctactgt      420
ggctgttgag caaagcattt ctctttctn gggcctcatt gcactagatg ggctgtgggt      480
cccaaagtag gtcagtaggt tggggttgct gacacccctt gggtgcaact ttgggacaag      540
atgaantggc tctgtcctgt cactggcctc tcttgccctg ggggctatgt gcacttcaaa      600
accctggcca agctcaagcc catgaagnat tggagaacac cctgggcccc caagaactgg      660
angcaccgg ccanttcccc tgggattcca nctttgccan ggtgaaccct tcttttacct      720
naaacttntg tccccctgnt tccacttcca aaaanaactg g                                     761

```

<210> 410

<211> 748

<212> DNA

WO 99/33982

PCT/US98/27610

<213> Homo sapiens

<400> 410

gatgccgggtt	cctatgatgn	gctctcgggt	tcctaggagt	tccaanactn	ggctngcneg	60
aggncctnta	aatatatctn	ggntttanta	ggtgataagt	nctgtcantt	agtancatct	120
gaaaaancag	ctttgtcctg	ggtgaaaaag	gatgccaaaa	ttgcctggaa	aagagcagtg	180
anaggagtcc	gggagatgtg	tgatgcntgt	gaagcancat	tgtttancat	tcactgggtc	240
tgccaaaaat	gtggatttgt	ggctctgctta	gattgttnca	aggcaaagga	aaggaagagt	300
tctagagata	aagaactata	tgcttggatg	aagtgtgtga	agggacagcc	tcctgatcac	360
aaacntttta	tgccaaccca	aattatacct	ggttctgttt	tgacagatct	tctagatgcc	420
atgcacactc	ttagggaaaa	atatggtatt	aaatcccatt	gncattgtct	aacaaacaga	480
atttacaagt	tggaaatttt	cctncatgaa	tggtgtatct	caagtttaca	gaatgtctta	540
atcacagtat	aaaattctct	gngcatgcct	gagtcctcagc	gccaaaatcc	tcctccgaag	600
tctgagaaaa	atggtggcag	cnnccccana	aagtgatgtt	nggcncaga	ttaccagggt	660
aacttcctcc	agaatnccag	tcaccactgn	actggntagc	anatcttgcc	gagccaaaaa	720
gccnaagn	ggaaaaaaa	aaaaaaaaa				748

<210> 411

<211> 773

<212> DNA

<213> Homo sapiens

<400> 411

gnangnnngn	ttcntagtgc	ccgtgggagt	cttagatncc	ctaaaaaatt	gntaatgctn	60
ggtcggcacg	agtcaggcc	tacgaacag	gtgatgcact	accccggtta	cggttcccc	120
atgcctggca	gctnggcat	gggcccgtc	acgaacaaa	cgggcctgga	cgctcgccc	180
ntggcgcag	atacctccta	ctaccagggg	gtgtactccc	ggccatttat	gaactcctct	240
taagaagacg	acggcttcag	gcccggctaa	ctttggcacc	cgggacgag	gacaagtga	300
agagcaagt	ggggtcgaga	ctttggggag	acggtgttgc	agagacgcaa	gggagaagaa	360
atccataaca	ccccacccc	aacaccccca	agacagcaat	cttcttcacc	cgcttgcaac	420
ccgttcgctc	ccaaacagag	ggccacacag	atacccacg	ttctatataa	ggaggaaacc	480
gggaaaagaa	tataaagtta	aaaaaaaaagc	ctccggtttc	cactactgng	tagacttctt	540
gcttcttcaa	cacctgcaga	ttctgatgtt	tttgtgtgtg	gttgttctct	ccattgctgn	600
tggtgcang	aagtcttact	taaaaaaaaa	aaaattttgn	gagtgactcg	gtgtaaaacc	660
atgttanttt	taacagaacc	nanaagggtt	gncctatttg	ttaaaaaaaa	aaaaaaaaaaa	720
aaacttngng	cctttagaac	tattannag	nccnatttac	nttaatccan	nct	773

<210> 412

<211> 774

<212> DNA

<213> Homo sapiens

<400> 412

gnannccgga	ttcntagcgn	tcgtggaagt	gcacggtctg	ntaacaattt	gctaattgctt	60
ggagttccaa	ttccagagaa	aatgagtga	tgggcacctc	gacctcccc	agaaatttgt	120
ccgagatgtc	atgggttcaa	gtgctggggc	cggcagtggg	gagttccacg	tgtacagaca	180
tctgcgccgg	agagaatatc	agcgacagga	ctacatggat	gccatggctg	agaagcaaaa	240
attggatgca	gagtttcaga	aaagactgga	aaagaataaa	attgctgcag	aggagcagac	300
cgcaaagcgc	cggaaagaagc	gccagaagtt	aaaagagaag	aaattactgg	caaagaagat	360
gaaacttgaa	cagaagaaac	aagaaggacc	cggctagccc	aaggagcagg	ggctccagcag	420
ctctgcggag	gcactctggaa	cagaggagga	ggagggaagt	cccagtttca	ccatggggcg	480

WO 99/33982

PCT/US98/27610

```

atgacaatgt ttgccacagc ctctgectgg aacctggetc gtgctgtgac cagaagggaa      540
aggcggtgt ttggtctctt ctcccccgca aggacccgcg ttaccgctg gatggagagc      600
aaaggagacc ccttccgag cccgntcaca gtctgtatt tggcaagggt tgggaacctg      660
aaggggccaa tntncttga cacttanang cacttgctt tcagacacca ttccgngcnt      720
ctggtaaaag gggacaagaa aagcettaac cttggcnnc tattttgaca gggg          774

```

<210> 413

<211> 773

<212> DNA

<213> Homo sapiens

<400> 413

```

gnngnnnnnnn tttctaagtc ttgggnnnnn ngtnatgcn taagagccan gcggnctgaa      60
ttcggcacga ggcggggccg gccagcgga gcccctgcgc ccgcgccatg tcaaagaaaa      120
aaaggactga gtgcagaaga aaagagaact cgcntgatgg aaatatcttc tgaacaaaaa      180
gatgtatttc anttaaaaga cttggagaag attgctccca aagagaaagg ctttactgct      240
atgtcagtaa aagaagtcct tcaaagctta gttgatgat gtatggttga ctgtgagagg      300
atcggaactt ctaattatta ttgggctttt ccaagtaaag ctcttcatgc aaggaaacat      360
aagttggagg ttctggaatc tcagttgtct gagggaaagc aaaagcatgc aagcctacag      420
aaaagcattg agaaagctaa aattggccga tgttgaaacg gaagagcgac caggcttagc      480
aaaagacttt cttcacttcg agaccaaaang ggaacagcta aaggcagaag tagaaaaaat      540
ncaaagactg tgatcccgca agttgtngga agaaatcgcc aagcaaatna agtagcccaa      600
ggaactgctt acagatggac tgattacata ttcgcaataa aatcttnggc ccaaagaaaa      660
atttnggggt tgaaggaaaa ttaaattggg tngaaccttt tgggaatttc cgaaagactt      720
ttgctnctnt ngacttaaaa tatttccatg gnggtgaaag gttgtccaan ctt          773

```

<210> 414

<211> 755

<212> DNA

<213> Homo sapiens

<400> 414

```

gnagnnnnnnn nttctaagtc ttggggnnnn nngtcaatnc ctningancna ggcggnctgc      60
tcattccagaa angtcagatc ancaaagaag tccangaaaa antgcgaccc agctngaccn      120
tttgatccca ggcttagcac acgattgcat ggntccccct ttagccactt naaccactgc      180
agacntccag gaagctggac tctctcctca gtcntccag acttctggcc accacagant      240
gaaaacccca ttttcaactg agctatcttt gctccagcct gatactccag actgtgctgg      300
agatagtcac accccactgg ctttttcctt caccgaggac ttggaaagtt cttgtttgct      360
agaccgaaag gaagaaaaag gggattctgc caggaaatgg gaatggcttc atgagtctaa      420
gaagactatc agagtatgga gaaacacacc aaactacctg gggacaaatg ctgtcagccc      480
ttaggcaaga ctaaattgga aagaaagggtg tctgccaaag aaaacaggca ggcccctgtc      540
ctccttcaaa catacaggga atcctggaat ggagaaaaca tagaatcagt gaaacaaacc      600
cgtagtccag ttctgngttt tcttgggata tgaaaagaat gaccanggac tinctggagtc      660
aacttttcac ttgaagaatc tcaaggccac cggtcattgg ccacacactn gaactccttt      720
ttaagatgta cccattactg gaattgggct tagggg          755

```

<210> 415

<211> 852

<212> DNA

<213> Homo sapiens

WO 99/33982

PCT/US98/27610

<400> 415

```

gnagnaannnn ttctaattgct tgggnnnnnnn ngtcaaacct tannaacctg gcntgncgaa      60
ttcggcacga ggtcacaggc aggttttantg gccagtttaa aacttatgct ntctgcgggg      120
ccnttcgtag gatggtgagt gtttccttg gctttgctca tcaacttcggg acatcgtgga      180
ctttaccgtg cgcnttgag tgtgtgatgg tgcctgagta gatctgctgg cagagtagtt      240
tgagccagct ggactgggct ggccgcctgc cgcttcttga gggtggaaga ggggtgctct      300
gagaagacac tcaggcagca gactctgcct ctcaactagga ggtgcccccc cgaccccggt      360
ccaccatagt caaggctgca ggctgccccg ggagaagtgg ctcccccttct tgcgcctgtc      420
ttccattcgc ttcaccgggg gganaagacn ttgggcttgg ttggcacagc ntgacccttc      480
tgcccatctt naaggcagnc ccggaantgg gaaaaatatt tctttaaatg gtggcctttn      540
nttttttttt nctttnaaag gggttgaagt tcannaatg natttcccaa ttcccttccc      600
gaattgggnc caaaagggcc ccaatggggc antcggctct ttaaaaagna accttttttg      660
aactgggaag agaaaaatca cccagattgt tgggaatat tttggncatt aaaataaant      720
aatggaaaac ctnaaaaaaa aaaaaaaaaa aaaactcgag ccntttaaaa acttttagtg      780
agtcnnatta ccnttanatc canacnttga tangaanctt tggataattt tgggncaaac      840
cnnaacttng at                                     852

```

<210> 416

<211> 754

<212> DNA

<213> Homo sapiens

<400> 416

```

ggnnnnnnng tnaaaccttc cnaannaggc tnggcgtcac tgnccccggt caacaaaccc      60
acttttatga cagttttctt ccgcagcttg gctnttaaatt tttactggca ggtgtatggt      120
tgttgagggg ttctagtga gttgggggac ctggcantan agctgcttgg ttggaggaag      180
tgaanctggc ttantaccag cagctgatct ctccacgtg ctgctgcttt ttttgccact      240
ctgatactaa accagagaaa gctgcaggtg gataaagaag ctgtggctgt tttttgcttt      300
tgggtggcaa tgagaaagag tcacagtgtg ggttaaaggg atctgcagtg gggccaagga      360
tgccacccca ccctcagctg tangcaagct tgcacataaa taacccccgt cagtggagtg      420
ttcgggatgc agggggcant atagtgttct tggactttgt ccgtcctggg gcagttttta      480
agttctttat atttaagtgg ggtcagtgcc aagtgtacc actttcccaa taaangaatg      540
ggggaccan aaggctgggg tccctggcta ccttgttatg aaggttttgn tntttctctg      600
acaaganttg ctttggaag ancctgtttt taggggatta ttttttgnat accccgatgg      660
gganccaggg ttctnctcaa aacccttaca acccttagga tcatagggaa aaggggcccn      720
tnttttntct ctggcttncc caacttaaaa acnt                                     754

```

<210> 417

<211> 755

<212> DNA

<213> Homo sapiens

<400> 417

```

ngtntatagc ttntaatgc ttctancga attcggancg agagaagccn tgagcagcaa      60
agtctntcgc gacaccctgt acgaggcggt gcgggaagtc ctgcacggga nccagcgcaa      120
gcgcgcgaag ttcttgaaa cggtggagtt gcagatcagc ttgaagaact ntgatcccca      180
naaggacaag cgcttttcgg gcaccgtcag gcttaagtcc actccccgcc ctaagttctc      240
tgtgtgtgtc ctgggggacc agcagcactg tgacgaggct aaggccgtgg atatcccca      300
catggacatc gaggcgtga aaaaactcaa caggaataaa aactgggtcaa gaagcttggc      360
caagaagtat gatgcgtttt tggcctcaga gtcttttgat caagcagatt ccacgaatcc      420
tcggcccagg tttaaataag gcaggaaagt tccctttcct gtnacacaca acgaaacatg      480

```

WO 99/33982

PCT/US98/27610

```

gtggccaaag tggatgangt gaagtnacaca atcaagttnc aaatgaagaa ggtgttatgt      540
ctggctgtan cttgttggtc acgttgaaga tgacnngacg atgaancttg gggataaaca      600
ttcacctggc tgtcaacttc ttgmggtca attgcntcaa agaaaaaact tgggcagaaa      660
tgttcnnggc cttatntntt caagaaccnc catggggcna agccccaacg cccttntttt      720
aaaggncat  ttggaattaa attcntnttt ncccg                                     755

```

<210> 418

<211> 757

<212> DNA

<213> Homo sapiens

<400> 418

```

tggggnntnn nttctaattc tgggatgttc taaangntgg gctactcgtt ctttccgcag      60
ganccntcg attcgaattc ggcacgagga aaggtggcgc gcttctcacg gctgagttgc      120
tgcgctgca gacggaagct cccacaggc agagctgctt ggatgtgtga gtcataaagc      180
cagagaagcc cgcctccatg agcagtgact cccagggccc tgtgacctcc ctctgtctt      240
gcagctcctc ctggcaccag tccccagggc tctcctgttg gtagttcctg cttttcttct      300
tggaattcc tegtggacct cgagatcttt accctaaaat agttctgttg aatttcaccc      360
tggcaatgta aattgatagc ttatcttcac agatgccaga caatggacaa ctaccatca      420
gtcctctgct cacctgagac aaatgcatgt ctgattgctt cctctgccct attgnttatg      480
tgaaaatgca gattcactga gccagactaa ggcacagtg actgttctc tactgcctct      540
cacatggaga ttgtgtattc agtgaaaggc tgatcaaaga ccccaaagga atgcaccagt      600
ttatctctta tctacctatg acctgcgagc tgnccaccac cccagttgt tgcgcctttc      660
cagacagaac cagtgtcatc ttacacgtat taattggatg tctgngnct tccttaatat      720
gtatcaaaac aagctngcct tgaacacctt gggcacn                                     757

```

<210> 419

<211> 738

<212> DNA

<213> Homo sapiens

<400> 419

```

gnnngncgtt cnaattncgn ggnntctttc tngccnanna nnannngcgt gngngaattc      60
ggcacgagac tgttcatcct aagttccact ataaacaggc tcatgactcg ggcacagaca      120
cttcttgctg gactttttcc tatgatggta atgtccttgc ctctcgtgga ggtgacgatt      180
cattaaaatt atgggacatc cgacaattta ataaaccact tttttcagcc tcgggtcttc      240
ccaccatgtt cccaatgact gactgctgtt tcagtccaga tgataagctc atagtcactg      300
gtacatctat tcaaagagga tgtggcagcg gcaaacttgt tttctttgag cgtaggactt      360
tccaaagggg gtatgaaata gacatcacag atgcgagtggt tgttcgctgc ctgtggcatc      420
caaagctgaa ccagatcatg gttggaactg gaaatggatt ggctaaagtc tattacgacc      480
ccaacaagag tcagagggga gcaaaattat gtgtggttaa aaccanccg aaggcaaaac      540
aagctgagac tctactcagg actacatcat caccctcat gccttgcta tgttcccggt      600
agccccgnca acggagtaca aaggaaacag ctggagaagg acagactgga tccctgaagt      660
cgcattaacc tgaacctcct gtancangcc cangtcgtgg tggccgattt ggaaccacg      720
ggggcactnt tttttcct                                     738

```

<210> 420

<211> 739

<212> DNA

<213> Homo sapiens

WO 99/33982

PCT/US98/27610

<400> 420

```

gcgntnntat tagcgtgggc tcgntctcgc tenacncanc nngngctggn cgaattcggt      60
acgagaatca gaggaggctt cttcatcctt caactccatg atgaactcct atatgaagtg      120
gcagaagaag atgttggttca ggtagctcag attgtcaaga atgaaatgga aagtgtctgta      180
aaactgtctg tgaaattgaa agtgaaagtg aaaataggcg ccagctgggg agagctaaag      240
gactttgatg tgtaactgtg ctgttgatga agtcctccca gggaagcctg tgcagatgca      300
gtcacctgga aagaacagag attccctttc acctacctca gcaaaacaaa ctttcaagtc      360
ttgatagact tagcctagta attttatagt gagagtttca aactatatat caagtgtcta      420
tagcatcaaa aacttctggg ggcggtgggg aaagtagaat accaagtata atagttacat      480
tcactttcaa agagcatcta tgaatttgcc ttttgtaact tactgtggct ttaaacatat      540
tcagaacaga tgcttgaat atgcacttag cactttgggt ccacatctgt ctgggtaaac      600
catgaagaaa atgaagctgc tgcctcaatc gancccagac agcagccata ggcagataaa      660
gatttnggtt cacccttggg ggtgggagc atcgtgtgtg cctttttttc ctctaataac      720
aattttacag tccgggaan

```

<210> 421

<211> 727

<212> DNA

<213> Homo sapiens

<400> 421

```

gtgatctttn tgagtggggg cntnctngc tctannanat aggttnggng ggctagcgat      60
ttctacctgc gctactacgt agggcacaaag ggcaagtttg ggcacgagtt tctggagttc      120
gaatttcggc cgggacggaa agcttagata tgccaacaac agcaattaca aaaatgatgt      180
gatgatcaga aaagagctta tgtgcacaag agtgtaatgg aagaactgaa gagaattatt      240
gatgacagtg aaattacaaa agaagatgat gctttgtggc cccccctgat aggggtggcc      300
gacaggagct tgaaattgta attggagatg agcacatac ttttaccaca tcaaaaatag      360
gttctcttat tgatgtaaat caagtcaaag gatcctgaag gccttcgagt attttactat      420
ttggtacaag acttgaaatg tttagttttc agtcttattg gattacactt caagattaaa      480
ccaattttaa ttgtatgttt tcaagctggt tgnatattta attaaagga tgggaagggg      540
ttatttgtca ttacagtat tggggtttta tgaatgtgaa gcaacccaaa aaaatttnaa      600
tgtaaaactg gaaaatagga aaattcatta ncagcttaat ggggtatcctt acttgatnnc      660
ctgggttttg aagtccccac acacattaaa tctgtaatga aancnctttt ggttaaaatt      720
tctctat

```

<210> 422

<211> 753

<212> DNA

<213> Homo sapiens

<400> 422

```

gtntngnnng nngttnnatt atatggntcg nctnnctcna nnancnangc ttgngctgac      60
aacttgattg ggttctcctt caggtttgaa gcgccctcna gaagtgtcta aaggagacag      120
ttgatagcca aacaacagtt ttggattcga tgactgatta tgaaagaagc agtagactgg      180
tatcaagaat cagtcagcaa ggaggccctc accagacgcc agtgccatgt tcttggactt      240
ctcagcctcc atttcatga actaagtttt tggaatcctt aggcctccac gtgtggaaaag      300
cctgagctaa cctactggag gatgagccat cacctggagc agattcaggc catcctagtt      360
gaagcctccc taggccaaagc aaccgtccaa ctaccagaca ttgaccattc agccttgaac      420
attcagcaca aagacaaaac agaccagacc agaagagtcc cacagaatag gggaaactat      480
tcagagaaaa cttaagccac taagttttat ggtgttttgt tcttgtagcc agaagcatag      540
gcatactggc caatacaaac cgaaatcctt ctaacgtant ggaccctttt caggccagca      600

```


WO 99/33982

PCT/US98/27610

```

ttttttccct tgaaaacctg ggagccttgt attccatctt attagcagaa gatcactttc      660
accaatgggt tgggctcttg atttggaatt gatgatgtaa tgagcctnta ttcnanatgn      720
gacttaatac ctctgcgaat tgactggatt ccn                                     753

```

<210> 423

<211> 844

<212> DNA

<213> Homo sapiens

<400> 423

```

nggnnnntnn nnnnnatncc ntgatcgtgt ntcgttcttt ctncaggatn nnntcgtttc      60
gaattcggca cgaggaaaag ggagccgcgc agngcctacg ggagtnccgc ggcagcagcc      120
ggtaccggca accacgggca gctctcaggg aatctccgtc gttgaggcca naggctccag      180
tccccgcgag tccagatgcc tgtccagcct ccaagcaaag acacagaaga gatggaagca      240
gagggtgatt ctgctgctga gatgaatggg gaggaggaag agagtgagga ggagcgganc      300
ggcagccaga cagagtcaga agaggagagc tccgagatgg atgatgagga ctatgagcga      360
cgccgcancn agtgtttcag tnagatgctg gacctggaga agcagttctc ggaagctaaa      420
nggagaagtt gttcaaggga acgacttgan tcanctgccg gnttgcggct tgggaaggaaa      480
ntggggggggc ttgaanaaga agcccctgga atnccaccgg aagccccctt ttgggggggg      540
gccttgcaaa ccgggaancc ctttnaaagg aatttcngcc antttcaang gttgggccaa      600
ggggaatcnt accnaagggg ccttctnngc cttggnatgg tgaatccang gnaaattaag      660
gtncccaatt gntgaancct tccaanggga ancccaaacc agcacccttg naanaagttg      720
agaaaacttg cttgcntctt ntgacacccc tncnaggggg aacttcaagg aaccggttcc      780
tnaggcttgg aaggaggacc cccanancct tggancctaa attnttaaat ggttnggacc      840
accn                                     844

```

<210> 424

<211> 799

<212> DNA

<213> Homo sapiens

<400> 424

```

ggagnnnnngn ntcnaattn nntgggnnnn nnngtcaaan nctngetact cgttcttttc      60
gcaggatccc atgcattcg aattcggcac gagcccagac ctatggagtc agacagtagg      120
tttgaggccc agcaatctat ggtttaacaa gccatccagg tgtttctgat gcacagtga      180
attgggttac cactggtatt aggtttggtg tggcaacttt ttcatactt gttttatgta      240
gttgtctgat caattgtgaa aacataatga atgttggaag tggaaacagta aaataacgaa      300
agccaacttt tttttttttt tttgagacgg agtcttgctc tgtcgcccag gctggagtgc      360
agtggcgaga tctcggtcca ctgcaagctc cgctcctgg gttcaagcca ttctcctgcc      420
tcagcctccc gagtagctgg gactacaggc gcccgnacc acgcccggct aattttttgn      480
attttttagta gagacggggt ttcaccgtgt tagccaggat ggtctcgatc tcctgacctc      540
gtgatccacc cgctnngggc ttccaaagtg ctgggattac aggcgtgagc caccggggccc      600
gggccaaaag ccaactcttt atgcctagaa aatattgtgc accctatgac ccaagcccat      660
tgaatttttn cnnggaaatt tatggtaaat tattgaaatg gatggtacct ttaaaaagtt      720
atttggcaca ttccccttgg gttacctttg gnatggtttg ccagggaatt naaaactttg      780
ggtnaaacc ttttttann                                     799

```

<210> 425

<211> 750

<212> DNA

<213> Homo sapiens

WO 99/33982

PCT/US98/27610

<400> 425

gangccggat	tccaattntc	nggctnctct	naaanmctgt	ntaatgcttg	gtccgcanga	60
ncccatgcga	ttcgtggagg	tctcctttcg	ccccagccca	ggtggccaag	cccatcctgg	120
cctcagaaca	tgctgagcac	atthttgtagg	gtggcacctt	tttatccaag	ttactagcta	180
cacatcagtg	tttaaagaga	aaaaagtgc	ctttcatttt	tttttcttga	aacttgagga	240
aacaagatac	atactactga	tttttttttt	cttaaaaacta	aatgcatgac	tgcagagcgg	300
tagagggtga	tatttttcat	actgtggggc	aaagtatttg	tgctgctttt	tggagatgga	360
ctggaacgtc	tggtttctgt	ccccggggcc	ggcagctacg	tctattttct	gtagaagggtg	420
ccacagttag	acctggagcc	accccttctc	gcctggcgcc	gtttanagct	gggagcccgt	480
ggactccggc	ctgtttctac	cttctattca	accactctga	cgtggggaga	caagaagaaa	540
tagaaacttt	tgatagtgtg	gtaaaaacat	tggattttga	actattttag	taaaaggagt	600
taccaacaag	aatgtnatag	gtgctacttt	gagctagata	aataaaggct	ctttgtgagc	660
ctcctgaaaa	aaaaaaantt	nnnnnnnnnn	atnnnnnnnn	annaaaaaaa	ctggnccttt	720
aaaactttan	gggncgttta	cctanaccct				750

<210> 426

<211> 819

<212> DNA

<213> Homo sapiens

<400> 426

gnagnnccgn	ttcttatgat	cgtggctnct	cntctannng	ttgtgtaatg	ctnggtcnnc	60
angannnnnt	gcganncgaa	ttcggcacga	aggggggttc	ccaatagtag	aaaagggtcc	120
ccattcctgc	tcagcacgcg	acctctctac	ccccccacag	acacacatgc	agacacacac	180
atgcagacaa	cacgcagaca	cacacatgca	ggcactcaca	tgcaggccca	tgcacacaca	240
cgtgcacaca	catgcagaga	catgcagaca	cgcaggcaca	catgcacaca	tgcaaagaca	300
cgcatcacag	cacacgcaga	cgcacacaga	gacacacatg	cagatcacat	gcacacacac	360
atacacacac	tgggcccgtg	ttttctgtgg	tgtcactggg	tgccagcaac	tcgggtatctn	420
ccaccttcca	ctaaaacctg	ggccttaatt	tctctcccg	ccccaccct	aaattcctga	480
tggatgaacc	tagagctgtc	ctgtccactc	caggccggac	tgacgtancc	tatgggccc	540
gcagggtccag	ggcccacgtt	ttaattttct	tttnaaaagc	tttaggtctt	ggccnggccg	600
ccgggtggtc	acgccttggg	agttcccagc	atthttnggg	aaggccnaag	gccgggttgg	660
attcacaaag	gtcaagcaag	tttcaaggaa	ccaagccttg	aaccaggcca	ttgggtgagg	720
aaccctgggc	ttnttactng	ggnaaattcc	caaaaaaaaa	ttggccttgg	gccnaagggt	780
gggcaagggc	acccttggtg	gggtccccaa	antttacct			819

<210> 427

<211> 750

<212> DNA

<213> Homo sapiens

<400> 427

gagnnngatt	cnaattntctg	ggctnctctc	ttmntatnta	atgctgggtc	cgcangancc	60
nntgcgattc	gaattcggca	cgagggtccaa	ggacaacttc	gagacatttc	tttttgccac	120
cgtatctaac	agggagcagg	aagatctctg	ccgaggaatt	gtccagctct	gcttcaatga	180
gcaaagccaa	cagctgctag	cagagggtcca	gccctctgac	tctttcctca	tggtagagac	240
aactgcatac	tttgaggcct	acaggcacgt	cctggaagga	ctccaggagg	tccaggagga	300
agatgttccc	ttccagagga	atatcgtgga	gtgtaactct	catgtgaagg	agccaaggta	360
cttgctaattg	gggggcagat	atgactttac	ccccttaata	gagaatcctt	cagccactgg	420
ggaatttcta	agaaatgtcg	agggttttag	acatcccaga	attaatgtct	tagatcctgg	480
ccagtggccc	tcaaaagaag	ccctgaactg	gatgactcca	gatggaagcc	ttgcagtttg	540

WO 99/33982

PCT/US98/27610

```

ctctcacaag ggaactggct attattcaag gaccttcttg aacaggcnaa acctatgtgg      600
gtctnaaaaa ttgttcaagc ccttctacca acgagtcttg tttggcaaaa ttaaccttca      660
gaaattccca tcttggttgn gtgtatacta atcatgcttt ggaccanttc tggaangctt      720
ttccattgtc agaaaaccan atttggccgg      750

```

<210> 428

<211> 943

<212> DNA

<213> Homo sapiens

<400> 428

```

gnngnccggt ttctatttct cnggcancct tcttctnctn acctattanc tggactctaa      60
anaaaagnnt gnngcggttg gctcaagggc caccanaaca tttctttatt attattattt      120
tttaacctgn acatgcntta aagggtctat tacctttctt tccgtctgtc tcaacagctg      180
aaatggggcc nccaaggagt gccttccttt tgcctcctcc tactgggact gacggntggg      240
antgtntggn cccanntggg ggtgtctcct gnetgggaag ganggaaagg gaggcanaag      300
tttgccgggg ttgcanntng acancangct gnanaggana tggctaataa ctgtttaatg      360
gaaacctgct tgggcttgga nggaacttag nctgaatttt cccgacttcc tetgccagtt      420
attgacacan tctctttnta agacangaaa taaactaaac cccaccccaa ggnantnatn      480
ncangcngaa aacnncncat ngcccacatt ncctnatccc ntancaccnn ctenttnttt      540
nncccaanac tcttcccan ntntcnccnt ttaccentan ncntnntnt atcccnctaa      600
tncctnannn cntnnttnt cennatnctt acnncncenn ntnnnncccn nntctttnnn      660
cccaaancn nctcncnnt tcnnctnaac cntntnnnca nnanacaccc ttctnatnnc      720
ccannntctn cacnntnnnt ntctcennnt nnnncennnn ntentnnnna nancntntnn      780
nanancnatc tntnncnenn cnantnnnnt tcanttcacn ctctnnnnnn tntancnat      840
tnncntcenn tnncennnta nnnentnnnn nncnaantnn nnnnancctc nennncnnc      900
canntnnnnt nnnnnncnt cnaacncntn nnnntctatn ccc      943

```

<210> 429

<211> 775

<212> DNA

<213> Homo sapiens

<400> 429

```

gnangnnnnn nntttctaan tcttggggn nnnngtcann gattnngcta aaggttngga      60
tcncncgcag naangctgtg gcgctccatt gtgaaagatc caggcatttt tccgagccag      120
gaaaagccca agatgactac aggatattag tgcatgcacc ccaccctcct ctcatgtgtg      180
tacgcagatt tgcccatctc ttgaatcaaa gccagcaaga cttctctgct gctgtgatct      240
gcacaccctc caacctgggc agggactggg gggatgcagt gtgtgttagt gccatgtgg      300
cattgtggca ctgttgcccc ccatggcggc atgggcaaga tgacctcca ttagcttcaa      360
gtcttgttct ctgtctgtg gtctgtttaa tatgtgggtc actagggat tttattcttc      420
tcccatcctt acactctgga tcattgtgca gacttaatac gggttttaac gctttcattn      480
nnnnnnnnnt ttttttgagc tcaaagaaag ttctcatttt cctattcaa ctaataccca      540
tgccgngttt tttaccttgg atttaaaggc accttangtt ggggcaacag attctcactc      600
atgtttaana cctggnattc ancttcataa gaccaaagan ggagctttcc cttctcttt      660
accctnagg attctcatcc tttacanntn gacttttcc aggccaattt cccatnnaat      720
ctgcnanncc cngccttttg ncccaagctt ttntgntngn cccccattt acccn      775

```

<210> 430

<211> 763

<212> DNA

WO 99/33982

PCT/US98/27610

<213> Homo sapiens

<400> 430

ngggtgnnnn	nnttttcta	nctggggnn	nntnnnnnn	ntttccta	ncttaggn	60
tcgttccttc	tccangcagn	nnngcgtt	gcgacagct	tccaatact	aggttaatgc	120
tgaaaaatca	tccaagacag	ttattgcaag	agtttaatt	ttgaaaactg	gctactgctc	180
tgtgtttaca	gacgtgtgca	gtttaggca	tgtagctaca	ggacattttt	aagggcccag	240
gatcgttttt	ttccagggca	agcagaagag	aaaatgttgt	atatgtcttt	tacccggcac	300
atcccccttg	cctaaatata	agggtcggag	tctgcacggg	acctattaga	gtattttcca	360
caatgatgat	gatttcagca	gggatgacgt	catcatcaca	ttcagggcta	ttttttcccc	420
cacaaaccca	agggcagggg	ccactcttag	ctaaatccct	ccccgtgact	gcaatagaac	480
cctctgggga	gctcangaag	gggtgtgctg	agttctataa	tataagctgc	catatatttt	540
ttagacaagt	atggctcctc	cgtatctcct	cttcctagga	gaggagtgtg	aacaaggagc	600
ctagataaga	cacctcttaa	acctattccc	ttttccagga	gacctaccct	tcacaggcac	660
agggtcccaa	atgagaagtc	tgctacctca	tttctcatct	ttttactaaa	ctcaaangca	720
ntgacagcag	tcagggacag	acattcattt	cttnatacct	tcc		763

<210> 431

<211> 761

<212> DNA

<213> Homo sapiens

<400> 431

tggtgttnnn	ntcctaattc	ttggnngnn	ggtnannctt	ctaattactt	tggggctcgt	60
tctntctcna	cnngncnngg	cgtnncgaat	tcggcacgag	cttgaagcgc	tggtttttct	120
cgaagcaatc	cttattatat	tgtaaacaa	ggaaagatca	accagatggc	aacagcacca	180
gattctcaga	gattaaagct	attaagagaa	gtagctggta	ctagagtgtg	tgacgaacga	240
aaggaagaaa	gcctctcctt	aatgaaagaa	acagagggca	aacgggaaaa	aatcaatgag	300
ttgttaaaat	acattgaaga	gagattacat	actctagagg	aagaaaagga	agaactagct	360
cagtatcaga	agtgggataa	aatgagacga	gccctggaat	ataccattta	caatcaggaa	420
cttaacgaga	ctcgtgccaa	acttgatgag	ctttctgcta	agcgagagac	tagtggagaa	480
aaatccagac	aattaagaga	tgctcancag	gatgcaagag	ataaaatgga	ggatatcgaa	540
cgccaagtta	gagaattgaa	aacaaaaatt	tcagctatga	aagaagaaaa	agaacagctt	600
aatgctgaaa	gacaagaacn	gattaagcag	aggactaant	tggagcttaa	agcccaagat	660
ttacaagatg	aactaccggc	aatagtgaac	aaaggaaacc	gtttttttaa	agaaangccn	720
aanctgcttg	aaaaaaaaaa	aaaaaaactc	ggcctntaan	t		761

<210> 432

<211> 748

<212> DNA

<213> Homo sapiens

<400> 432

gnngantnng	tcttattatc	gtggngetct	nactnnctct	aaatanaatt	gtgttgnggg	60
aattcggcac	gagggcaccg	aagcttcagg	atgacatctt	agactctctt	ggtcagggga	120
tcaatgagtt	aaagactgca	gaacaaatca	acgagcatgt	ttcaggcccc	tttgtgcagt	180
tctttgtcaa	gattgtgggc	cattatgctt	cctatatcaa	gcgggaagca	aatgggcaag	240
gccacttcca	agaaagatcc	ttctgtaagg	ctctgacctc	caagaccaac	cgccgatttg	300
tgaagaagtt	tgtgaagaca	cagctcttct	cacttttcat	ccaggaagcc	gagaagagca	360
agaatectcc	tcgaggctat	ttccaacaga	aaatacttga	atatgaggaa	cagaagaaac	420
agaagaaacc	aagggaaaaa	actgtgaaat	aagagctgtg	gtgaataaga	atgactagag	480

WO 99/33982

PCT/US98/27610

```

ctacacacca tttctggact tcagcccctg ccagtgtggc aggatcagca aaactgtcag      540
cttccaaaat ccatatcctc actctgagtc ttggtatcca ggtatttggt tcaaactggc      600
gtctgagatt tggatccctg gnattggatt tcttaaggac ttttggangg ctcttgacac      660
catgtttcac agaacttggg cttcanaagc ttcanttttt tgcanaaggc ccccaggtta      720
ggaaaacagt tntncttggt ttgtannt                                     748

```

<210> 433

<211> 769

<212> DNA

<213> Homo sapiens

<400> 433

```

gggnaaaagt ttannannng ggnagnnnng ntannacntt cctattactt tggagctcga      60
actcgcncca canannnagt gncntgnctt gttttgcaga tgaggaaaac tgaggtagag      120
aattcttagg gaacttaccc aaaatggctt ttctgcactc tgccctttgg tattgtccca      180
tgtgaattgt ttaaaactta tgtgtatagt ggcagttaga ggtgatttca gaaacagaac      240
tcacttttgt tgtttggtct taaaattagg aaacttttct catctgggct tcatttccct      300
gcaccttccc agctttctag tcatgcaagc cacatgtctc cacgtgaggg gttcattgga      360
aagcagccac agagccaccc cctggctggg ttcttcccca gctctgcttc ctcttccccc      420
aagtctgca gctgctctct ccatggcaga accacttctc cccttactgg aggggaggtc      480
cactgaacaa atccaggaga ggaatcattg tgttttccac agaagagaaa gtacactgga      540
ctttctgtgc aacctgttac tacattttca caganactca tatttgtgca ntgtactca      600
atttgaaacc cagcaaaatt aggtctccct gtctccataa aaggccacca tgatggtaac      660
cgttggaact cacttgtgtt ttnggacana nctgattggg attttaccca tcatcacanc      720
cgtgtcttac attctcnttt cctgggcttt ggaccctgn tanaaaaaan                769

```

<210> 434

<211> 764

<212> DNA

<213> Homo sapiens

<400> 434

```

ctanccttcc taaannctng gctactcgnt ctttctnnan ganncnntg cgatncgaat      60
tcggcacgag cacttgccct ggccaagggg ctagacctcc caggctaagc ctgagattca      120
gtgcaggaca caagctcatg ccccgctctt gccagtgaca cttgaagcct cccgacttcc      180
acagagtgtc tcaggacaca ttttgagtgg tattttcttt tctttttttc ttcttttttt      240
tttttgagat ggagtctcgt tctgttgccc aggtctggag gcagtggcct gatctcggct      300
cactgcaacc tctgcctccc aggttcaagc gattcttctg cctcagcctc cagagtagct      360
gggactatag acatgcacca ccacgcccggt ctaattttgt atttttggtc gagacggggg      420
tttgccatgt tagtcangct ggtcttgaac tnetgacctc aagtgatcca cactcgggcc      480
tccaaagtgt tgagatgaca ggcacgagcc accagcccaa cctgagtggg attttcttta      540
gggaccangt agactttaaa acgagggtaa gagaaaaagc ccagtgggtc tttctgaggg      600
taaaaaaatt tctgcccagg aaacnttncc aagccccaac cagcaagcca acccttaaaa      660
aaaaaatcac ttcgtgttcc ccaangggan cttntntaaa gctttggggg cttccaggna      720
aatcatttc cagttnaant ttggaagaat tcannagnat ttnt                        764

```

<210> 435

<211> 755

<212> DNA

<213> Homo sapiens

WO 99/33982

PCT/US98/27610

<400> 435

gnnnnnntttc	taatgtggnn	nngnnngnta	annttctaaa	ncttgggntc	tcgttctttc	60
tncagatncc	ntcgattcga	attecggcacg	agggatcctt	tccagacaga	agacccttc	120
aatcttgacc	catttaaagg	agctgacccc	ttcaaaggcg	acccgttcca	gaatgacccc	180
tttgacagaac	agcagacaac	ttcaacagat	ccatttgagg	gggacccttt	caaagaaagt	240
gaccattcc	gtggctctgc	cactgacgac	ttcttcaaga	aacagacaaa	gaatgaccca	300
tttacctcgg	atccattcac	gaaaaaccct	tccttacctt	cgaagctcga	cccccttgaa	360
tccagtgatc	ccttttcac	ctccagtgtc	tcctcaaaag	gatcagatcc	ctttggaacc	420
ttagatccct	tcggaagtgg	gtccttcaat	agtgtgaag	gctttgccga	cttcagccag	480
atgtccaagg	gtgcctgggg	aagagccact	gcgcagtgtt	tccttggtgt	tactccagtg	540
ttgaacanag	agctggtcag	aggcagtgc	tcgcanagag	acattaataa	gggaatcctt	600
tgaatcccta	ancagcanca	gcttttctga	nggggccnat	gatgccagt	acctnttcan	660
ggnaagtctg	ggacattggg	accacccctg	ggggaagaac	ttgtgggatg	tggtctttct	720
tttatgaata	aagtactttg	agttggttgn	aatcn			755

<210> 436

<211> 760

<212> DNA

<213> Homo sapiens

<400> 436

aaggctggnn	nnngnnntgc	nnnncttct	attantctgg	gggctcgtnc	tctctcnann	60
nagnnaggcg	ntngaatc	ggcacgagct	caagaaaagg	agaaagt	tttgtatgaa	120
attggaggaa	atattgggga	acgctgcctt	gatgatgaca	cttacatgaa	ggatttatat	180
cagcttaacc	caaagtctga	gtgggttata	aagtcaaagc	cattgtagaa	gacttaacaa	240
gctgcagata	accatgtgga	cttctgtcat	aattcttgc	gagtcagag	tgtaaaataa	300
agaaatggca	ggactcatat	tattcagttg	tcccaagtat	ttaaaaatga	ctctcttaag	360
ccttaaaaag	tcatagattt	gtgctgctgc	cagaattata	ttaattatta	ttaatggtat	420
tattagaaaa	aaaatctctg	gagtgagagt	naanganctt	aattagtttg	tgggcagttt	480
tcatatgtct	tgtgaaatgt	gtccagatgt	gacataagtt	ttttttttta	atatggngga	540
aatgncttct	ctttccatt	cttttctcct	aaaaatcata	tatactggga	atatatgcct	600
ctnttacctc	tattaccctc	ctcacattta	ccctttccca	gttnggtttt	gctttttnac	660
caaaaagatt	ccaatnccna	ggtattggca	agttntnaaa	accgcccntt	aaacatccct	720
aatttctcag	nattccnnnc	ttgccaaatn	ttngtntcnn			760

<210> 437

<211> 748

<212> DNA

<213> Homo sapiens

<400> 437

ggnnnnngnn	ngntnncgtt	ccctattant	caggngctcg	ntctntctcn	annnancnng	60
gcgtgtncga	attecggcacg	aggattttcg	aaactcttca	gctacttgcc	ctttttttatc	120
tgaaccatc	ataccttctg	aaagaaaaaa	gcatactctc	attgacataa	cagaagtgag	180
atggcccagt	cttgatacag	atggtccatg	atatatatgg	agagtggcat	tgtgaagata	240
acatcttttag	atggtcatgc	atacctctgc	ctgcccagat	ctcagcatga	atttacagta	300
cattttttgt	gtaaagttag	ccagaagtca	gactcatctg	cagtgttgtc	agaaacaaat	360
aataaagccc	caaaagataa	actagttgaa	aaaactggca	aaatctgtat	acgtggaaat	420
ttaccaggac	agagactgaa	gaataaagaa	aatgagtttc	attgccagat	catgaaatcc	480

WO 99/33982

PCT/US98/27610

```

aaagaaactt taaagaagat gagttgtgta aatggaactg aagggagggg aagaactgcc      540
ttcgccctggt acaaagcaca catgtgtata cacatgggtc aagcagtgtt ggtctgtggc      600
tgnctgtcca gangaatgga aatatccttg gcttttagcac ttcatTTTca taataaaatc      660
agcaattntg tctaaaaaaa aaaannnana aaaaactnga gcctntanaa ctntagtgag      720
tcgtattacg tagatncnna catgataa                                     748

```

<210> 438

<211> 823

<212> DNA

<213> Homo sapiens

<400> 438

```

taatccttnn tattgntcgg gtactngntc tntctcnaag annntntcgt tncgccagg      60
tagctgagac taccacaccc ttgggtcccag ctacttgga ggctgaggtg ggaaaatcac      120
tttgcccagg aattcaaggc cgcagtgagc tatgattgca cactgcact ccaggcaaca      180
gagttagacc ctgtcttaaa aaaagaaggg agaaagtgtc agatgggtgat gaggtctggg      240
ggggaaatag agaatgggga tcaggagtgt ggatgggtgt attccctcac caagagggtga      300
catgttgagc agggaaacttg ggaggtgagg gtgtgacccg tgtggaaatc agggaaaagc      360
attncagcct gagggacagc caatgcanag gccgtgaggt ggccagtgcc actgagcagt      420
gagcttgagg tagggggcan gtgangaggc tggagagcgg ggtcagacaa accaatatgc      480
ttatttaaaa caaggttggt ncagcaccct tgccttaaa ccttgagcct gnaanctnga      540
aaaatttggg cacnttcaaa agcanggang gaaacccaaa gaagattggg agggaaaagc      600
ccttncttcc ccttancagg aaatgaagtt nccacccttn aaaacaggnc caggaccttt      660
ttgggacctt tttggccttt tggttcctta gaatcctctt ggtngcttnn gaatnaaaag      720
gnaaaagggg cctttaaggg gggatcccat tntttccaaa attcaaaggg ggctttccct      780
gggcttacct aaaatttctt ggncttaant aaaaaattt ntt                                     823

```

<210> 439

<211> 767

<212> DNA

<213> Homo sapiens

<400> 439

```

gnnnnngntt ctaatgctgg nnnnnnnngg taccctttcc aaaacctggg ctctcgnctc      60
ttctncangn agccnnngca ttcgtctgtc tgggtgatttt tattttaagt gaacctttgg      120
atctatcttt aactctcttt attgtgagtc taaattccaa ttctgcagca gatcagtaaa      180
ctcacagtat ttttcctgtg gaaatctatt caataaggaa accaagacag gatantaaaa      240
tttaaaaaaa ancaactttg aattccccctg cctaggtcct ccagttgttt tccagcgcat      300
acctcaggta tgactttgct agccggggac aaaattagca ccttccgatt ctctagtcca      360
aatgaacttt ggctaaataa aaaattatta tactacataa taaagttncg gatagcagga      420
aatgcaagag ctaggagatt cctagattat atctggccaa gccaaatacc ttaaacatcc      480
acctggaaat cctctacccc ctcttctgag ataatttgcc cagccctttc tccccacaca      540
ctcactcaat gtcaccccct tctaataccc aaaactgttt ttgtggcctt ggtagcctat      600
agtagtttct cacatctttt cccctanact tttctgtttt cagtttcaga ccaaaaaaac      660
tcttcaactt ttttccagtg gggctcttct taccagtaac ttaccactt gnaatcttat      720
ttcattgaaa aaaccttaaa tgggntggga aaaggcttgc cnncann                                     767

```

<210> 440

<211> 752

<212> DNA

<213> Homo sapiens

WO 99/33982

PCT/US98/27610

<400> 440

nagnnnnntt	tctaattgctt	ggnnnnnnnn	tcnatgcttc	caaaagcngg	gngetcgttc	60
tttctccaag	atncnngcgn	tncgaattcg	gcacgaggat	ggatgagact	gttgctgagt	120
tcatcaagag	gaccatcttg	aaaatcccca	tgaatgaact	gacaacaatc	ctgaaggcct	180
gggatttttt	gtctgaaaat	caactgcaga	ctgtaaaattt	ccgacagaga	aaggaatctg	240
tagttcagca	cttgatccat	ctgtgtgagg	aaaagcgtgc	aagtatcagt	gatgctgccc	300
tgttagacat	catttatatg	caattcatca	gcaccagaaa	gtttgggatg	tttttcagat	360
gagtaaagga	ccaggtgaag	atgttgacct	ttttgatatg	aaacaattta	aaaatcgttc	420
aagaaaattc	ttcagagagc	attaaaaaat	gtgacagtca	gcttcagaga	aactgaggag	480
aatgcagtct	ggattcgaat	tcctggggaa	cacagtacac	aaagccaaac	cagtacaaac	540
ctcctacgtg	gtgtctactc	ccagactncg	tacgccttca	cgtntctcctn	catgctgang	600
cgcaatacac	cgttctcttg	gtcangaatt	agaagctact	gggaaaatct	accttccgac	660
agaagagatc	attttagatn	taccgaatga	anaaagcttg	cattagtgc	attgaaaggg	720
aaataaaaat	tcctacagtc	naaaaaaaaa	at			752

<210> 441

<211> 775

<212> DNA

<213> Homo sapiens

<400> 441

gnagccngat	tccaaaacct	gggnnccgat	ccaatgcttn	ccaattactt	gggagctcnn	60
actngcncna	ncaanctngc	cntgccaatt	cggcacgaga	agnaggcgga	gcttgccagt	120
agctgagatc	gcgccactgc	actccagcct	gggcaacaga	gtgagactct	gtctcaaaaa	180
aaaaaaaaaa	aaatggaacg	cagggcaaga	actcgtnttt	ggaaggagat	gggggaaagg	240
ancggtatta	tacctatggt	gnatttgcag	gcaaatgaga	tgganccctc	tctgtaaaga	300
agagtcattt	gtgcaagtag	acgggggtctg	tgggtgcang	ccctggaggg	gcacacaatt	360
gcctgnangc	ttctgtgana	tcgggagang	gaggagaagc	agtctcttga	caaaataaag	420
tatttttatt	cattngtatt	tattaaatga	aaaaacaatc	ccatggtgtc	ccttgtgtgt	480
ggtggaacct	aatgactgtt	gaaataaagt	ctngtcttcc	ccttcaaaaa	aaaaacncnn	540
anaanaaaaa	ctcgagccct	ntaaaacctn	tnngaggtcc	gnattacctn	anattccnga	600
cnttgataag	gatccattga	tnaantttgn	ccccacccca	actnngaattg	ccnngaaaaa	660
aaattgcttt	atttgggaaa	tttgcnatn	ctttgcttta	ntttgnaccc	antttanctn	720
cannnnccaa	gttacnancn	ncaattgcnt	tcatttangg	ttcaagggtc	aagggt	775

<210> 442

<211> 804

<212> DNA

<213> Homo sapiens

<400> 442

gagnnngntt	ctatacctgg	gnncgatcca	aancttnccct	attacettgg	atcttnngct	60
atctcnaann	aaaangcttn	cgaattcggc	acgaggccac	ctgcactgag	gtctgggccc	120
ggggacaggg	tgttttagcc	aggettgtct	gcgcctcagg	gaagggtgag	cagcccaggg	180
accagatgca	agttggtggg	cccctccacc	cntccnacgc	cactccccag	tgtgctgggt	240
cctaaccagt	cgtcctatgg	gagcagtcag	ccttcctctc	ctcctcaggg	cagctctccc	300
acctgctgnt	ccccgcacac	agaacctcat	tgctctgagc	agttgcttat	taccagttg	360
ttgaaaaact	agcatgtgan	ggccggggcg	ggtggctcac	gcctgtaatc	ccaacgcttt	420
gggangccaa	ngcgggtgga	tcatgangtc	aggagatcaa	gaccatcctg	gcttaacacn	480
gtgaaacctt	gtctctacta	aaaatataaa	aaagtancca	ggcgtggtgg	tgccccctgt	540
agtnccaann	tacttgggaa	gctnangcan	gaanaatggc	ntgaacccaa	gaaggaagaa	600

WO 99/33982

PCT/US98/27610

```

cnttgcantg aanccttaaaa ttgcgcccac tgggaatttca aaccttgggc cnanaanaat      660
tgaagaatcc cgtcttaaga aaaaaggaaa aaanttttnc nttntnaaag gcccggccac      720
aantnggctt taacgccttg gtaaatnccc aancactttt tggggaaggc ccaaaggcaa      780
ggccnggatt caatttttna aggg                                     804

```

<210> 443

<211> 786

<212> DNA

<213> Homo sapiens

<400> 443

```

gnagccggat cttattattg gcnncgnttt aatgctggct aatntntcgt aatncttggt      60
nnccccaann annnaggngg gngaatttcg gcacgagcac cattttttatt ttgatgttta      120
cactcattta ttctgttttt gtaaaacagt ttcaagaatt taaaaatcct tccagttaat      180
agagcttttg ttattatatt ataattttgt aaaccactt tgtttttccc acttttaaagc      240
cacagggtcg actcatggat gatacctcta ttgctgctgc atgatgttca agaccggccc      300
ttggctgttg ttacagagat gttgggcaga gctatgcagg tgtttcattg ngaactctag      360
ctttgatcat ggtaaaaagt taaccctttc tattttttta tggatgttat accaactatt      420
cagaggactc atacttcaaa aatattagga aaatctgtct tatagttctc taataaatat      480
ctgaaatctc aagtacgaca tgaaagaatg tcagaccatt gntattgggt aaagtcattt      540
gatgaatggn aaattctatg aaaagtaagt ggatttgcag ggattaatat cagggaaaat      600
ttaagccttc ccaagtgtga ctgggcaaaa gagagccaga tgccccagc gcctgtgccc      660
ataaagttcc cgaatcccc aatgggggtct nttttcaaaa acttggncca gacccgaaa      720
ataaaancat tcntcataaa ttcaannggg gncctcanga aacacnttcc cccanacaac      780
cttngg                                     786

```

<210> 444

<211> 760

<212> DNA

<213> Homo sapiens

<400> 444

```

gnagnccggt tcnnangent nggctnnatc caatgctggc taaagttcna ananctggca      60
acnccaggan ncangcggtg cgaattcggc acgaggagga attacaggta gcaaattatg      120
gagttggagg acagtatgaa ccccatTTTg actttgcacg gaaagatgag ccagatgctt      180
tcaaagagct ggggacagga aatagaattg ctacatggct gtttnatatg agtgatgtgt      240
ctgcaggagg agccactgtt tttcctgaag ttggagctag tgtttggccc aaaaaggaa      300
ctgctgtttt ctggtataat ctgttgccag tgggagaagg agattatagt acacggcatg      360
cagcctgtcc agtgctagtt gcaacaaatg ggtatccaat aaatggctcc atgaacgtgg      420
acaagaattc gaagaccttg tacgttgtca gaattggaat gacaaaacagg cttccctttt      480
tctcctatng gtgnactctt atgtgctgat atnccatttc ctagtcttaa ctttcaggag      540
tttacaatng ctaacactnc atgatngatt cantcatgaa cctcatccat gttcatctgn      600
ggcaattgct taccttgggg gntcttttaa aaagtaccac gaaatcatca tattgcatta      660
aaacccttaa agttctgggt gggnatcaca gaagacaagg ccnaanttna aagnggagga      720
atTTTattat ttaaaagaac cttttgggtn ggatnaaaan                                     760

```

<210> 445

<211> 761

<212> DNA

<213> Homo sapiens

WO 99/33982

PCT/US98/27610

<400> 445

tggtgccggt	tettantctg	ngctctcgtc	ttcctttetta	tacctgggca	nencttggec	60
gccccnaggn	ttccangnag	ccnngcngng	ncngattcgg	cacgagattc	caaagggttc	120
aaagaacttg	gtcataaata	tgataatgag	aagacaaagt	atttatatta	aaacagttta	180
gtagccttca	gttttgtgaa	aatagttttc	agcacagaaa	ctgacttctt	tagacaaagt	240
tttaaccaat	gatggtgttt	gcttctagga	tatacacttt	aaaagaactc	actgtcccag	300
tggtggtcat	tgatggcctt	tagtaaattg	gagctgctta	atcatattga	tatctaattt	360
cttttaacca	caatgaattg	tccttaatta	ccaacagtga	agcactacag	gaggcaactg	420
tggcattgct	tccttaacca	gctcatggtg	tgtgaatgtt	ataaaattgt	cactcagata	480
tattttttaa	atgtaatgtt	atataagatg	atcatgtgat	gtgtccaaac	tatggtgaaa	540
agtgccagtg	gtagtaactg	tgtaaagttt	ctaattcaca	acnttaattc	ctttaaaaatn	600
cacanccttc	tcctctcgna	tttggaagtt	gtcagtncaa	ctcatcaaag	aaaagtgcct	660
aatntnaaaa	tcatattntg	ggaataattt	ccctcttttg	tagtctgccc	aagatcctta	720
aagattggat	ttttattact	atttaaacca	gtggattaat	n		761

<210> 446

<211> 770

<212> DNA

<213> Homo sapiens

<400> 446

tggnnnngnn	ccnaangcng	gggannggt	ccccgttcca	anactggaan	ncttggcann	60
cgaactcgct	cnannagnaa	ggccgggnga	attcggcacg	aggccccgct	ccatgagcag	120
tgactcccca	gctcctcctg	gcaccagtc	ccagggetct	cctgttggtg	gttcctgctt	180
ttcttcttg	aaattcctcg	tggaacctga	gatctttacc	ctaaaatagt	tctgttgaat	240
ttcaccctgg	caatgtaaat	tgatagctta	tcttcacaga	tgccagacaa	tggacaactc	300
accatcagtc	ctctgctcac	ctgagacaaa	tgcatgtctg	attgcttctt	ctgccctatt	360
ggntatgtga	aaatgcagat	tactgagcc	agactaaggc	atcagtgact	ggcctctac	420
ctgcctctca	catggagatt	gggtattcag	tgaaaggctg	atcaaagacc	caaagggaatg	480
caacagttta	tctcttatct	acctatgacc	tgcgantctg	caccaccccc	agntggngcg	540
cctttccaga	cagaaccagt	gtacatctta	cacgtattaa	atngatgtcc	cnggggctcc	600
cnaanangna	tcaaacaagc	ngggcctcga	ccaccttggg	cacatatccc	nanggacatc	660
annctggagg	ctngngncac	tggcattggc	cctnaccctn	ggcaaaaata	accttctaaa	720
attggnaaaa	aanaaanaa	aaaaacctng	nnccctntna	naacnntacg		770

<210> 447

<211> 757

<212> DNA

<213> Homo sapiens

<400> 447

tggtatnntt	tnaangctgg	nngnnnggc	ccgttccaat	gnctggganc	nttggaatc	60
gctctttccg	nangatccca	tcgattcgg	ctgatgcagg	agaattgcta	aaaccagga	120
gggagaggtt	ncattgagcc	gagattgcgc	cactgcactc	tagcctgggc	gacagagcaa	180
gactccgtct	cgaaagaaag	aaagagaaag	gaaattcccc	agggaagtac	ctcggttat	240
ttcataaaca	ggtactgaag	gaagcagagg	catgtggagg	acttccccac	ctcgtgcagc	300
tatttggggc	gtggcatctg	aaatttctta	tttcagagtc	acccctttga	tgaccttggc	360
agtgaactgc	agtcactctg	ttaggccttt	ccatggccca	cgtcaatgcc	ggtatttctg	420
tttggtgcac	atltgatttc	cttggtgttg	gcatttagaa	ggccccccgt	ttcccagatc	480
acaccacggg	catggaccac	agagattgca	tcttgtgagt	ctgtagaaat	ggtcaaggcc	540
ttgtcctctc	ttaagtccag	agctcangtt	aatgcaaaat	tttnccggnc	atctgtgctg	600

WO 99/33982

PCT/US98/27610

```

aaatcccttt ggggaagctc ctggctgggt tctgttaggt aggacagcta cacgtnctgc      660
cctttattgg cttcttttca tgaagctcct gccatntacn aaacatgtct cccttcttga      720
atcacatctc tggattgna actctanaat cgcccg      757

```

```

<210> 448
<211> 770
<212> DNA
<213> Homo sapiens

```

```

<400> 448
gggtgnnnng tttctaatgc ttggtngnnc nggncnncn tttctaatgt tcggaanggc      60
ttggctactc gntctttctn cangnagccc ntccggtncga attcggcacg aggtgtcttc      120
atcttaccga gtggaacctc agaaattaaa ttctccagaa gaaactgctt ttcagacacc      180
aaaatctagc cagatgcctc ggccttcagt gccaccatta gttaaaacat cactgttttc      240
ttcaaaatta tctacacctg atgttgtagag cccatttggg accccatttg gctctagtgt      300
aatgaatcgg atggctggaa tttttgatgt aaacacctgc tatgggtcac cgcaaagtcc      360
tcagctaata agaagggggc caagattgtg gacatcagct tctgatcagc aaatgactga      420
attttctaat ctttctccat ctacctctat tagtgctgag ggtaagacaa tgagacaacc      480
cagtgtgatt tattcatgga ttcagaataa acgtgaacag attaagaatt tcttgtcaaa      540
acgggtgctg ataatgtatt ttttcagtaa gcaccagag gcctncattc aggtgtttt      600
ttcagatgcc caaatgcata tttgggcatt agaaaggtct gtcgcactta gtagcagcat      660
cattttacag aggatagatt tggagttgtc cagacgacac taccagctat ccttaatact      720
ttgttgacac ttgcaagang cagtcngaca agtactttaa ctctctcatg      770

```

```

<210> 449
<211> 792
<212> DNA
<213> Homo sapiens

```

```

<400> 449
ngagaaangt ttctaatgct ggnnnnngnna gntcancett tctaatgttc taatacttgg      60
ganntcgaac tntcncnaca cagnnangcn ntgcgaattc ggcacgaggn cnnctcnatn      120
atnacttgnt cncancggnc tggcatcnac ncgncacacc tacntnagcg cnttgtagcg      180
caatatncac ctntnnaaac ccnnnagtcc cagggctctg ccnnnnnact gntcaactga      240
cnaacnacnn nctancncaa cntnnnnnta ngecnetgnc tgnetctatg gcacctnncc      300
tncntcncn cntnaccnc tacgctcagg gctatataca atgggaacct tnccaacagt      360
aanccntgga tctnaggnat ggcccttgnc tggcggatca cagccttnna gcntatcagn      420
atcttgagga agacaccatt ccgtcccnga ttntgaccaa ncnetcggat gtgnetatgg      480
gctcnattga ggnacaacaa ctnnactgc nnataggcca tccctnnnan nctacacatg      540
ngactttncn nnncatntna aatgnnnana tgtctctcnc aagcatcacc cnetgtccct      600
ncgncntcnt ggaagacctt ctgnncaact ganctccttc ntgnnnnnnn ngattnttnc      660
nnncnnaata tncntncccc aatgncettg tnnngnattt atnangggnt ttccaatttg      720
ggntaattca ntcccnccg nannctannn ncccatnaac cntcngngcc ttcttgnaac      780
cttttnnccct gg      792

```

```

<210> 450
<211> 848
<212> DNA
<213> Homo sapiens

```

```

<400> 450

```

WO 99/33982

PCT/US98/27610

gnatgncccg	atttccttaa	tgatggggnn	nnnnngagcg	anncttccga	aanttccaat	60
annctgggng	ntcgcaactc	ntcnanaca	gnaaggncgn	gggctttgct	ctctccattc	120
caagttgntc	tctgttctag	aaagcagatg	tagtagacat	ctactgttgt	tgcttgaaca	180
gaatcccttt	gtcctttttt	tgntaaaagt	actcatccct	aatattcatt	gtinctggaag	240
gactgaaaat	acagaactca	caccatgatc	ggccgggaca	atcagattat	ttcattccnc	300
agcaaacgga	gatcganccg	aaaagtggaa	anatgagcnc	ttctttggng	ttggcatatg	360
gaccctgaga	gaaagaactn	tnattntttc	tcttggactg	caataaaagta	tagctgccta	420
aaatacgntt	cctgacactt	ggaggnttgt	ccacaatcgg	ngaaataaag	gcgagaccgn	480
acactggatg	aaaaaaaana	gnnnccngnn	gaanacccac	tnnnccannn	nccnnccenn	540
tnccccanng	nngancennn	tanccgnnan	nagccennng	cnntngcenn	nnngccnnnn	600
nnnnnngggn	aaaccennnn	gnnnnnennn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	660
nnggnnctnn	nnnnnnnnnn	ccnnnnnnnn	cnncnnnnnn	nggnaanncc	nnnnnnnnnn	720
nnnnnngggn	nnnnnnnnnn	ccnnnnnnnn	cannnnnnnn	cnnnnngggn	nnnnnnnnnn	780
nnnnnnnnnn	nnnnnnnnnn	acnnnnngnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	840
nnnncccc						848

<210> 451

<211> 765

<212> DNA

<213> Homo sapiens

<400> 451

gnnnnnnnntt	tcctaaatgc	ttgggnnnnn	nnngagngnn	nttncnnagt	ttcctaanta	60
gcttnggcna	ctcgttctnt	ctncangcag	nnnntgcgtn	gncgaattcg	gcacgagcat	120
tcctcctttg	ttaacgaagc	aacattttaca	caagatggac	attacattat	tagtgcattc	180
tctgatggca	ctgtaaagat	ctggaatatg	aagaccacag	aatgttcaaa	tacctttaaa	240
tccttgggca	gcaccgcagg	gacagatatt	accgtcaaca	gtgtgattct	acttcctaaa	300
aaccctgagc	acttttgtgt	gtgcaacaga	tcaaacacgg	tggtcatcat	gaacatgcag	360
gggcagattg	cagaagcttc	agttctggta	aaagagaagg	tggggacttt	gtttgctgtg	420
ccctctctcc	cgtgggtgaat	ggatctactg	tgtaggggag	gactttgtgc	tctactgggt	480
cagtcatgca	ctggcaaaact	ggagagaact	ttgacagtgc	acganaagga	tgtgattgggt	540
attgcacatc	accctcatca	gaacctgatt	gtcctacag	tgaagatgga	ctcctaaagc	600
tctggaaaacc	ataattcaac	ttttcttttt	taaatcaact	cgaaagcatg	tncttaaatg	660
aacatattca	tgtaangggc	tttttttttt	tgncactttt	ctaagcaaat	agatggctga	720
attagtcaen	gaataaattt	gngaaaatca	tgggttaaatn	ccaac		765

<210> 452

<211> 765

<212> DNA

<213> Homo sapiens

<400> 452

nnngnnnnnn	ntttcctaaa	tgcttggggg	nnnnnnngnn	nnnnnttctn	atgttcctan	60
ngcnnnggng	ctcgttctnt	ctncacgnng	ccngtgcggt	gncggtctga	ttgaaagctg	120
ttcaggttta	tcatgcaaat	cctcgctctt	ggctacggct	ggctgaatgc	tgcatgtctg	180
ccaataaggg	gacttctgaa	caagaaacta	aaggccttcc	cagcaaaaaa	ggaattgtnc	240
agcttattgt	tggtcaagct	atcatcgtaa	aatagttttg	gcatcacagt	ctatacagaa	300
tactgtttat	aatgatgggc	agtcttcggc	cattcctgta	ccagtatgga	gtttgcagcc	360
atatgtctca	gaaatgcctt	gttgcgtctc	ctgaagaaca	gcaagatcca	aagcaggaaa	420
atggggctaa	aaatagtaat	caattaggtg	ggaacacaga	gagcacgaaa	gcagtgaaac	480
ttgcagcagt	naaagccatg	atggagatna	attcattcca	gcttcacctt	cttctccatt	540

WO 99/33982

PCT/US98/27610

```

gagaaaacag gaattagaaa acttaaagtg ctccatactt gcttgcagtg cctacgtggc      600
tctggctttt gggtgatacc tcatggcttt gaatcatgcn gatnaacttc ttcagcagcc      660
caagctgcag gatctcttaa gttttgggac atttatatgc tgcagaaccc ttatcttctt      720
cgacngaata tctgtgcctt tctcacttga ccccgagaat gtnct                      765

```

<210> 453

<211> 833

<212> DNA

<213> Homo sapiens

<400> 453

```

gngtnnnntt ttctaangtt cntaatannn tnggctactc gttctttctc caggnatccc      60
ntgcgatttcg aattcggcac gagagaaacg ttctcagggt gaccagctgc tgaatatctc      120
tttaagggag gaagaactta gtaagtcatt gcagtgcatg gataacaatc ttctgcaagc      180
ccgtgcagcc cttcagacag cttatgtgga agtcaagagg ctacttatgc tcaagcagca      240
gatactatgg agatgaatgc actgaggacc catagaatac agattctaca ggggattaca      300
agaaacatat gaaccttctt gagcacccca ggttttggca ttagaaaatg ggtaccctt      360
ggttcaaaaa tgaacaaaga aagccttaga tttggatggg ggaacctgat ctgtccagtc      420
tagaaggatt ccagtgggga aagtgtttcc atttccttng tcccctggct tggccaagga      480
aagcgaaagc cctttcttga anagcaaccg tggatcattn gaccaggaac ttccttcttg      540
ggtattaagc ttctttcaan tggaagggaa aggttccang gccaaaggaa aaatggaagc      600
cccccaaccng atgggtttca ccctaantaa cctcaattgg aagggcttgg accaagaacc      660
cnggaaaggc nanccattgc acccttaaaa ncaaggaaaag tggaccacct ttggggcttg      720
nnttccntt ccgaaccagg ttgaaaangg gcttgaaaaa tggttgctta ccaaaaaggg      780
cgnacnttaa tggcaccaat tatctctntg gacntttttt aatanccttt ngn                      833

```

<210> 454

<211> 737

<212> DNA

<213> Homo sapiens

<400> 454

```

gnggnnnntt ctaagtteet aatnetgggc tactngttct ttctgcaggn atcccatcga      60
ttcggcacaaa tcaatgtgga ctgaacataa atcacctgat ggaaggactt actactacaa      120
cactgaaacc aaacagtcta cctgggagaa accagatgat cttaaaacac ctgctgagca      180
actcttatct aaatgcccct ggaagggaatn caaatcagat tctggaagcc ttactattat      240
aattctcaaa acaaaagaat ctcgcttggg ccaacctaaa gaacttgagg atcttgaagc      300
aatgatcaaa gcttgaagaa agcagtaagc aagaagagtg caccacaaca tcaacagccc      360
cagtccctac aacagaaatt ccgaccacaa tgagcaccat ggctgctgcc cgaagcagca      420
gctgctgttg ttgcagcagc agcagcggca gcagcagcag cagctgcagc caatgctaatt      480
gcttccactt ctgcttctaa tactgtcagt ggaactgttc cagttgttcc tgacctgaag      540
ttacttccat tgggtctact gntgtagata atgagaatac agtaactatt tcaactgagg      600
aacaagcaca acttactagt acccctgcta ttcaggatca aagtgtggaa agtatncagt      660
aatctggaga agaaacatnt taaccaggaa actgtanctg attttacttc caaaaaagaa      720
gaagaggaga gccacct

```

<210> 455

<211> 718

<212> DNA

<213> Homo sapiens

WO 99/33982

PCT/US98/27610

<400> 455

ggnnnnnnntt	tnnnnngttn	cntaaaaannc	tgggctactc	gttctttctn	cangnagccc	60
ntgcgatncg	aattcggcac	gaggatgagg	agtgtttaat	cattgataca	gaatgtaaaa	120
ataatagtga	tggaaagaca	gctgttgtag	gttctaactt	aagttccaga	ccagctagtc	180
caaattcttc	ctcaggacag	gcttctgtag	gaaaccagac	taatactgct	tgtagtcttg	240
aagagtcattg	tgttttaaaa	aaacctatca	aacgagtata	taaaaaattg	atccagttgg	300
agagattttta	aaaatgcagg	atgagctctt	aaagccaatt	tccagaaaag	taccagaatt	360
gcccttaaatg	aatttagaaa	attctaaaca	gccttctgtt	tctgagcaat	tgtctggtec	420
ttcagactcc	tctagttggc	ccgaaatctg	gatggccttc	tgcatttcag	aagccaaaag	480
gacgattgcc	atatgaactt	caggactatg	ttgaagatac	atcggaatac	ctagctcctc	540
aggaaggaaa	ttttggttat	aagttattta	gcctgcaaga	cctgttggtc	tcgtcgctgc	600
agtgtncaga	ggatagagnc	agaccacgtt	ctaaaacnga	gaaatcagaa	gacatttnca	660
gttatgtctc	caaaagtgag	tntcagctgt	atgagttgac	tctgctgaaa	gtgacttg	718

<210> 456

<211> 739

<212> DNA

<213> Homo sapiens

<400> 456

gtggnnnnntt	ctnnngtttc	aatangntgg	gtctcgttct	ttctnnacga	tcnnntgcga	60
ttcgcttgagg	aggctgagtc	aggagaaatt	gcttgagccc	aggagatgga	ggttgcagtg	120
agccaagatc	atgccactgc	actccagact	gggcaacaga	gggagactcc	gtctcaaaaa	180
ctaaaaaaaa	aaatncattt	agtataccgg	ggggtggggg	ggagaaataa	tgttatttcc	240
tatgcgaaat	gacgtgtatc	cctgtaccca	tgggtaaatg	taaatatact	gtgtctcttt	300
tgggagagcc	ttttagtaga	ggagtcttat	atgaagtctc	tcataagtag	ttcacttgag	360
ttttgcagtt	tgaatatctt	aaggagcttt	aattgacatt	tattatacca	attaagcttg	420
gaatggggca	atggatgcat	ttccaaaacg	tgtgaaagcc	taacagctta	tattgctgaa	480
tgagaatctc	ctgggtgtaa	tttancactt	agggaactgc	gtgaacactc	ccagccatta	540
tgatgctgtg	accagcttta	ntgtntaaat	gccatganta	ttctttctgn	ttcgttttgg	600
gctctcttgg	tncattttatt	ttacccttta	cngaataatt	tcttgtaaaa	tcctntaaaa	660
tnntttggcat	ttaaaagtcc	nntcttggan	tnaanannann	nnnaaaaaa	ancttncccc	720
tttanaactt	tnnggggct					739

<210> 457

<211> 743

<212> DNA

<213> Homo sapiens

<400> 457

gtgnnnntnnt	tctnnngttt	ccaattantc	tggngctcg	ttctttctcn	anncnnnnan	60
tggttgncca	attcggcacg	aggnnanagg	gnagctacat	gnntnacnt	nttngnnctc	120
tcagccangc	tcnnctnnnn	ctggctctac	tgctacatag	aacacttggt	ntnccnngna	180
actnntntat	gtnnccnnga	ntctctgnna	ctngtttaaa	tgctanttga	taacaggcta	240
tgcaaggntc	gnaagtggan	agcgtcatca	ttcatcatnc	ntnttanctn	gantnnntgt	300
atcctacatg	ctttgattgg	taaatngncn	tcagactggg	actctcaata	aatgnatata	360
gangancttg	ctgtggaaan	ctgtcctctc	ntatctntnc	atgngnaant	tccactncag	420
tnntgaactcc	aaatgcnntn	atngngnanc	cctncttgta	tagtgggtgc	cattccaanc	480
tgcnaaggnc	tagaaaccgt	cggctntngg	aaacnatggg	gnnagttgan	ctgggtacang	540
cngttntcac	ctgcanctac	cataaaatgg	gnntacccaa	gctttatcat	ggaatggnta	600
taaaaaacgc	attnattgng	cctttntaan	cccattatnt	gttnaatttn	acttatgggt	660

WO 99/33982

PCT/US98/27610

```

ccccccattn aaattatnca attgggnann gangcttcna gtcnccatnt ttnaatggnn      720
ttnncaaaaa aacgnttttt ttt                                             743

```

```

<210> 458
<211> 906
<212> DNA
<213> Homo sapiens

```

```

<400> 458
gnngnnnnnn ntnctaatg cttgggnncn cgtttctann nnnnnnnnaa nntttcctaa      60
ttggttaggn gctcgnnctn tctccacnna gnnnngcggt gcgaattcgg cagagggctg      120
aatcaaggat cacaactnc acatttngca cnttggctcn cacatncntg gttngggcag      180
tcncagtnaa catggctntg gaaactnatn ttngnctngc ntcaaccatc tcgttcccng      240
gggacccann ntccnnnatc ncgnnttncc tcgnnnatng gagngctnct tngnccannn      300
atgggctccc nanaatangn ntncnnngn nnatncannc ncngncaann ggntcnnct      360
nnnnnngecc tntnccctna tggnnngctn catgncccat nnnnnngggn ancaataann      420
naaanggtct ntcccncga nccccnnnnn ccnctaacan ngnacctcgc aaagggcccc      480
aggcnttnnc tngnaaacca nnttngccaa nggtanttea aaggngcct tngggacctc      540
ccnannngc cntggnnnta ccccggnaa anggtngnaa acccnnccnn ngntgccnnn      600
cccggnccng gaaanaaatt tccnngnac ccagnntncc nccgnaannn anantannnc      660
ccancccnaa cnttngccc ncancnttn gnnmntgnan tcnnnnncc ctttnnnntn      720
nccaanncgg ccnggnnacn ncttnnacc tntttncncn naanngacnc caanntcctn      780
nannaaaggg nggnnnnnnn nnncttncc nnnngnagcc cnnnnnnccet nncntnnccn      840
aaaaattcnn cnttgnancn cccctnnnt nangngnccc natnnnnnnn nnnghaaanc      900
nnaccc                                                                906

```

```

<210> 459
<211> 765
<212> DNA
<213> Homo sapiens

```

```

<400> 459
gnngnnnnng nttcctaang ctgggggccg ntctnnnnnn nnnnnnnngt tcctaaanac      60
ctaggngctc gntctngctc cagcagncn gggcggtggc gaattcggca cgagcttctg      120
ttgattgggt tgtttaaagt acctaagtac taccctttga ctccctacca aaagtctctt      180
tgttttttaa acaactttta tttgtgactt actttcttga gaagngttct taatgaattg      240
cataaaatag tgtagcagc ttatttctta agtncttnat tattggggct ttaccattca      300
ggtcttatct ttaaccctta tttactcagt ttccatctg aatgataccta tctctaaatn      360
aaggatttaa taaatgctgc aaattgtcca ctttgcaaat ngtcctaaaag ctttagtttt      420
ggaccttgng aactttttt ttaataacac attatttggg cccggctcgtg gtggctcaag      480
cctgtaatcg cagcactttg gaatgcctag gcagacagat cacttaangc ctggagttcg      540
agaccagcct ggccaatgtg gtgaagacct ccggttctat tactaaaaat nctaaaaaat      600
tancaaggca tggnggtgca cgcctgnaat ctcagctact tgagangcaa atcnggagaa      660
atgcttgacc ngggangcan anatgancn anattgcacc actgcattcc acctggggan      720
nanantgaga anctggctca aaacccaaaa acccaaaaaa aaaaan                    765

```

```

<210> 460
<211> 677
<212> DNA
<213> Homo sapiens

```

WO 99/33982

PCT/US98/27610

<400> 460

gtttncgctg	ggagccacca	acatagcaga	ttaccatgtg	aagttgccac	tgctgcatct	60
cctgaaacct	ggctgatggg	agaggtctca	ttttgtgtct	gagaatgtcc	aggttgtctg	120
cagaccacag	cactgatattc	ccattagcag	ttattatttc	ctggccattt	cttcctgaag	180
gttttgtggt	taaactccct	gtcctcaata	ttttatcagc	agtagggctg	tcattcttct	240
ggttatcaac	ctctacatta	tgaagtaagg	ttcaaccctt	ctgcttttct	caggccccc	300
aaacggttcc	tatccaatcg	aacacaaaa	cgggtattga	gaaggaattg	gcagggtca	360
gtggtgtgtt	ccgttgctcc	tacctcatgg	agactcttac	tcatgtctga	tttattgaga	420
gaacttctaa	ctgaccactc	acccccaccc	actcttatgc	agtctgttca	ttcctgaaaa	480
caccactttc	atccctcctg	cacacaaccc	atgagggatt	gctacttcct	ataagattcc	540
tcagtggacc	ttatagagtt	gctgcgagaa	ttacatttgg	tcatgatgtc	aagtgctctg	600
tatgtagctn	atgcttattg	aacacatagt	aatttattgg	aataattgnc	atgatcactg	660
gatgagaata	tagcccn					677

<210> 461

<211> 787

<212> DNA

<213> Homo sapiens

<400> 461

gnnnnnnnag	ggnnnngngg	ggcctcncaa	agcccngncn	acaggtcccc	gttccaaagc	60
ntggngnanc	gcnncgcccc	ancagnaagg	cgggggaang	cggcacgagg	acatcatcnn	120
cttattctag	taagagaaa	tacacagatt	caactttaga	gaggacnggg	gggnnnncng	180
gagcnaaatc	aaggaaggan	tatcacnggg	ccncccnnga	atataannnn	gaagctgnga	240
acagnaccat	cagnaacann	nnatggacag	ctctgatggg	gnnnatacca	cggcactctn	300
cnnaccnnng	gnngaagcna	tccggagnna	tgactganng	gnaaagnggn	nnactgnnag	360
aanccngngg	ngctaggann	ctgggagagn	cactttcang	aagnnaccng	gcgangagnc	420
atcanaagaa	cccgganaag	ngagaagacn	ggaaaaagnn	cncancgnac	ngagcccagn	480
nannnncnct	gagccanggg	ctncgaaaang	ccccacnnga	agcnccatca	canggnacaa	540
ggnnngggaa	aaggaancna	cnnngcngac	angncncncn	aanagngcca	aancacngcn	600
nngcccnenc	gccc aaagaa	nacnggacng	cnggcncnna	ncanaaggag	cncnanggcc	660
cnnggnaang	aaactncnag	nagcccaanc	ccaaaggccc	cnangganng	ccnncagggg	720
gaaaacanna	nncacccaag	gggcctgggc	naanaaggcn	nccacncng	gcccnccnnc	780
nnnaccg						787

<210> 462

<211> 747

<212> DNA

<213> Homo sapiens

<400> 462

ctaattggtt	ggnnnnnnng	nnnnccgntt	cttaattgnc	ttgggcnnct	cgtctcttct	60
ccannnagnn	nntgcgttng	cgaattcggc	acgagcctca	gccccacacc	agctctatct	120
caggggtgag	agtcagagag	cactgcaata	tgtgttctcat	gggatttcga	ttcgaagatc	180
ctagaccagg	gagacactgt	gagccagggg	tacaacaaaa	tactaggtaa	gtcactgcag	240
accgacctcc	ctgcagtttg	ggaaagaagc	tgggtttgtg	gagaatcaga	gcatcttgac	300
atgactgctg	acctaaagat	ccctggcatt	ggccagggat	cctgtggaac	ctcttctagt	360
tcaggggtgt	gagcattaga	ctgccagtgt	tctagtgcac	tctgatgctt	gctgtgaact	420
tttaagatcc	ccgaatcctg	agcacctcaa	tctttaattg	ccctgtattc	cgaagggtaa	480
tataatttat	ctggatggaa	attttaaaga	tgaatcccc	ttttttcttt	tctnctctct	540
tttctttcct	tctccctttc	ttctttgcct	tctaaatata	ctgaaatgat	ttanatatgt	600

WO 99/33982

PCT/US98/27610

```

gtcaccaatt aatgatcttt tattcaatct aagaaatggn ttaagttttt ctcttttagct    660
ctatggcatt tcaactcaagt gggacagggg aaaaagtaan tgccatnggc tccaaagaat    720
tnntttatgt tttagctatt taaaaaa                                747

```

<210> 463
 <211> 750
 <212> DNA
 <213> Homo sapiens

```

<400> 463
tncctttcta angcnntng nnaanngtcn ccgttctaan tncttgggca gnnecgtctn    60
tctncannca gncnntgcgt tgcgaattcg gcacgaggcg agatgaagct acactgtgag    120
gtggaggtga tcagccggca cttgcccgcc ttggggctta agaaccgggg caagggcgtc    180
cgagccgtgt tgagcctctg tcagcagact tccaggagtc agccgccggg ccgagccttc    240
ctgctcatct ccaccctgaa ggacaagcgc gggaccgcgt atgagctaag ggagaacatt    300
gagcaattct tcaccaaatt tgtagatgag gggaaagcca ctgttcgggtt aaaggagcct    360
cctgtggata tctgtctaag taaggattcc atatggctct catatcatte cattccatct    420
ctgccaaagt ttggataccg caaaaatttg tgttngngga agattctgnc tgaactcttt    480
cattcaagga actactacca tgaatctgca ttctgntgcc cacactgagg ncttagtaga    540
taattgggtg gtctgaaaca cctattatct cttatntctg gtctctange tggnatgtta    600
attcctctga aatgntaaaa gtaatgggtg anaccngaaa aagaaatttc aatnacagat    660
caanntgggg ngcatgtatn attttcaagc gtcaaaatgg aataagggaa gantnctgga    720
tacctgcttg gaaaaggaag natgtgtatn                                750

```

<210> 464
 <211> 748
 <212> DNA
 <213> Homo sapiens

```

<400> 464
gnngtgtctt tgnaaagcct ttggggaann gncncttctt aatgcttggc tatcgnctctt    60
tacgcagnnc ccatcgatct gaattcggca cgaggccggc cggcgacgct ggcgaacgctt    120
tcgcccctga ggtagtcttg cgaccgcgaa gaaggaaaaa gggcgggcgg gcggtgttcc    180
tctcacgctc ctaccccgc gaggccgggc ccgctctctc gtcgtggatt tcgcggcgat    240
ccccccggca gctctttgca aagctgcttg aaacttctcc caaactcggc atggatacga    300
ctgcggcggc ggcgctgcct gcttttgttg cgtctctgct cctctctcct tggcctctcc    360
tggtatcggc ccaaggccag ttctccgcag gttgngtgc tctttcggtc tctctcttgg    420
gggctctgaa gtttcaccag gtggacgctg gggagcgggc tcccgagcac ttgtctacct    480
nccgccagtc ctgacaactt ttctggccaa cctaccagc ttcgcttggc tggcgagcgc    540
atctgctgct ggggttcgcg gtgcaaagtg agacgcagtg gtggccagag ggtgatggag    600
aagacgggaa aagcgacagc cacgctnctg gcttgaagcc gcaggacgca aataacttac    660
tttggaacct acagttctac gttgntgttg angccctggt tcctggaaat aaaactcaaa    720
atggtgggtt tttggaataa aaaaaaat                                748

```

<210> 465
 <211> 863
 <212> DNA
 <213> Homo sapiens

```

<400> 465
gggnnnnnnn aangnnnnnn ggnnnnngtc ccgttccaan gaccnngaga tcgnngncgc    60

```

WO 99/33982

PCT/US98/27610

tccanaagaa	aggcgggtgng	aattcggcac	gagacctgta	ccgcctggcc	actggctgtc	120
accggcgtga	tgagctgccg	gtgtttgaac	gcngcctatg	cngggacttt	cccggcanan	180
nggcnngaan	atggccncca	tncaggaagc	cgcccagaac	ctcctnggnn	acacnacttn	240
agngccttcn	agtccgntgg	nacccggnc	aagccccggc	aancnctgcc	ccgggtcncc	300
gttcccaagg	ccaaccagcc	ctgggnaccc	ccggggagcc	gaaacnctgg	ggctnggana	360
ccngantga	gagncnca	tttcnntgta	nacacgggcc	cagganacan	ctntgctcgt	420
ggccccgggg	naaannnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	480
nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	540
nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	600
nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	660
nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	720
nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	780
nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	840
nnnnnnnnnn	nnnnnnnnnn	ncc				863

<210> 466

<211> 713

<212> DNA

<213> Homo sapiens

<400> 466

ngtctttcga	gcntggngnt	cgttctngct	cnannanatt	ggttgnggga	attcggcacg	60
agcctcagcc	ccacaccagc	tctatttcag	gggtgagagt	cagagagcac	tgcaatatgt	120
gcntcatggg	atttcgattc	gaagatccta	gaccagggag	acactgtgag	ccagggatac	180
aacaaaatac	taggtaagtc	actgcagacc	gacctccctg	cagtttggga	aagaagctgg	240
gtttgtggag	aatcagagca	tcttgacatg	actgctgacc	taaagatccc	tggcattggc	300
cagggatcct	gtggaacctc	ttctagttca	ggggtgtgag	cattagactg	ccagttgtct	360
agtgacatct	gatgcttgct	gtgaactttt	aagatccccg	aatcctgagc	acctcaatct	420
ttaattgccc	tgtattccga	agggtaatat	attttatctg	gatggaaatt	ttaaagatga	480
atcccccttt	ttctttttct	tctctctttt	cttctctctt	ccctttcttc	tttgccttct	540
aaatatactg	aaatgattta	gatatgtgtc	aacaattaat	gatcttttat	caatctaaga	600
aaatggttta	attttttctc	tttactctat	ggcanttcac	tcaantggac	aggggaaaaa	660
agtaattgcc	atgggcttcc	aaaagaattg	ntttatgntt	tagctatttn	aaa	713

<210> 467

<211> 732

<212> DNA

<213> Homo sapiens

<400> 467

gnnnngtnnt	ctaatncttg	nnnnnnnnntc	ncccttctaa	gccttggnct	cgnetnnccn	60
acnancnggc	ttncgaattc	ggcacgaggc	gagatgaact	acactgtgag	gtggagggtga	120
tcagccggca	cttgcccgcc	ttggggctta	ngaaccgggg	caagggcgctc	cgagccgtgt	180
tgagcctctg	tcagcagact	tccaggagtc	agccgcgggt	ccgagccttc	ctgctcatct	240
ccaccctgaa	ggacaagcgc	gggacccgct	atgagctaag	ggagaacatt	gagcaattct	300
tcaccaaat	tgtagatgag	gggaaagcca	ctgttcgggt	aaaggagcct	cctgtggata	360
tctgtctaag	taaggattcc	atatggctct	catatcatte	cattccatct	ctgccaaagat	420
ttggataccg	caaaaatttg	tgtttgtgga	agattctgtc	tgaactcttt	cattcaagga	480
actactacca	tgaatctgca	ttctgntgcc	cacactgtgg	tcttagtaga	taatttgggt	540
ggtctgaagc	acctattatc	tcttatttct	ggtctctagg	ctggtatgtt	aatcctctga	600
tatgttaaaa	gtaatgggtg	agaccngaaa	aagaaatttc	aatacngatc	aantttgggg	660

WO 99/33982

PCT/US98/27610

tgcattgttga atttgcaacc tcaaattgga gtaagggaan attctggata cttgctggaa 720
aggaggaatg tn 732

<210> 468

<211> 748

<212> DNA

<213> Homo sapiens

<400> 468

gnnagnnttc taatngcttg tnnnnnnnna gacgtttetaa nncttttggcn atcgttnttt 60
ctncagnann cnttcgattc gaattcggca cgaggccggc cggcgacgct ggcgacgctt 120
tcgcccctga ggtagtttgg cgaccgcgaa gaaggaaaaa gggcgggcgg gcggtgttcc 180
tctcacgctc ctacccccgc gaggcccggc ccgctcctnc gtcgtggatt tcgcggcgat 240
ccccccggca gctcttttga aagctgcttg aaacttctcc caaactcggc atggatacga 300
ctgcggcggc ggcgctgcct gcttttgtgg cgctcttget cctctctcct tggcctctcc 360
tgggatcggc ccaaggccag ttctccgcag gttggttget tctttcgttc tctcctctgg 420
gggctctgaa gtttcaccag gtggacgctg gggagcgggc tcccagcac ttgtctacct 480
tccgccagtc ctgacaactt ttctggccaa cctaccacgc ttcgcttggc tggcgagcgc 540
atctgctgct ggggttcgcg gtgcagatgg agacgcantg gtggccagag ggtgatggag 600
aagacgggaa aaagcgacag ccaagctcct ggctgaaacc gcaaggacgc aaaataactt 660
actttgnacc tgacagtttc tnacgtttgt tgtggangcc ctgtttcctg ggaaataaac 720
tcaaattggt ggtttcttgg aaaaaaaa 748

<210> 469

<211> 776

<212> DNA

<213> Homo sapiens

<400> 469

ggngntcta atgcttgann tgattctccg tctataacng gntaatnctt ggnccctacna 60
aaaggctang ngaattcggc acgagacctg taccgcctgg ccactggctg tcaccggcgt 120
gatgagctgc cgggtgttga acgcaacctg tgctggactc tcccggcaga ctgcctggat 180
atggctcgca tgcaggaagc cgcccagcac ctccctcgga cacacgactt cagcgccttc 240
cantccgctg gcagcccggg gccgagcccc gtgcgaacgc tgcgcccggg ctccgtttcc 300
ccaggccaag ccagcccctt ggtcaccccc gaggagagca ggaagctgcg gttctggaac 360
ctggagtgtg agagccagtc tttctgttat agacaggtac ngaggatgac ngctgtgctg 420
gtggccgtgg ggcttnaann tnannnnnnn nnnccnnnac caantctncn nannannnnn 480
ccnaccnnta aaantnnncn ncnnnnnncn nnnnnnnnnc cnnnnanncc nnnncttnnn 540
naancnnnnn nnnnnnnanc nnnncancna nnnnnnnnna nnnnnnnncn nnnnnnnncn 600
nnnnnnnnnn nannccnnnn nnnnnantnn nnnnnnnnnn nnnnnnnnnn aaannnnnnn 660
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnncnnnnnn nnnnnnnncn nnnnnnnnnn 720
cnnnnnnnnn nnnnnccnnn nnnnnntnnn nnnnnnnntn nnnnnnnnnn nnnnnnc 776

<210> 470

<211> 765

<212> DNA

<213> Homo sapiens

<400> 470

tatgnntttt ctaaaatncn tgggcaanac gtcctcnctt tctaanagn ttnggcanaa 60
cccttggcaa nacgcngtn acccanacnc agnnnggccg tggcgggcga gcgggcaaca 120

WO 99/33982

PCT/US98/27610

gctcttgagg	agtgagactg	cnggagatnt	gggccgtgcc	aaagagatgg	atgagactgg	180
tgctgagttc	atcaagagga	ccatcttgaa	aatccccatg	aatgaactga	caacaatcct	240
gaaggcctgg	gattttttgt	ctgaaaatca	actgcagact	gtaaatttcc	gacagagaaa	300
ggaatctgta	gttcagcact	tgatccatct	gtgtgaggaa	aagcgtgcaa	gtatcagtga	360
tgctgccctg	ttagacatca	tttatatgca	atttcatcag	caccagaaaag	tttgggatgt	420
ttntcagatg	agtaaaggac	caggtgaaga	tgttgacctt	tttgatatga	aacantttaa	480
aaattcgttc	aagaaaattc	ttcanagagc	attaaaaaat	gtgacagtca	gcttcagaga	540
aactgangag	aatgcannct	ggattccaat	tgcccgggga	acacagtaca	caaagcccaa	600
ccagtcaaac	ctacctacgn	gggggactac	tccagactcc	cgnacncctt	cacgtcctcc	660
tccatgctga	ggcgcaatca	cgccttctgg	gncaagaagt	tanaaacnct	gggaaaaact	720
acctncgaca	agaaggggan	catttanatt	taccnnaaat	gaana		765

<210> 471

<211> 820

<212> DNA

<213> Homo sapiens

<400> 471

cnnnnnnggg	nnngngggc	cntccnaaan	ccggggcgac	agngccnnng	ttccaacaga	60
ccnggngngc	cgncngngcc	ccanacagca	ngggnggggc	nnnggggnnn	cnncgncnnn	120
cnnancnaca	aagaactcaa	caagaaaaaa	acnaaccca	caagcgggca	aaggacngga	180
acagacantn	cccaaagaa	gacatacaag	caaccnaaaa	taatcnaaaa	taagnnncaa	240
aaagaaaaaa	ngcnagacag	agnngngana	gnactnagna	aaaagngana	tctagcggcn	300
annagnangn	nngnnnacgg	ncngnnnchn	agaaanagnc	nctggnnccc	aagcnggagn	360
acagcggcgc	aagcnnngcn	cactgcaacc	gcgaacnccc	gggctcaagc	gaaccnccag	420
cctcagcctc	ccaagnagcn	gnnaaaggca	ngcaccacca	cacccgacna	aaatanengc	480
nancaanaac	ananaanggc	nccccngngc	nnanncagga	aanaaacacn	cnnangcnnc	540
ngaaaaanaa	naancncncn	cnnnacaaaa	aaacnnnagc	cnnagaacaa	nnnnggaggc	600
ggaanaacgg	nmancccgac	anganaanga	nacnanngan	gganganngg	gaccaaaccn	660
cancccgggg	anggcnnngn	aaaaaaaaang	ccnnnaaann	gggggaaaaa	ncggngnang	720
ccnaaagggc	cnnaaanggg	gaaacccnan	naaaangccg	ggcanannan	aaccnagcnn	780
nancnancn	nccaangggg	nannncncn	nncnaggccg			820

<210> 472

<211> 738

<212> DNA

<213> Homo sapiens

<400> 472

gnngtgtctc	taatgcttgg	ctactngttc	tttccgccga	acncttgcta	atgcttggcn	60
ntcgttcttt	ctccacnnac	nnngcnntnc	gaattcggca	cgaggtcaca	ganatnaaag	120
tccaatcata	ggggctggnc	cnactctnt	gctnntccct	gcangantca	tangatcagn	180
nanaccgtgc	gnntttgnaa	gcntttcaaa	tgtgntacca	tcnggttact	tncnnnggca	240
cctgntgann	tnggttgnac	tnnncnngat	nctccaaanc	caccnnnncn	atgggntnng	300
tgngcatgng	ntggnnncann	nacagannna	ganactttaa	ngaannngnt	ntgcaaccn	360
tnggncttag	caancntgan	antnccaggg	ngggccacna	agctgaaaat	nnatgttana	420
ncnnatgntg	naatctctag	natgacttcc	ncannnancn	aaactnangc	anggctgcna	480
tgttagaanc	tanaggccna	atttcttntc	natgnaacca	ntntatgctt	ttaagaccnt	540
caactgtinn	natgaagccc	atntacatna	ttncggtaat	anggetatnc	ttaaannnaa	600
ctgctgaaaa	tnatgatnca	nctacgaaat	cctnncancc	ncatntggct	naatcattac	660
caaccatttg	acaccnncat	ngnctaccca	cntgcattnc	catgaccnan	tccantgcca	720

WO 99/33982

PCT/US98/27610

cccgencaga tntacctt

738

<210> 473

<211> 752

<212> DNA

<213> Homo sapiens

<400> 473

tatgnntncc	taanagagtt	ntgnnacacg	gcccgccttc	tnaaancttc	ctaatncttg	60
ggcgctcggt	ctntctncac	ncagnnntg	cggtncgaat	tcggcacgag	gtccttttga	120
accaccccaa	agaactcaac	atggcaaagc	aaatggtaaa	agcttcccga	ctgttctact	180
ttgggtccgc	gcgaagccca	ctcacgtgtg	atctgtgttg	cccctgggag	gcccggggcg	240
accggaaaag	ggctctctca	agttctgaaa	agagaatctg	ccaccagatc	gaatttcgac	300
ccctgagctt	gttcggacgt	atggtccaaa	ttcagattaa	ggtggtcacc	caacccgaga	360
tgtcaggaaa	ggccttctgc	agagaaaatg	tccccccacc	cgccatctgc	agccagggtg	420
gtgccacacg	gcagccttcc	cgaacatag	tatggatttt	aaaaatgtgt	ntatttttgg	480
ttctcaacca	ctttataacg	tattttttta	tttattttgt	aatgtcttgt	tttgaagtat	540
tgctgctatc	cttggtatcc	ttccactgg	ttttatcact	ganttatttt	gngaaagtgt	600
ncactaatgt	tctatgtcaa	aatcaaaagt	atttaatgaa	atactanntc	tatttaatgt	660
ggntatggaa	ccagctggaa	acacaaaaca	aacagtgatt	gacancaagc	tgggcccgaag	720
agncagggtca	ttttgnacat	atgccaataa	ac			752

<210> 474

<211> 752

<212> DNA

<213> Homo sapiens

<400> 474

ttgcanacnn	aatanttgt	gtaaaagtc	cnnctttttt	ccctttctaa	tgnttgngcg	60
ctcgntctnt	ctccacnagn	nnntgcgttn	cgaattcggn	tctnagccca	tgccgggagc	120
ttcccacacc	cgctctcaca	gatccagccc	cagccctgt	cttcccaggc	catctctcag	180
cagcacctgc	aggatgcggg	cacccgggag	tggagccctc	agaacgcac	catgtcggag	240
tctctctcca	tcccagcttc	cctgaacgac	gcggttttgg	ctcagatgaa	cagtggagtg	300
cagctcctga	ctgaaaaggc	cctgatggag	cttgggggtg	ggaagccgct	tccgcacccc	360
cgggcgtggt	tcgtctcctt	ggatggcagg	tccaacgctc	acgttagaca	ttcatacatt	420
gatctccaaa	gagctggaag	gaacggaagt	aatgatgcca	gtttggactc	tggcgtagat	480
atgaatgaac	caaaatcanc	ccggaaggga	angggagatg	ctttgtctct	gcagcagaac	540
taccgcnccg	tccaagagca	ccancagaaa	gancctcanc	cccagacagc	acggngctaca	600
cgcantcctg	gnacctggat	gacntggaa	anaatggtan	cnaatgtggg	accacngnct	660
tgtanccena	ggacaaggcc	ctncnanget	tgntggangg	gtcnantcng	anaaatggng	720
gccactgccc	aacccgcang	aaganaacaa	nn			752

<210> 475

<211> 742

<212> DNA

<213> Homo sapiens

<400> 475

gntttctntt	aatncttttn	naaangcggn	ntttacntt	ctangnntgn	gnctcgttct	60
ttcccacnna	nnnnncggtn	cgaattcggc	ncgaggtgaa	acagaaagtg	gagatgcttt	120
ccttgacctg	aagaagcctc	ctgcctccaa	atgcccccat	cgctatacaa	aagaagaact	180

WO 99/33982

PCT/US98/27610

cttggatata	aaagaactcc	cccatgccaa	acagagcctt	catgcctttc	tgaaaaatat	240
gacagtgatg	gtgtctggga	ccctgagaag	tggcatgcct	ctctctaccc	agcttcaggg	300
cggagctcac	cagtggaaag	tctgaagaaa	gagttggata	cagaccggcc	ttccctggtg	360
cgcaggatag	tagatccacg	agagcgtgtg	aaagaagatg	acttanatgt	tgttctcagc	420
cctcagagac	ngagctttgg	agggggctgc	cacgtgacag	ccgctgtcag	ctcccggcgc	480
tcangaagtc	cattagagaa	agatagtgat	gggcttcgtc	tgcttggtgg	acgtaggatt	540
ggcagtggga	ggataatctc	tgcccggacc	tttgagaagg	atcacgcctt	aacgataagg	600
acctgcggga	cttgagagac	agagaccnan	anaaggactt	caaggacaac	gtttcangan	660
anaanttttg	gagaaagtaa	ncntgtcttt	tggtgancgt	anaanaaat	gattcttacn	720
cnnaanaaga	acccgaatgg	tt				742

<210> 476

<211> 1122

<212> DNA

<213> Homo sapiens

<400> 476

gnnnngggnnn	ttctaaaagc	tgggnnnnnnn	nnngagggnnc	ttctaatnct	tctaattggtt	60
ggctctcggt	ctttctncac	gcagcnnngc	gnnnccgaatt	cggcacgagc	ctgcagccac	120
taatgcattg	tgtatgataa	caaaaactct	ggtatgacac	atcttctgng	atcattgnta	180
attagtgaca	tagtaacatc	tgtagcagct	ggttagtaaa	cctcatgtgg	gggtgggggtg	240
gggggtgatn	cctngnggga	nggnnnnnnnn	nnnnnnnnnnn	nnnnnnnnnnn	nnnnnnnnnnn	300
nnnnnnnnnnn	nnnnnnnnnnn	nnnnnnnnnnn	nnnnnnnnnnn	nnnnnnnnnnn	nnnnnnnnnnn	360
nnnnnnnnnnn	nnnnnnnnnnn	nnnnnnnnnnn	nnnnnnnnnnn	nnnnnnnnnnn	nnnnnnnnnnn	420
nnnnnnnnnnn	nnnnnnnnnnn	nnnnnnnnnnn	nnnnnnnnnnn	nnnnnnnnnnn	nnnnnnnnnnn	480
nnnnnnnnnnn	nnnnnnnnnnn	nnnnnnnnnnn	nnnnnnnnnnn	nnnnnnnnnnn	nnnnnnnnnnn	540
nnnnnnnnnnn	nnnnnnnnnnn	nnnnnnnnnnn	nnnnnnnnnnn	nnnnnnnnnnn	nnnnnnnnnnn	600
nnnnnnnnnnn	nnnnnnnnnnn	nnnnnnnnnnn	nnnnnnnnnnn	nnnnnnnnnnn	nnnnnnnnnnn	660
nnnnnnnnnnn	nnnnnnnnnnn	nnnnnnnnnnn	nnnnnnnnnnn	nnnnnnnnnnn	nnnnnnnnnnn	720
nnnnnnnnnnn	nnnnnnnnnnn	nnnnnnnnnnn	nnnnnnnnnnn	nnnnnnnnnnn	nnnnnnnnnnn	780
nnnnnnnnnnn	nnnnnnnnnnn	nnnnnnnnnnn	nnnnnnnnnnn	nnnnnnnnnnn	nnnnnnnnnnn	840
nnnnnnnnnnn	nnnnnnnnnnn	nnnnnnnnnnn	nnnnnnnnnnn	nnnnnnnnnnn	nnnnnnnnnnn	900
nnnnnnnnnnn	nnnnnnnnnnn	nnnnnnnnnnn	nnnnnnnnnnn	nnnnnnnnnnn	nnnnnnnnnnn	960
nnnnnnnnnnn	nnnnnnnnnnn	nnnnnnnnnnn	nnnnnnnnnnn	nnnnnnnnnnn	nnnnnnnnnnn	1020
nnnnnnnnnnn	nnnnnnnnnnn	nnnnnnnnnnn	nnnnnnnnnnn	nnnnnnnnnnn	nnnnnnnnnnn	1080
nnnnnnnnnnn	nnnnnnnnnnn	nnnnnnnnnnn	nnnnnnnnnnn	nc		1122

<210> 477

<211> 747

<212> DNA

<213> Homo sapiens

<400> 477

gnngtgccctt	tgaaannccn	tttgnnnnng	nggcccttct	aatgctnttn	cgntcgnggg	60
gtcgaactcg	ccccacncng	cnaggcgggg	gctncaagcg	attctaaacc	acctatgagt	120
atctctttta	gggtcactt	aaatacatgt	ntgngnntac	tgggggctag	ccngaataat	180
tttagatctg	atcaggtngn	ngctnaaatt	ngaaaaanac	cnnntngatg	cttaaagaat	240
tngcntccat	ttttgagtct	aaatctttta	aaatntactg	ngatccacat	ctagnгааат	300
gtcngtgtca	anatattctn	gatnatcgct	naaatccnca	ttaataactcn	ttnggggtnn	360
nnnatagngg	aacttcntag	nnntncnaaa	agcacatngn	cttctctgnet	ccgctgctcc	420
cacagnnggt	nttgnaactg	ggnaaatcag	nnnnnnngata	gcnngngnnt	ntnaganaaa	480

WO 99/33982

PCT/US98/27610

ntngatncac	acatncttnn	nnctcagnen	ncacatngat	tgaacactct	ggccaagatg	540
ctgnggngga	tgangttgga	gttcgannga	agaagccngc	gctggcctgg	cttgnaagac	600
ccnngncttt	cccntnccct	cnctngaaag	ctgcccngac	ngaggccnaa	ngnaaatggn	660
tganngnnncn	gtcnngcccn	cttcngncnc	ttngaaccnn	nnagnngnnc	tnnnnngnacc	720
cnngnnntn	cgngnaaccg	nnccngc				747

<210> 478

<211> 746

<212> DNA

<213> Homo sapiens

<400> 478

gnnnnnnngcg	cgnccttcta	atgcttcnta	attnnctnng	atactcgttc	tttctncagg	60
nacnnntgc	gnttcgcaag	gagnagagt	atagnaattg	gcagtgaaat	atacgaacca	120
ccctcctgcc	ctctgggttc	acaatacgtg	tacacttgac	tgtgaagtgg	ctgtgagagt	180
gggtggagag	ttcttctttg	accctcagcc	tgcggatgcc	tctagaaacc	tcgtgttgat	240
tgaggagga	gtcggaatta	accctctgct	ttccatcctg	cggcacgcag	cagatctcct	300
cagagagcag	gcaaacaaaa	gaaatggata	tgagatagga	acaataaaac	tattctacag	360
tgaaaaaat	accagcgaac	tcctgtttaa	gaaaaatata	cttgatttag	taaatgaatt	420
tcctgagaag	attgcatgca	gtttgcatgt	tacaaaacag	actacacaaa	tcaatgcgga	480
actcaagcca	tacatcacgg	aaggaagaat	aacggagaag	gagataagag	atcatatttc	540
aaaagagact	ttgttctata	tttgtggccc	acctccaatg	acagactttt	tctccaagca	600
actggaaaaac	aaccatgtac	ccaaagaaca	catttgcttt	gagaagtggg	ggtaggaggc	660
aagaccaaag	gcaggaaaaa	attaangagg	tgagatctac	tcaaggagag	ctcaaaaaaa	720
aaaaaaaaaa	actngggccc	tttaga				746

<210> 479

<211> 750

<212> DNA

<213> Homo sapiens

<400> 479

gnnnnnnnnnn	nngngnnnnn	ttctannntt	cntattnnct	nggagctcgt	tctttctnca	60
ggatcccntg	cgattcgaat	tcggcacgag	ggtagactgg	ctagggatcc	tggacccagg	120
gttccacgta	gcaacacctg	ctgagttctc	tgggttttct	tctgcctca	tgtagcccag	180
acttggagct	gaagaagctg	gaaacatgga	aacaccaaca	gctacagacc	aaaaaaagtc	240
ccaacaaagg	cctgtcagtc	tgccagcctg	ttctgtggat	ttccaactca	agattgcagc	300
atcaactcac	acctgaagtt	ctggcttccc	tacaaaacttt	gaacttgcca	gtccccacaa	360
tggcataagc	caattcctta	aaatgaatgt	ctagttctag	ataatgtgtg	tattctactg	420
gttctgtttc	tctggagaag	cctactaata	gatcatttgt	cttagtcaat	tcaagctact	480
ggtacagatt	accatagact	gggtggttaa	aactaccaat	cttattactc	acagtttttg	540
gagtctggaa	agtctgagat	cagggttcca	gcaggattga	gttccttggg	gaacatnctc	600
tttctggnct	acagaatact	gggttacttt	aagtnggaaa	aagtaggggtg	aagctgggtc	660
ntttggcctc	ttcttttaag	ggggactaat	tcatgaaggg	ttccaccctt	attgacctat	720
tttaccttnc	caaanggnnt	ccattttccn				750

<210> 480

<211> 714

<212> DNA

<213> Homo sapiens

WO 99/33982

PCT/US98/27610

<400> 480

gnnnnnngnn	nngnggnnt	tcnaccgttc	ttntgacct	gnctcgnnt	nncnncna	60
gctaggcttg	ngaattcggc	acgagataac	acacatcaca	gtatgctctc	agaaatttct	120
ttatttgaac	cctataccaa	tatctgntga	tcaatgacca	tttttgctca	gcatggagaa	180
acagtgccct	gcatgaagg	tagtgagaat	aaaaaggatc	ttaccacctt	tatcatgagg	240
gtggctttgc	tctctccatt	ccaagttggt	ctctgttcta	gaaagcagat	gtagtagaca	300
tctactgttt	ttgcctaaac	agaatccctt	tttctttttt	ttgttaaaag	tactcatccc	360
taatattaca	ttgttctgga	aggactgaaa	ataacagaa	tcagcaccat	gatcggaccg	420
ggacaatcag	attatttcat	tcctcancaa	acggagatcg	atccgaaaag	tggaaatatg	480
agctcttctt	tgggtgtggc	atatggaccc	tgagagaaag	aactttaatt	ttttctcttg	540
gactgcaata	aagtatagct	gcctaaaata	cgtttctcta	ccttggangt	ttgnccacaa	600
tcggtgaaat	aaangcaaga	cgtacacttg	gatgaaaaaa	aaannnnnnn	naaaaaaaac	660
tcgaccttta	nactatnnga	gtcgatacnt	aatcngactg	atagatcatt	gnta	714

<210> 481

<211> 742

<212> DNA

<213> Homo sapiens

<400> 481

agcctttcta	aangcctttt	gnctnngnnc	ccctttccta	anncttggt	aatncttggc	60
nactcgttct	ttctncacgc	acccatcggn	ncgaattcgg	cacgaggcat	gaaaggagtc	120
ggaagcggaa	gcggtagccc	ggacggtgct	gtggtgcaag	ggcttgtgga	aaaattggag	180
aaaaccaagt	ccctggccca	gcagttgaca	agggaggcca	ctcaagcggg	aattgaagca	240
gataggtctt	atcagcacag	tctccgcctc	ctggattcag	tgtctcggt	tcagggagtc	300
agtgatcagt	cctttcaggt	ggaagaagca	aagaggatca	aacaaaaagc	ggattcactc	360
tcaagcctgg	taaccaggca	tatggatgag	ttcaagcgta	cacagaagaa	tctgggaaac	420
tggaaagaag	aagcacagca	gctcttacag	aatggaaaaa	gtgggagaga	gaaatcagat	480
cagctgcttt	cccggtccaa	tcttgctaaa	agcagancac	aagaagcact	gagtatgggc	540
aatgccactt	tttatgaagt	tgagagcatc	cttaaaaacc	tcagagagtt	tgacctgcag	600
gtggacaaca	gaaaacagaa	ctgaagaacc	atgaagagac	tctnctacat	caccagaagg	660
ttcagancca	atgacaagac	ccancaagca	naagagccct	ggggagccct	ctgctgatcc	720
caaanggcaa	aaaatggggc	cn				742

<210> 482

<211> 752

<212> DNA

<213> Homo sapiens

<400> 482

gnnnngggag	nnttctaagt	ctttgntcta	gagtcnncnt	tctaangget	tggnaatnct	60
ngctcttggt	ctttntgcag	gatcccatcg	attcgaattc	ggcacgaggc	caagcctcgg	120
cctccactgc	acctgctgcg	gagtggcacc	tttgcttgca	aggccctcta	ccccatggcc	180
cagtgtcatc	tcagcagggt	ctttggccac	tcaggaggcc	cttgtggtgg	gttgtcagtc	240
ctgtccttcc	ctcatgagaa	gctactgctt	atgtccacag	accaggagga	gctgtcacgc	300
tggtagcaca	gtctgacttg	ggctatcagc	agccagaaaa	actagaggaa	tcttatagat	360
tccgaactc	aggataacct	agggataggt	cacagccaag	agtacaaagg	aatcttcagt	420
actgaacaaa	acagaaccct	tcatgatttg	acaaagggtc	ctttctgttt	gcctggacca	480
agctactcca	gatcatctga	ccaactctta	aaaatcacgg	ccaggcacag	tggctcatgc	540
ctgtaatccc	agcacttttg	gaagcaaaag	tggcaggatc	attccagccc	aggagtttca	600
agancagcct	ggcaacacag	tgagttagac	cctgtctcta	tttaagaaaa	aaattattaa	660

WO 99/33982

PCT/US98/27610

```

gaaattttat taaaaaagga agaatcagga aaccaaagtc aaccccaact taaccctcaa      720
tgaaccagcc ctaacacaga tgangggatt tg                                     752

```

```

<210> 483
<211> 849
<212> DNA
<213> Homo sapiens

```

```

<400> 483
gnnnnnnattn cccttttnaaa tncncngaa ancccttgga agcactaccn ctengacccc      60
tttggaaacgn cgactnctnn atatatcnng gatataatag gtgataagtt ctgncaatta      120
gtaacatcng gaaaaaacag ctnnngncctg gnggaaaaag gatgccaaaa tngcctggaa      180
aagagcagng gagaggagtc cgggagatgn gngatgcac gggacgcanc atngntnaac      240
attcactggg tctgccaaaa atgtggattt gngggctgct tagatngtta caaggcaaaa      300
ggaaaggaaa gagttctaga gataaaagaa ctatatgctt ggatgaagtg tgtgaaggga      360
cagcctcatg atcaccaaca tttaatgccc aacccaaaat tataccnggt tctgntttga      420
cagacttcta gatgccatgc acactcttag ggaaaaaata ttgggattaa ancccatngg      480
cattggacta acaaacagga atttacaagg tnggaaantt ttncnaccaa tgaaaggggg      540
gatcncaagg ttttcagaa nggntcntaa tcncaggnaa taaaaattnc tctngggcaa      600
gccctgagtc ttaancagca aaaanactcc tcccgaancc tgnagaaaaa aggggggggca      660
gccaggcccn naaanggaan gtnaggcccn agatnaacaa ngtnacctcc ncccagnaaa      720
ccccannccc caactggnac cngggnaacc cacaacnttt gcngaagncc aaaaaagncc      780
nnnagangga aaaaaaaaaa naananaaaa aacctnnnag cccctaagaa accttagggg      840
nggcccncc                                     849

```

```

<210> 484
<211> 1098
<212> DNA
<213> Homo sapiens

```

```

<400> 484
gnnnnnnnnt tnnnnnttt ttgnaaaanc ccctttttgc naaatngncc cttttnttgg      60
cangggatcc ccatntttat ntcggacatt ttcgggccac cggaaggggc cgggggcccc      120
cgggccncca ggnccgggna aaggcccccc ttgggcgggc cccgncggc cccaatgggt      180
tccaaaaagg gaaaaaaaaa aaagggggaa cctgggaagt tggcccanga aaangnaaaa      240
aaaggnaagn aaaccttccg ccaatgggaa tggggaaaaa taattttttc ttgaaaaacc      300
caaaaaagga atggttattt ttcaaattta aaaaaggaac nttgggaaga aagaattggc      360
ttcccacncg cagaaagggc attactggct atgtcaagta aaagaagtcc ttcaaagctt      420
agttgatgat ggtatggttg actgtgagag gatcggaact tctaattatt attgggcttt      480
tccaagtaaa gctcttcacg caagggaaac ataagttgga ggttctggaa tctcaagttg      540
tctgagggaa gtcaaaagca tgcaagccta cagaaaagca tttgagaaag ctaaaattgg      600
ccgatgttga aacggaagag cgaaccaagg ctntgcaaaa agagcttttc tttcactttc      660
gagaccaaag gggaaccagc tnnaagggcn agaaaagttn gaaaaaaatt ccaaagggaac      720
tggtggaatc ccccaaaagg tttggttggg gaaagaaaaa ttcccgcgcc aangccaaaa      780
tttaaaaggt ttngccccc aagggaaaaag ncttgnccct taaccagga attggggacc      840
ctgggannta aaacnataa tttcccgcgc naattnnaaa aaattcnttt nggggncccc      900
naaaaanggna aaaaaatttt nggggggttt tggnaaggna aaaatttnaa atttggtttt      960
ngaaactttt ttngggaatt ccccagaaag aacttttgac ctcenttng acctnaaaaa      1020
ttttcccttg ggggggtgna anggatgttc ccaagctttg tggnatattg gtaaaatttt      1080
naaccttttn tncttacc                                     1098

```

WO 99/33982

PCT/US98/27610

<210> 485
 <211> 798
 <212> DNA
 <213> Homo sapiens

<400> 485
 gnnnnnnnant nnnntttnaa atccttnntg aatcctttga antaccatcc cnttttnoga 60
 attnnggcacg aggaaagggtg gcgcgcttct cacggctgag ttgctgcgcc ttgcagacgg 120
 aagctcccca caggcagagc tgcttggtatg tgtgagtcac gaaccagaga agccccgctc 180
 catgagcagt gactccccan gccctgtgac ctccctcctn cttgcagctc ctectggcac 240
 cagtccccag ggctctcctg ttggtagtct ctgcttttct tcttggaat tectcgtgga 300
 cctcgagatc tttaccctaa aatagtctg ttgaatttca ccctggcaat gtaaattgat 360
 agcttatctt cacagatgcc agacaatgga caactcacca tcagtccctc gtcacctga 420
 gacaaatgca tgtctgattg ctccctctgc cctattgntt atgtgaaaat gcagattcac 480
 tgagccagac taaggcatca gtgactgttc ctctacctgc ctctcacatg gagatttgtt 540
 attcagtgaaggctgatca aagacccaaa ggaatgcaac agtttatctc ttatctacct 600
 atgacctgcg aactggccaa caaccagtt gttgncgcct ttccagacag aaccagtgtc 660
 atcttacacg tattnaaatg gatgtcctgg ngctcnccta atatgtattc aaaagcaagc 720
 tggggcctng accacccttn ggcacatatt cctcanggac atcattcctg angctgtgtc 780
 actggcatgt ccttaanc 798

<210> 486
 <211> 785
 <212> DNA
 <213> Homo sapiens

<400> 486
 gnnnnnnnttt gaaanccctt tcnaatnctt ggcattgntc tctttgcagg atccctcgat 60
 tcgctgacaa cttgattggg ttctccttca ggtttgaagc gcctcagaga agtgtctaaa 120
 ggagacagtt gatagccaaa caacagtttt ggattcactg actgattatg aaagaagcag 180
 tagactggta tcaagaatca gtcagcaagg aggcctcac cagacgccag tgccatgttc 240
 ttggacttct cagcctccat attcatgaac taagtttttg gaatccttag gcttccacgt 300
 gtggaaagcc tgagctaacc tactggagga tgagccatca cctggagcag attcaggcca 360
 tcctagttga agcctcccta ggccaagcaa ccgtccaact accagacatt gaccattcag 420
 ccttgaacat tcagacaaa gacaaaacag accagaccag aagagtccca cagaataggg 480
 gaaactattc agagaaaact taagccacta agttttatgg tgttttgttc tgtagcagaa 540
 gcatagggcat actgacaata caaacgaaa tcccttctaac gtagtggacc ttttcangcc 600
 agcatttttt ccttgaaaac ctggagcatg tatccatctt atagcagaga tcactttcac 660
 aatgggttggg ctcttggatt tgaattgatg atgtaatgag ccctctttnc ngattgnaac 720
 ttaattactc tgggnatttg ntggattccc aaccttctaa tatttacttt tctctttan 780
 taanc 785

<210> 487
 <211> 797
 <212> DNA
 <213> Homo sapiens

<400> 487
 ttgtnnnncc cttttnaaat ncctttggct anttgntctn ttgctngat cccatcgatt 60
 cgaattcggc acgagnnngg actaccttnc aaaaccnggt ngggaagcgt gttacagaan 120
 tgatntctan tcccctgnat tctggatgct gcagaccaac acctgccnac aanacncana 180

WO 99/33982

PCT/US98/27610

```

cacacacann caancantat catgtaagac agnncgntna ntntnnnnnatt ntnatncttn      240
nncattttaen cantnttgta nantggntca tngtctata natnnttgta antatntnt      300
gananangac ganantctga atcttaagca tatgtccat cntnnnatat gctntgggtg      360
agaggctngc cntnattcat nttncatgg agncaagttt aatgcctcta gantacattc      420
tggtcttcaa gcatncttat tttnaactcc ctgagtgatg ggtggataaa tcnaacattg      480
nctnagtggg ntcaagacaa ctttgntggg ggttttgntc acaatcatga aaatggttnn      540
gccagataaa ttttttgata ttagntttcn tttttnatat anncggttag gtttgaattg      600
nacnttnaaa tgnntngggg tgtnaagaca ntggnttnca atnnaattta tnacatgaat      660
tgngnctcc cttttggnga aaccttaaag aantnttnga tacttcttca taaaaggggtg      720
tnggatttng naantttcgg ggttttnnaa tttttnntga agcttatttc ntganaatnt      780
acttggntta ccaagcc                                     797

```

<210> 488

<211> 762

<212> DNA

<213> Homo sapiens

<400> 488

```

caaatcnntt gctctngttc tttttgcagg atcccatcga ttctcgacag ctctccaata      60
ctcagggttaa tgcgaaaaa tcatccaaga cagttattgc aagagtttaa tttttgaaaa      120
ctggctactg ctctgtgttt acagacgtgt gcagttgtag gcatgtagct acaggacatt      180
tntannggcc caggatcgtt ttttccagg gcaagcagaa gagaaaatgt tgtatatgtc      240
ttttaccggg cacattcccc ttgcctaaat acaagggctg gagtctgcac gggacctatt      300
agagtatttt ccacaatgat gatgatttca gcagggatga cgtcatcatc acattcaggg      360
ctattttttc cccacaaacc caagggcagg ggccactctt agctaaatcc ctccccgtga      420
ctgcaataga accctctggg gagctcagga aggggtgtgc tgagttctat aatataagct      480
gccatatatt ttgtagacaa gtatggctcc tccgtatctc cctcttccct aggagaggag      540
tgtgaagcaa ggagcttaga taagacacc cctcaaacc atccctctt caggagacct      600
acccttcaca ggacangtc ccccaaatga gaagtctgnt accctcatt tcttnatctt      660
tttacttaaa ctcaagaggc agtgacaggn agtcaggggc aagacattac atttttcata      720
ctttcccaca tctgaaaaga tgacagggga aactgcaaaag cc                               762

```

<210> 489

<211> 822

<212> DNA

<213> Homo sapiens

<400> 489

```

ttntnnnnnct nnnngnnttt cnaatncttg tttctcgncc tttctgcagg atcccatcga      60
ttcgaattcg gcacgaggat tttcgaaact cttcagctac ttgccctttt ttatctgaaa      120
ccatcatacc ttctgaaaga aaaaagcata tcttcattga cataacagaa gtgagatggc      180
ccagtcttga tacagatggg accatcntnt atatggagag tggcattgtg aagataacat      240
cttttagatgg tcatgcatac ctctgcctgc ccagatctca gcatgaattt acagtacatt      300
ttttgtgtaa agttagccag aagtcagact catctgcagt gttgtcagaa acaaataata      360
aagcccaaaa agataaacta gttgaaaaaa ctggcaaaat ctgtatacgt ggaaatttac      420
cangacagag actgaagaat aaagaaaatg agtttcattg ccagatcatg aaatccaaag      480
aaacttttaa gaagatgagt tgtgtaaatg gaactgaagg gagggaagag ctgccttcgc      540
ctgggtacaaa gcacacatgt gtatacacat ggggtcaagca gtgctgggtc gtggctgcct      600
gtccagagga atgggaaata ttcccttgtc tttagcactt catttttcta aataaaaatc      660
anccaatatg tctaaaaaaa aantttnttn ataataaacc tngaagccct nttanaacct      720
tntnttggag gtcctnnttt accntatgat tcccggaaact tggataagga atcccntttg      780

```

WO 99/33982

PCT/US98/27610

gattgganat tttgggcna aaaccncna nncttgaat cc 822

<210> 490

<211> 789

<212> DNA

<213> Homo sapiens

<400> 490

ntgtaancct	tttcaaatcc	cttggctact	tgntctttct	gcaggatccc	atcgattcga	60
attcggcacg	aggccggacn	gtgactctgg	nnacgcttgc	gncctnacg	tagntngnng	120
accntgcang	anggaanaan	ggctggccnn	cngntgtacn	ctnaccgtcc	taaccccgcg	180
aggtccaggn	ccgctccttt	cggngnggat	tctcgcgga	natccctccg	gcagctcttt	240
gcaaagctgn	ttagaaactt	ctccaaact	cggcntggat	acgactgcta	tagggctcgc	300
tgctgctttt	gtggagctct	tgtccctcta	tccttggcct	ctcctgggat	acggcccaag	360
gccaaagtntt	cacgcangtt	ggtacgctta	tttcgttctg	gactctgggg	gctntgaann	420
ttcaccacgt	ggactgctgg	ggancgggnt	nccgancact	ngnntacctt	acnccanaat	480
ctgacaactt	ttctggacaa	cctaccanc	ttcaattggc	tnngagenc	ntcngntgct	540
ggggnntncn	gtgcaaatgg	agnncnaatt	ggtgggcaaa	tngttgatgg	ncaaacggg	600
aaaaagcaac	nnncaangct	tttggctnaa	agccgatang	acncaaatta	nttnccttgg	660
accttganaa	tttctcaan	nnttttnagn	annncctttt	ttnccttggan	aaanacttaa	720
aagtgaacga	ttnttgggaa	anaaacaac	tataataact	naaagctttt	ntaaaaaaa	780
annaatnnt						789

<210> 491

<211> 790

<212> DNA

<213> Homo sapiens

<400> 491

tccaaaatnc	ccttggantn	attccccctt	ncaatacctt	tccttngnac	actcccngtt	60
tnngtngatc	ccatcgattc	gaattcggca	cgaggnaaca	aagaaggaat	gtcttcctca	120
tgtttnggtc	tatagaagac	gttaaagaaa	acttccagaa	agtgggtttg	aggcatgagc	180
caccacgcct	ggccaaagga	tttaatgaat	taatggatgt	acagtgcctg	ggctgttatt	240
ctagggcctg	cattgagact	cacattttgc	catcaaaagc	cttttaagag	gtggagggtg	300
cgggtgagctg	acatggtgcc	actgcactcc	ggcctgagtg	acagagttag	actctgtctc	360
acaaaaaaa	taatgccctt	taaataatga	ataatagtga	tagaaaatgt	catttcttgg	420
acaaatgaaa	aattgaaatt	aatgtatata	attagatatt	attagctact	cttaggttagc	480
ttcatttggt	gaaagtttga	caagtgaatg	aagttcacat	ctggaaatcg	ttgaacattt	540
ttcgttcatg	gaactcaatg	gtacgcttag	tcgtttatgc	ttttcactgt	tgtggtaggg	600
gctttggaaa	gtnaatgcc	tcaacaatgg	atacagaang	acctggattt	ggaataaggg	660
caaaaattta	ttttgatggg	gtgaatttgc	tctgccaggg	agcatttttg	gtattgagat	720
gaaaatggcc	tctctttgag	actgagctgc	cacctggcaa	attattgnct	gcttaanggt	780
tctctttatn						790

<210> 492

<211> 804

<212> DNA

<213> Homo sapiens

<400> 492

tcnaaatccc	ttttggnagn	ttcnnccttt	gtttcccttt	netnggetnc	ttgttctttt	60
------------	------------	------------	------------	------------	------------	----

WO 99/33982

PCT/US98/27610

tgcaggaatc	ccatcgattc	gaattcggca	cgaggctcctt	ttgaaccacc	ccaaagaact	120
caacatggca	aagcaaatgg	taaaagcttc	ccgactgttc	tactttgggt	ccgcgcgaag	180
cccactcacg	tgtgatctgt	gttgcccctg	ggaggcccgg	ggcgaccgga	aaagggtctt	240
ctcaagttct	gaaaagagaa	tctgccacca	gatcgaattt	cgaccctga	gcttgttcgg	300
acgtatggtc	caaattcaga	ttaagggtgg	cacccaaccc	gagatgtcag	gaaaggcctt	360
ctgcagagaa	aatgtccccc	cacccgccat	ctgcagccag	gtgtgtgcc	cacggcagcc	420
ttcccgaaac	atagtatgga	ttttaaaaa	gtgtttat	ttgtttctca	accactttat	480
aacgtat	ttat	ttgtaatgtc	ttgttttgaa	gtattgctgc	tatccttgnt	540
atccttccca	ctgtttttat	caactgattta	ttttgtgaaa	agttgtacac	taatgttcta	600
tgtcaaaatc	aaaaagtatt	taatgaaata	ctagttctat	ttaatgtggg	ntatggaacc	660
caacttgaaa	cacaaaacaa	acaggggatt	gtacaagcan	gcttggggcc	caagnaaggt	720
aaaggttcat	ttggttacca	tatgccnata	aaacctcanc	gaanttttaa	aaaaaaaaann	780
nnnnnnaaaa	aancttgng	ggct				804

<210> 493

<211> 800

<212> DNA

<213> Homo sapiens

<400> 493

ggnnnnnttt	ncccccttt	tgaaaacccc	ttttggngga	ancccncttc	tttnaaatcn	60
cttggctact	cgctcttnt	gcaggatccc	atcgattcga	attcggcacg	agtatataac	120
aacttttgc	ttcaaagttg	ggtgggacta	gaacacacaa	tgggaaggatg	gagtcaggag	180
acctggattc	ttgtgccgc	tctggctttt	acagtctgcc	taactctatg	cagtcacttc	240
ctgccagcct	gtttccttac	ctacaagagg	gagagacact	ccctggccag	cctagttctc	300
agggtgaacg	aaaggtcatt	atcactgcat	cctctagtca	tttgcttctt	cgctaattaa	360
cacatcttga	gcacctgcga	tgttccagga	acaggagatg	gcagcgtgca	agataaaagt	420
ccctgacttc	tagagactgc	atgttagtgg	caatcggcgt	ctacccggcc	ttcaataaac	480
tactgaatga	aggaaaattc	tacctagcac	cagacacaat	tactgggttt	ctaaaatgga	540
attattcccc	cggccccctg	cattccagcag	cctgctgcag	ggaagctcct	ccgaagctgt	600
aggcaggagc	gggacaaatg	cttgctatca	gcttcacaga	atgttaccta	agtactat	660
ctacacagcg	ccttacagaa	caaacagtaa	aaaccaa	atg	acnggcttaa	720
aaactcaaac	ttcctaacta	ctcagtaatt	anganggtca	ttttacccca	aaatagaatt	780
ttcnat	ttat	ccaataanaa				800

<210> 494

<211> 757

<212> DNA

<213> Homo sapiens

<400> 494

nggnttcnnt	ctaactnaaa	cngttnggna	actcnctct	ntctgtngat	cccatcgatt	60
cgctaacaag	cgattctaaa	ccacctatga	gtatttcttt	tagggctcac	ttaaatacat	120
gtttgtatat	actgtattct	agccagaata	attttagatc	tgatcaggta	gtagctaaaa	180
ttagaaaaaa	acaaaataga	tgtttaaaga	atttgcatcc	atttttgagt	ctaaatcttt	240
taaaatatac	tgagatccac	atctagtga	atgtcagtgt	caaaatatta	tagattatag	300
ctaaaatcca	gattaatact	catttgggg	tttttagatg	ggaacttc	atgatacaaa	360
aaagcagatt	gtcttctgt	ctccgctgct	cccacagtag	gtattgaaac	tggtaaaatc	420
agttttttga	tagtgtgtgt	atataagaaa	aaatagatac	acacattctt	ttttctcagt	480
caacacattg	attgaacact	ctggcaaaga	tgctgtgggtg	gatgangttg	gagttcgaaa	540
agaagaagca	agcgtggcc	tgccttgaaa	gaacccgaaa	gtctttccca	ttcacttctc	600

WO 99/33982

PCT/US98/27610

tagaaagctg	ccaagacaga	ngcagaaagg	aaatggatga	tagttctgtc	aagcacactt	660
ctgntctcnt	agaacttaga	aatggttcta	agagaacaga	agttatngag	aacagttcnt	720
gtggaattca	acatcttggg	tgggacncat	tggctttt			757

<210> 495

<211> 756

<212> DNA

<213> Homo sapiens

<400> 495

ggnnnnnnntc	ttttcnaatg	cttggctctc	gttctttntg	caggatccct	cgattcgcaa	60
gagagagtga	tagaattggc	agtgaaatat	acgaaccacc	ctcctgccct	ctgggttcac	120
aatacgtgta	cacttgactg	tgaagtggct	gtgagagtgg	gtggagagtt	cttctttgac	180
cctcagcctg	cggatgcctc	tagaaacctc	gtgttgattg	caggaggagt	cggaattaac	240
cctctgcttt	ccatcctgcg	gcacgcagca	gatctcctca	gagagcaggc	aaacaaaaga	300
aatggatatg	agataggaac	aataaaaacta	ttctacagtg	caaaaaatac	cagcgaactc	360
ctgtttaaga	aaaatatcct	tgatttagta	aatgaatttc	ctgagaagat	tgcatgcagt	420
ttgcatgtta	caaacagac	tacacaaatc	aatgcggaac	tcaagccata	catnacggaa	480
ggaagaataa	cggagaagga	gataagagat	catatttcaa	aagagacttt	gttctatatt	540
tgtggccacc	ttcaatgaca	gactttttct	ccaagcaact	ggaaaacaac	catgtcccaa	600
agaacacatt	tgctttgaga	agtggtggtg	ggaggcagac	aaaggcagaa	aaaattaaga	660
ggtgagatct	actcaggaga	gctcaaaann	aaaaaaaaaa	aaactnngac	ctntagaact	720
atagttagtc	gtnttccgta	gatccagaca	tgataa			756

<210> 496

<211> 744

<212> DNA

<213> Homo sapiens

<400> 496

ctttnaatcc	cttgcaactcg	tcttntgnag	gaccttatcg	attcgaattc	ggcacgagat	60
aacacacatc	acagtatgct	ctcagaaatt	tctttatttg	aacctatac	caatatctgt	120
tgatcaatga	ccatttttgc	tcagcatgga	gaaacagtgc	cctgcatgaa	gggtagtgag	180
aataaaaaagg	atcttaccac	ctttatcatg	agggtggctt	tgctctctcc	attccaagtt	240
gttctctgtt	ctagaaagca	gatgtagtag	acatctactg	tttttgccct	aacagaatcc	300
ctttttcctt	tttttggtta	aagtactcat	ccctaataat	acattgttct	ggaaggactg	360
aaaataacag	aactcagcac	catgatcgga	ccgggacaat	cagattattt	cattcctcag	420
caaacggaga	tcgatccgaa	aagtggaaat	atgagctctt	ctttggtggt	ggcatatgga	480
ccctgagaga	aagaacttta	attttttctc	ttggactgca	ataaaagtata	gctgcctaaa	540
ataccgtttc	ctgacacttg	gaggtttgcc	acaatcgggtg	aaataaaggc	aagacgtaac	600
actggatgaa	aaaaaaaaan	nnnnnnnaaa	aaactcgagc	ctntagaact	atgtgatcga	660
ttcgtagatc	cagaatgata	gatcattgtg	agtttgagca	accacactng	atgcagtgaa	720
aaaatcttat	tgngaattgn	gatn				744

<210> 497

<211> 772

<212> DNA

<213> Homo sapiens

<400> 497

gnntgnngtn	taantttnta	aggatccctt	tntntgaanc	cctttctgca	ggatcccatc	60
------------	------------	------------	------------	------------	------------	----

WO 99/33982

PCT/US98/27610

gattcgaatt	cggcacgagg	caggagnaat	cacttgaacc	ctggaggttn	cggttgcagt	120
gagcacagat	catgccactg	cactccagcc	tgggcaacaa	aacgagactt	cgtctcaaaa	180
aaaaaaaaa	tagaatttgg	atcctttggt	cgggttctcc	caaattcttt	tgaggtgtcc	240
atgggtcaact	gcttcagctt	tgttttgga	acccctgcc	cgaagtcgca	tataggctgt	300
tcttcacctt	gtttccaagg	ctgaggaaca	gaaagtagcc	tctgttttga	ggaggtggaa	360
gttaagtata	cattttat	ttactgtgac	ttgttcagga	ccacatttta	caaaatgcct	420
tgtttccttc	attgtttctg	gaaaggaaag	ttctattaat	attgntttac	tttgaatata	480
gaatagtttt	tttaattagg	gcttattttg	aaaaattctg	agtttaattc	aaatgtatgc	540
caataccttc	caaagtaagg	taatattcag	agacagttgt	tggtgatcag	atggccttaga	600
gaaaatttct	ggaatattca	cattcgaaga	tccttattat	gaatgtcttt	gacttaaate	660
taacaaaaa	ctgcacatta	ttctttgnac	attttcatta	tatagngtta	acaagcttan	720
ttgcaaacca	ataaatactt	aagctattta	aaaaaaaaa	aaaaaaactc	nc	772

<210> 498

<211> 773

<212> DNA

<213> Homo sapiens

<400> 498

nttnagcnta	nnagccgttg	tantgaagcc	cntttgctac	ttgctctttt	tgcaggatcc	60
catcgattcg	aattcggcac	gaggacccag	gtagaccagc	tcaagagttc	atgttctttg	120
tcatectcct	gtgagctctc	tgtaatgtctc	tntcttgccc	atcaccacat	ccctagtact	180
gggtatcagt	ctggccactt	ggctttctgg	tttgcccaa	tgtggtctat	tcttgatgca	240
gctaccaaag	taatgttnta	aaaccattat	accaagttac	tatccttgtc	aaaaccccca	300
gtaactgcca	atctcactta	gaataaaaac	cggactcctg	tgaagcacag	nataaactgg	360
cactgcctat	gcagcaacct	catctttacc	gtttctgcct	tgctcactcc	cttcagcgcc	420
ggtattcttc	ctgatgcccc	tagtacacaa	caactccttc	ctgctccaag	agtaggaaaa	480
tnactgtctc	tctgccagtg	agattcctct	tctggtatta	cctntgcttc	attgctgaat	540
cttctgcaat	atcatcttct	aaaaagagcc	tttnaaaatc	accttttcta	ttatgcccta	600
ctcantttcc	agtccttgaa	tggccattcc	ccactttcat	agccacttaa	ttgctatctg	660
aaattacact	taaaatggtc	accttcattg	tgggaaggca	attaattgcc	tttgtcactg	720
gtatgtctag	agaacaagca	gnttggtcca	tagtaggcac	tcaacaaaaa	ttt	773

<210> 499

<211> 735

<212> DNA

<213> Homo sapiens

<400> 499

gcttcaatan	ctttttctaa	ngctcttttt	gcaggattcc	atcgattcga	attcggcacg	60
agagtaccca	nanttgcna	gagtnntn	actgatntag	ccaggtggca	atnatgagt	120
aatggatnaa	naaaggcccc	ttagaatggc	aagatnnat	ttacnnagag	gtccnagtgn	180
canccagtga	cangaatgag	tttnaaggga	tgggttttaa	ctacagaccc	agnctctgcc	240
aatatngacc	ttgtgaactt	ccttgaagat	ggcancatgt	ctgagaccgg	aattatggga	300
catgctgtgc	agactgttga	aactntgaat	gaaggggacc	atagagtga	ggataagctg	360
atgcattttg	ttcacgtctg	gagactgcaa	agcatacagc	ccacaggatc	tgggaagagag	420
aaagaacagc	ctanagnaaa	tggctngaga	ngaaccacat	tcccatcact	gaacagggan	480
acgcttcaag	gactctctgt	gtggctgggg	ncctgactat	ngaccaccca	tatggctcana	540
naaattncac	cagctctnat	gagantattn	tgtcgctgtg	tcaggatctt	antgaaggac	600
atcttacant	ttnccaanna	naagnatga	aatgtgacat	tctgcttgaa	naagacnata	660
ttttatcttc	atnaatgttt	aaatgtaaaa	nnnnananaa	aanactcgag	ctntnaaatn	720

WO 99/33982

PCT/US98/27610

tngtgagttt anang

735

<210> 500

<211> 926

<212> DNA

<213> Homo sapiens

<400> 500

tttaagccct	ttctactnct	cttttgcagg	attccatcgn	ttcgaattcg	gcacgaggat	60
ctctatacta	gtgaacagtg	ccagttccac	actttggact	tagaactggt	ctctagttat	120
tgtaaacacag	aatactgtca	atccctaatt	tacttaattg	tacttattgg	aagtggggct	180
gatgaaatac	gcacaggagg	gaaatctact	gtgttttaggc	acaggcagnc	ccagtgtata	240
aggagatcat	attccaaang	gttgtcagtt	ggntgtttgc	aacctggaat	gtattttcct	300
ttagagacca	ngttatccat	ggtgggttagg	cccctagagc	agctggaaaa	agatgatcaa	360
accaataggt	tngetgacat	cnaataatgt	aataagtttg	ctaaaggaat	ctaccatcaa	420
atntnatatt	gnttccaggg	aagggttgnn	nttaannntnc	cntcttngtg	ncatantgga	480
cnntccentn	ccagtcant	nentnannnc	tnnggcnngt	ntngnnttng	tntntttngn	540
cnntctnanca	atatttcata	tccccctng	ctaaaattct	ttnanannaa	nttctcantt	600
tctcccttta	ctanaanttt	ngtntttnt	cnntttanta	tttnnncccta	tntntntcgt	660
tcnnanant	cattnnntnn	ttntnngctn	ntnnatcacc	cttanctcnn	tctcanntat	720
cntnntcnta	ttatctctnt	attntctnct	tnntnatatc	nttcnnntt	gtntannca	780
ttatntcttg	ttntntnct	cncatctctn	tentnttctc	ngctnannnn	actccnnnnn	840
tencntctnt	nnnnanant	atatnctnct	ttngntatat	annnnntnt	ntacntant	900
cnntnatnca	tnnctnatn	nttngt				926

<210> 501

<211> 706

<212> DNA

<213> Homo sapiens

<400> 501

naatncttg	ctcttgttct	ttntgcagga	tcccatcgat	tcgaattcgg	cacgagaatg	60
caaagggtg	cagttctcat	tcaggctact	ttcaggatgc	acagaaacata	tattacattt	120
cagacttgga	aacatgcttc	aattctaatt	cagcaacatt	atcgaacata	tagagctgca	180
aaattgcaa	gagaaaatta	tatcagacaa	tggcattctg	ctgtgggttat	tcaggctgca	240
tataaaggaa	tgaaagcaag	acaactttta	agggaaaaaac	acaaagcttc	tattgtaata	300
caaggcacct	acagaatgta	taggcagtat	tgtttctacc	aaaagcttca	gtgggtaca	360
aaaatcatat	aagaaaaata	tagagcaa	aaaaagaaac	agaaagtatt	tcaacacaat	420
gaacttaaga	aagagacttg	tgttcaggca	ggttttcagg	acatgaacat	aaaaaaacag	480
attcaggaac	agcaccaggc	tgccattatt	attcagaagc	attgtaaagc	ctttaaaata	540
aggaagcatt	atctccacat	tagagcacag	tagtttctat	tcaaagaaga	tacagaaaac	600
taactgcagt	gcgtcccaag	cagttatttg	tatcagtcct	attacagagc	tttaagtcca	660
aagatatcaa	atatgcacgg	gctgcacact	aatcagtcct	ctatca		706

<210> 502

<211> 784

<212> DNA

<213> Homo sapiens

<400> 502

ttnttttttt	tggttaccct	ttgctctnng	nttttttgca	ggatccctcg	attcgaattc	60
------------	------------	------------	------------	------------	------------	----

WO 99/33982

PCT/US98/27610

```

ggcacgagcc ttccacgggt atttcacaga tatggagagc tggaagcagg gagtgagtct 120
ctgagtgttg gaattgtaag ggatcagaag cagggatcag aagcagtggg gaagttcatc 180
caccataaaa cacacagggt actttgcctt gaatctgcag gactgaagcc aactcttggg 240
cacagaccct tagtcccttc cttggccact ctaagtcaga tagtccagag ccaggccctt 300
tgggatgtga caccgagata aatcagagaa aagctgtgaa gcttggggaa cagagggact 360
tttgggtgaag taggtgggtct gcagtttcta tcttcttggg aaaagcaagc tggaaaagtg 420
aacagtgggt ggtaggccat agtgctccca gctgggtgac ataatgacca cacagcacag 480
tgatgttatt agcaactgtg tgggtggagta gttgtgggct ggacaaatca atcgtgtgga 540
aattgttagg agttttatta cattaaactt gttaacctaa aataccatca aaaaaaaaaa 600
ntncnnannn nccncccacc nancntncna aaaaaancct cganccttta aaaacnnntn 660
gnnaggccn tatttacgtt anattccaga cnttgaatan ggatnccatt tgnattgaaa 720
ntttngggcc aaacccccaa ccttngaatt gccattngaa aaaaaaatgc cttttatttt 780
gnnt 784

```

<210> 503

<211> 764

<212> DNA

<213> Homo sapiens

<400> 503

```

ttmntnttcc ttgaancctt tttctacann cncctttgca gatccncgt tcgaattcgg 60
cacgagagac aaagaaaagg tggcaatcat agaagagttt ntagtaggtt atgaaacctc 120
tctaaaaagc tgccggttat ttaaccccaa tgatgatgga aaggaggaac caccaaccac 180
attactttgg gtccagtact acttggcaca acattatgac aaaattgggtc agccatctat 240
tgctttggag tacataaata ctgctattga aagtacacct acattaatag aactctttct 300
cgtgaaagct aaaatctata agcatgctgg aaatatataa gaagctgcaa ggtggatgga 360
tgaggcccgc gccttggaca cagcagacag atttatcaac tccaaatgtg caaaatacat 420
gactaaaagc aacctgatta aagaagctga agaaatgtgc tcaaagttta caagggaaag 480
aacatcagcg gtagagaatt tgaatgaaat gtgaagcact taagaaatgt cattgagatt 540
ccaggcttat aaagcaatga attaaatttg gtagagcact taagaaatgt cattgagatt 600
gagagacttt tataggaaat cactgatgac ccagtttgac ttccatacat actgtatgan 660
ggaanattac cettagnatc ttatgggtggg actttattta aaaacttnca nnaatgttcn 720
ttcgacagcc ttccatttta acttcnaagg cnncaangaa ttnt 764

```

<210> 504

<211> 795

<212> DNA

<213> Homo sapiens

<400> 504

```

ttgtacntct ttttnnaaac centngctac ttgtttctct tgcanggato cctcgattcg 60
ggaatctcct agaaagtgtg gatttttcgag ccatatcctt ctgtggtaga tcctaattgat 120
cctcagatgt tggccttcaa cccagggaaa aagaactatg atcgagtaat gaaagcactg 180
gatagcataa cttctatcag agaaatgaca caagcaccat atctggaaat caagaagcaa 240
atggataaac aggaccccct tgctcatccc ttactgcaat gggttatatc aagtaataga 300
tcacatattg tgaactgcc agttaacagg caattgaagt ttatgcatac tccacatcag 360
ttcctttctc tcagcagtc accagccaaa gaatccaatt ttagagctgc taaaaaactc 420
tttgggaagca cctttgcatt tcatggctca cacattgaaa actggcactc ctcttganga 480
atggctcggg ngttgcttct aatacacgat tgcagctnca tggngcaatg tatggaagtg 540
gaatctatct tagtccaatg tcaagcntat cattttgntt actcagggat gaaccangaa 600
acagaaaggt ntcagcccag gacgagccac cttcaagcng ttaanaagcc agcaattaca 660

```

WO 99/33982

PCT/US98/27610

```

ttcacagtcn ccaggaaana aaaggncagn cctatcccc ctttncctgg caaaaggccc 720
gtnaacctta aanaaactgc ctttagccct ttatnntgga aagtggattc ncncttnatt 780
cttggacccc tgnncn 795

```

```

<210> 505
<211> 774
<212> DNA
<213> Homo sapiens

```

```

<400> 505
tnntntnntt nantngaacc ctttntctctt gctcttttttg caggatccct cgattcgaat 60
tcggcacgag cacaaggaga agaagttaat taacattgaa ngatgagaag acatcttgga 120
agaacttgaa ttgggccttg gaagaagaac agccattcaa atagatagaa ttgtggttagc 180
aaaggcatag aggtaggaaa gtatagatct ccaggacag tagtcatggg gttggggcac 240
tgttggaatt taaggttgga aggatatatt ggagcccctt gaatacggta acaaggcaca 300
ccttgggcag tggagagtta tcagagtgtt tgaaaaggag ggttattgag taaataaata 360
gactggtact ttaggaatth taaaatgtgg atcattgtac tactaataac tttttattht 420
atatttacta tctactaagt aattttacatg tattttcttg tactgactgt aaaccttctg 480
ggtgtgggtg ttttaagtgc cattttactg atnaagaaac tgaggcttaa atagttgaaa 540
taagtcaccc tgttagtgag tggccagaat gacaagtcag atctanggtt tgtctaactn 600
ccaaagatna tataaaaata atggatctct ccttttccct tatgcataaa atatggggag 660
cntttttaa tcatthacca tncgattgnc caaaaaata cctttnngga aaactgatta 720
ttantattcc anaataaatt tcaacggcct gcntngnctn ctttacaact ttnt 774

```

```

<210> 506
<211> 796
<212> DNA
<213> Homo sapiens

```

```

<400> 506
gccnccccnn tttngntctc aacttgtagc ctttttgc an nancncgnnc tncctgcagg 60
ntcccatcga ttogaattcg ccacgangtt atattaaatt attctttgtt tttctttttc 120
ttttaataaa gcttgcaagt tactaaattg tagtttcata aattctgtag taaagtatca 180
tcttggcagt gtgccaaagg tgaaaatgat gctttctcta acagagaaat tcttagtgac 240
tccagtcgta gaaaaacgct tttacaacct gaataagatt gaagaattgt gaacatacca 300
tggcctattg gatgaatcat ttgccgtagg ctaaatcaga ctgtagggtt tgtgatggat 360
ttatggagta tgtgggtata gaaatcatga atctagcatt tgttttcaga gattcaagca 420
tagtcttaag ggtanatcag aaatgacaaa tgaattcaaa acctagcagg tgcattgtna 480
atgtgtgcc agttntgttt tggaaatggc agttccttg ggtcatgttt ctactggcaa 540
aatttgcaat antgtntctat tgtntgtaat ttcaaaatth ataagattat ccccggttcg 600
cccaagtaaa acctgtntctg cccaatanaa tcttggantc gnngagaaat cgntccatt 660
cgnngntcaa ctgggatnc ntcgnettaa naaaatnttn tccnggancc centcatnan 720
gaanaacacc anactatthn ggnnacctgn aangctcaat ngcccnngcc ncnngnncn 780
nttttcnng naannn 796

```

```

<210> 507
<211> 774
<212> DNA
<213> Homo sapiens

```

```

<400> 507

```

WO 99/33982

PCT/US98/27610

```

ctnntttntt ttngaancct tngctcttgt tctttttgcg gatcccatcg attcgtgaag      60
aggagacggt gacctgggct ccttatgtgc ctgaaagagt ttgagtttcc tgtaaactcc      120
aatcaacag tattttcaac aagaaatgtg caattgaaat caagtgtctgt ttaagtgcag      180
ctaggatttc cacaggaaga cacttgcaat gaacagagtt atggagcagc aaaaacacag      240
atctatattg aaaaagagaa aacatatgcy ttgtattttg cttcaattat aaaataccat      300
cctctcaaag gtgggttctaa attacaaagg actttgattt ctaggtagat tctgggtaga      360
gacttccttt catattgagg cattaatgac accttttaac ctgggaagca atatgactgg      420
agttgtactt tgagaagatt aatcaggttt ggttgcagaa tgaaagagaa gatgaagtca      480
agagattggt ttagaggctc tagcagaagc ttagtcatat ttcaaatga tcaaatatca      540
agaaaaattc tgagctgcat aacttgata aagtaatttt cagtgatttt ttcatggtta      600
tgatnaaaga actggattta nccagaaacc ttacctgga ttcaagattt aatttttctt      660
ttgagcctca tctttaaagg attttcggga aaacattaag gggagccaaa nccnattggn      720
tggttgggcn tgccctnnaa ttgcctttgg acttttttaa ccgggctttt gnnn          774

```

<210> 508

<211> 724

<212> DNA

<213> Homo sapiens

<400> 508

```

cttgcccttg aaaaancgttg gctactngtt ctttttgcag gatcccatcg attcgaattc      60
ggcacgaggg ggcgtgacc cggccggccc cacaccgct ctccctcttc ttgcccgg      120
actcccttcc ctgcctccaa gacctgggtg ctccactgt gagccagct gtccacagg      180
cagtcctccat ggacctagac tcaccttccc cttgcctcta tgaacctctg ctgggccag      240
ccccgtctcc agctcccgac ctgcaactcc tgctggactc aggcctccag ctccctgcc      300
agcgagcggc ctgagccacc gctccctctt tcttcggggc cctgctgtca ggcagctttg      360
cagaagccca gatggacctg gtgcccctgc gaggtctgtc gcctggtgca gcctggcctg      420
tctgcatggt ttgcatgggt tgtcgggggt gtggggctgn nntggggccc gtgccacac      480
cangcnancc cctgtatggg atcanaggcn cgaagangca ntgnangctg ntggcanntn      540
aantactgnc tgggctggaa nangaaactnn taaaagtent ngcccnatc caccttggn      600
cccnannttn nccnntant cnnngggntn angtggtnnn nctnngggac agntcnntnt      660
ggnttgnena tngnncnnat gnanacttgg ggttcannaa ncntttccnn atgnaancng      720
ngtc          724

```

<210> 509

<211> 803

<212> DNA

<213> Homo sapiens

<400> 509

```

tnnnnnttta tttenttcgt tctngntttt attacatcag ctcttttctt ttgcccgtcc      60
ctcgttcgca attcagagac acacataaga aactggaaga agagaaaggc aaaaaggaaa      120
aagaaagaca ggaaattgag aaagaacgga gagaaagaga gaggagcgt gaaagggaac      180
gagaaaggcg agaacgggaa cgagaaaggg aaagagaacg tgaacgagaa aaggagaaag      240
aacgggagcg ggaacgagaa cgggataggg accgtgaccg gacaaaagaa gagaccgaga      300
tcgggatcga gagagagatc gtgaccggga tagagaaagg agctcagatc gtaataagga      360
tcgcagtcga tcaagagaaa aaagcagaga tcgtgaaagg gaacgagagc gggaaagaga      420
gagagagaga gaaccgagag cgagaacgag aacgggagcc gagagagaga gcgagagagg      480
gaaccgggag cgagaaagag aaaaagacaa aaaacgggac ccgagaagaa gatgaagaag      540
atgcatacga accgaaaaaa aaaaaaaaaa aactcgagcc tnttaactat agtgagtcgt      600
attacgtaga tccagacatg ataagataca ttgntgagtt tggacaaccc ccacttgaat      660

```

WO 99/33982

PCT/US98/27610

```
gcagtgaaaa aaatgctttn tttgtgaaat tttngatgc tnttgctttt tttgtaacca 720
tttttagctt gcaataaaca agtttnccac caaccanttg cnttcatttt ntnttttcan 780
gttcaagggg aagtttttgg aag 803
```

<210> 510

<211> 789

<212> DNA

<213> Homo sapiens

<400> 510

```
gnttttnnnnc nnttttaatn tacatacanc tacttgttct ttttgaggg atcccatcga 60
ttcgaattcg gcacgagggg acccccacca ttaagctaaa gtaaaaccct tttgagggaa 120
gagggagact ggggagaagg gaaaagagag aaggcagggg gagtagggag agaaaacctt 180
ccagcagccc agtaaaactgc gggcgaagag atctaccctg ctccctccct cccacagtta 240
ccattggcct tgtcatcgca agcatttgac aaagacttgc ttgtttgggc ctgtcacctc 300
ctgaaaggct gcttttagctg tggatgccct tgattaaggg agagagcgcc taggagctgc 360
ctgccccanc tggggtgacg gctgtagggc tgggtctatg ttgcaagccc tatatcctan 420
catgcagtgg aaagtgccta gctctctccc tcctgacctc tgggcagcca gtcataaaag 480
cagagagacg tggcggcatg tgggcagcat gccaggttc cttgctgact cagcacttat 540
ttctgtagtt ttaaaaaaga atttaatgtt tttggttgta tttttttggg ggggtgaggg 600
tgggcaaaaa catgggggta gttctgagtt gttagaaatg tttctgaatc aagtttgttt 660
gaaaacacgt tgtgcctttg taccatttat aagatggtca taanacccaa gaactgataa 720
gctttgggtt ttttttggtt tggtttggtt ttttgcttca ttttaccat tcatgcctag 780
ggtttccat 789
```

<210> 511

<211> 776

<212> DNA

<213> Homo sapiens

<400> 511

```
catanagntc ttgccttttt gnaggacnct cgattcgaat tcggcacgag ccccatctt 60
cactggttat tccacttatt taaaatgtcc agaataagca aatctccata tagaggaagt 120
agattagtgg ttgcttcggg atgggaggaa tgggaagatt gaggtctttc ttttgagtg 180
ataaaaatgt cctaaaattg actgtagcga tggtcacaca actctgaata tgcttaagac 240
cattgaatta cacactttac gttggtgaat tgtatggatg taaattatag ttcaataaca 300
tagttacaaa agataatcaa aagcatgaaa gcactgttga tgtggnttgg atctgtgtcc 360
tcaccgagtc tnatgttgaa atgtaagccc cctggtggga ggcgatggga ttatggggca 420
gantcctcac aaacgggtta gccacccgc tcaggtgtgt ctectgatat tgagtcctca 480
tcacatctgg ttgcttcaaa gtgtgtggng cctccctct atctectact gctctggcca 540
tataagangt gcctgcttct ccttcgcctt ntacatgatt gtaaagtctc ctgagcctcc 600
tagaacnaaa gctgctgngc tttctgtcca tctacangan cgtgagccca attaaacctc 660
tttttttttt ttngaggnn nttnntnnc nntccnnnca nttnnanann cctngnanng 720
gttttnaaaa anaananngn naannnnnnn nccccngc ccttttaaaa taaaaa 776
```

<210> 512

<211> 917

<212> DNA

<213> Homo sapiens

<400> 512

WO 99/33982

PCT/US98/27610

ttatttcata	aactattggt	ctttttgcag	gatccatcga	ttcgaattcg	gcacgagggc	60
tgcgagggtt	tgggttttgg	ctcctgatat	gcagcgacag	aatttttcggc	ccccaaactcc	120
tccttaccct	ggtccgggtg	gaggagggtt	gggtagcggg	agcagcttcc	ggggaacccc	180
gggcgggggc	ggaccacggc	cgccctcccc	tcgagacggg	tacgggagtc	cgcaccacac	240
gccgccgtac	gggccccggt	ctaggccgta	cgggagcagt	cactctccgc	gacacggcgg	300
cagcttcccg	ggggggccggt	tccgggtctcc	gtcccttgge	ggctaccctg	gctcctactc	360
cagggtcccc	gcgggggtccc	agcagcaatt	cggctactcc	ccaaggcagg	annanaanca	420
ncncanggt	tntncaagga	catntacacc	atttggatca	nggcgtntta	naaaaaaaaaan	480
aatgttaatg	anttggaaaa	ntatttnaaa	gcctttnaat	gnttnnnnna	atccttnggg	540
nttggcctta	naaanccaan	attntngtng	gngggntntt	aannccnnnc	aantncnnnn	600
nnattncntt	naaaacnttt	nnnccanggn	cnnaaaaaaa	nggggnaann	aaaaaaacttt	660
tttnnttnaa	nnantttttt	tggaaaaattt	naaaancntng	gaaaancntt	tnnnntngttn	720
ntnangggaa	annantnttt	tgggnncnaa	aaaaacntttt	naannntntn	nggttntnnan	780
nnnttaaaaa	ntttnnnccc	ccaannnnnt	nnanngnanc	ttttnnantt	ngggantaata	840
nttnnnnnna	nggggnnttt	tttnngnnna	atttnnnnnn	annnnnnnan	nnangggnt	900
ttngnnngna	annntnn					917

<210> 513

<211> 780

<212> DNA

<213> Homo sapiens

<400> 513

tnnnnnnttt	aaatccatta	gctacttggt	ctttttgcag	gatcccatcg	attcgtgcgg	60
gagcaccgga	gcctgcggct	ccagacggac	gcccgcgaagg	tgaggtgcat	cctgacaggt	120
cacgagctgc	cctgccgctt	gccggagctc	caggtctaca	cccgcggcaa	aaagtaccag	180
cggctggctc	gcgcctcccc	ggccttcgac	tatgcagagt	tcgagccgca	catcgtgccc	240
agcaccaana	accgctangt	ggtcnccggc	ggcgcgggga	ggcccagggc	aatnngacag	300
nccctccgnt	tgactccgcc	agtgtctgag	nccctactct	ttcanagtgt	ggagccctgg	360
gacccaggca	ccaattgttc	ttgcaaaactc	accctgcggc	acatcaacaa	gtgcccanaa	420
cacgtgctga	ngcacaccca	aggccggcgg	taccagcgag	cttttgtgta	aatatgaaga	480
atgtctnaag	caaggggtgg	agtacatgcc	tgtgtcctgg	tgcacccgan	gangaagang	540
gaaggacaaa	tggacngtga	acggccttcg	cccgcgggaa	agcttctggg	agccacatt	600
caatgatgaa	gggggagctg	caagtgatga	cagcatgaca	gacctgtnc	cctgactttt	660
caccagaagg	accttgaaca	cngaggatgg	ggatggactg	atgatttttg	acaacaaaga	720
ggttgaaagg	caaancccca	aaaaaaaggc	cttgtgaagg	cagganaaan	acaacctntc	780

<210> 514

<211> 793

<212> DNA

<213> Homo sapiens

<400> 514

tttnnnngnt	ttannncatt	ttgctactng	ttctttttgc	aggatcccat	cgattcggaa	60
ttatagtatt	gacgtgaatc	ccactgtggt	atagattcca	taatattgctt	gaatattatg	120
atatagccat	ttaataacat	tgatttcatt	ctgtttaatg	aatttgga	tatgcactga	180
aagaaatgta	aaacatttag	aatagctcgt	gttatggaaa	aaagtgcact	gaatttatta	240
nacaaactta	cgaatgctta	acttntttac	acagcatagg	tgaaatcata	tttgggctat	300
tgtatactat	gaacaatttg	taaatgtcct	aatttgatgt	aaataactct	gaaacaagag	360
aaaaggtttt	taacttanag	tagccctaaa	atatggatgt	gcttatataa	tcgcttagtt	420
ttggaactgt	atctgagtaa	cagaggacag	ctgtttttta	accctcttct	gcaagtttgt	480

WO 99/33982

PCT/US98/27610

```

tgacctacat gggctaatat ggatactaaa aatactacat tgatctaaga agaaactagc      540
cttgtggagt atatagatgc ttttcattat acacacaaaa atccctgagg gacattttga      600
ggcatgaata taaaacattt ttatttcagt aacttttccc cctgtgtaaa gttactatgg      660
tttgggggta caacttcatt ctatagaata ttaagtggga agtgggtgaa ttctactttt      720
tatggttggg gtggaccaat ggctatcaag agtgacaaat naagggtaan ggatgattcc      780
caaaaaaaaa aaa                                          793

```

```

<210> 515
<211> 770
<212> DNA
<213> Homo sapiens

```

```

<400> 515
cttattncat nnagctcttg ttctttttgc aggatcccat cgattcgaat tcggcacgag      60
gttgatttgg aaagcagtag tgtggacgaa ttgcgagaga agcttagtga aatcagtgagg      120
attccttttg atgatattga atttgctaag ggtagaggaa catttccctg tgatatttct      180
gtccttgata ttcacaaaga tttagactgg aatcctaaaag tttctaccct gaatgtctgg      240
cctctttata tctgtgatga tgggtcggtc atattttatag ggataaaaaca gaagaattaa      300
tggaattgac agatgagcaa agaaatgaac tgatgaaaaa agaaagcagt cgactccaga      360
agactggaca tcgtgtaaca tactcacctc gtaaagagaa agcactaaaa atatatctgg      420
atggagcacc aaataaagat ctgactcaag actgactctg atagtgtagc attttccctg      480
ggggagtttt ggttttaatt agatggttca ctaccactgg gtagtgccat tttggccgga      540
catggttggg gtaacccagt gacaccacac tgattggact gccctacacc aatcagaact      600
cagtgcccaa tgggccactg ttttgactcg gaatcatgtt gtgcactata gtcaaagtga      660
ctgtaaagtg gaaanggatg tgccaaaaaa ttaaaaaaaa ccnccaaaaa agcttccaaa      720
aaaaaacctt taaactatag tgagtcgtnt acntagatcc aacatgataa      770

```

```

<210> 516
<211> 825
<212> DNA
<213> Homo sapiens

```

```

<400> 516
tttccagttt tanttttttc ancttttnga tcnntttgca ggatccntct tttcgaattc      60
ggcacgagat tctccctaaa ttgtngatcc cactgtttac naaactgttc tnttgtgtcg      120
gcntgctnan tgctntgtag nncctttctg nacnntaggc attgctcttg gagaacnnga      180
tgtgctttnt ntnaaanggc anaccagnn tgnnctgnnt ttaatgatgc agancctnac      240
tttatccaca cctggcccgt ttnacatttn agtaangnac gatatttggc tgatggctga      300
acantttctg aaatacacnt ttagtgtagt gaantacaag accmntaaaag gncgtgccagg      360
ttancatctc atctngcatt cnnntccttt ggcnanaaag gganatntca gaattatatt      420
tcttgatggg gtctttttcaa tcantgtatc tgtcgaaann tcttaganaa anctatgtgn      480
tcnccggtgt gtctaaaaan atnctttcaa anatgacccc tgggaattnc tgananangc      540
ttaaacgtga gaagacnggt nggcaaaaaca ccctncnaag gttnttggn angcccnant      600
ntgttttgc tggcccatat aancttngcn ccattnaagc cncggngag ctttgnatnt      660
atattngngg ngttactttc tttgnnecct tgcggggaac anctnnata atgcttntcn      720
ncccnanntg gaentttgct ttttgnnncc nnacccccc aaaggngn caccctcant      780
gaaaaagtct ttttnaaaaa gggctccttn ctnaaaaaaa nnnnt                                          825

```

```

<210> 517
<211> 1444
<212> DNA

```

WO 99/33982

PCT/US98/27610

<213> Homo sapiens

<400> 517

```

ctctcncnnc nnnncnntc tctnncnntn nnnntnntn nnnctcnnnn cnnnatctnn      60
nnncnncnntn nnnnnncntnn cntcentctc ttntntngct ctctntctc ntncatcttn      120
ccnctattnt cntnntnntc nntcntcnnn antnctnnnt tctncctnnc canctntcca      180
tnntntactn tenntnntct ggctntnta tntgggggggt ctatttnttn ncttaaactg      240
actngttcca agtctctan cngctctnt ctncctntct ntgcctnctn ctggggcctt      300
aattncnncn gctnttatan aagngngnaa ttaaggntc nntctanng ctntgcaagg      360
ctaagtntta gatcngnta gaanncgnta catgttgga acngacanct tncctgcncaa      420
agngggctna ggcanngnnn tntgcaaann ctcnntntc nnancttgnn tncgtagan      480
cggnnncccc tgaatttttn ancnnnganc nttaaantnt ntngnggtac gannccnncn      540
ncgnnnnnnc gnnntanncn canngttaan tgcncnna nnnantcaac tctntntctc      600
tnntnnaacn nnttantct annatntta cnnntnagnt tttctctct nacnctctg      660
tntntntnn atctntntct tctccttna tttntatct ntntntntnc tncctnatc      720
tatctctac nctctntctc ncttctcct nncntctct atcatatccc acgcnactna      780
nccccctnn ctcttacctn nntnctctcn tcntatctcn nnacctctt tctntntctt      840
atnncncta tctctactt attctctctc tatntntcca ctccacctc ntntntctnc      900
nctntcttn tntattnt actntcncta tctctnctc tctntngct cccacctct      960
ctctctctcn ctctcctnnn nnnactactc tcacctctc nntntctct ctacnnntnn      1020
ananctctt antttcctnc tcatcacant actctctctc tcatnttca nantaantt      1080
ntnctctcac tctaccactc tntnctccac tcatatnana cttctatant nctaactcta      1140
tcttctaaa cntctctct tatenctcta antctctct cntcgctanc tcnntncaa      1200
ctcgnaaatc tctccaatnc tncctcactc taaaaatnc nctcngant cccactttc      1260
ngngcanaat nnaacnncn tcnctctctc ttagctatct ctctanaaac cccntttctc      1320
aacaggnaac nccctntntc tcnaaactc catnctncta ctttataatn cnccaagct      1380
cnctntgta anagcatctc nctntcncc aatnmanatc tccctnctc natanatntn      1440
anat      1444

```

<210> 518

<211> 706

<212> DNA

<213> Homo sapiens

<400> 518

```

ctaagtgtg gngctcggt ctttccgcaa canccnngcg antcgaattc ggcacgaggt      60
ccgaagaaaa agactgtgtt ggcggagatg ctctctccaa tggcatcaag aaacacagaa      120
caagtttgcc ttctctatg ttttccagaa atgacttcag tatctggagc atcctcagaa      180
aatgtattgg aatggaacta tccaagatca cgatgccagt tatatttaat gagcctctga      240
gcttctaca ggcctaact gaatacatgg agcatactta cctcatccac aaggccagtt      300
cactctctga tctgtggaa aggatgcagt gtgtagctgc gtttctgta tctgctgtt      360
cttctcagt ggaacggact ggaaaacct tcaacctact gctgggagag acttatgaat      420
tagtgcgaga tgaccttga tttagactca tctccgaaca ggtcagccat caccaccaa      480
tcagtgcatt tcatgtgaa ggattaaaca atgacttcac cttctatggc tctatctatc      540
ccaaactgaa attctggggg aagagtgtag aagcagaacc caaaggaacc atcaccttgg      600
agctccttga acacaatgag gcatatacat ggacaaatcc cacctgtgt gtgcataata      660
tcattgtggg taaactgtgg atcgaacagt atggcaatgt ggaaat      706

```

<210> 519

<211> 734

<212> DNA

WO 99/33982

PCT/US98/27610

<213> Homo sapiens

<400> 519

tngtaccaat	tatctgctgg	ctanntagcc	taaanagntt	ggtcngggcg	aattcggcac	60
gagggnaaag	cagnaagtaa	tgagcttgct	cgtcagctgg	tagctttcat	tcgtnaaaga	120
gataaaagag	tgcaaggcga	tcgaaaactt	gtggaagaac	agaatgcaga	gaaggcgagg	180
aaagccgaan	agatgaggcg	gcagcagaag	ctaaagcagg	ccaaactggg	ggagcagtac	240
agagaacaga	gctggatgac	tatggccaat	ttggagaaa	agctccagga	gatggaggca	300
cggtagcaga	aggagtttgg	agatggatcg	gatgaaaatg	aaatggaaga	acatgaactc	360
aaagatgagg	aggatggtaa	agacagtgat	gagggcnagg	acgctgagct	ctatgatgac	420
ctttactgtc	cancatgtga	caaatcnttc	aagacanaaa	atggccatga	agaatcacga	480
gaagtчнаан	aagcatcggg	aaatgggtgg	cttgctaaaa	caacagctng	angangaacg	540
aagaaaattt	ttcaagacct	caaattgatt	gaaaaatccat	tagatgacaa	ttcttgagga	600
agaaatngna	aagatgcacc	aaaaacaana	agctttctac	acantnaaat	ccnannaact	660
ccatcctct	anaactatnn	gtgagtcctt	nttacntcna	tccagacatg	antancnata	720
cnattgatgg	aacc					734

<210> 520

<211> 701

<212> DNA

<213> Homo sapiens

<400> 520

ctaattgctgg	ctnttgttct	ttttgcagga	tcccatcgat	tcgaattcgg	cacgagccca	60
catgtaccag	gttgagtttg	aagatggatc	ccagatagca	atgaagagag	aggacatcta	120
cacttttagat	gaagagttac	ccaagagagt	gaaagctcga	ttttccacag	cctctgacat	180
gcgatttgaa	gacacgtttt	atggagcaga	cattatccaa	ggggagagaa	agagacaaaag	240
agtgtcagc	tccaggttta	agaatgaata	tgtggccgac	cctgtatacc	gcactttttt	300
gaagagctct	ttccagaaga	agtgccagaa	gagacagtag	tctgcataca	tcgtgacagg	360
ccacagagca	gcttgggttg	gaagagagaa	gatgaaggga	catccttggg	gctgtgccgt	420
gagttttgct	ggcatagggt	acaggggtgt	tctctgacag	tggtaaatcg	ggtttccaga	480
gtttggtcac	caaaaataca	aaatacaccc	aatgaattgg	acgcagcaat	ctgaaatcat	540
ctctagtctt	gctttcactt	gtgagcagtt	gtcttctatg	atcccaaaga	agttttctaa	600
gtgaaaggaa	atactagtga	atcacccaca	aggaaaagcc	actgccacag	aggaggcgagg	660
tccccttggt	cggcttangg	ccctgtcagg	aaacacacgg	g		701

<210> 521

<211> 784

<212> DNA

<213> Homo sapiens

<400> 521

naacacttng	ctacnngttc	tttttgcagg	atcccatcga	ttcgaattcg	gcacgaggag	60
atctctggga	tgtcagtgag	gctggttgaa	gaccagaggt	aaactgcaga	ggtcaccacc	120
cccaccatgt	cccaggtgat	gtccagccca	ctgctggcag	gaggccatgc	tgtagcttg	180
gcgccttggt	atgagcccag	gaggacctg	cacccagcac	ccagccccag	cctgccaccc	240
cagtgttctt	actacaccac	ggaaggctgg	ggagcccagg	ccctgatggc	ccccgtgcc	300
tgcatggggc	cccctggccg	actccagcaa	gccccacagg	tggaggccaa	agccacctgc	360
ttcctgccgt	cccctggtga	gaaggccttg	gggaccccag	aggaccttga	ctcctacatt	420
gacttctcac	tggagagcct	caatcagatg	atcctggaac	tggaccccac	cttcagctg	480
cttccccccag	ggactggggg	ctcccaggct	gagctggccc	agagcaccat	gtcaatgaga	540

WO 99/33982

PCT/US98/27610

```
aagaaggagg aatctgaagc cttgggtaag gattttggggc acagtaccag gagggggggct 600
tggtgccaga cctcatgagg aagaaggatt ttcctatgta cagagaaggg gaccctgtc 660
ctgttgggan gtgctgtgca aacctaacca aagttactaa cccctctggt ttctgnggtt 720
acacaaangg ggataaatac aaagctttnc ctnaactagc caattctatt tgggtttcct 780
gagt 784
```

<210> 522

<211> 719

<212> DNA

<213> Homo sapiens

<400> 522

```
ttctaatttn aatccttnaa atnggttctt tntgcaggat cccatcgatt cgaattcggc 60
acgagagaac acaggtgtcg tgaaaactac ccctaaaagc caaaatggga aagggaaaaga 120
ctcatatcaa cattgtcgtc attggacacg tagattcggg caagtccacc actactggc 180
atctgatcta taaatgcggt ggcacgaca aaagaacat tgaaaaattt gagaaggagg 240
ctgctgagat gggaaagggc tccttcaagt atgcctgggt cttggataaa ctgaaagctg 300
agcgtgaacg tggatcacc attgatatct ccttgtggaa atttgagacc agcaagtact 360
atgtgactat cattgatgcc ccaggacaca gagactttat caaaaacatg attacaggga 420
catctcaggc tgactgtgct gtctgattg ttgctgctgg tgttggtgaa tttgaagctg 480
gtatctccaa gaatgggcag acccgagagc atgcccttct ggcttacaca ctgggtgtga 540
aacaactaat tgtcgggtgtt aacaaaatgg attccactga gccaccctac agccagaaga 600
gatatgagga aattgttaag gaagtcagca cttacattaa gaaaattggc tacaaccccg 660
acacagtanc atttgtgcc aattctgggt tgggaatggtg acaacatgct ggagccaat 719
```

<210> 523

<211> 710

<212> DNA

<213> Homo sapiens

<400> 523

```
tnnncttcaa atcgnrngct cttgttcttt ttgcaggatc ccatcgattc gaattcggca 60
cgagagatta tgagcatgta gaagatgaaa cttttcctcc tttcccacct ccagcctctc 120
cagagagaca agatggtgaa ggaactgagc ctgatgaaga gtcaggaaat ggagcacctg 180
ttcctgtacc tccaaagaga acagttaaaa gaaatatacc caagctggat gctcagagat 240
taatttcaga gagaggactt ccagccttaa ggcatgtatt tgataaggca aaattcaaag 300
gtaaaggtea tgaggctgaa gacttgaaga tgctaatacag acacatggag cactgggcac 360
ataggctatt ccctaaactg cagtttgagg attttattga cagagttgaa tacctgggaa 420
gtaaaaagga agttcagacc tgtttaaaac gaattcgact tgatctccct attttacatg 480
aagattttgt tagcaataat gatgaagttg cggagaataa tgaacatgat gtcacttcta 540
ctgaattaga tccctttctg acaaacttat ctgaaagtga gatgtttgct tctgagttaa 600
gtagaagcct aacagaagag caacaacaaa gaaattgaga gaaataaaca ctggccttgg 660
aaagaaggca ggcaaagctg ctgagtaata gtcagaccct aggaaatgat 710
```

<210> 524

<211> 730

<212> DNA

<213> Homo sapiens

<400> 524

```
ttnnnnnttt aancnttcaa atcnctaggc tacttgttct ttttgcagga tcccatcgat 60
```

WO 99/33982

PCT/US98/27610

```

tcgaattcgg caccagccca cactcggaca ctgtggaatt ctaccagcgc ctgtcgaccg      120
agacactcct cttcatcttc tactatctgg agggcactaa ggcacagtat ctggcagcca      180
aggccctaaa gaagcagtca tggcgattcc acaccaagta catgatgtgg ttccagaggc      240
acgaggagcc caagaccatc actgacgagt ttgagcaggg cacctacatc tactttgact      300
acgagaagtg gggccagcgg aagaagggaag gcttcacctt tgagtaccgc tacctggagg      360
accgggacct ccagtgcacac cggccccctnc ctctacccac ccccttcccc cgcatgctga      420
tccccctgcc caggtaaggg ccctgccctg gaagactgga gggaggcccc aagccacggg      480
gcatccccct ctcccaggaa gcagggaggg ggccgggagg ttttcctctc aagccccacc      540
ctggggggccc gggggcgagg gctgccccct cctccccctc ccagtgaggg acattttttg      600
gtaaaaccta ttttcatttt ggaaaatatt tatgaataaa tagttttata tgaaaaaaat      660
tntngnnntt nnnatnnnan aataaaanct tcgnnccctc taaaactata gtgaagtcgt      720
attaccttag                                     730

```

<210> 525

<211> 711

<212> DNA

<213> Homo sapiens

<400> 525

```

gcngntnttn antttcaaat cgctnngcta cttgttcttt ttgcaggatc ccatcgattc      60
gaattcggca cgaggataaa tacctcagcc cctcgccttc ctcaaccacac ctggcaagtc      120
ttcttaggat ctgatcccag ttttctggaa gcaatcctac cccagcccaa gcttcccaga      180
gtcgagcctt aatccttctc acttctcagt gtcagagcag aatgaatcc tggggttgac      240
tgtgtccatt cgggttatta gcagctaaga agcccagacg agtagtgtga gctgccttgg      300
gagcctcagt gagggcactg ggactggcct cactctcttg ccccagcct agtgggcttt      360
ctcctctgtc tctccggtgg ccccaggcaa tcgactgcat cacgcaggga cgtgagttgg      420
agcggccacg tgccctgccc ccagaggctc acgccatcat gcggggctgc tggcagcggg      480
agccccagca acgccacagc atcaaggatg tgcacgcccg gctgcaagcc ctggcccagg      540
cacctnctgt ctacctggat gtcctgggct agggggcccg ccaggggctg ggagtggtta      600
gcccggaata ctggggcctg ccttagcatc ccccatagct tccacagccc cagggtgatc      660
tcaagtatc taattcacct taacatgtgg gaagggacag gtggggcttg g              711

```

<210> 526

<211> 692

<212> DNA

<213> Homo sapiens

<400> 526

```

tacangctac ttgttctttt tgcaggatcc catcgattcg aattcggcac gagagaacag      60
ggagaagaga ggaagagggg gctgcagggt ccagaagaga acagggcgga ctctcaggac      120
gaaaagagtc aaaccttttt gggaaaatca gaggaagtaa ctggaaagca agaagatcat      180
ggtataaagg agaaaggggt ccagtcagc gggcaggagg cgaaagagcc agagagttgg      240
gatgggggca ggctgggggc agtgggaaga gcgaggagca gggaaagagga gaatgagcat      300
catgggcctt caatgcccgc tctgatagcc cctgaggact ctctcactg tgacctgttt      360
ccaggtgcct catatctcgt gactcagatt cccgggactc agacagagtc cagggtgag      420
gaactgtccc ccgcagctct gtctcccttg ctagagccca tcagatgctc tcaccagccc      480
atttctctac tgggtccttt tttgactgag gagtcacctg acaaggaaaa acttctatca      540
gtactttgat atgtcacagt ttcattgtta tccagttcaa tgtattttta aatttttctt      600
tgagacttct ttgactgata gattattgtg aatgtgtttt taaatttcca aatgtttang      660
gattttcata tctttcttat gctgatttcc aa              692

```

WO 99/33982

PCT/US98/27610

<210> 527
 <211> 769
 <212> DNA
 <213> Homo sapiens

<400> 527
 gttctngttc tttttgcagg atccctcgat tccaattcgg caccaggcca agcctcggcc 60
 tccactgcac ctgctgcgga gtgggcacct ttgcctgcaa ggccttttnc ccantgncca 120
 atggtanttt aaccagggtt tttgncnntt aaggaggcct tngtgggtggg tngttaatct 180
 ggcnnttcn tattgaaaag ctctgttat tgtccacaga ccagaaggac ttgtaacctt 240
 ggtcccacag tctgacttng gcttttcaag caccagaaa acttagaggg aatcttatag 300
 attccagaac ttaaggatac ctcaagggat agggtcacag ccaagaagtn caaggaatc 360
 ttcagtctgg aacaaaaaca gaaccctttc atgattgaca aangtcactt tctgtttgcc 420
 tggaccaagc tactncagat catctgacca actcttaaaa atcacggcca ggcacagtgg 480
 ctcatgcctg taatcccagc actttgggaa gcaaaagtgg caggatcatt ncagcccaag 540
 agttcaagac cagcctgggc aacacagtga gtgagacct gctctattta agaaaaatna 600
 ttaagaaatt tattaataaa gaagaatcag gaaaccaagt ncaaccaac ttaacctcaa 660
 tgaaccagcc cctaacacag atgangggat ttgggactga taagctctgt gctgngtcca 720
 tggcccgta nttatcaagg ttgcactttt aaatgnggta tttttatgn 769

<210> 528
 <211> 757
 <212> DNA
 <213> Homo sapiens

<400> 528
 tnaatatcag ctcttgttct ttttgcagga tccctcgatt cgcangaggg tgttcgactg 60
 ctngagccna gcgaancgat gcctaaatca anggaacttg nttcttcaag ctcttctggc 120
 nngnattctg acagtgaggt tgacananag ntaancagga aaaacaagtn gctccagaaa 180
 ancctgtaca gaaacataag acaggtgana cttcgagagc cctgtcatct tctaacaga 240
 gcagcatcng cagagatnat nacatgtntc atattgggaa aatgaggcac gttantgttc 300
 gcnattttaa aggcaaagtg ctaattgata ttanagaata ttgnatggat cctgaagggtg 360
 aaatgaaacc aggaagaaaa ggtattttctt taaatccana acantggagc cagctgaang 420
 aacagattct gacattgatg atgcagtaag aaactgtgaa attcgagcca tataaataaa 480
 acctgtactg tctagttnnt ntaatctgtc tttttacatt ggcttttgtt nncnnaatgt 540
 tctccangct attgtatgtt tggattgcag angaatttgn angatgaata cttnttttta 600
 atgngcatta ttaaaaatat tgagtgaagc tnatngtcaa ctttattaag gattactttg 660
 ctgccaccac ctagtgtcaa ataaaatcaa gtaatacaat cttataaac ntttaaaacta 720
 taaaaactcg acccttagac ctatantnag tcggttn 757

<210> 529
 <211> 821
 <212> DNA
 <213> Homo sapiens

<400> 529
 tnannnnannc annnnnnnnn nnnnnnttga agccattgct acttgttctt tttgcaggat 60
 cccatcgatt cgaattcggc acgagagcaa ttccactcct agctccacc acaggaatt 120
 gaaagcaaag acgcaaacag atgcctgtgc accaaagtgc acgggcaagc atccttcggc 180
 cttaatgggc agcattccgt cgtcacaagc gggcattcat cctttcatca atagcgggca 240
 gcattccgtc gtcacaagcg ggcagcattc ctttcgccac aagcgggcag catcttgtcc 300

WO 99/33982

PCT/US98/27610

```

gtcacaagcg ggcagcatcc ttcgccaaag cgggcaagca tccttcgtca tagcggcagc      360
atcctttgcc atagcgggca aggtggaaac cctgtccatc cactgaggcg tgcatagact      420
aaacatggcc agtccaggca ctggaatcca ggcccgtaga acggcgccca cggcaaaaag      480
gaatgagacc ctgatgcact gggcgacaca gacgggcgac acagacttgg agacatcatg      540
ctaagtgaaa agccaggcac acggagcgga cggcggtgatc ctgctcacgt gatgtgtccc      600
gaatgggcac gttcagaggg aagaaggag atggcgcttg ccggtgcccg gggacngggg      660
ttgggagcga cggttgctgg tttggggttt ctttctgggg tgangaantg gttttgatat      720
ttggnccggt ggtgatgttt gcatacctct gaatatgctt aaganccaca gaattgacca      780
ctttaaatgg atgaattgna tggatttggg aattacccaa n                        821

```

<210> 530

<211> 765

<212> DNA

<213> Homo sapiens

<400> 530

```

gnntttnnnn nnnnnnttt tatnnntaca gctacttggt ctttttgag gatcccatcg      60
attcgaattc ggcacgagac taccceggct acggttcccc catgcctggc agcttggcca      120
tgggcccggg cacgaacaaa acgggcctgg acgcctcgcc cttgcccgca gatacctcct      180
actaccangg ggtgtactcc ggccattat gaactccttt aagaaagacg acggcttcag      240
cccggtaact ctggcacccc ggatcgagga caagtgagag agcaagtggg ggtcgagact      300
ttggggagac ggtgttgag agacgcaagg gagaagaaat ccataacacc cccaccccaa      360
cacccecaag acagcagtct tcttaccgc tgcagcccgt ccgtccaaac agagggccac      420
acagataccc cacgttctat ataaggagga aaacgggaaa gaatataaag ttaaaaaaaa      480
gctccgggtt tccactactg tgtagactcc tgcttcttca agcacctgca gattctgatt      540
ttttggtggt gtgtctcctn cattgctggt gttgcaggga agtcttactt aaaaaaaaaa      600
aaattttgtg agtgactcgg tgtaaaacca tgtagttaa cagaaccaga nggttgacta      660
ttgttaaaaa caggaaaaaa ataatgtaag gtctgttgta aatgaccaan aaaaaaaaaa      720
aaactcngcc tntaaactnt tntgagtcgt ntctgtaa at ccaan                        765

```

<210> 531

<211> 768

<212> DNA

<213> Homo sapiens

<400> 531

```

gnntttnnnn nnnnnnttt taagntactg ctacttggtt tttttgcagg atcccatcga      60
ttcgaattcg gcacgagggt cttcaaagcc aaccaagaca ggcttagcag ttttagagct      120
tcagaacaaa ttgccaaaag ccagagttgt ttatgctagt gcaactgggt gcttctgaac      180
cacgcaacat ggcctatatg aaccgcttgg catatggggg gaggggtact ccatttagag      240
aattcaagtg attttattca agcagtagaa cggagaggag ttggtgccat ggaaatagtt      300
gctatggata tgaagcttag aggaatgtac attgctcgac aactgagctt tactggagtg      360
accttcaaan ttgaggaagt tcttctttct cagagctacg ttaaaatgta taacaaagct      420
gtcaagctgt nggtcattgn cagagagccg gntcagcaag ctgcagatct gattgatgct      480
gancaacgaa tgaagaagtn catgtggggg cagttctggc tgtcaccaga ggttcttcaa      540
atacttatgc atagcatcca aagttaaaag ggttggtgac tagctcgaga ggaaatcang      600
aatggaaaat gtgtnghaat tggctgcagt ctgaggagaa gctnnaacat tagaactttt      660
gaagaaggcn ggggagaatt gatganttgg ttcaactgcc aaagtgtgtg cantcactca      720
ttggaaaaca ttnctgctc cagcngggaa aacttatggt tacttggg                        768

```

<210> 532

WO 99/33982

PCT/US98/27610

<211> 761

<212> DNA

<213> Homo sapiens

<400> 532

```

cgtnnttttnn nncnannga aagcccttgg ctacttgntc tttttgcagg atcccatcga      60
ttcgaattcg gcacgaggat cagcccacct cggcctcaca aagtgnrtggg attacaggcg      120
tgagccacct tgcccaccca catcatcacg ttgaaatgaa actttgccac aaccagcctt      180
tgctgtacac acacatatat cactgaacct ggttgaaata aagntttttt tctttttcct      240
ctgggtattct gggttctgaa gtctgggtatt ctgggtattct gggttcaaaa gtatgacttg      300
agagtgttgc tctgggtattc tgagagttgc tctgtattct gggttctgaa gattatttga      360
aaaataaactc ctactacatt gaaatgcaga cttaaaaatt taaacattgg attaggcagt      420
caaaaaaacc aagcaagcat aaaaggtcaa taagttgtaa tcttgatagt aaaggtggaa      480
aacttatttat aaatggaaag aaagtttatt tccttttttg gttgatgggc agtatgccat      540
attataccca aagttctttt aaaaaatatt tccatcacca tttttattta aaataaacat      600
ttgaggggaag taccaaggca gcttttttcc tcaaaagtac ctggctcctct ttgggaatag      660
cacattttan gggcattggg taatcctgag attttactca ntaaactctg atggtactgg      720
gtgtaaaata tctttagtng gattgaaggc cttngggggg a                          761

```

<210> 533

<211> 735

<212> DNA

<213> Homo sapiens

<400> 533

```

taaacatcng gctacttggt ctttttgcag ggatcccatc gattcgaatt cggcacgaga      60
cactgtccca ctccatcacc caggctggag tccagtggtg tgatcatagc tcgctgcatc      120
ctccagttcc tgggttcaag ccattcctcc tgcctcagcc tccccagtag ctggaactac      180
agggtgtgtgc catcacacct ggctttacat ttttctgtgg ggtcttacta tgttgcccag      240
gcccgtctca aactcctgag ctcaagtgat cctctgcctc agcctccaga gtatctggga      300
ttacatatgt cggctaccgt gtctggccgt tcacatcttt ggccactatt tgcttgtgaa      360
aagggtataat gaggtggtac ttatcatttt tactngtctc catgttttgt atatttttgt      420
ttcatcaact aagatgcact gtaacatctc tgaaatctgg atatatattc aatggtttat      480
catagttttg ttagcaatac actgtctttt agtggtgctt aaaataatgg tatagttgtg      540
agggtgatctt agatttgatg aagcacagta tgcaggtagg cctaattggg gaagatggta      600
atataaaaagc aagaagtatt ttttttttgt aatgactgaa agctgtctgt ggatgacctt      660
cccttttctt taaacacgat tntntcactt ncaactncaa acttgctcaa ctaatncttt      720
aaaaataact tgagc                          735

```

<210> 534

<211> 735

<212> DNA

<213> Homo sapiens

<400> 534

```

natngnttgc tcctngttct ttttgcagga tcccatcgat tgcagacaac ccagaaacaa      60
attcatacat ctatggtgac cacttttgac aaaggaatga agaacataca ctgggggaaa      120
agataatgtc ttttaataat ggtgctggga aaactggntn tccantntgc agaagaatga      180
aactagacct ccatctctta gcatatacaa aaatcaaaat taattaaaaa gttaaatcta      240
agacctcaaa ctatgaaaca gctaaaagaa aacatcgggg aatctctcca ggacattgga      300
gtggggcaaag atttcttgtg taatacctga caaacaggca accaaagcaa aagtggacaa      360

```

WO 99/33982

PCT/US98/27610

```

atgggatcac atcaagttaa aaatcttctg cattgcaaag gaaataacaa agtgaagaga      420
caccataga atgtgagata atatttgcaa actatccatc tgtattaggc catttttgaa      480
gtctacaaaag aaatacttga gactgagtaa ttataaaaga agaggtttaa ttggctcacg      540
gttttgcagg ctgtcaggaa gcatggtgct aacatctgat cagcttgtag ggaggcatca      600
ggaagtttcc acccatggtg gangcaaaag gggaataagt ttctccatgg cagggtgcagg      660
gcaaaaanan gggggaaggg aagtgcenca caaccagatc ttgtgagtnc tcagatttgn      720
gngggngct tnggg                                     735

```

<210> 535

<211> 735

<212> DNA

<213> Homo sapiens

<400> 535

```

tnaannanag ctacttggtc tttttgcagg atcccatcga ttccaattcg gcacgaggtc      60
catacatgga gctccctgga cccgtgtgct ctctgtgtgac tgaacgtttt gtgatgaaag      120
gaggagaggc tgtctgcctt tatgaggagc cagtgtctga attgctgagg agatgtggga      180
attgcacacg ggaaagctgt gtggtttcct ttacctttc agctgaccat gaactcctga      240
gccccaccaa ctaccacttc ctgtccctcac cgaaggaggc cgtggggctc tgcaaggcgc      300
agatcactgc catcatctct cagcaagggtg acataattgt ttttgacctg gagacctcag      360
ctgtcgtctc ctttgttttg ttggatgtag gaagcatccc agggagattt agtgacaatg      420
gtttcctcat gactgagaag acacgaacta tattatttta cccttgggag cccaccagca      480
agaatgagtt ggagcaatct tttcatgtga ctccttaac agatatttac tgaaggaatc      540
taggttgat tttcagtgga caatgggaat aaagcatttc taaagcaccg actggagagg      600
aaggcaacag aaacaaggag agaagcccga gagacatgtc tgcgtgctgc cagcatctg      660
ancgattgct cttgtgaaga gtttgtcact gaacattttc aggggaggct gtttaccag      720
cnatgtnctn aacan                                     735

```

<210> 536

<211> 785

<212> DNA

<213> Homo sapiens

<400> 536

```

gcccccnnn nnnnnnttt tcaaanncn ttnnnnnnnn nngnnnttt tannnnnttn      60
ttannnnaca gctcttggtc tttttgcagg atccctcgat tcgattcggc acgagctacc      120
ttgggctggc cctctatnat gctntgaggg gagctgggac agatgatcnt nccctcntca      180
gngtcatggn tnccangngt gagnttnatc tgccnnacat ngtgacggag tttaggaaga      240
atgntgccnc ctctntttat tccatgatta aggganatcc atnnggggac tataagaaaa      300
gcnnntttnc tgctntgngg ncaanangan tnacnngncc cgggnnanag ctctatgct      360
gtntgcctgc accacccct gccttccttc atacctttcc ntggatatgn atgccagggc      420
ttmncacatt gccnattna tactnacntg ctnatgacca anacatncac gtgataacac      480
aaacantggg tgcttgnttc tgatcnctag agnganctn ttggnnngnt ggagnactna      540
antnttctna gtgtnacttn agttcaatgc ctggccatnt gcnatnacct tatatcntnc      600
aaagaggcta ctgtgctttt ancccttttt aaaacctcca tctgtattac attgnaaacc      660
angtttcttt aatnaggagc ttgacctcta nantgggaac tcttgggaat ggncttagtg      720
aagttcgcn ctaacttaac ctgaaaatta tnatgnnctg ttnacctat catgttnata      780
actnt                                             785

```

<210> 537

<211> 967

WO 99/33982

PCT/US98/27610

<212> DNA

<213> Homo sapiens

<400> 537

```

agtanggcgn  ttccctaatnn  annnggctaa  ggcactttna  aagangaggc  tngcgtgntg      60
aataaccgnc  gaggggggat  nacaatagta  nacnnggtnc  caatncatgc  ttaacaccgc     120
atntctttac  ccccnannnn  ncacanatgc  agacncacac  atngcanncg  nacacncaga     180
cacacacang  caagcactnn  catgcatggc  ccatgctcac  acacntgnan  nnaacatgcn     240
gtagacatnt  nagacacgtc  atgtnacaca  tgnnacacan  gnnnaanaca  ctgcttttnc     300
ngcanacnca  gacggcacnn  ngagacanac  atgcnnaaac  aacatgctcn  ctcaentnna     360
nncgntgggc  cngtagtagt  gtactgtggg  tgnnactggg  tgccatcnac  nnngtatttt     420
acgnnctttt  aactaaaaan  cttggagcct  tnantntntn  tgggtgantc  aatnccctana     480
antnncttga  gngggatgaa  ccctaananc  ctggccctnn  tnccnctttc  aaggccnagn     540
aattganatt  attncntant  ngnncacgaa  gcttntggta  ncangngncc  cgagnnctnt     600
tnaaanttnn  ctnttttnan  aatnaaacat  tttancgggt  ctnaggancc  gngcctncng     660
ggtanggann  naattgtnc  tgggnatagt  tctcacaant  natnttnaag  gggnnaaagng     720
atnngngngg  nccntntatg  nggcnngcc  annaangggg  tcnnggttaa  natattccaa     780
gntaacanan  gnacnatggn  accnatccct  ntngaagna  aggaactncc  tgnnccgacta     840
nnnactatgn  naaatattct  cacatntaca  naaaaagnag  gnnccnnggt  ncttnaagnt     900
tntgcatagn  nactatncnt  gggacnggtt  aacnnanatt  ntatgcttta  nnngatnggg     960
gcttnnn

```

<210> 538

<211> 892

<212> DNA

<213> Homo sapiens

<400> 538

```

gctagttnga  agaggtgttt  ctaangnntn  ggaatcgaca  tctnnnnnagg  cngncentgc      60
gattcgcttt  gctctctcca  ttccaagttg  ttctctgttc  tagaaagcng  atgnngggnt     120
acatctactg  tttttgccta  aacagaatcc  cttnttcctt  tttttgttaa  aaggctcatn     180
cctaataatta  cattgctctg  gaacgantga  caataccana  actcagcacc  ntgatcggac     240
cgggacaatc  agattatcta  attcctcagc  aaacggagat  cgatccgaaa  agtggaataa     300
tganctcntn  ctttgtgntg  gcatatggac  cctgagagaa  agaaaacttta  atcttttact     360
cttggactgc  aatnaagtnt  agctgcctaa  aaatcnnttt  cntgacactt  ngnaggtttg     420
tccacaatcg  gnggaaatta  nngggtnnga  cntaancact  ggatgaaaaa  aaatnccgnt     480
tantnttatt  ncntttccan  ncttntnaaa  tanananttt  ntcanccctn  nntaatacta     540
ttanntatat  ntnttnnncc  cnatnnnncc  ttcttntctc  tacnnccntn  cnatntnnnn     600
nnangntcnn  cnannnnntc  tnttatttct  annatatntc  ntancnttna  ctaaaacctc     660
cnctcgtnna  nattncnnta  taatattntc  tctaganntt  ntntntnttt  gnnncttaaa     720
anctcntcta  tccctantat  nantnattct  taccatnaaa  tacactanaa  gtnntntcac     780
gagacncgnt  atgttantnc  anactataat  cgcttncatn  tanntatatn  taaaantgct     840
atncagnnag  nngntnttat  atntttanct  ngnnaggnta  tccctnatan  cc               892

```

<210> 539

<211> 751

<212> DNA

<213> Homo sapiens

<400> 539

```

gnnnaggtn  tagancagct  cttgttcntt  gngcaggatc  cctcgattcg  aattcggcac      60

```

WO 99/33982

PCT/US98/27610

```

gagagtgtca gttttcctaa tctcagtcca ggtaggaatt aagaaatata tcaagtgttg      120
atgctatcca agcatgttgg ggtggaaggg aattggtgcc cagaaaatgg gactggagtg      180
aggaatatct tttcttttga gagtaccccc agtttatttc tactgtgctt tattgtctact      240
gttcttttatt gtgaatgttg taacatttta aaaatgtttt gccatagctt tttaggactt      300
ggtgtttaaag gagccagtgg tctctctggg tgggtactat aatgagttat tgtgaccac      360
agctgtgtgg gaccacatca cttgttaata acacaacctt taaagtaacc catcttocag      420
gggggttcct tcatgttgcc actccttttt aaggacaaac tcaggcaagg agcatgtttt      480
tttgnatttt acaaaatcta gcagactgtg ggtatccata ttttaattgt cgggtgacac      540
atgttcttgg taactaaact caaatatgtc ttttctcata tatgttgctg atggttttaa      600
taaatgtcaa agttctctcg ttaaaaaaaaa aaaaaaaaaa actcgancct ntanactata      660
gtgagtcctt attacgtaga tccagacatg atnagatcat tgatgaattt ggaccaaccc      720
aactagaatg cagtgaaaaa aatgcttttn t                                751

```

<210> 540

<211> 761

<212> DNA

<213> Homo sapiens

<400> 540

```

gntnggntcn agancagcta cttgttcttt tgcaggatcc ctcgattcga attcggcacg      60
agcctgcagc cactaatgca ttgtgtatga taacaaaaac tctggtatga cacattttct      120
gtgatcattg ttaattagtg acatagtaac atctgtagca gctggttagt aaacctcatg      180
tggggggtgg gtgggggtgt attccttggg ggatggtttg ggccgaatgg ggagtggaa      240
atltgacatt tttcctgttt taaattctag gatagatttt aacatccttt gcgggtcccag      300
tccaaggtag gctggtgtca tagtcttctc actcctaate catgaccact gtttttttcc      360
tatttatatc accaggtagc ccactgagtt aatatttaag ttgtcaatag ataagtgtcc      420
ctgttttgtg gcataatata actgaatttc atgagaagat ttattccacc aggggtattt      480
cagctttgaa accaaatctg tgtatctaata actaaccaat ctgttggtatg tgggttttaa      540
aaaatgtttg ctaactaccc aagtnagatt tactggatta aatggccctt cgggtctgaa      600
aaagcttttt taacttcttn gcttaaaatg ccgtttaatt ttgataagat ncttnaaatn      660
gcctccaaaa gtgttananc caatcatttn aaataaacn ggntgtatat tgcattnatgt      720
gtacatgcnt atncccttct ggttaaaact naaaaaaaaa t                                761

```

<210> 541

<211> 748

<212> DNA

<213> Homo sapiens

<400> 541

```

ggtttanttt aaatccntnc ncagctactt gttctttttg caggatccca tcgattcgaa      60
ttcggcacga gcggacccat cggagcgtaa cctggatctc cgcaggcctg gcggaggccg      120
gccacctgga ggggcattgc ttggttcgcg tgggtancaga ggagcttgag aatgttcgca      180
tcttaccaca tacagttctt tacatggctg attcagaaac tttcattagt ctggaagagt      240
gtcgtggcca taagagagca aggaaaagaa ctagtatgga aacagcactt gcccttgaga      300
agctattccc caaacaatgc caagtccctg ggattgtgac ccaggaatt gtagtgactc      360
caatgggatc angtagcaat cgacctcagg aaatagaaat tggagaatct ggttttgctt      420
tattattccc ttcaaattga aggaataaaa atncaacctt ttcattttat taaggatcca      480
aagaatttaa cattagaaag acatnaactt actgaagtag gtctttttaga taccctgaac      540
ttcgtgtggt cttgnctttg gttataattg ctgtaagggtg ggagccagta attatctgca      600
gcaagtagtc acncttttca gtgatatgaa tatcatcttt ggcttggtg ccantngaca      660
acctgncatt actgactttt tgaaaanaac cctctggata ttgatgcctc ggggtgtggtt      720

```


WO 99/33982

PCT/US98/27610

ggactgncat ttagtggacc ccgaatcc

748

<210> 542

<211> 784

<212> DNA

<213> Homo sapiens

<400> 542

gtnnnnntng	tgtaatcgct	tggetgcagg	atccctcgat	ggcgaattcg	gcacgaggtg	60
ttgetcaang	agcagacccg	actccntaag	gtcatcattg	aatgggcatn	atangtttga	120
anactgtcca	ananantang	ngtcaataca	tcaacnnctt	tanntgcttg	atattggnat	180
tgaanaacac	angnctcngn	ctagttcgcc	tganatgatg	tttaagatac	tccggaagga	240
gacanantgt	tntgantgcg	gattaganac	cacngaagnn	acactnaagg	ancancatct	300
ccacctngna	actgnattnn	cngaccanaa	aagngaactg	gaccaaattg	tctcaaaggt	360
gctggcagct	taanagecgtg	ttangactct	gcacgaagan	gacaggtntt	ntgagagcct	420
ggnnannaca	ctctcccaaa	ctaaactgna	nctttcaaca	nangggancc	ccannttggt	480
ggagaaatca	ggtganctgt	tggcccttcc	acaaagangc	aaattctntg	agggcnagac	540
ttnanctttt	ttgngaacc	agtncttgac	tgactaaatg	aaagcttttt	aagccaggtg	600
gccancctt	aangaagcna	ctttttaatc	cancggaacc	ngcttgagan	aaaaccnttt	660
ttgacccaaa	accnggagaa	ccagctggcc	taccaaaggg	aaatgggccc	ccatttgaac	720
ttggggttnc	ccangaacaa	nccttgnccg	ggncaaagcc	cnttgttgga	aaggacctca	780
acct						784

<210> 543

<211> 764

<212> DNA

<213> Homo sapiens

<400> 543

ntantaaatc	ccttgctctt	gttctttntg	caggatccca	tcgattcgaa	tncggcacga	60
ggaccgggcg	gcgcggacag	gcttgctgct	tcctcctcct	nngactcacc	attncaganc	120
agaanntgaa	aaaatggng	anctcaccca	ggtaanggat	gatgaagtnt	tnatggctnn	180
tgcatactat	gcannanttn	tncttntgna	aatgatgcnt	atgagtactg	taanngnntt	240
ctatncattg	ncaagaangg	ntnttgnaaa	tncatangac	tgtgtagcat	tccgcanagg	300
agaaaatgnc	aagaactatc	ttcgaacaga	tgacanagtg	taacgggtac	gcagagncca	360
cctgaatgac	cttgaaaata	tnattccatt	ncttgnaatt	ggcatnctgt	attccttgag	420
tgggtccgac	ccctctacag	cnntcctgta	ctttagacta	tntgtcggag	cncggnctta	480
ccacaccatg	tgcataattg	acaccccttt	cnnatccaaa	tatagctatg	actttttttt	540
gtaggatatg	gannactctt	tccatggctt	acacgntgcn	gtaaagtaaa	ttggccctgt	600
gcagaaaaac	attccactca	gtnttccaan	tggcttntta	aggaattctn	gaccttgcaa	660
ttnatantgg	agnnctttcc	ttaagattta	aaggtttgan	gnggagcenn	aggaattntn	720
aaccnggggt	aaaccctttt	tgggaatttt	agcnttgnca	anaa		764

<210> 544

<211> 755

<212> DNA

<213> Homo sapiens

<400> 544

gatgctggnt	nennatgctt	gnngatccct	cgattcgaa	tcggcacgag	gaaatgtgta	60
tttcagtgac	aatttcgtgg	tctttttaga	ggtatattcc	aaaatttcc	tgtattttta	120

WO 99/33982

PCT/US98/27610

```

ggttatgcaa ctaataaaaa ctacettaca ttaattaatt acagttttct acacatggta 180
atacaggata tgctactgat ttaggaagtt tttaaagttca tggattctc ttgattccaa 240
caaagtttga ttttctcttg tattacattt tttatttttc aaattggatg ataatttctt 300
ggaaacattt tttatgtttt agtaaacagt atttttttgn tgtttcaaac tgaagtttac 360
tgagagatcc atcaaattga acaatctggt gtaattttaa attttggcca cttttttcag 420
attttacatc attcttgctg aacttcaact tgaaattgtn tttnttttct tttttggatg 480
tgaaggtgaa cattcctgat ttttgctgat gtgaaaaagc cttggtattt tacattttga 540
aaattcaaag aagcttaata taaaagggtg cattctctca ggaaaaagcc atcttcttgn 600
atatgtcnta aatgtatttt tgnccctcata taccggaaag ttcttaattg gattttacca 660
gctgnaatgc tttganggtt ttaaaaataa taacattttt aataattttt taaaaggaca 720
aactttcata atnatcccgg ngntcctttn cennnn 755

```

<210> 545

<211> 767

<212> DNA

<213> Homo sapiens

<400> 545

```

agnttttnaa tcctttggcc antcgcncct tntgcangat cccatcgatt cgaattcggc 60
acgagaaaaa gtnaagcttt tcatgagcac anntnccttg cattgttnga tgttactgat 120
attcgtaaaa tgaatatttt ctgttttggt ctgttnnatt tttttgagac aagtccttgct 180
ttgttgccca ggctggagtg caatggcatg atcttggtct actgnaaccc ctgccttgcg 240
agttcaagtg attcttctgc cttnagctcc tgagttagctg ggattacagg cgctcaccac 300
cacaccagc taatttctgt cttttnagtn gacacagggt tttaccatgn tggccaggct 360
ggtctcaaac tctgacctg aaactnctca caccngtnat ctgagcactt tgggaggctg 420
angtggaag gatcacttga agccatgagt ttgagaccag cctgngcnac acagcngaga 480
cccngtgnt gtacaaaagc ttncnacatt tanctggctg aggagttnct caccntaac 540
ttccancnan tcnnttaagc nnanncatnt tgaacacntg agccannta nggtcgatgc 600
tnntagtnaa cgtgactgg accacttaca gtccaagccc ggtngcctt ataaaagan 660
cggaaaacat ttcnttaatt cgggttnnag cnttanctat ttcggaatnc cttngtttt 720
naaaaacttg aatctccaan aaacagggtt ttttcttttg gnccann 767

```

<210> 546

<211> 989

<212> DNA

<213> Homo sapiens

<400> 546

```

tncccttggt gaaanccctt tgctcctttn tntnccggt tgncatncna ttcgctcagc 60
tgaggcaatt aaactggaaa agaaatagat tgaaaagata ctntngaaga agcagtacag 120
aagttggggg actgaaggag agggagccac tgcaggtgct agctgcttaa ggggatacca 180
gtccttttac agatataata gatacagctt ctgaggtgga gggtgatagg agtgtgtatg 240
agaaanttgc agnttnacaa ctgctcntgc ctctnggca anaggannan cntttcnccn 300
nttncnnccc ttatnqnaca cacattgncc tgattggnen tncncngct agcttncagt 360
cttnantnta ctcanagnn nntnggggaa cncnctntn nantatgnct ccttttctc 420
tnnctnncc nnatancacc cncctncct tctttctaa acttnacac ntcctgana 480
atgncctccg aatggantct tngaatttct ncgccccctnc ntctcataa cnttttgc 540
nctcngctc nccctcattt tntacgtnc cnccttctnn ttnactgnct ttaaanttta 600
ttanennent ntncnttnen atctncaant tttcnncn acnnnnnttt nctnntnca 660
aatecggnna aataagtntt gncactenn ntntanent attntccctc genntntcn 720
tcatctcccg cnncactcac ntnnnnnnnt caattntnn nnacnncnc tgcctacnn 780

```

WO 99/33982

PCT/US98/27610

```

nccatntctn tncctncaca cccntnancn tntcncctcan aatgcctttt ctnccttann      840
nctntcnttc nccnatctan ccaantttnc tttnacatcc cctncnnntc tnncccgacn      900
atatntnacc tcttnnatch cagngcntan natchccccn ttntcncntn cncctctcann      960
cttntnttna tcttcatnna tcannncnc      989

```

<210> 547

<211> 781

<212> DNA

<213> Homo sapiens

<400> 547

```

tgttncctttt cncctcnc cgaatcnct ttgntttctaa ctttcctaata tacctgggct      60
acttgactata tccntcgat ncgcatagat ggccnngtta ctaanggtga ntttccagcg      120
cgggggggcac gtggagtcac tggaacattt gngcaatgct ggtgggaatg tcaacccgng      180
cnggcctctg gaatangcct ggcnnntcct gcnagagtta cctgtgtgacc cagcaattcc      240
actcctagct ccacccacag gantngaaag cnaagacgca nacagatgcc tgngcnccaa      300
anttcacggc agcatcctnc gccatantgg cancatccgt cgtnacagcg gcatcctct      360
tcatcattac ggcancatcc gtcgtaacag cggctacatc acttcgccac agnggcagca      420
tctgtngtca cagnggcngc ancccttngcc aaagcggcag cntccttcgt catagcgna      480
ncatnctttg ccatancngc naggtggaaa cctgnccat cactgaggc ntncatanac      540
tanncatggn cagtcaggg cactggaanc cangccgtng aacggcgccn acggtnanna      600
ggaatganac cntgatgcnc tggggccana catactggt anacanactt ggagacatca      660
tgcttanttg nannnccant cacacttgc nncggcgtna tctgtctcac gtgatnccgac      720
ccgaatgggc acttcaaag ggaanaagg ngatggcact nccggtnncc tnganagggg      780
n                                                                                   781

```

<210> 548

<211> 735

<212> DNA

<213> Homo sapiens

<400> 548

```

tctaaacgct tggnncttgc tctttctnca nganccnnt gcgntncgaa ttcggcacga      60
tctagatatt gcccaatgc tgcacacagt gcacatacct ttccaccagt cacatgtgag      120
agggcagatt ttccaaatgc tcatcaccac ttggcactgt gtggactata attttggcca      180
gttaggaaat ggcattctcat tgttttctac ttaatttgcg tcagcctgat tactcattga      240
aacttgtgag gttgagaaac ttttcttaag ctatttggcc attcaagttt cctcctttat      300
gaaatggttg ttcattgtcat ttgtctattt ttatattaga ttgtttttct ttttccagc      360
tgacttgtag gaactctaca tcttatcaat attaatacatt tatcgaaaac tatttgggtg      420
ccattatctt ctccctagtca atgttttttg tttgtgatat cttttataat atataagttt      480
ttaatgttgg cagaagtaaa gttaatcttt ttggtgtgtg tgtgtgtctt gtttgatgta      540
aagatagttt ctgtaatagt tttgcagttt gattgntcat ctttaggtct tcaattcaac      600
ctgcacatcc atccctcta tctcttttct tactctgttt ttctccatac cacttatcat      660
ccaataatat ggtcatgcc tttattnacc ngntttgcat atataatttg gcttgnccc      720
ggttccttcc ctana                                                                 735

```

<210> 549

<211> 812

<212> DNA

<213> Homo sapiens

WO 99/33982

PCT/US98/27610

<400> 549

ttctaatact	tggctctngt	tctttcngca	ggatcccatc	gattcgaatt	cggcacgagg	60
ggaaggagcg	ggcgtgaggc	cagctgaggc	atggtgaccc	ctgggaagga	gcgggcgtga	120
ggccagctga	ggcatggcga	cccctgggaa	ggancgggcg	tgaggccagc	ttgaggcatg	180
gtgacccctg	ggaaggancg	gncgtgaggc	cagctgaggc	atggtgaccc	ctgggtacgg	240
gggacttggg	ggccgacctt	ggtttgccca	gggccccctnc	tgcaccacgg	ccacatgcgg	300
aggacggcgt	tgggatange	tccctgggtc	cacagcttct	gcccgtgtat	tggggaaaccc	360
tncttgggtca	aggcttcang	ctcttggcag	atggggcaag	gaaccctgag	gcttccgcgc	420
ccttccatgg	nctctgatgt	gggacacttg	aacgangcac	gattctgaag	gactccatgg	480
atcttgggan	gattangccc	accttcngtt	ggtggncnaa	agccgtcctt	ncggggcccg	540
gcttgtttaa	cnggacaact	tttcnggtcg	ggcttggttg	gccccaatcn	ttgggttggg	600
naanttnccc	ttaaaccctg	ggcccgncct	tttaaccttt	tttcccaate	ttttgacctt	660
tttccaaaaa	ggggtncccc	tgggcttttt	ngggnaaatt	ggttccgggg	gccaaagggt	720
gggaaaaaat	gccttncatt	gggnaaaacc	ctggatccct	tgttaancct	ttgggagntt	780
aaaatggaat	gaattttccc	cccggtcttt	tt			812

<210> 550

<211> 742

<212> DNA

<213> Homo sapiens

<400> 550

ggnnantcna	tgtctgtctt	gtctctntct	aaaagttggc	nattcgaatt	cggcacgagg	60
ttctgtggct	ggcatggtct	gectgtact	ggagagatct	cctgagantt	cagtttttga	120
ttggtgctgt	catcttcctg	ggaatgcttg	anaaagctgt	cttctntgcg	gaatttcaga	180
ntntccgntc	caaaggagaa	tntgtccagg	gtgctttgat	ccttgcaaag	ctgctttcan	240
cagtgaacgc	ctnactggct	cgaaccctgg	catcatagtc	agtctgggat	atggcatcgt	300
caagccacgc	cttgaggtca	ctcttcataa	ggttgtagta	ncaggagccc	tctatctttt	360
gtntcttgca	tggaaggggt	cttcagagta	ctgggtattt	tncttatccc	ttgactctga	420
tagtaaacct	ggccctntca	gcagtttgac	gcctgggtat	ttatggatat	taattagcct	480
gactcaaaca	atgaagcttt	taaaacttcg	gaggaaacatt	gtaaaactct	ctttgtatcg	540
gcatttcacc	aacacgetta	tttggcagtg	gcagcatcca	ttgggttaat	catctggaca	600
acccatgaag	tcaanaatag	tgacatgtca	ntcggactgg	ccggnagctn	ttgggtagac	660
catgccatnt	ggcgcttgc	tggctctcca	tgancctcct	tggcaatcat	gggtcttntg	720
gcgaaccatt	ttgcaaacaa	ct				742

<210> 551

<211> 736

<212> DNA

<213> Homo sapiens

<400> 551

agtctaattgc	tggctcttgc	ttttctaattg	ctnggcgatt	cgtcctggtg	tcaaactacta	60
taaaccttttg	accagctgag	ctgtgactgg	ctgtcacntn	tctgagtcct	gtgtgcacag	120
tantntcctg	ggtcaggtaa	aatccaggtn	ttcaagtttt	aaggnttttt	tgaanaattc	180
gggcttnttt	aanacgatcc	ntgccaant	ccacaagctt	ggtgacagtg	gnttacagtt	240
ngngtggcaa	agtccaagtt	gttacactgn	gctttaaaaa	aaatcttatc	tgcattgtatt	300
gttaacttag	agaccatgag	atctatttat	caggaccagg	aagatncaca	cttcagggtcc	360
attgcaactg	acttttttct	tgtttttctt	aaaaccttgg	tggagcctgg	gaagggggcc	420
tccacaattc	tgtggctttg	atattagccc	caattttaca	agcacataca	agccccataa	480
ttgccgcagg	aaaacacaag	atggaaaaatg	caataaccca	tgcactgaga	cttagaaaat	540

WO 99/33982

PCT/US98/27610

```
catccttact aggcacaaatg tattatgatg caataagtgc cactgggnat ttnacgttg      600
ggactggnca ggaactgctg caaagaaaaa taacagctcc ttctccatta tttacattta      660
agatgttggt ggggggaagg ttgggagaaa ttagttctga gggatcataa tgcctttttt      720
aaagaaaatg ggaata                                     736
```

<210> 552

<211> 733

<212> DNA

<213> Homo sapiens

<400> 552

```
nagttaann gtatgtcttg tcttttccaa gatcctatcc gattcgaatt cggcacgaga      60
agtgtcagtt ttcctaactc cagtcacaggt aggatttaaa aantntctca agtgttgatg      120
ctntccaagc ntgttggggt ggaagggaat tgggtgccag aaaatgggac tggagtgagg      180
aatatctttt cttttgagag tncccccagt taatttntnc tgtgcttnat tgctnctgtn      240
ctttattgtg aatgttgtaa cattttaaaa atgttttgcc ntagcttttt aggacttggn      300
gttaaaggag ccagtggtct ctctgggtgg gtntcataat gagttattgt gacccacagc      360
ttgtgtggga ccacatcact tgtaataaac acaaccttta aagtaacca tcttccaggg      420
gggttccttc atgttgccac tccttttttaa nggacaaact caggcaagga gcatgttttt      480
tngtnattta caaaatctan cagactgtgg gtatccatat ttnaattgtc gggtgacaca      540
tgttcttggt aactaaactc aaatatgtct ttctcatata tgtgctgatg gttttaataa      600
atgtcaaagt tctcctgtta aaaaaaaaaa aaaaaaaaac tcgagccttt anaactntnt      660
gagtcgtnta cntagatccn gacatgataa gatcatgatg agtttggaca accncaactng      720
aagcagtga aa                                     733
```

<210> 553

<211> 870

<212> DNA

<213> Homo sapiens

<400> 553

```
nagttaanag taggtcttgt cttttgcaag atcntanega ttcgaattcg gcacgagtat      60
ataacaactt ttgctttcaa agttgggtgg gactagancn cncantggaa ggntggagtc      120
agganacctg gattnttgng cccgntntgg nttttacagt ntgcctaant ttntgcagtn      180
acttntgcc ancctgttct nttacntnca anagggaaag acantccttg gccagcctag      240
tttnaggggt gaacgaaagg tcnttntcac tgctcctct agtcatttgc ttcttcgnta      300
attaacacat cttgagcacc tgcnatgttc caggaacagg agatggcanc gtgcaagata      360
aagtccctga cttctagaga ctgcatgtta gtggcaatcg gcgtntaccc ggctttnaat      420
aaactactga atgaaggaaa attctaccta caccagacac aattactggg gtttctaaaa      480
tgaattattt cccccggccc cntgcatcca gcagcctgnt gcagggaac tcctccnaaa      540
ggcttgtaag gcaaggaanc cgggacaatg gcntggctat ttaagcttnc aacaagatgg      600
ttacccttaa gtnccataat ccctaacacc aagggggccc tttaccagga aacccaaacc      660
aggtaaaaa accccaaagt tgggnaaaaa gccatttgcc anccggggcc nttttaaaaa      720
aaacctttna aaaaccttct ctttttaaaa ctttaccttc aagntaaan ttttaagggga      780
atgggnccaa nttttttaac cancccaaaa aaaaantng gnaatttttt tccccnaaat      840
tttttnaant tccccaaatt tnggaaaang                                     870
```

<210> 554

<211> 766

<212> DNA

<213> Homo sapiens

WO 99/33982

PCT/US98/27610

<400> 554

tatcaatgnt	atgtntggtc	tnttcgaaag	anctagnccg	ntcgaattcg	gcacgagcca	60
acacccagtt	ctnactctgt	catccaggct	ggtgtgcagt	ggtgcaatgt	gggcttactg	120
cagccttgac	ctccaggaca	agtgatctcc	cacctnagcc	tccggaatag	ctgggactac	180
agntcaacaa	cgccccctctg	aaagtaggac	tcttggaat	gaaccttggt	gggagtaaag	240
ctgaaccttc	acctctcctt	tccaggattc	tactccattc	atacggcctc	acactgaatt	300
aatgtttnta	gcagccacat	cacttngtta	cccaattgat	ctagtagtaa	agtcttccca	360
tctnttcatg	taaaaaaaaa	aannnaaaan	gggnnaggaa	ccntnangnt	nnnaaaaaaa	420
aaaaaaaaan	ca	ggngngngc	nttttttaac	ctataacctg	ntttnaggcc	480
tttntccnaa	ncnnggttan	taggggccna	aagctaaccg	natttttgnt	cccntnaggt	540
taggcngaa	attaaccnng	gtttaaagaa	cncattgant	aaagccttgc	ctnggccaat	600
tccgggaaaa	gggaanagcc	tccttgtttt	acanattggg	aaaaattggc	cccaangggg	660
gttaaccang	tttgcccntt	aataactnaa	anggattttt	gncaaaaacct	ggttccaagg	720
ntttaanccc	aanccttttn	aaanntnggn	cnccttggat	gnaann		766

<210> 555

<211> 770

<212> DNA

<213> Homo sapiens

<400> 555

gttatccnat	gngegtntgt	ngnnnnncnt	aanananantt	gctngncgct	gggccttgct	60
tctctgagaa	aacttttggtc	acacntccaa	agccaggggtg	ggtgcctccn	tgnaggaggg	120
ggctttcctg	gttgggtgcn	cagnaggagt	ccaggctttg	taccgtggac	accatgggct	180
atggcaacac	cttccctaacc	atccttccat	gaggacctcg	gnaganagt	gacatgaaac	240
cctttgtgct	ctgaancatt	caacagaagc	tttctggttc	tgtgcctatt	tctttggcac	300
ttganctgt	ttgcagggtc	attacncaca	tgatgaaagc	tctggcccat	agcactagaa	360
ttcatgtttt	nagggtttgt	gagtgtgaca	ggtgctatgg	tttggatgtg	gtttgtttcc	420
acccaaaactc	ttgcttgaag	tttaactgcc	agcatggcaa	ttgttggngag	gtggggccta	480
ccgggagggtg	attgggtcat	gggggcttga	accctccgga	atagattacn	gctgcctcct	540
ganaaaagttc	tacctgtcat	gggggcttga	tcagtcaaca	ttgannantg	gggttgttat	600
aaagcaagac	tnactcctta	tgcaccgttt	ntttgcata	gccccctctg	gggnancttc	660
tttggtgct	aacatttttg	gacccaaccc	aatgggcctt	naccagaaa	nccggaacaa	720
aatgccnnnn	gccattcctt	tnngganctt	tccaacttnc	canaaataat		770

<210> 556

<211> 756

<212> DNA

<213> Homo sapiens

<400> 556

gtngtcnatg	anatgtcttg	cctnnccaag	aacnaggcgn	ntcggtagaa	cagaaaatga	60
gcatccgatt	tcttactaa	aggagaccaa	actggttcct	tgcggcctag	tnttnaagan	120
ctggancttg	aaagtccctc	ttntaccaac	tccaantcca	cccctnatt	ccctntntcc	180
caaagtncct	ctgntgttgc	ntgacanccc	caaantgtgn	ctgtcaacac	aaacctgcct	240
ttggngtata	aacagggcnt	tacagaatgg	tnaccctat	atatttctgt	tcagtatcca	300
ttcactagtt	cttcattaat	aaatatcatc	ttccccattc	tgtgtgtgaa	tgccacacat	360
ccatccagtc	tgagaaagt	agagaggcaa	tcatgccaa	aacaagccag	caaagctctt	420
tcaccagatg	tagactgtag	ccctgtgcc	ttccctccag	cgagtctgcc	agcatgtctt	480
ttcatccttt	taatatgtcc	tttgcctcct	acttccctgn	cttccaacat	actgtcactt	540
actctggcag	tcttctgctt	ttcattaagc	ctcaaaatct	cctctgtcta	cttggcacca	600

WO 99/33982

PCT/US98/27610

caagctatgt cctatatatg nattttctgga cttggcangg atagttcaag gggctcttggc	660
aagtttttat ttaccttcat tatttataaan gggccttttg gggatgttgg cctntttaag	720
gagccttttt ggggaaatca atacttctct taanaa	756

<210> 557

<211> 742

<212> DNA

<213> Homo sapiens

<400> 557

tcgtcnaaan nnatgtcctg gctatccgca ggatccaggc ggntcgaatt cggcacgagt	60
gattttttttg gttttttttt ttgntnttgn caaaagctta ntcttttcan ttaaaantgc	120
cactanttttg actttttaag taaaaantgt agggggtttt aaanctactt tcctnctncc	180
aaaaantcag aaagtttcta nctttntaaa ttgggaaagc aagcantgtt ttaaaancac	240
tgaaggaatc tctttnttcg ngnccttttg ttaaaactcg ttaagctgt agaccttntt	300
taaantaaaa tttaccacag aacaggaaat agaantctgt gaagactcga aatacacctt	360
tgtncttctc tgttcttcac ctgctctctc gctgtctcta cacacacaca cacaaacaca	420
cacacaccta tatttgcatt aaaaatgggt agtaaaagca gtgaagggca aacagaaggt	480
ccattncatc aagtaagagg ttgaatataa actggacca gtcttaattt tttatttcct	540
tcattcggat ncgtttacta atttctttgc tagctttaag acttttaaaa cattcttttg	600
ccctgggagg gagttgttta ccctaaaact tggagaatcc tggccctaga ataaatgttc	660
cttttaaac ccanggccg gaaaattgaa tncngctgtg ccaaaaagga aaaaannnaa	720
aaaaaaactc gnggcctnta na	742

<210> 558

<211> 730

<212> DNA

<213> Homo sapiens

<400> 558

gggtcnntaa tntnnagcnt gtnaaacccc tgagncttnc gggncgttca caaagaaaca	60
tttaataggg acttncaanc aaataattnt cggttnttca ggtggcagca agacaagatg	120
gtggatcccc atgccattac ctgctagact cagggttnat atactgtagt ggaaagggtga	180
ttccgaagga atgttgtaag acaattgaag tgcagtanca tcaaagttat ttgacctaa	240
ggcaggagtt ncagtaagta tccactttta tncaagaaac antagataaa ctggaaatct	300
tggagccctt cctggaactg gggttaatga gaagtcaaca tgggtggatta ncatggaaga	360
tggagttgct tagtctccca ttcaagatgg agtttcttta gcctccattg atagggagtn	420
tttaacaaaa ncangaaata agtctttgat ccattgaatc tctaagagtg agcccttgat	480
gactcaggtt taaacagtnc tgagacaatt taggagatag ttttgaagnt caatttgaat	540
tgtaaaaggc caggattttt taactttttc acatctttga anaaaagccc atagagcgca	600
agttttcagc aaganctgga aancnatatt nctatggaat taaatagctc ctgagggcaa	660
tcaattnggc ctggganaac ataatgcttc aanggetgan gnaatctgga atttctatgg	720
gatttcttca	730

<210> 559

<211> 743

<212> DNA

<213> Homo sapiens

<400> 559

gttagtctat aangtnngnt atgtactngc cctttccggn ggatcccntc gnttcgaatt	60
---	----

WO 99/33982

PCT/US98/27610

cggcacgaga	ggaaacaccc	ccttataaaa	ccatcatntc	aggctgggtg	atctgacaga	120
gctagacact	gtcaaacaaa	caaacaaaca	aacaaaaaaa	ccccatcaca	tctcatgaga	180
cttatttact	atcatgagag	cagctcagga	aacacccact	cccgtgattc	agttacatcc	240
cactgggtct	gtcccacaaa	ttgtgggagc	tacaattcaa	gatgagggtt	gggtggggac	300
acagccaaac	cctatcacca	tgtaaaataa	tatctaattt	gtagagatta	aagaacaaga	360
taacttaaat	cttggtatgta	agttaagaga	gtgggtggc	gagttaaatc	attttaaggt	420
tcatattatt	tctggacaag	aataaaattt	tgattatcag	gaaatacaag	taaaaccaca	480
gggagacatt	gnttatatcc	aaattgtcaa	aaattacaaa	gtcttataat	accaagtttt	540
gctganggtg	tggagcaaca	gaaacttttg	ttcactgggtg	ggtatataaa	ttgaataatt	600
tcagcttgga	cattacctag	caaaattgaa	ggctgtatac	gtacatacct	accaatctag	660
caattcacct	ctagatatta	agtcttgaaa	aactcacatg	tttccagaga	cgtgttaaaa	720
ggtgggttaa	tcattntgng	aat				743

<210> 560

<211> 833

<212> DNA

<213> Homo sapiens

<400> 560

atccngttct	ntannnngtc	tngttctttc	tncacgatch	nntgcgattc	gaattcggca	60
cgaggggtcc	tgggtgggagt	tccatccagc	agtgagtgc	ttttttcccc	agagcagtta	120
agggctcttat	taaaagccac	cactttgctg	aggcctgtac	aggccttggg	ggtttgggga	180
agagaantaa	ggcaggcact	tgtcccttca	gggagggact	tgtccntact	gggaggtttg	240
gggttgacct	tggtccagc	agagataccc	agcctggcnt	ggaagggcag	gtcttgagct	300
tacgcttgac	tgcaagggca	agctgcaggc	ctcttctgcc	ttcccctgca	ttcaccaagg	360
acaagtagga	ccaagaagtc	aagggaagag	tgccaagata	gatctattcc	catttctttc	420
ttccacctgg	agaattcctg	agctatgctt	caaacctctt	ttggggccagg	gaaagactgg	480
gggacatttt	ttagtcaagg	atgctttaag	aaagtaaaat	cctgcttggg	ggcccaggcc	540
ttcttttttca	agggtctgct	tgtgaatgcc	caacccaaaa	aaagggggccc	ccaaggccca	600
atcccttact	tcctnggtcc	ccccaaaaag	ggatnccaan	ttgggggaatt	gggaaaactt	660
gggcanncac	ccnaanceca	ctttggtagg	anttnacca	cccaaccaac	ccaaaaccan	720
cccacccaaa	ttnaaaaaaa	ggccaaaacc	accaaccaac	cnaaacccnn	annnnnnnnn	780
nannnnnnnn	nnnaaaaaaa	ctttgangcc	ttttaaaaaa	tntttngngn	ggn	833

<210> 561

<211> 773

<212> DNA

<213> Homo sapiens

<400> 561

tagtctaatt	tnnnaaantn	ngcncngtt	ctttctgcag	gateccatcg	attogaattc	60
ggcacgagga	agaggaggct	gtgtatgagg	aacctccaga	gcaggagacc	ttctacgagc	120
agccccact	ggtgcagcag	caaggtgctg	gctctgagca	cattgaccac	cacattcagg	180
gccaggggct	cagtgggcaa	gggctctgtg	cccgtgccct	gtacgactac	caggcagccg	240
acgacacaga	gatctccttt	gaccccgaga	acctcatcac	gggcatcgag	gtgatcgacg	300
aagctggtgg	cgtggctatg	gccggatggc	cattttggca	tgttccctgc	caactacgtt	360
ggagctcatt	gagtgangct	ganggcacat	cttgcccttc	cctctnaaca	tggtctcctt	420
attgctggaa	gaagaagcct	gggaattgac	attcagcact	cttncaggaa	taggaccccc	480
agtgangatg	aagcctcagg	gcttccttcc	ggcttggcag	actaacctgt	caccccaa	540
gcagcaatgg	cctggtgatt	nccacacatn	ctttcttgca	ttcccccgac	cttcagaca	600
gctttggctc	ttgcccctga	caggatactt	gagccnagcc	cttgccctgt	ggccaaaccc	660

WO 99/33982

PCT/US98/27610

tgaattgggc	cacttgccaa	acttgcnngg	gaaagggttc	cttgaaacaa	gggggccatt	720
tttggggaag	gtctcttggc	ttggcctttt	ggcatttnaa	tttggccttt	ttt	773

<210> 562

<211> 655

<212> DNA

<213> Homo sapiens

<400> 562

nnatanacat	taangnnaga	ngntgagnan	ttncntcgc	tctntganna	naaggcgncg	60
cgaattcggc	acgaggccac	cgtctctctc	ctaactgtga	cattntattt	tgggtatttc	120
tgggcgggca	gttcctttgc	atgtttcggg	agaggtttgt	tgatttgggg	cttatatgtc	180
aggcctttgg	tttgcgctctt	atttttagggg	ttgtttgggg	gcctgggtgg	tcggcctcac	240
atgggaaggg	gatgggtagt	ggatgggggtt	tctgtcgnat	cttgnggccg	gtgattttgc	300
tnnecnctg	tttcacattc	ttccccctcc	acaagccaaa	tcgttcattt	ggntnccactg	360
tgtggactgt	ctgagcttgc	cctgccagaa	aaatttgggg	ctaggcacc	aggtgcanac	420
tttgaagaa	gcantccacc	tgtgggtacc	gcctctcgtg	ngtcccactg	gcaggctgaa	480
cctacttgaa	catggaacaa	gcctgcccac	atggcaagg	ggccnnnacn	nnngnnnaaa	540
tnnannannn	ncngacannc	nnnnaatca	ngannntcna	cannnatcnn	annnnancnn	600
nncaantacn	ncnaaaacac	accnnccana	annnnnaann	nnnnnncann	nnnac	655

<210> 563

<211> 738

<212> DNA

<213> Homo sapiens

<400> 563

tnntaatgct	ggaattcctn	atncttgggc	tactcgttct	ttctncagga	tcctntgcga	60
ttcgcagaaa	agagtatagt	aggggatgac	caaggtcaaa	gtgggtaaag	aagactcatc	120
atccactgag	tttgtagaaa	aacggagagc	agctcttgaa	aggtatcttc	aaagaacagt	180
aaaacatcca	actttactac	aggatcctga	tttaaggcag	ttcttggaag	gttcagagct	240
gcctagagca	gttaatacac	aggtctctgag	tggagcagga	atattgagga	tgggtgaacaa	300
ggctgccgac	gctgtcaaca	aaatgacaat	caagatgaat	gaatcggatg	catggtttga	360
agaaaagcag	cagcaatttg	agaatctgga	tcagcaactt	aggaaacttc	atgtcagtgt	420
tgaagccttg	gtctgtcata	gaaaagaact	ttcagccaac	acagctgcct	ttgctaaaag	480
tgtctgccatg	ttaggttaatt	ctgaggatca	tactgcttta	tctagagctt	tgtctcaact	540
tgcagaggtt	gaggagaaga	tagaccaggt	tccatcaaga	acaagctttt	gctgactttt	600
atatgttttc	agaactactt	aatgactaca	ttcgcttatt	gctgcagtga	aaagngtgtt	660
tgccatcgat	gaatgctgca	gaaatgggaa	gatctcaaat	tctttgctca	aaaacgtgaa	720
cttaacccaa	atgatggt					738

<210> 564

<211> 798

<212> DNA

<213> Homo sapiens

<400> 564

ngggngtct	aatgctgcnc	nnatcnannc	anggnnctcg	ctctngctcn	acnnanaagg	60
cgntgngtgt	gccaccacac	ccagctcatt	attattatta	ttattattat	tattttgaga	120
cgaagtttca	ctcttatecc	ccaggctgga	gtgcaatggt	gcgatactgg	ctcactgcaa	180
cctctgcctc	ctgggttcaa	gcggttctcc	tgccttgga	ggcacctgta	gtgtcagcta	240

WO 99/33982

PCT/US98/27610

```

ctcgaagctg aggtgggaga atcgcttgaa cctggggggc ggagattgca atggtgtggt      300
ctcggctcac tgcactcgag cctggcgaca gagcaagact ctgtctcaaa aaaaaaaaaa      360
aaaaaaaaact gagcctnna actattngng aggtcgatt acgtagatcc agacattgat      420
aagatccatt gatgaagttt gggccaaacc ncaacttgaa tgcnnngaaa aaaagcttaa      480
ttgggaaaat ttgggaatgc ctatngcttt atttggaacc cttntaagc tgcaantaaa      540
acaagttaan caccncccaa ttggcntcca ttttaatggt tncagggttn aggggggaag      600
gttttgggaa ggttttttna aattcneggg ccnnggggnc ccaatgcttt ggggccccgg      660
gtncccaann ttttgggncc cttttaangg gngggnttan attggccccc cttgggggna      720
aaancngngn anatacctng gtcacctgtg nanaaatngg nttcccntta caaaatttcc      780
cacnnanatt tnngnncc                                     798

```

<210> 565

<211> 744

<212> DNA

<213> Homo sapiens

<400> 565

```

ttntnngttt naatnntenn ggnntcgntc tnnctcnaa nanaataggt ttggcgaatt      60
cggcacgagc atgctggcca gcatccctgc ctgtgcaagc tctggatgag ctgtgtgccc      120
ctgccacnca caccngcac tccctgccag cctggcctca gggcctctga tccatgtgca      180
ctggagtggg gatgactgac agggccactg gggcatttnc acgttaacag cagctgccac      240
tggcaaaaga agtgactcgc caatggtggc atctcagatg tgggcccagg agtctgggga      300
gctactttga acagggtat ccattcattg tcccaccaa ggctatggag cccaccacc      360
atgtgctgga gtagtcaagg gaaataagac actctccttg tccttgtaa ctcaatcaac      420
aagcatttgc agagcaccgc ctatatgccg gcgctgtccg aagtgtgaa gatacagcaa      480
tgagctaagt aagcactgac ttcgtagaaa accataacat cggccatctt tggaaaagag      540
aaaaacaatg gagttactta tttaaaaaaa aaagaaagaa agttatctct tccanganag      600
gctagaagta cttttctgct ttttggccag tgcccantgg aatgcctggt ttgggggaag      660
aagaagggac tgggttaact gtgtgcttt tgttgtaaaa aggcantgg cctttgtact      720
tgaggagaaa natggagcct tggg                                     744

```

<210> 566

<211> 756

<212> DNA

<213> Homo sapiens

<400> 566

```

gnagtnntat tgatttntct ccgtgaatcg ttctnnctnn annanaagt ngtnngccg      60
ctggctatgt ggacgctggg gcagagccag gccggagtcg aatgatcagc caggaagagt      120
ttgccaggca gctacagctc tctgatccct agacggtggc tgggtgcctt ggctacttcc      180
agcaggatac caagggtttg gtggacttcc gagatgtggc ccttgacta gcagctctgg      240
atgggggagc gagcctggaa gagctaactc gtctggcctt tgaggtaatg ggggggtggcg      300
gtggtggggg gtgcttantg gctatgetca ccccgctnca ttangcctat tttggtctgc      360
tgtttccaaa tgcttctana tctaggcatt tggatccaa cctattgcca cantgcctan      420
aactncanac cccngccnc tatgntnana cctacttggc acaagaacaa nngnanacnt      480
tgnnnatatin ccanaangnn naanattaca nantntata ataccaatn ntnttgangg      540
tgtnnnnnnc anaaacnttt gntnacngnn nnnntatna atnnataatt nnnntttgn      600
nancannanc tatgnnnaat taaangnntn tntcnnnnc nnnacnnnna nnnnnnttan      660
nnanttnenn ttnnnntnnn nnnnnnnnt tnaanaannt nnnnttnat nnnannnncn      720
nctnnaangt ntntttnnnn nnatnnnnnn nnnnccg                                     756

```

WO 99/33982

PCT/US98/27610

<210> 567
 <211> 746
 <212> DNA
 <213> Homo sapiens

<400> 567

gnntgtnttt	nnnnnnnnnn	anganagagn	tactcgctct	ntctctacga	tanantgngt	60
tnegaattcg	gcacgagatt	tcctccagtc	ctgggccccca	tccttnaggg	ccttcccagc	120
cagccagcag	gagaggcaag	aactggggga	acacaggaac	ctaggggagg	aggggagcgc	180
tgggcatcct	caggctggcg	gccaagcctg	cccctggagg	cactagagga	gggcatctgt	240
ctgtgggagc	ccagagctgc	agggaggagg	aggaggagg	tatctggtgt	gagcgttgcc	300
cctgcgacat	ttgggaccac	acaggtgggc	ttccttattc	cctgacaaag	cctctgtttc	360
cagctctttc	gccctctctg	gatgaggga	cagaagtggg	ggaaacaaaa	gaagcagcag	420
cacgcacagt	cctgtcgctg	ggtgcggaga	cagcctggca	aagtccact	gagccatggc	480
ctgatgcang	ccccagccct	nctttcttgg	gtgtcaaagt	actgtgtcct	ggacatctga	540
tgcaccacct	gccctgctg	ttgcaaacgt	gatgtctccg	gatggaatgg	agaaactagg	600
agactgggac	aagcaaaang	ctgcaaacaa	cccagaacct	attcttagaa	nactggagaa	660
atgattgagg	aatcattggc	accgtggncc	tgtgtttcat	nacaaacacc	tttnagaaca	720
acttgggatt	gaaaaacca	gacant				746

<210> 568
 <211> 738
 <212> DNA
 <213> Homo sapiens

<400> 568

gnnnntngtn	gttcttanng	ttnggatctc	gttctttctn	cacgatcncn	tcgattcggt	60
ctgggcagcc	tacgctttcc	ggataaaaat	ggcagaatga	aagaaattat	gagtgggaact	120
agagaatagg	aaagacatga	accaacgccc	aaaatgagaa	agaaggacat	ataaagaaaa	180
agacaaatac	aagtgaaaaa	aatagactaa	tggattaacg	tcctgtcgt	gtgacatttt	240
ctgctatgga	aatgatatta	gacaaaaagc	acttcaagtg	gttttcttat	ttgagttcaa	300
aatgggtcat	aacgcagcag	agataacttg	aaacatgaac	agcgcatttg	gccagggaac	360
tactaacgaa	catacagggc	agctgtgatt	caagaagttt	tgcaaagcag	actagagcct	420
tgaatatgag	gaacacagtg	gccagccatt	ggatgcttca	cttcttgaag	catcttgaca	480
gctttttgca	ggtgaaatgc	ttncacacca	gcaggatgca	gaaaaatgct	ttccaagagt	540
ttgttgaatn	cagaacatgg	atgtttatgc	tgcaggaatt	aacaaattta	tttctcgttg	600
gcaaaaaagt	gttgattgna	atgggtccta	tttgattaat	aaagatgtgt	ttgagcctaa	660
aaaaaaaaan	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	720
nnnnnnnnnn	nnnnnnat					738

<210> 569
 <211> 753
 <212> DNA
 <213> Homo sapiens

<400> 569

gtttntgant	ntgattctta	tgcttngnct	aatgctttnt	ctnnangatc	ccnncgattc	60
gctggaggag	aggagctcag	agttctacag	agtcttttnt	gaacaatatc	agaaagctgc	120
tgaagaggtg	gaagcaaaagt	tcaagcgata	tgagtctcat	ccagtctgtg	ctgatctgca	180
ggccaaaatt	cttcagtgtt	accgtgagaa	caccaccag	accctcaa	gtctcgctct	240
ggccaccag	tatatgcact	gtgtcaatca	tgccaaacag	agcatgcttg	agaagggagg	300

WO 99/33982

PCT/US98/27610

```

ataaaaaactt tcagaatgag caaaacacca tcaacgttaa ttccagagat ggaacatttt 360
ttttcctagt gagaaaacaa cccatttgaa gagaagaccc taatgagaag accctaaaga 420
gagacatcaa gaatggattc agcagaatca ttccacgttt tgaacagcag cagtttgaan 480
ggccaaagcc tttgatcagg gatcccgta ttaaaggaca ctcttgagta ttagtaaacc 540
ctcttatgat gattaaaaga gaagggcagc cctnttcacc tttttggtct ttctattcaa 600
cttgcccgac cataaaatgg ttctcttctg nacaaagccc catcatttgg tgaacctcac 660
ccttaacaaa gtaggattgg gggtgggggg cttaattaat tggaatgggg ccaaggagaa 720
gagcccgaaa ccttagatnc canggggnana agt 753

```

<210> 570

<211> 832

<212> DNA

<213> Homo sapiens

<400> 570

```

tnatnaataa ggtttgantt cttatgcttn ccaanngett ggacctannt anccangcgg 60
tgcgaattcg gcacgagcca ggccccaata atctgggntt naaactttga ggaaatgcc 120
gtgacttatt ccagagtggc tcagttaggg gaacttctct gtaaagaacc ctgggtattg 180
agcaaaaacc ttattatcgt taatgacct taattggaag cttcctgcct ttttctttgg 240
ttgctcctgt ggaaaatact gaaaagatta ctttggttta ttttggtgtc tttttataaa 300
aggggaggtg gagagacccc ttcagagcag ggattgtgce gggagagtgc ctctgacttt 360
gggacatttc atccacagaa atttncagc caatggtttc ttttgggttt tgggttttta 420
tgtttgnttt ttggggggtt ggaaaaacat gcatttttac cgtgcacgta aaattggtca 480
nagaaaaagg gagcccagaa aangcagcan atgggccatg cccctttgct gggttttcct 540
tttcttttgg gactgtnaag gggaaatggg tttttanaag gtgaagggtt ggtcctgttg 600
gaaggaaaag aantgtctct gttnngggggg acaanaaggn acccttgggg gaggtccatt 660
cgcaatggtn cctaccaaaa cnnngntctt taanaacacc ngggcctttg nccaggnaa 720
aaaaccctgg gcccttttaa naaactttgg nangggaacc ccgaaaaacc cccttgggcc 780
ttnccaaatac ttttttccca aagncncccc cggggggggc aaaaaaaaac ct 832

```

<210> 571

<211> 748

<212> DNA

<213> Homo sapiens

<400> 571

```

agntntaatn ntggacttct aanganttn gctnntcgtt tggaannnnn cagtnctcta 60
nnagcccatc gatgcgaatt cggcacgagg ctaggattac aggtgtgagc caccatgccc 120
agccacttat ctttaaagga ttaagtttat gtttctact atgggaaacc atcccacccc 180
aaacttgatg accgcattat gtgcttttat agaacatggc acttctccag gatagcattt 240
attctgtttt gtaagtgtga atgtaattac cctacacaca gcatacacat aatcttcata 300
ttctttgcct tgtcttgtga aggcaagggc catgtctatc ttatttgtca ttagatcccc 360
acatccaaca tagtcctggg gacagcacca atgcactttt ggtgcataag caaatagtgc 420
atztatagct cttacctaca atatctgata gactaatcaa atatagtagg ttatctgggc 480
ctttttgatt catgtctcta gcttaacttt catTTTTTt ttatttggtt tctctcactt 540
tgctttttga tatactctta cagtttctgt cactgagtaa aagaaaatnt aaacagcaag 600
aagtaaaact gtgttttatg gatttngata acatcttcta aaagaccccc caagattggt 660
gatgtctaaa aaaattaaag ggccttcaac tcataataat acttaatagt tcttaaaata 720
ttacaaaactg attggaacat tgcctaac 748

```

<210> 572

WO 99/33982

PCT/US98/27610

<211> 755

<212> DNA

<213> Homo sapiens

<400> 572

```

agtcttatta nnnngttcta atccttttctt aangagnnta ggctactcgt nctttctgca      60
ggtatcccnt gcgatncgaa ttccggcacga ggctgagcac ctttggaac aacatttaag      120
ggaatgtgag cacaatgcat aatgtcttta aaaagcatgt tgtgatgtac acattttgta      180
attacctttt ttgttgtttt gtagcaacca tttgtaaac attccaaata attccacagt      240
cctgaagcag caatcgaatc cctttctcac ttttgaagg tgacttttca ccttaatgca      300
tattccctct tccatagagg agaggaaaag gtgtaggcct gccttaccga gagccaaaca      360
gagcccaggg agactccgct gtgggaaacc tcattgttct gtacaaagta ctagctaaac      420
cagaaaagggtg attccaggag gagttagcca aacaacanca aaaacaaaaa atgtgctgtt      480
caagttttca gctttaagat atctttggat aatgttattt ctatctttat ttttttcatt      540
anaagttacc anattaagat ggtaagacct ctgagaccaa aattttgtcc catctctacc      600
ccctnacaac tgcttacaga atggatcatg tcccccttat gttgagggtga ccacttaatt      660
gctttnctgc ctcttgaaa gaaagaaaag aaagaagact gtgtttttgc cactgattta      720
accatgtgaa actcatctna ttaccctttt ctngg      755

```

<210> 573

<211> 743

<212> DNA

<213> Homo sapiens

<400> 573

```

cangtctaata gctggctctn atcggttctt nnnantnaag ntactcgttc tttctncang      60
natchnntgc gntncgctca cacagcatgt gtcagatcca tggggtagga gtcggccaga      120
gacttggtta cagacagatt gctggatccc acccctagac tctctgattc agttagtttg      180
gggtaaggcg caagactgaa tttttcacia gtttcccagt ggtgctgata cttctggctc      240
aggaacttag tggggagaga acgactaatc tagaccattt cacttcacat tctgagcttc      300
ttgtcactgt cacactgcat ccttttaaca atgcattccc tatcctattg caatactgac      360
atctcatcaa ttttttaaaa catgcgtttt cagaaacaat attttatatc aaatactcac      420
ttttagtaat atttctgcaa ttttgcctta tggatctgag atctaacaaa tactattctg      480
gacatgggct acaacagttg aggctggaag taaaaatgtt aaaccctgct gaccacgtta      540
ttttaaagtg ttttttagtt aagaataata tggcttagga gcagggctaa acagtagcag      600
tcacatgggg aatgatactt tgcttttgca cataaaatgt cctgaaggga aaaaataaag      660
cagaaaattn ncagatgaac tgaaaatctg tacaaatgtt gggctgaata ctgccagcgt      720
tgangtgtag gaaaatgaac cnt      743

```

<210> 574

<211> 737

<212> DNA

<213> Homo sapiens

<400> 574

```

cegtctaata ctggnttcta atcgctttct taangctcnn gggctcgnct tcnctncacg      60
cagcccgggc gtgcgaattc ggcacgagg gattacagge atgacccacc gcgccagcc      120
tgtnatthct tatactntgt attttggnct tgtattatgc ttctgatacg ctataattat      180
ttatgtccat gtnctttct tcaatagact gtgaactctt cgaatgtngg actcctagag      240
ctagatnctc nattattnnn tattaaattg aatgacttgn aactacagat cctttattta      300
aacttcccaa atttctgctt tatctaggcn actctttaaa ttctttttatc tcatgtagat      360

```

WO 99/33982

PCT/US98/27610

```

ttcanaggct gaaataattg agatttttag tttgaagaaa agagaactgn ggattttaatg      420
gcnttattat tatattttta atggctgttt gggagtnagg ttgcagacat tggtcacttt      480
cctcctaaat ncttaaatat ttcctaaaaa caggncattc tttntttntt tatggagtct      540
ggctctggcn tccaggetgg antgccnggg cccatcttgg cttactgcag cccccctcc      600
cgattcnegc tggctcctg nctngetgct cgggaggetn aggccnggga atcgttgacc      660
ccggaggcgg aggttnenat agcctnnaag ggcctnnggn ctcgccggetg ggtacnngac      720
cggacctccg nctgnat                                     737

```

<210> 575

<211> 766

<212> DNA

<213> Homo sapiens

<400> 575

```

gnagttnaaa ageggntttt antcctctcn aatcngnttg ggctactngc tctttctgna      60
ggnatcccat cgattcgaat tcggcacgag ctttctccct ctgtgectcc tgettccctt      120
ctctctctcg cctctcctct gctccccatc ccactttctc atctgectcc ttttctcact      180
tctgtcagtc tgtaagcttt gataacctgc ttaatactcc aaagtgtgag ttcctctgat      240
ctcttgattc cttagttcta atctcacgtt ttgtttttaa gagatggagt ctctcactct      300
gtggcccagg ctggagtgca gtggcatgat catagctcat tgcctccttg aaatcctggg      360
ctcaggtgat cctnccgcct gagcctcctg agtatctggg actacagatg cgtgccacca      420
agcctggcta attttgtctc atgtcttcta aaaattattt tgtgaagccc cttcacaaaa      480
aaccttaang gaaatctgat ggtgctcagg aatctaaact tccctaaacc atcctctttt      540
aactgcttct aaaatatctc tggtggcctt tcttagcctt tttctgggtc attcaatget      600
tcaaagcgct ttttgnttct aagttgagtn ctttgggggt ttgacaggta gtgacgtgta      660
gttttgacac tgtaacttg ttnaatacag tgaaaangtt tgtgaagtga aaaatgcttg      720
anaaagaatg gnaatgcctt tntacaaata aaagtnttgt taaaaa                                     766

```

<210> 576

<211> 761

<212> DNA

<213> Homo sapiens

<400> 576

```

ggggtnnnna gngnnttgan cccctttctt attatcaagg ngctngcnct nnctnnannn      60
ancacaggcg ntgngaattc ggcacgagaa gataacctct taatgcattc atgttgtata      120
tgaaggaaat gagagcaaag gtcgtagctg agtgcacgtt gaaagaaagc gcggccatca      180
accagatcct tgggcnaggg tggcatgcac tgtccagtag tatttattgc tttagagatt      240
gcttgctgta cctgtatgtc gtcccttttt aaatatgttt tcctttttct tgaaactgta      300
taaagttttt tccccctta gcataagcat cttatatata acaactcatt tgtacaaggt      360
ttttaagttt atatataaaa tgtgtatata tatttttgnt tccccctttt gacttttttt      420
ttctgtatga aaccagatg tcaccaaagt gacattaata gttgcattaa ggatcagtag      480
cattaacaaa agttgcttta aaagccatta tgtaaaacaa gacttgaaaa tgagtgaggg      540
aatttttagc acactgtctg agcacagtgg gaaccatctt cgtttccctt ttgaactcca      600
antgggatgc cctaccctgg cgccccttag gaccccgagc tggcccnggt acaaaacttt      660
accgtgccaa aattcttaag tgaatttacc tttctncctc tttttgaagc tngaaatttt      720
tggatcatcan gntttgcttg tgatngtaca tanggtngaa n                                     761

```

<210> 577

<211> 803

<212> DNA

WO 99/33982

PCT/US98/27610

<213> Homo sapiens

<400> 577

```

gggtngttnn nnngtggnnt tnttnnnngt ttctaantnt cngngngntc ganctnnctc      60
nananagaat aggtttgnga attcggcacg aggtctcccc cccggcgccc ccagtgtttt      120
ctgaggggcg aaatggccaa ttcgggcctg cagttgctgg gcttctccat ggccctgctg      180
ggctgggtgg ggtctggtgg cctgcaccgn catccgcag tggcagatga gctcctatgc      240
gggtgacaac atcatcacgg tccagccatg tacaangggc tgtggatgga ctgcgtcacg      300
cagcctctag aactatagtg agtcgtatta cgtagatcca gacatgataa gatcattgat      360
gagtttgac aaaccacaac tagaatgcag tgaaaaaat gctttatttg tgaaatttgt      420
gatgctattg ctttatttgt aaccattata agctgcaata aacaaagtta acaacaacaa      480
ttgcatctcat tttatgttca agttcagggg gaggtgttgg aggtttttta aatnnncggc      540
cncngcgcca atgcattggg ccccgtaccc acttttggtn cctttaantg aagggtttaa      600
tttgcctcnc tntgcctgaa ttcattggnc atanncctgn tttcctggng ttgaaaattg      660
gntaatcccc ttcnaaaat ttcnccaca atcatttacc aaaccccnng gaggccttn      720
aaagnnngtna aaanccctgg ggggtggcct taatttaagt ggnnccctaa ctncnttta      780
antgccnttg cccttcactg cct                                803

```

<210> 578

<211> 738

<212> DNA

<213> Homo sapiens

<400> 578

```

tcgtcccntn gatcggggta acgtccttnc ctatnaaant tctttcggga aagcagaaac      60
caagctggca gaagcacaga tagaagagct ntcgtcagaa aacacaggag gaaggggagg      120
agcgggctga gtcggagcag gaggcctacc tgcgtgagga ttgagggcct gagcacactg      180
ccctgtctct ccactcagtg gggaaagcag gggcagatgc caccctgccc agggttggca      240
tgactgtctg tgcaccgaga agaggcgga gatcctgccc tggccaatca ggcgagacgc      300
ctttgtgagc tgtgagtgcc tcctgtgttc tcaggcttgc gctggacctg gttcttagcc      360
cttgggcaact gcacctgtt taacatttca cccactctg tacagctgct cttacccatt      420
ttttttacct cacacccaaa gcattttgcc tacctgggtc agagagagga gtcctttttg      480
tcatgccctt aagttcagca actgtttaac ctgttttcag tcttatttac gtcgtcaaaa      540
atgatttagt acttgttccc tctgttggga tgccagttgt ggcaagggga ggggaacctg      600
tccagtttgt accatttctt tgnatgtatt tctgatgtgn tctcttgatc tgccccact      660
gtcctgtgaa ggacagctna ngncaggag tgaaaaactt tacttcttaa aaaaaaaaaa      720
nnnnnnnnnn nnnnnnaa                                738

```

<210> 579

<211> 758

<212> DNA

<213> Homo sapiens

<400> 579

```

gnngtgncta nctaaatnnt tggntntaaa cgtncnttct gcatnatccc tnnttgacga      60
attnggcacg agacagagtc ctgaaatatg caaatgaagt aaattctgat gctggcgccct      120
tcaagaaaca gcctaaagga cctgcctgat gtgcaagagc tcatcactca agtgcggtca      180
gagaagtgct ccctgcaggc cgaagccatc cttgatgcaa acgacgctca tcaaacagag      240
accttctect cccaagtcaa agggacaaat aagcctctgg gttgaacggt ttgagacatt      300
ctgccttggg ccttcctctg tcaccaaaca agccaacct gtgcacttcc accaggcttt      360
caccatttcc ctgcaagcct tgggtctttg acctggccct caaccatgtg gctttccacc      420

```

WO 99/33982

PCT/US98/27610

```

ccttgaggac aagttggaac agaagaccaa gagtggcctc actggataca tcaanggcac      480
ctttggattc aggagctaac caggctcttn ctcgggggog ggggagattc tgactcttaa      540
tctggattgt gagaaaaatc cagcaagtcc catgatattt aaatccaggt ctgcattggc      600
ccggggcaag agtttaacat cttcggggccc tgcatttccct acatcttggg gtctgtacac      660
gttcttaagc aagcgtgtca ngagagcacc ctgttggtt cttggtaaaa tgtgtgcaag      720
gtcatnctgt cttctgnacc ttctggggaa aagggncc                                758

```

<210> 580

<211> 816

<212> DNA

<213> Homo sapiens

<400> 580

```

tttctaaatn gcttgggttt cnaaatccct tggttgacgc cctcgcceta nntggcgtgn      60
nantgcccnc gattegetgn caagtctgga antcatattg gagcctgngt ngactgaaaa      120
ctcagcanga gttgatgtta aagtcttggg tctgaaattn gtngggcagg agattaggct      180
ggaaactcag gcagaatttc tgtgttacaa tcttgaggca taattcttct ccaaaaaaat      240
ctccattttt ttctcttaaa gccttggatg agccttggat gattggatga ggactaccca      300
cattatctag ggtaatctcc tttgcttaaa gtaaaactcac tgtgttaatc acatcaacaa      360
aataccttca cagctacatg tagtgtttga ccaaacaact aggaccata gcctagccac      420
ataaaattac tatcattata ctttgtctta tcacatactt ctaccttggg agggatattt      480
cccagttggt atagctacaa aacagaggca gatcatttag cctgcattng attngtantg      540
aaaaataagc ctttgggtng ttttaaccact gaaaatgttt gcggcctatt agtantngca      600
caacttatcc tatnctggcc aaacatagaa tgctttcggg ttgcaaggta acangatccc      660
ctttacagnt gtacnaaaaa tnancnntaa aaaaactnga gccctntaga acntnntagt      720
ggagtcggan ttaacgttng ancccagacc ntggattang gatncattgg atggagtttg      780
gacataccac cancttggaa tggcnantga aaaaaa                                816

```

<210> 581

<211> 868

<212> DNA

<213> Homo sapiens

<400> 581

```

ccnnganncn nncnnnnnc nnacaaaanc nnnnnnnann nnnnnnnanc nnnnnnctct      60
tcnaannctg ctnacgccc aagcatgacc cagcatcgaa tcggcacgag gttgcaagca      120
gccttggaat agtaactctt ctcatttggt tgggatctgg ccaccaagtn ccagaatgat      180
acacggatca gngcanaagn tcatcaggct ctcggacctt agggctgntg gagaagcttc      240
agcagcagaa ctgatgggtga aggcctcgtgt tctccatect caactttctt tgcttcgatc      300
atacacaaga atacattngg aaggggcaaaa aaatgaacac tgtcgnncat tgcagcccgn      360
gtttngtgac acagatgcac agtctgcttg tgaagacctt ctctcaagtg gcatttggga      420
gtccatgcca gancatggtg cttcatgaga gactgacagc tatcaggggt tngggcactt      480
agnaggact ctcctcccc agtgtgtgct gatgacacat cacacctgac aatagctnga      540
agnctnctct gaccntntt actctgtagc caacatacca catganttta aaaccnttc      600
taaaatatcc aancaatggg gtcatacntg gcccaaatgc cagaantcna gagcctaata      660
ggacttccaa tnattaactt tnccaaannc gaaaaaagna gggcnttccn nttatggcaa      720
aaaaatnaan nnaaaaggan atntggnatn gttngccnaa aaaaaaagcc cnntnngaaa      780
cctaatanga ggaggtccca ctttaaccggn cgnancccca gaacantgga atacaggant      840
accnatngga ntgaanattt ggggancc                                868

```

<210> 582

WO 99/33982

PCT/US98/27610

<211> 745

<212> DNA

<213> Homo sapiens

<400> 582

ttctgaatac	cttnttaacn	gccttcttca	ggantttcaa	gacctaatc	ggcacgagac	60
cctttctgcc	ttctgtttgg	gacccagctg	gtgttctttg	gtttgctttc	ttcaggctct	120
agggctgtgc	tatccaatac	agtaaccaca	tgcggctgtt	taaagttaag	ccaattaaaa	180
tcacataaga	ttaaaaattc	cttcctcagt	tgcactaacc	acgtttctag	aggcgctcact	240
gtatgtagtt	catggctact	gtactgacag	cgagagcatg	tccatctgtt	ggacagcact	300
attctagaga	actaaactgg	cttaacgagt	cacagcctca	gctgtgctgg	gacgaccctt	360
gtctccctgg	gtaggagggg	ggggaatggg	ggaaggcctg	atgagacccc	agctggggcc	420
tgttgtctgg	gacccttcct	ctnctganaa	gggaattcctg	gtggcttaac	ctgggcangt	480
cnngtcttct	ctgaccccan	tggctgcngt	gaaggggaac	cacccttcct	tgcttgacca	540
ntggccatta	netncntna	ccacttgnaa	cccanggtcc	canctggctg	ggaccctntt	600
ntncccccaa	ngncctttcc	cttgggctnt	nttggantga	gcacctctn	tgtngccacc	660
ttttanaant	gnnnnnntgn	tactgatttt	tttgntaaaa	agannttaaa	anctggnant	720
ttntnaaaaa	aaannannaa	aannnn				745

<210> 583

<211> 748

<212> DNA

<213> Homo sapiens

<400> 583

gnttctaasn	cttggcctac	tcgcctntct	ncaggatctt	atcgatncna	attcggcacg	60
agatatggta	tagttggaaa	taggttattg	tgagttattt	gtagtcatgt	ctttaatggc	120
ccttgcatgg	tgtctaactt	ctgcaataaa	tgatctgcca	gtcctagtgt	ctgggcttta	180
tgcaatttgt	tttcctttgt	ggatgaagtg	ggagtaagac	ttgttgctgt	gaggatcaga	240
tgaagtggct	aggatatgga	cacactttac	ttgaattgga	aaacaagcca	tgtatcccta	300
atctgcaaaa	tgtggcatgt	cacacgtgta	atctctgagg	tttagttttt	gctcaagatt	360
gcaaagggtga	cttgcttgat	gctttctttg	cttgagcaca	catctcatc	attaaatggg	420
gtctcctttt	ttgcacacag	gatgcagaac	ataattgacc	ttttccaagt	ctacttagca	480
gaaatgaaaa	tggaaatcata	taaatacagt	attatacttt	aaaataaaaa	ggctgtacaa	540
aagtttggct	gacatagctt	gcttctagta	atctgaatgg	cttattttaa	taaagttgga	600
tctatggact	cttcacagnc	tagatattat	cctactggaa	gatgtgcctc	gaaagctgtt	660
gaaccacngc	aaaaaaaccc	ttcagtcagc	acgtgagaaa	acctgcgagc	ccacatttcc	720
cccgggacca	ttctgaacat	cctactgg				748

<210> 584

<211> 773

<212> DNA

<213> Homo sapiens

<400> 584

tttaatgctt	gttacacgcc	ttctgcagga	tttatcgatt	cnaattcggc	acgaggctat	60
gtattgtgtc	ctaccatgaa	ttcactccat	gctagccaca	ttggcctgta	tggctattcc	120
ttggacacac	ctaggatgtt	cttgccctctt	agcttgccca	cctttctctc	atcatttggg	180
cctcancgag	gatatcatct	cctcagagaa	gccttctgtg	accatgctat	ctaaaatact	240
ccagcacttc	agtcaccctt	tatcccatta	ctctgctttt	tcagaaacat	tgggtctccc	300
tgaacatat	ttgtttactt	gcttagtgct	ttttctcccg	cactaccatg	taagcttctt	360

WO 99/33982

PCT/US98/27610

```

gaggggttaag ggaccttggt agggataacc actgtatcct tagagtgtga cacatagtag      420
gttctcaata catatttttg aaactctacc ctgatgcaaa agagatatca aataattata      480
gtttttgcat tataaatggc tttggtgaaa tccttggcac aaaactaata ataaaagaaa      540
taaacagata atgttgaagt tctgggcctg caaaacctaa ctcttttaaa gcagtcccag      600
taaagtgtgtc attgggatcc ataagacttt gtgggaaagt caacataatt ttattnggga      660
aaaagcattg aaccttcaaa agtnaaaact ttatnggncc aaaatctcaa ttactggggg      720
gccgttcttt aagtcatttt aaaccctttg angccnacag ttttacacca aat          773

```

<210> 585

<211> 745

<212> DNA

<213> Homo sapiens

<400> 585

```

ttcaatacnt ntttcnngcc ttttgcagga tcnctcgatt cgatggaaca tgagtggaag      60
tgggcagtcct ttttctttcc ctatcagctg agtgaatgaa gatttagagg gcagcagagt      120
catgacatgg atgacgttgg gtctctggat ggctaaatgg aagaccgcc ccccaacgcc      180
actctacccc cctgctttga actatgcttt gagaaatgag cttatgagac cactgagact      240
tgggggctgt ttgttcagca gttcacctac acttattagg aaaggttgac ttcttgact      300
acgcctttcc ttaaatcatc ttttgtataa ttctcagaac actgctgggt tgggtggtct      360
cacacatttc tcacatccaa attttaaga tttcatgaat gttcattaca gtggatttat      420
ttttctcttt ctgcttctcg gcatgccctc tcaatttggg agaaatctct aattggatga      480
ctttggtggg accacaggag tgtaaggatc gtaattccct cacttcatcc cctgcaaat      540
aaagcctggg cacttaagac tcactcaact gaatcttgat atgtgggact ttanatctta      600
agcaaatgan gcaaaagaag gaaaagacag ttgagaaaat caatctctga agttcagcac      660
ttgatttcca ccgtggaccg gactcctgca nctttgcatt ngccttgggt cctggccatt      720
ttccnaaccc gggttccttt ttgan          745

```

<210> 586

<211> 749

<212> DNA

<213> Homo sapiens

<400> 586

```

tgttctaata ctaggtntac tcgccttttg caggatctna tcgattcnaa ttcggcacga      60
ggggctcctgg tgggagtnnc atncagcagn ganngcatte ttccncaca ncagtnaacg      120
gtcttattaa nagccaccac ttttctgang cctgtacagg ccttgnnggt tngngaaca      180
gaaatnnccg aggcacttgt accttcaagn anggacttgt gcctnactgn naggttggc      240
gttgaccttg gctcnaenga catacccant ctgacttnna acgngcncgt cttagcttac      300
gctagactgc acnnccaagn ttgcangcct nttntgnctt ccctgcattn accaatgaca      360
gtacgaccaa cagtcaanga aaagtgccaa gatatatcta tcccatttct tctacacctg      420
tanattcctn actatgctca aactatgtgg ngcaangaan actggnngac atttttagtc      480
aatgatgtgt acaattaatt actggtgngg ccaggcatat nttcacggct gcttgtgatg      540
ccaacnaaga acgggcccc gcccatectt actcctngnc cccaaanaga tccagtngna      600
atgggaagct gnnannacca acccaactnn tgatttacca ccaacncaa anatcacgca      660
tgnnnacagc aaaacaacaa cncnatgcac ttaacaagna nccnaaaant naactcngc      720
ctctaaaact attnggant cctttanct          749

```

<210> 587

<211> 783

<212> DNA

WO 99/33982

PCT/US98/27610

<213> Homo sapiens

<400> 587

```

gtttctaattc ttggcctact cgcctntctg caggatcttn tcgaccttat tcggcacgag      60
cccaaggcaa gctgttaaca aaatcaacct gggccaatca tcaaagggtt ggacctaaag      120
ttgctatact caatagaaca agcattttta ataaatttct cgtaagttgt tgctttcttt      180
atgtggtggg tgtggcttta aagagcacia aaccacaaca aatcaaagag tagctcgggc      240
ttgtcttttg ctttatggct gagggtttga aggatgattc atggacttgt gaatgccagc      300
cccagtcctg gcttaggtct atctgccaat accaccaggg ccaacaaatt cacgcaacaa      360
attctctcat tttttacagt ttatcagttg cactcatagt tattgtcata atcactcccc      420
acagtaacct gtaaggcata taaagtagct attttagtaa gataaatgat attttatata      480
tgttatgata agataaatct tatcatttta agaagaaact gagctcggag agatgaaatg      540
acttctcag ttgtgctgt aataaaaagtc tactttttgc taaaaaaaaa aaannnaaat      600
atnntntann tttnnantaa naanaaaaaac ttcgagcctt ttnnaactt tnanntggag      660
cnntttntcc cgtaaaatcc nnnacttttg atnaannnc catttngatn aagtttttgg      720
gacaaacccc ccaacttaga aattgcnntn ggaaaaaaaa ntgcntttta ttttgnggaa      780
aan

```

<210> 588

<211> 771

<212> DNA

<213> Homo sapiens

<400> 588

```

tcttctaattg ctggttacan gccttctgcn gatccctcga ttcgaattcg gcacgagata      60
cttttttaaac cttttttggc agctcagatg gtgtaaattt taaaattttg tataggattt      120
tcataacaaa aatatgtatt tcttttttgt tattttatct tgaaaacggg acatatttta      180
gtattttgtc agaaaaacaa gtccctaaagt atttgttttt atttgtagca tccacttggt      240
ccttactgta tctgtgtca tgtccaatca gttgtaaaca atggcatctt tgaacagtgt      300
gatgagaata ggaatgtggt gttttaaaagc agtgttgcat tttaatcagt aatctacctg      360
gtggatttgt ttttaaccaa aaagatgaat tatcaatgat ttgtaattat atcggttgat      420
tntttttgaa aagatgaacc aaaggatttg actgctaata ttttattcct tacacttttt      480
tctgaataag tctctcataa tgagtgcagt gtcagactgt gcctactctg atggatatngt      540
gccatttgta aatnanaaat aagagcagaa aaaacacaaa nangagaaca ctggnnttcag      600
acattcantg gggcaagtta aattatggga ctgcaaaaat aatggatttt ttattcaaag      660
aaaagcttta aaaagtttta ttatccanat ttacaacca ctanttaagc taaataancc      720
tactttnaaa aatngnaaat ggttnctatc tttataangt gccaanntna n      771

```

<210> 589

<211> 844

<212> DNA

<213> Homo sapiens

<400> 589

```

tncactnnaa tcttntnta aaaagccttc tgcntgatcc catcgattcg aattcggcac      60
gaggccagag cctagaggag agatcaaaga cnttngccga agtgaagccc attctgcaag      120
caactgggtt cccatggcat gtggtggcct tagaggaggt gttcagcctg ccaccgtcgg      180
tgctttgggtg ctctgccag gagctggtgg gatccgaggg ggctacaag gcggccgtgg      240
acagcttcct ccagcagcag catgtgctgg gggccggggg tggtcctggc ccgactcaag      300
gggaggaaca gccaccccag ccccgctgg acccccagaa cctggcaaga ccgctgccc      360
ctgccagac tgaggctctt toccaactgt tctgctcaat gaggacactg actgccaagg      420

```

WO 99/33982

PCT/US98/27610

```

aggagcttct gcagaccctg cggacccacc tgatcctnca cgtggcccga gcccacggct 480
actccaaggt catgactggg gacagntgca cacgcttggc tatcaagctc atgaccaacc 540
tgcntctgggt ccaaagggcc ttcttggcct gggatacngg ctttcttgga tgaaccngna 600
ccggngaac gtnggtggtg ggtgccggnn cattgcctgg gaaccaccac ccccttnaaa 660
angaangntc gnttatttct aacaaaaccc ggnccctgnt tcntaccntn ttcctntct 720
tggnnnttt tnaanacn cnnncccaat tngnaanaac ccnaaaangg gncctttgnt 780
aaaaaaangg ggccnatatn ntntntcana cccnggnct ttgaatnngg aaaangcnc 840
tnct 844

```

<210> 590

<211> 767

<212> DNA

<213> Homo sapiens

<400> 590

```

tetaatgctt ggntctngcc ttttgccgat ctttcgattc gnattcggca cgagagaacg 60
ttctcaggtt gaccagctgc tgaatatttc ttaagggag gaagaactta gtanntcatt 120
gcagtgcag gataacaatc ttctgcaagc ccgtgcagcc cttcagacag cttatgtgga 180
agttcagagg ctacttatgc tcaagcagca gataactatg gagatgagtg cactgaggac 240
ccatagaata cagattctac agggattaca agaaacatat gaaccttctg agcaccagg 300
tttggcatag aaatggtacc cttgttcaa aatgaacaag aagccttaga tttggatggg 360
gaacctgac tgtccagtct agaaggattc cagtgggaag gtgtttccat ttcctcgtcc 420
cctggcttgg caagaaagcg aagcctttct gagagcagcg tgatcatgga cagagctcct 480
tctgtgtata gcttcttcag tgaggaangt acaggcaaag aaaatgagcc ccagcagatg 540
gtttcaccta gtaactcatt ganggetgga cagaaccaga aagcaaccat gcaccctcaa 600
acaaggaagt nacacctcng gctggccttc ccttccgaac aggtgaaagg ggcttgaaaa 660
atgttgctac cccaaaggcg acattnttgg caccaaatta tccctcttga ccnntttaat 720
accttttgat tncatttngg caaaagactt tgnaccagcc nnggaga 767

```

<210> 591

<211> 765

<212> DNA

<213> Homo sapiens

<400> 591

```

tctttgaatc cttttgtaaa agccttttgc atgatccctc gattcgaatt cggcacgaga 60
cttcttggtt gcctttttta taaggaaatg ttggagagtt acatcattgc taatgtagaa 120
atgttaagtg gaaaaatata cagtttggtg aaataaacta gattctacat ttatttgtagg 180
gtttttttcc cctcctttct ttccacagca cttttgatat caagcaagtg gcttcctttt 240
tgagatatta aaaaaaaaaa gaaaaggaaa aaagtaaag aagcccaact acctaacct 300
ttcttatttg tatttgtttt agtattgtga agttgtgtta aatagtacta gctagaaata 360
caaatttctg gttatcattt ctcttccctg tggcacttga cattttaatt gtcttaaagt 420
ttttgaagtc atcttctggc cccttgagta ctgccagagg caaaagatgt ttgtttctta 480
ttcattccac ttttgtctcc tgggacccct tctgtagcct aaagtatggc tgggaaatgg 540
acttgagaag attggcttga attangatca taatcatgtg tgatcccatc atgaattcat 600
tggaatntgg ggtncatgta angcaatcnt tctggtgtaa atcttctttt ttttaatgna 660
catatanntt tggaaaaaat tttgaattaa cctgaaaaat ttttaaaaaa gccctcttan 720
aactattann ggaggtcnca ttaccctaga atccanacat tnant 765

```

<210> 592

<211> 757

WO 99/33982

PCT/US98/27610

<212> DNA

<213> Homo sapiens

<400> 592

tnttcnaana	ctngttctng	ncttttgcag	gatcccatcg	attcgccaaa	tctgcctaga	60
gattgagttc	acagtgtatg	ttctgggggc	gctggtgcag	tcagcgggcc	agtctccagc	120
ctgcaggcgt	gcacactggg	gtggacgatg	ggtggccccc	caggtgtaca	catttggggtg	180
gccccggccc	ctatacccca	gtgttctctt	tgatccagtc	ccgaaacaga	gggagccttg	240
tgtacacgcc	tncaaagtgg	agctgggagg	tagaagggga	ggacactggt	ggttctactg	300
acccaactgg	gggcaaaggt	ttgaagacac	agcctccccc	gccagcccca	agctggggccg	360
aggcgcgttt	gtgcatactt	gcctccccctg	tctctaagga	gcagcgggaa	cggagcttcg	420
gggcctcctc	agtgaagggt	gtggggctgc	cggatctggg	ctgtggggcc	cctggggccac	480
gctcttgagg	aacccagggt	cggaggagcc	tgaaaaacag	acgggtctga	gactgaaatt	540
gtttttaccag	ctcccaaggt	ggacttcant	gtgtgtattt	gtgtaaatga	gtaaaacatt	600
ttatttcttt	ttaaaaaaaa	aaaaaaaaaaa	actcgancct	ntanaactat	tagtgagtcc	660
tattttacctt	agatncagac	atgataagaa	tncattgatg	aattttggac	aaaccacaac	720
ttggaatgca	ntgaaaaaaaa	atgctttatt	tgtgnat			757

<210> 593

<211> 766

<212> DNA

<213> Homo sapiens

<400> 593

tettgaatnc	tngttnntgc	ctttttcgga	tcctctgatt	cgaattcggc	acgagagAAC	60
attggtgtgt	gagtgttttt	tgatggtgca	ggaccocggag	gtgctttcct	tgccaagaat	120
agaaacatcc	agaatgctcc	tccccatccc	ccaatcccag	acagcaatta	tgtcagccct	180
gtaaggcatt	gcctgctctt	gaccttttgg	cccatctttt	tattttttaa	aaattcccat	240
gtcacagatg	ccctgtctat	gcagaggggtg	gcgtgggatg	ggtgaccact	aagtttaggc	300
tggtagaagg	ggtgagccct	tctgaggccc	tgatagaact	ttccaggagt	tcatgggtccg	360
cggctccagc	ttctcactgt	aaagtgtgtca	tcctggcaga	ggcagccaat	gcttttcatt	420
ctagggggta	gagatttatg	ctaattgagt	aatattgcac	cactagtgtg	tttctgttta	480
aagttcagct	cttagaaaat	ggaatcttac	ctgaccccta	gtgaattatg	tacataagca	540
gggaatgttt	ccaactagat	ctccttcaga	agagtccctg	tgtctggaata	ggtcactgaa	600
tcttatttgg	ntttgtnaaa	caaaagcttt	tgggtctcgt	ggggtgtgtg	tgtgntttgg	660
ngtgtgttgc	cccntntgcc	gtttcaaata	aaaggtttgg	taccaccttt	tcaaaaaaaaa	720
aaaatantnt	anntnanant	nntntancnt	ttnttnncnt	tanant		766

<210> 594

<211> 754

<212> DNA

<213> Homo sapiens

<400> 594

ttgnttagga	tcccatcgat	tcgaattcgg	cacgagggga	ggcagtggga	ggagaggacc	60
aagtctcaaa	ctccagaagc	cccacctccc	tgagctcagc	tcctctgcca	agccccctca	120
gcgcgaagtc	ctcgtccaga	gaaggcaacg	gcgagaaaca	aatccaacat	cctgggctgc	180
tttttccttc	ccccactttt	taaaagtttg	gtgtccaagt	cacttgacaa	accagacccc	240
taacaatgat	attttgtgtg	gaattctggg	atcaaaatat	aatttcaaaa	ataatatatt	300
ttctgacatc	ccccaaaaaa	aaaaanaaaa	aaaactcgag	cctctagaac	tatagtgtgt	360
cgtattacgt	agatccagac	atgataagat	acattgatga	gttttgacaa	accacaacta	420

WO 99/33982

PCT/US98/27610

gaatgcantg	aaaaaaatgc	tttattttgtg	aaatttttgtg	atgctattgc	tttattttgna	480
accattataa	agctgcaata	aacaagttaa	caacaacaat	tgcattcatt	ttatgtttca	540
aggttcangg	ggaggtntgg	gangttttt	taattcngcn	ggcgngcnc	caatgcattg	600
gggccccggt	nnccanctt	ttggntccct	ttaagnngan	gggtaaantg	ncgcnccttg	660
cntaatcttt	gnncatnggt	tggnttctg	ngngnnaaat	tggttttccn	ggnnanaatt	720
tccccncatn	ttangatccc	nggnngntnt	aang			754

<210> 595

<211> 767

<212> DNA

<213> Homo sapiens

<400> 595

ggtttaatgc	tgttnnaanc	cttcttnanc	ctttgtacag	catccctcga	ttcgaattcg	60
gcacgaggaa	cgcttccatt	ttatacctgt	gtctagttag	tttctgccta	tctatccaag	120
aagcttttat	caagggtcca	ccatgtgcc	gccactgaag	tagatataaa	tacaaggatg	180
tgtaagggtat	ggatgatggt	atacgaactg	tcactctact	ggatttgtcc	gctctgttaa	240
agatacggtt	ccgaaaactt	tttaaagccc	tagagagggc	tttaaggcaa	tgtagcatca	300
tatatagagg	catnaacctg	ttcatatctt	tctatttaac	agaactgtgc	acctgggcac	360
aagggtgtgc	acaacaggat	gtgtacagca	gcactgttaa	agtgtancac	atccatacta	420
cangatctta	tgcaactggt	ggaaagaatg	aagcgatgct	gcactgtggt	catgcagtga	480
tctctaagac	atattaactc	gaaagcaaaa	ggtttaacaa	tgtatnacaa	actgggctgc	540
aattgactcg	cgctgtaat	cccagcnctt	tgggaggctt	gantaaggcg	gatcacctga	600
ngtcangagt	ttgagaccaa	acctggccaa	tgttggccna	aaccnctgct	tctactnaaa	660
ctacnaaaaa	ttaacctnng	gcntggttgg	ctcctgtcct	tntaatcccn	gcttactcgg	720
caatgcttga	gnngaangnan	aattngcttt	gaacctnngg	gaggngng		767

<210> 596

<211> 743

<212> DNA

<213> Homo sapiens

<400> 596

tnttnaatnc	tnttttaatn	cttgtctgcan	gatctttcga	tgateccatc	gattcnctgg	60
tctcgaacac	ctgacctcag	gtgatccatt	cgnccttgcc	tctcgaagtg	ttggggattcc	120
aggcgtgagc	cactgcggcc	agcacatttc	cacttntaga	tctactcca	taccacagggt	180
ttcattttaag	angaaaganc	tanataaatg	tgctcttntg	gataccccac	cctgacagan	240
tgcattgtta	cacagntanc	atgggttgac	actgcaanct	ggcctgtcag	ccatnggagg	300
ngtttannga	aaggcanatn	atgtnactct	gtgncagggn	gccatntgct	taccnctnac	360
ctagcatang	gggnttctac	gggtgacccc	nagcatattt	ctaggttact	tatgggcaga	420
tttgtaagtg	acaaaaactcc	agctgatgct	gggaatgggg	agagggccct	tganggactt	480
tgtggntttg	tgttcttggt	ttcctggcca	accccagggt	cacttgtctg	gagcccagct	540
gggcactaat	gtctgccanc	gactatntta	cagtgtataa	atgattcctc	tatttgggga	600
gagatcttcc	aatccagaag	agcccctntt	ggactgcctg	ggttaaactc	gcatagcana	660
agtggttgat	gagtcactcg	aagaaattca	gccccaaact	nncaacctgc	ccttctctgnt	720
tccttttttaa	tgngggcctn	tgg				743

<210> 597

<211> 786

<212> DNA

<213> Homo sapiens

WO 99/33982

PCT/US98/27610

<400> 597

ngtttnnncc	ngtttttaat	ncnttgctac	tngetctttt	tgcaggatcc	catcgattcg	60
aattcggcac	gaggacanac	cgttgagagg	acgtggaggc	ccnttagggg	gtntgcncng	120
nanaggcaga	ngtggccctg	ggaacagagt	tttatgacnc	tttnnaccat	anangaangn	180
gagaatttna	aagatatggt	gggaatgaca	aaatagcagn	cataactgaa	gacaacatgg	240
gtggatgtgg	agtttggnac	ctngggatcg	ngnaaagata	ccagtgatgt	ggagccaaact	300
gtcccgatgg	aggaacccac	agtgggtggag	gagttccant	gcancncngga	agaggagtat	360
ccagcctaag	ttnttgactg	gatgtcaaga	agaaacccaa	nttataanag	atgactntan	420
ntgantggnn	aaatctttca	gatcanncca	gaccatanen	tgagtttaac	atccgnaanc	480
cacaatccan	tgnnccctac	taagccgtgg	tgattnacaa	gtcataaatc	cattanatga	540
tgtggtnaaa	gatgcctatn	atgacnatt	ctccatngtt	ntccngaaac	ccgtcaattg	600
atcacatn	tcctnttgga	gattaaattt	tnngtnancn	tnccttcgtc	cttgggcatt	660
ngaacncata	agaatgcacc	cccnngntag	gcccngtnna	aaggttnatg	aagcccntta	720
taanttttgn	nnccccaanc	attaaantgg	ctngattccc	ttaatntttt	cctcccnAAC	780
ccagnt						786

<210> 598

<211> 809

<212> DNA

<213> Homo sapiens

<400> 598

ngttttnnnn	cnnnttttct	aatgcttgct	tctcgttcct	ttgcaggatc	ccatcgattc	60
gaattcgcca	cgaggacaga	cgttgagagg	gacgtggagg	cccagagagg	ggtatncncg	120
gcagaggcag	aggtggccct	gggaacagag	tttttgacgc	ttttgaccag	agaggaaagc	180
gagaatttga	aagatatggt	gggaatgaca	aaatagcagt	cagaactgaa	gacaacatgg	240
gtggatgtgg	agttcgaacc	tgnggatcgg	gtaaagatac	cagtgatgtg	gagccaactg	300
caccgatgga	ggaacccaca	gtgggtggagg	agtcccaggg	caccccggaa	gaggagtctc	360
cagccaaagt	tcctgagttg	gaggtagaag	aagaaaccca	agttcaagag	atgacttttag	420
atgagtgga	aaatcttcaa	gaacagacca	gaccaaagcc	tgagtttaac	atccggaaac	480
cagaatccac	tgttcttcca	aagccgtggt	gattcacaa	tcaaaataca	tagatgatata	540
ggtaaaaaga	tgactatgag	gaccattccc	atgttttccg	gaaaaccccc	cattgacatc	600
acattccaac	ttggagatta	aattttgggt	aacccttcc	ttgtnccttg	gccttngaac	660
ccntgaagga	aggcaccen	ggtgaagggc	ccngggggaa	agggattcan	ggnaaggggc	720
cantaanaaa	ccttttgga	cccccttaa	nccaataaaa	tttggtngaa	ttgcnangga	780
atgggttgnc	ccccnaaac	ccnaaant				809

<210> 599

<211> 759

<212> DNA

<213> Homo sapiens

<400> 599

ttntaatnc	ttttcnaat	gctngcttca	ggannntntg	cangatccct	cgattcgaat	60
tcggcacgag	ccaggttagc	tgctgaatca	aagcttcaaa	cagaagttaa	agaaggaaaa	120
gaaacttcaa	gcaaatgga	aaaagaaact	tgtaaagaa	cacaccctat	tctatatgtg	180
tcttctaaat	ctactccaga	gaccagtg	cctcaacagt	aaagactttt	ctttaataag	240
agtaacggtg	cacttgctc	aaaagtta	atggtgctta	agattgtctt	gatctgacat	300
atatcacctt	ctgggttatt	tactcattgt	gccaggacct	ggcattttca	tgtgcctttg	360
accaagtgtt	cagaatttgc	ttgactctaa	cctggagagc	ttcttaagt	atgccccttc	420
atggagcttc	tatgacagtg	aataaactat	taattgaagg	aaaatgttat	aattaatgta	480

WO 99/33982

PCT/US98/27610

tctattttgct	gcattgtata	tggattaaat	gataaaaaac	aagtaatcta	ccctcagagc	540
catgtattttg	agaatgcttc	aatcatattt	tcctatgtac	ctttttttta	taaacttagt	600
tttagactat	gttgtaaaaa	tggggaaagg	ttgtaaacta	tgtngtaaaa	aatngggaaa	660
tgtggcttta	aaatatatnc	attatatattg	gttcaaggat	tttggcaggg	gntaaaggaa	720
ncnatgggttc	aatctttgna	tttatataacc	ntgattttaa			759

<210> 600

<211> 769

<212> DNA

<213> Homo sapiens

<400> 600

ttttaatacn	tttttnaatn	cttgcttncg	ntccttttgc	ggatcccatc	gattcgaaatt	60
cggcacgaga	gcaattccac	tcctagctcc	acccacaggt	aattgaaagc	aaagacgcaa	120
acagatgcct	gtgcaccaaa	gttcacggca	gcaccccttc	ccatagtggc	agcatccgtc	180
gtcacagcgg	natcatectt	catcatagcg	gcagcatccg	tcgtcacagc	ggcagcatcc	240
ttcgccacag	cggcagcatc	tgctgtcaca	gnngcagcat	ccttcgccaa	agcggcagca	300
tccttcgtca	tagcggcagc	atccttttgc	atagcggcaa	ggtggaaacc	ctgtccatcc	360
actgagggct	gcatagacta	aacatggcca	gtccaggcac	tggaaatccag	gccgtanaac	420
ggngcccacn	gtcaaaaagga	atgagacctt	gatgcactgg	gcgacacaga	cgggcgacac	480
agacttgagg	acatcatgct	aagtgaanaag	ccaggcacac	ggagcggacg	gggtgatcct	540
gtcacagtga	tgtgtcccga	atgggcacnt	tcagagggga	agaanggaga	tggcgcttga	600
cngtgncceg	gacnggggtt	gggagcgacc	ggttgttggt	ttnggggtttc	tttctnggggt	660
gaaggaaatg	tttttgatat	tggggccggt	tgggtgatnt	ttgcattacc	ctttgaaat	720
gcttanaacc	cnctagaaat	tgnnacactt	tttaaatngn	ttggaaatt		769

<210> 601

<211> 755

<212> DNA

<213> Homo sapiens

<400> 601

ntgtttaata	ctattttcta	atacttgctt	tcgttctntt	tgcangatcc	catcgattcn	60
aattcggcac	gaggagacag	cagccccag	ggaatgaagc	tgatgccaga	gtcagaccgc	120
aggaggaaga	ggagccactg	atggagatgc	ggctccggga	tgcgcctcag	cacttntatg	180
cagcaactgc	tcagctgggn	cctcaagtac	ctctttatcc	ttggtattca	gattctggcc	240
tgtgccttgg	cannctncat	ccttngnagg	catctcatgg	tctggaaagt	gtttgcccct	300
aagttcatat	ttgangctgt	gggcttcatt	gnnagcancg	nnggacttnt	nctgggcata	360
gctttggtga	tnagagtggg	tgggtgctgn	anctnctggg	tcangcanct	atttctggcc	420
agcagatgta	nnctatatct	gtgattactg	gcacttggct	acagagagtg	ctggataaca	480
gtgtagcctg	cctgtacagg	tactggatga	tctgnaana	aggctcagcn	atactcttac	540
tatcatgcaa	ccaggggccc	gttgacatct	aagacttgnt	tattctatag	ttcnagganc	600
acaatggaat	atgatccctt	aactcctgat	ttgggatcat	ctgaaggacc	aaggngggca	660
gtcttcgaag	tgggaataaaa	tagccccggc	ngtngtgact	tgcacctata	ttcccagact	720
tttgggaggc	naannttnga	aggattgntt	gccct			755

<210> 602

<211> 773

<212> DNA

<213> Homo sapiens

WO 99/33982

PCT/US98/27610

<400> 602

nttgtaatatag	ctgggttttcta	aannntngnt	ttcaaccctt	ttgcatgatn	ccatcgattc	60
gagcaaatca	agatcttcag	gtacagttgg	accaggcact	ccagcaagcc	ttggatccca	120
atagttaagg	caactctttg	tttgacagagg	tggaagatcg	aagggcagca	atggaacgtc	180
agcttatcag	tatgaaagtc	aagtatcagt	cactaaagaa	gcaaaatgta	tttaacagag	240
aacanatgca	gagaatgaag	ttacaaattg	ccacgttgct	acagatgaaa	gggtctcaaa	300
ctgaatttga	gcagcaggaa	cggttgcttg	ccatgttgga	gcanaagaat	ggtgaaataa	360
aacatctttt	aagtgaatt	ngaaatctgg	anaaatttaa	gaatttatat	gacagnatgg	420
aatctaagcc	tttagtcgac	tctggtactc	tggaanataa	cacctattat	acagatttac	480
ttcatatgaa	gctggataac	tnaaaacaat	agaaattgaa	ngcactaaan	gtgaattgtc	540
atacaagcga	aatgaaancn	ttatttgana	gccnccgggc	ttctaacata	ttgagcgata	600
actttttgca	aatgaaagat	gcccttcngc	ttnttgaatt	gnaaaatatt	gaaacctgan	660
agntnancct	agntgaattg	aaacttaaat	ttgaaccctg	nacnanaccg	gttaantgcc	720
tgttcctgat	aaaaanaagc	cntnangtgc	ttncctgntn	gatttanccc	ccg	773

<210> 603

<211> 784

<212> DNA

<213> Homo sapiens

<400> 603

tgtttnttaa	tagctgtttt	taaatnctn	gctttgcgct	cnntttgcag	gcateccatc	60
gattcgaatt	cggcacgagg	gggacatcag	tgatcgtaag	tctcctgggn	ccgttattct	120
canattaggt	gacggagcta	agacttcgag	accatctcgt	cctttntgta	tcgcggaaac	180
ctgangaacg	agccggcggc	ggtgacctgc	acgagaagcc	aggctaactg	ggtgaagtac	240
catgcaagca	tttcttaaag	gtacatccat	cagnactaaa	cccccgctga	ccaaggatcg	300
aggagtagct	gccagtgcng	gaagtagcgg	agagaacaag	aaagccaaac	ccgttccttg	360
ggtggaaaaa	tatgccecaa	aatgtgtgga	tgaagtgtct	ttccaggaan	aagtggttgc	420
antgcttgaa	aaaatcttta	gaaggnngca	natcttccta	atctcttgct	ttacggacca	480
cctggaactg	gaaaaacntc	cactattttg	gcagcaaaact	tgagaactct	ttgggcctga	540
acttttccga	ttaagaattc	ttgagttaaa	tgcactctgat	gaacctggaa	tacaanttag	600
nttcganaag	aaagtgaaaa	atttttgctc	aattaanctn	gtgtcaagga	aaatngnttc	660
anatgggaaa	gccgttttcc	ncctttttta	gantgggaat	tcttngatga	ngnncnaattc	720
ntnttganc	taactgnntt	angcagcttt	taaaaaanta	ccattggata	aangagtcen	780
aant						784

<210> 604

<211> 801

<212> DNA

<213> Homo sapiens

<400> 604

gttncnctn	aacctttttt	tgaaatcnnt	ngcttctact	ctttggcatn	catnccatcg	60
atnccggccc	gtgtggggag	acngacagca	ccctttttnt	ctggcatttg	cccttgangc	120
tatagcgctt	cccctctccc	ctcagagggc	acagctgcag	gcctgaccaa	ggccacgccc	180
ggctctcgtg	ctctaggacc	tgcacgggac	ttgtggatgg	gcctggactc	tccagaaact	240
acttgggcca	gagcaaanga	aaacctcttg	ttttaaaaaa	atttnttca	nagtgttttg	300
nggaggagtt	ttagggcttg	gggagagggg	ggacacatnt	ggaggaaatg	gccttctttt	360
taaaagcana	naacacataa	ccttacaact	gcctggcaag	cccaatatca	cttgtttggg	420
ccctanccgg	actccaangn	agccacacgc	ccctcttgga	aggggtgtng	catgtnaant	480
gtgtgccanc	gcgtgggctg	gcgtgtgaan	atctatnaaa	taagtatana	tggngntnta	540

WO 99/33982

PCT/US98/27610

```

ntatatgtgt ntaaaataaa ngantggaca tatttggncc tctgngnana nncttngaatt      600
ctaagncaag agtnnnctctn gaaaaacnaa ananagtncn ntntanannt ttacgtaatn      660
atcaataactn tntccactn accctnctnn tanntntncc natatantcg antaattcnt      720
cactcntnna ttctngtna acacnaatna atnnaactat naaatatntn tntctnnntan      780
tngacatann catncnnncc g                                           801

```

<210> 605

<211> 759

<212> DNA

<213> Homo sapiens

<400> 605

```

gnttctaatt tggttcnaaa acttgctttn gctcctttgc aggatcccat cgattcgaat      60
tcggcacgag agcctgcctt gggccggcct gtggctccca ttttcctttc agcgggacaa      120
aggggacttg ttaccaggcc attttctgga tggcctgtga gatctctgcc cctccaagac      180
cctccaagtc tgagcctgac ccacagctgg gacactgaat tcagccctgg gaaccatggg      240
ggcttctatc tggcaccagg ctgcagcctc cccaatccca gccactttg ctgtgtctct      300
ggggggctgt cctccttggg gggagctgtc ctgcacactg taggatgctt aaaggatctc      360
ctggccttca cccatnctta gccagcagct cccagtcaga caacagccag aaatgtctcc      420
agactctgcc cagcctccca ggtagccacc ctcgagacat gacctcagag tctctgtgtc      480
tctagaagc ctgacagaga cccccanggc agtgggtggg tggcgggcta gagacccttg      540
cctgtgtccg ggaccctggc gccgntcttc cctcctgtgg atcccttcgc acttacaagt      600
gttctnaant gggcagacgc ctgggcaccc cttggggcct gcccaancat ggccatngng      660
cangcttttt naaccgcgat nggntttcca ngcctggtga atcttgcttt tccanggaen      720
nnttgaaccc tttcctnccg ggcggggccc ccnagcnct                      759

```

<210> 606

<211> 809

<212> DNA

<213> Homo sapiens

<400> 606

```

tctnctnaaa tcnnnnnttt aaaagccttt gcttttgcct nctttgcttg atcccatcga      60
ttcgtgactt tgtacctggt ccaagctgat ggggttttgc tgcgtgtgac ccaggcagga      120
gtctgactag agaacaaact aaggttgctg caacaaacaa ggacctcttc caagaagggc      180
tcccaggcct ggcgcagtga ctcatgcctg tgatcccagc acttgggagg ccnaggcggg      240
tggatcattt gaggccagga gttcgagacc agcttgggcca acatgatgag accccgtctc      300
tattaaaaat acaaaaatta nccaggcgtg gtggcgcttg tagtcccaac tactcaggag      360
gttgaggcag gagaattggt gaaccgggga ggcggangtt gcaatgagcc aanatagcac      420
cactgcactg catccttggg tgacagaagc gagactccat cttaaaagaa gggctcctgt      480
gtctacgtca tgggtggggct anagagangt ccnngcagct gggctgtgtt gagtganngg      540
ctnntctttt naannccagg caatagtttg tcttgactct gtccttttct gngtccacat      600
gacattttac atntttncnn agtttnctta atttaaagtt gnctaatttt accattatac      660
atnttnaatt ggcattttct ttaccnatnc tttttgtntg aaaatggtan tntttgaaat      720
cngnatcngt tctaattgngn tntattttta ccnaatgcc atnntacctn ctttgnaana      780
atntattcgt tttcnaagnt tnaacctct

```

<210> 607

<211> 788

<212> DNA

<213> Homo sapiens

WO 99/33982

PCT/US98/27610

<400> 607

tnttttcta	at	acnagtttnc	aagncttget	ttnnnatccc	tttgcaggat	cccatcgatt	60
cgcaaggccc	gaggtgccat	cccctctggg	aagcagaagc	ctgggtggcac	ccagagtggg		120
tactgttcgg	taaagagctc	accctctcac	agcaccacca	gcggcgagac	agacccccacc		180
accatcttcc	cctgcaagga	gtgtggcaaa	gtcttcttca	agatcaaaaag	ccgaaatgca		240
cacatgaaaa	ctcacaggca	gcaggaggaa	caacagaggc	aaaaggctca	gaaggcgggt		300
tttgcagctg	agatggcagc	cacgattgag	aggactacgg	ggcccgtggg	ggcgccgggg		360
ctgctgcccc	tggaccagct	gagtctgata	aaacccatca	aggatgtgga	catcctcgac		420
gacgacgtcg	tccaacantt	gggaggtgtc	atggaagang	ctgaanttgt	ggacaccgat		480
cttctcttgg	atgatcaaga	ttcantcttg	cttcatgggtg	acgcagaact	ataaagccct		540
gtgtncactt	atagacagtg	aaaacccacg	ggctcttcac	tttattaatc	nngaaacctt		600
ggaatgcttg	ctttgttttg	taaccctttt	ttaaaacctt	cctgttttta	aaaagtgggtc		660
atttttantt	nacgnnttan	aaanaaaaaa	tcctatttct	ttttcctttt	natttttaaaa		720
aaaaattngn	tttttggttg	ggggnnttg	ggggaattaa	aataatttgg	cccccaactt		780
taaaaaat							788

<210> 608

<211> 796

<212> DNA

<213> Homo sapiens

<400> 608

tctttttaatg	cttttttncaa	gccttggttn	aaatcctttg	caggatccca	tcgattcgaa	60
ttcggcacga	gactacccc	gctacgggtc	ccccatgcct	ggcagcttgg	ccatggggccc	120
ggtcacgaac	aaaacggggc	tggacgcctc	gcccctggcc	gcagatacct	cctactacca	180
gggggtgtac	tcccggccca	ttatgaactc	ctcttaagaa	gacgacggct	tcaggcccgg	240
ctaactcttg	caccccggat	cgaggacaag	tgagagagca	agtgggggtc	gagacttttg	300
ggagacgggtg	ttgcaagaga	cgcaaggagg	aagaaatcat	aacaccccca	cccnaacacc	360
nncaagacag	cagtcttctt	caccgcgtgc	agccgttncg	ttccaaacag	agggccacac	420
agaatacccc	acgtttttat	ataaggagga	aaaccggnaa	aanaatttaa	aagttaaaaa	480
aatanccttt	cngttttaca	ctactgntgt	agactcctgn	tttcttcaan	cacctgnaga	540
ttcttgattt	ttttgttggt	gatgntctct	ccattgcttg	tngtttgct	gggaantttt	600
atttaaaaaa	aaaaaaaaatt	cttgtgagtn	gactttggnt	tttaaacan	tgntagattt	660
taacngnacc	cttaatgggt	tgtacntata	tgntttnaaa	acatgnnaan	aaatatttaa	720
tgtaaagggn	ctgttnntaa	atntaaccac	ntanagaant	tnnaannnn	ttnanccctt	780
tagaacnatt	nntgng					796

<210> 609

<211> 790

<212> DNA

<213> Homo sapiens

<400> 609

gnnntttaaa	nacctntttc	aatncttgg	ttnnaatcnt	tttgcaggat	cccatcgatt	60
cgcacccagg	gagaacctcg	gggctgggac	acctcctggc	cctcacctg	ggatcatgtt	120
acagtccctca	gtgccccaca	ccggtggccc	cctgaggaca	cctccaccct	gaccttgatt	180
ttcccaaacg	ctgcctcttg	gtgacagact	cagcccaaaa	ccccttcctt	ctgtctctgg	240
agaccttgga	gcttggggaa	atatggagg	gtgtgtgtct	gcaatcaagg	cctctgcagc	300
tcacggcttg	cccgttgggc	tgggacttcc	gtctgaattt	taaataactta	gggntcattt	360
ttttctctcg	gcaacaaagc	ttgatgtttt	cactgcttta	gtttcctgtt	tgtctgtggg	420
aggggatacg	gtctgtgact	ctggacttgc	tctgggggaa	cagttgtcac	tgccccngg	480

WO 99/33982

PCT/US98/27610

```

gagaggggca gcttgggctt ggaagaaagc acaccccnga gaccagagcc ccttcnagag      540
ggatncttgg ctgcttcatt gnetttcccc cagcaagccc tgctcttcca caagcncctt      600
ntggggtctt gggatatgtc ccccgntcac cttctttcca nantccctga nntgggtgtag      660
ggttgtgggt tggcacangg aatttttggg cattggggaa ggggntttca aaacttttnc      720
caaanacccc cgtgttcctn ngnaaaattn aanttgggtg gcttnggggtg ntnaccccca      780
antcttngnc

```

<210> 610

<211> 786

<212> DNA

<213> Homo sapiens

<400> 610

```

gatgtttnnn annctggttc taatncttgg aaanctnenn ctttgttann ngcnntttct      60
gcaggatccc atcgattcga attcggcacg agcccagctg gacctggtgg ccctttccta      120
gtgcctctgc tgggggagga gaacctctgt ccacgtggag gctaggaggt ctcagggtgt      180
gccctggcag caccagagtg tgggcccggc ccgagtgtct gccctcggc cctcagggtg      240
gggcacttag caccagaag ggaccaaag cagggcatgg cgtgacagag gaggttggga      300
ggtgtaaaca gccccatgca cgtggaggag gagctggctt tcagccccag accccacgt      360
agcactttcc acgtgcttg cccgctgttg atgtgcagtt cccagtgcct gtgtgagcgc      420
acatctgctc agtcctatcc ctgcgcagcg tgtggagacc cagtcctgc aagcccttct      480
gcttccacgc cccagacag cttggtggag ggtcctgcat ctgggccaag ctggggtgca      540
cccagccaaa gacaaagctg ccttcacgtg cccaaaggat tcaagatggt gactggccc      600
cgggaggagt cttgaccaa aatgggagcc cgtctctgtg gggaaanccc cgacttcccc      660
caccnanaaa ccgntccac ggtgccggan cttccccctt ttctttgtg ggggcaacaa      720
nattggcctt gggcnctttc aattnttncg gaagctttcc tgggtgtngg cttttgacct      780
taaaat

```

<210> 611

<211> 938

<212> DNA

<213> Homo sapiens

<400> 611

```

tgttttaaag cctntttng aatncttggc ttncgncccc ttggcaagat cnetctctgc      60
aggatcccat cgattcgttt gtatttttag tagagacagg gtttcttcat gttggtcagg      120
ctgggtctnaa actcctaacc tcgtgatccg cctgcctcga cctcccaaag tgctgggatt      180
acaggcatga gccaccatgc ccagccaaag atcatttttt tatatagact tcagnctttt      240
gtaaatattg taactgggga gtatagagta gaaaaaaagt atagntaaaa catttgttct      300
acaaattaac ctttaaaaat ataattactg ctaaaaatag agtgctgtta cacttaagga      360
aaattagtgc cattttggaa atgagatctt gtgccataaa tncagctgaa ctgaatataa      420
atgttcacaa attaatgctg tnaaaggaat gagttaagca gaaaaacttt taaccagcac      480
ttctcaaaaa anaaaannna nnaattaaat nntataancn ncatnnanat ntatnntann      540
tttncntctn nattncanta attttgtntt ncaaatannt nnacctnnan ctntgttntn      600
ntnnnnncna tnnantatcn ntatatcnan tatatnatta nctnatntn nngnannngna      660
tcntnctcta tncnnnatnn tncatatnnc gtccnntnnn nnaantatgc ctcnatat      720
ntacnnnaaa ngntangta tgnntantgc atnnncatna ctnttgatgt cnnagttnna      780
natattttgc cnetcattat tntgctnatn tatntgtttg acacannata ctnnnancna      840
ttcatcttct cgcaatnngn gnacttttna nttacnnnna tgntannnnt natatatnta      900
tcattagana ctttttnaat tntnnntncn nanacgcg

```

WO 99/33982

PCT/US98/27610

<210> 612
 <211> 771
 <212> DNA
 <213> Homo sapiens

<400> 612
 tgtttgnaan nncgntntt gaaatnctg gtacnnaaac nctttngnaa ancnccctc 60
 nctgtntgat cccatcgatt cgaattcggc acgagataga aactaggcac tgatttgttt 120
 atattnttcc tgctcgagac acatgatgtt tcatgtatct gtggcttttt atagttaa 180
 ataatttctg gaaaagtcat agtcattatc tctttaaccg ctccctctct tccattctct 240
 ttgttctctc ttctcgaac tctgttagt catttgatcc tccatatctc tgaatatatt 300
 tgtatttctt ttattattta tttcttctc ctgctacatt ttacattgag taaaagtggg 360
 atgtgacagt gggaaatcat tagtgactta gaaattccag ttggtcattg ggccaatttt 420
 gatgctacct tctctctttt atttctcact tcaaaataaa atttgcaaaa acaaaaaatt 480
 aaatatagta tgagtccagt tactggccta aggagctaaa agcattctgg gtttgtatga 540
 agacagctga gttataacaa atgagagtac tgttgtgtga ctgcattaat tattcccttt 600
 ttaaatgtac aagagcaang cattctacct gactgngtta ttgagctctg cancatat 660
 ggtgacanag ctaaaacaan acaagccnaa ccnanaagga aaaccccgag tttagggata 720
 ctctgntcat ngaatatagc ctgaaaaatg gntaatcaag aaagtnaacn t 771

<210> 613
 <211> 774
 <212> DNA
 <213> Homo sapiens

<400> 613
 tttgaatcct tgctttcaaa tncctggcac tngccctctc tgnaggaatc ccatcgattc 60
 gaattcggca cgaggtaacg tgacacgtat ttacttctt ttantaggcg gacacacttt 120
 cttaaagtaa taatacgtca tggccctgct ataaggtagt agttctagaa gactgtntat 180
 ctaataattc agactaaagc tatttatatt gctgtgacac cacgtggaaa acttttataa 240
 ttccatctta tttctgatgt atatgtttta tttctctgc cttcataaga actaaaaacc 300
 aaagtatttt acgtgaaaac aagatttttg tttgagttca tttacttgag atatgtttta 360
 aaaatccacc ttctgtcaca ctatagaagt atattttgaa ttatcaaaag gtagaattat 420
 aactttcana aaagaaaaaa atggtcaatt tantttaact ctatgtcaaa aattttatta 480
 tagtctcata tattcattcc acaccccccg ttctctttc cttctttctc cctctgcctt 540
 nttcttaatn atnattttta aattctgacc aaaaataaag tngtggcaag tactttctta 600
 gcataacctg gactggttga agnagtaatt ctgntccttt aaaaaaantc cccaactggg 660
 nccnggnca ggnacaaaaa nttntaanga acatntggga attangcnaa atggatnttc 720
 cttggagggtc caaccccca aaatcattag gncnaccaa attnaaaata atcg 774

<210> 614
 <211> 754
 <212> DNA
 <213> Homo sapiens

<400> 614
 ttggantctt ctngaaacn cttnecnatt gcncntctc naggatccca tcgattcgaa 60
 ttccggcacga ggttcttcaa agccaacca gacaggcttn tnagttttag agcttcagaa 120
 caaattgccaa aaagccagag ttgtttatgc tagtgcaact ggtgcttctg aaccacgcaa 180
 catggcctat atgaaccgtc ttggcatatg gggtaggggt actccattta gagaattcag 240
 tgattttatt caagcagtag aacggagagg agttgggtgcc atggaaatag ttgctatgga 300

WO 99/33982

PCT/US98/27610

tatgaagctt	agaggaatgt	acattgctcg	acaactgagc	tttactggag	tgaccttcaa	360
aattgaggaa	gttcttcttt	ctcagagcta	cgttaaaatg	tataacaaag	ctgtcaagct	420
gtgggtcatt	gccagagagc	ggtttcagca	agctgcagat	ctgattgatg	ctgagcaacg	480
aatgaagaag	tccatgtggg	gtcagttctg	gtctgctnac	cagaggttct	tcaaactcta	540
tgcatagcaa	tccaaagtta	aaagggtttg	tgccactagc	tcgagaggaa	atcaangaat	600
ggaaaaatgt	gttgtaattg	gtctgcantc	tacaaggaga	agctangaac	atttagaaag	660
ctttggaaag	aaggccggng	ggagaaattg	aatgattttt	ggtttcaact	nccaaaaggt	720
gtgttgcnc	cccttctttg	aaaaaacatt	ttct			754

<210> 615

<211> 774

<212> DNA

<213> Homo sapiens

<400> 615

tgtttnaatg	ctgttttgaa	atcttgtttc	aaatcctttg	gctacttget	ctntctgnan	60
gateccatcg	attcgaattc	ggcacgaggg	attctttcac	tgagcacaaa	gagttgttgg	120
ggcttttagca	tctgactgat	tttgttacgg	ggttgattct	gaccatagga	agtatgcaat	180
gtgaatcact	atttacagag	aaacctacaa	cagatgcttg	atgttgtaga	aactgggaca	240
tatagatacc	aagcaaaatt	ataagaaacc	tataaggtgt	tcaatacgct	tgtgtttcca	300
aaattcactg	tncatgatca	gtttgggtgt	cttggtaccac	agtttttaac	tgaaggaacc	360
agttgtaaca	gtctcaattt	ttaactaaaa	cttgaagaac	taanacaaca	atgcaaacct	420
ttcagatttg	tttggccaaa	cttgttaaaa	ctgtaatgca	agaaccaa	gcactgtgat	480
gtggcaccaa	ctaattagca	agcatgaatt	tttcacccaa	nagtgaaaaa	aggaaaaatc	540
accatggctt	naagtttaag	agcagaactt	cctgactncc	attctatgac	tgatcaaaaa	600
nactaatagt	ttaaaacctn	agcangcctt	gttcacgata	tgcnagaaaa	aaaagtgcct	660
gcagtttann	atccttatgg	aantttttca	cantgtnaca	nggtnttgta	atacnttgga	720
ngcctacat	tttctntanga	atntattttt	cttggcceta	nttggnttca	angc	774

<210> 616

<211> 769

<212> DNA

<213> Homo sapiens

<400> 616

atnnctttt	tgnaatcctc	tctgaaatcc	tttgetactt	gctctttntg	caggatccca	60
tcgattcggc	cagtcctcac	cttccttagt	cctcgtgtgt	attttaggag	atgcgtgggt	120
gtggaacagc	ctcctgcctc	cgggtccaggt	gtactggggg	ctgtgtgttg	tgtttctgcg	180
tgttctcggc	agaaagtggc	atgctgtccc	gcctgggtga	tttgctcttt	tacactattg	240
ctgaaggaca	ggaacgaatc	cctatccaca	agttcaccac	tgactaaag	gccactggac	300
tgacagacatc	agatcctcgg	ctccgagact	gcattgagcga	gatgcaccgc	gtgggtccaag	360
agtccagtag	tggtggcctc	ttggaccgag	atctcttccg	aaagtgtgtg	agcagcaaca	420
ttgtgtcct	gacccaagca	ttccgaaaga	agtttgtcat	tcctgatttt	gaggagtcca	480
cgggccatgt	ggatcgcatc	tttgaggatg	tcaaanagct	tactggaggc	aaagtggcan	540
cctacatccc	cttntctggc	aagtcaaacc	cagacctgtn	gggtgtctnc	ctgtgactg	600
gtggatngtc	aanngcactc	ttgtgggcca	cacaanagat	tccttttttg	cctgcaanac	660
cntgtntgaa	accccttaaa	cttatngccn	attnctntna	agcaaccctt	aggcnanttg	720
actnncttc	acaanttttt	ggggcnaaag	anncnaattg	gcctgccct		769

<210> 617

<211> 766

WO 99/33982

PCT/US98/27610

<212> DNA

<213> Homo sapiens

<400> 617

```

aganntcttc ctttctaata nctngetacn ttctctntct gcaggnatcc catcgattcg      60
cttcctcaaa gcatgggtgc tgagnaccca nagttgcgag gngttttttt actgatttag      120
ccagggtggca atcatgagtg aatggatgaa gaaaggcccc ttagaatggc aagattacat      180
ttacaaagag gtccgagtga cagccagtga gaagaatgag tataaaggat ggggttttaac      240
tacagaccca gtctctgcca atattgtcct tgtgaacttc cttgaagatg gcagcatgtc      300
tgtgaccgga attatgggac atgctgtgca nactgttgaa actatgaatg aaggggacca      360
tagagtgagg gagaagctga tgcatttggt cacgtctgga gactgcaaag catacagccc      420
agaggatctg gaagagagaa agaacagcct aaagaaatgg cttgagaaga accacatccc      480
catcatgaa cagggagacg ctccaaagac tctctgtgtn gctggggtn cttgacataga      540
cccaccatat ggggtccaca naantgcagc atctctaata aganttatc ttgcccttng      600
ttcaangatc ttattgaaag gacatcttac agcttttccc aatgagaang ccngaagaag      660
gttaaacata ctgnnttgaa aaaagcactn tatntntncc cntnttaana tggntnctaa      720
aatgtanaaa naaannaaaa naaaanctcg atccctctnn aacnct                      766

```

<210> 618

<211> 762

<212> DNA

<213> Homo sapiens

<400> 618

```

tttnnagnnt cttcctttct aatggcttgg ctactngttc tttntgcagg atcccatcga      60
ttcgctcagt gcagcgatca tggetcagtg cagcctcaaa ctcttgggct caagcagtgc      120
tccaaacctca gctcctgag tagctaggac tataggcaca cagcaccatg ccccggtat      180
ttttttatct tgtagagatg gggctctcact atgttgccca ggctagtctt gaactcctgg      240
cctcaagcaa tctctccacc tggcctccc aaagtgtctg gattaaaggc gtgagccacc      300
gtacgtggcc cttgggtgaa tctttagggt tttctattca tacatataaa atcatatcat      360
tggcaaacag agataatttt acttctcctt ttccaatttg gatgccttag atttcttttc      420
cttgccctaac tgctctgtct agaactccca gcactatgct gaatagagtg gcaagagcag      480
gcatttgcct tgttcttaac cttagagaaa aatccttcag ccttttacca ttgaggatga      540
tgttttctgt tagtttttca taaatgatct atatcaggct tgaataaatt tctatttcta      600
aaaaaanaaaa atataacnnn ntanttnatn aantnnttaa naaaaanaaaa actggnacct      660
ntaaaactta tagtngagtc gtttnaccgt anateccana ntttgataan gatacattgg      720
atnanttttg gacaanccnc aactaggaat ngcnntgnaa at                      762

```

<210> 619

<211> 754

<212> DNA

<213> Homo sapiens

<400> 619

```

tttgagntc tttctttcta atncttggtt actngntctt tntgcaggat cccatcgatt      60
cgaattcggc acgagcggac ccatcgagc gtaacctgga tctccgcagg cctggcggag      120
gccggccacc tggaggggca ttgcttggtt cgcgtggtag cagaggagct tgagaatggt      180
cgcatcttac cacatacagt tctttacatg gctgattcag aaactttcat tagtctggaa      240
gagtgtcgtg gccataagag agcaaggaaa agaactagta tggaaacagc acttgccctt      300
gagaagctat tccccaaaca atgccaagtc cttgggattg tgacccagc aattgtagt      360
actccaatgg gatcaggtag caatcgacct catgaaatag aaattggaga atctggtttt      420

```

WO 99/33982

PCT/US98/27610

```

gctttattat tccctcaa at tgaaggaatn aaaatacaac cctttcattt tattaaggat      480
ccaaagaatt taacattaga aagacatcaa cttcactgaa gtaggtcttt tagataaccc      540
ctgaacttcg tgtggtccct tgtctttggn tataaatgct gtaaggtggn agccantaat      600
tntctgcaan aagtangnca gcacttttca gtgatttgaa tatcatcttg gcttngangc      660
cangtggaca acctgtcat aactgacttc tgaaaagaac cctntngata tttgatgcct      720
cnggtgtngg tggaactgtc atttantngg anna                                754

```

<210> 620

<211> 767

<212> DNA

<213> Homo sapiens

<400> 620

```

gcgttctttg aaagccctnt tttgaaaggc ttgcttctaa ttacgggaaa cctttgcaac      60
tgcagatccc atcgattcga attcggcacg aggaccagc tagaccagct caagagttca      120
tgttctttgt natcctcctg tgagctctct gtaagtcnnt ttcttgccca tcaccacatc      180
cctagtactg ggtatcagtc tggccacttg gctttctggt ttgcccgaat gtggtctatt      240
cttgatgcag ctaccaaagt aatgttttaa aaccattata ccaagttact atccttgtca      300
aaacccccag taactgcaa tctcacttag aataaaatcc ggactcctgt gaagcacagc      360
ataaactggc cactgcctat gcagcaacct catctttacc gnttctctgcc ttgctcactc      420
ccttcacagc cgttattct tctgatgcc cctagtacac aacaactcct tctgtctcca      480
agagtaggaa aattactggt ctctctgcca gngagaancc tcttctggna ttaccttgc      540
ttcattgcng aatcttctnc aatatcatct tctaaaaaga gcctttttaa aatcaccttt      600
nctatnatgc cctactcatt tccagtcctt gaaanggcc tccccacttn antannactt      660
attgctaacn tgaaatacac taaatgnnan ccttcatgaa nggtanggca anttaaagtc      720
nttngcactg gnnaggcnaa gagaacaagc ancntggntt canaagn                                767

```

<210> 621

<211> 828

<212> DNA

<213> Homo sapiens

<400> 621

```

tttctaatag cttgctttct aatnctnggn aacgctnggt ctctgnagga tccctcgatt      60
cgaattcggc ncgaggggtg acagagtga actcgtatct ccaancaa ac aaacaaaaag      120
tncttaaaca tatgtgaaca aaaatttngt gatggaagga ttctagttaa tgagtattgc      180
atcaagattt acatctttct tactaaggaa aagagttaat aaaaatngnt ctttatttta      240
caggcagnta ctgaggctct tccanntcn cagtanacag ccactcagcc ttgaaaatgg      300
agtgtgtgtg tttctaaaca tatatttatg tcatttattn aggtacagtt cacttaaata      360
accataagtn gantctctct tgnagtgtat ttgggtagga agaggccatg tctanagttc      420
natttctctg ttgggtccna ntgaaattgg accttttnag ttgttcanaa aaatnaanat      480
aaattnctca tattaaatca agannctent caanttatag atgtggggta gggttccnng      540
taaaacccat tatnaatcta gaaaattatc nctatngana angcntttaa tatctnttac      600
cntgaaattc attactttag tncaaggcct acctttaaan gtttnnnncnn gaaccatttt      660
tannnnttcn ncttttgunc caananntca ttttaancca ccaaaantcn caattntnt      720
tncattnnaa tannggatgn naattatnnn atcnatgtgt catatttnac canganaata      780
ctngcctncn tgnaataatn ggtacactaa anncnngann tttntnctn                                828

```

<210> 622

<211> 784

<212> DNA

WO 99/33982

PCT/US98/27610

<213> Homo sapiens

<400> 622

```

gtctttgaaa cctttttcta atncttgctt tctaatnctt ggcnaactcn ctctcnctgc      60
agnncccatc gattcgtttg ctttcagtgg ttggctttca ctgaaagaaa gtgtaanaaa      120
agtgcagaatt tatagctttc actatgtcca agactaggac tgggttataa agattttctt      180
ttgtgaagga aaataaaaga aaatttgcca ctactgcatt tactttacta ttgtaaaactt      240
aagattcatt ccttagtctt tggaattttg atgtctcaaa accagatgag tggaagtgtc      300
gaatttgcaa aataaaagcta agaatgctta actctgcact ttaagttcta ctctgaccaa      360
attgaagatg agcagagcag ccctgaacag catttngttt atacagtctt gtttaagaat      420
agaatttttt taactcttca tttnttgtct ctgtggaagc tgtgtaactc tttttaaaat      480
gcaatttaaa acattntggt attctaacaa ttctctcaan aaacagcatt tccaatggna      540
atnggtattg ntacgctgta ccttatgtat tncctgtacc tgaacacttg atgctgacctn      600
acangaaaat agaactttat gttaaaaaat aaaagtctgg tncctctttg naaaaaacaac      660
nncnctnctn ctcnaaaatcc ncnacannnc tnnnaatntn ctaanntnag tctnnnttnn      720
ngcanncttn tnnnccnct nanctccctn tntctnttct atatctanan tnacancctt      780
ccct                                         784

```

<210> 623

<211> 1164

<212> DNA

<213> Homo sapiens

<400> 623

```

gggacttntt angccttttt cgaaatccnt tncctccnaa tcccttngca actntcnct      60
ntctgcanga tcccatcgat tgcgaattcgg cacgnagnga gcnnattcnc gttttnagng      120
ttctntttct ntnatnnaca ngngaaaant ccagggnatc ntgnnnccnt atctgantna      180
ngctngnttn aacntngnna caccnngnct nnnaancaaa tttnanaaaa ggganancncn      240
nanancatnn nanntnncca atctaccaa atcanaacac ncantgaaca acacananna      300
tnnnatacnn tctacncaa ancnnncat nncacgcacg ataanaacnc nnnnaaaaaan      360
ancnaancan atatcanann caaccntana cnannaatca nacnctnanc tccncacag      420
cannngnacn aanaacnanc antgataaan cncacctnnn tannacacac ctnannance      480
nntntantcc cgaataacca atngccacnn ctannccnat aacanantcn ctnancectc      540
ntgcatcaaa ttantaaatt cncnancata aagnanatca cagcctcntt cnaccnntga      600
tcnaancntn anacnangn nanncnntat naaacnctat ancantnnna ctnnaacntt      660
nnatcngcnc ntanaaatta aanatcnaan actcaatatn ncggaatant nncntctcta      720
nataannnta naacggngna aanacnctc anacataann gncntacnna tgcgtctatc      780
anntnancat aaagtcaccc gcatattnac cnacgnncaa cataannnaa atnctactct      840
cagaccatat aaatntcgcn tccttanatc agngcnanan tacaanaacg tcgcnnnngt      900
ntggaccaca cgnctagat aaacacnnat aaacantttt tanatgtaac acatttcnna      960
tctatnaaat ancatcattn atgnanacga tnacaacaaa nnctacncna tgntactaaa      1020
nacaantaaa nntnanatta aaaaagttgc aannatncng ngaaanntcc cnanaaacan      1080
tanatnctta tttannnttn acnncggngt nncntaaaaa anaactctnn nntnnctggg      1140
ttgtanatnt annncnanct cgcg                                         1164

```

<210> 624

<211> 798

<212> DNA

<213> Homo sapiens

<400> 624

WO 99/33982

PCT/US98/27610

ttgttaagcc	tnttttcnaa	ntccttcctt	tnaaatcttt	tgnaaacctt	ggtanttgca	60
ggnatcccat	cgattcgagt	aaagcatcct	gcctcagaat	gactttccta	tcatgcttta	120
tgtgtcattc	caaggtttct	tcatgagtca	ttccaagttt	tctagtccat	accacagtgc	180
cttgcaaaaa	acaccacatg	aataaagcaa	taaaatttga	ttgttaagat	acagtagtgg	240
accctactta	ttcagtcaat	taagagtaag	tttttttatg	tggttattaa	aacagtatga	300
acaattagtc	taactctgca	tagacagggg	ctagattttg	ttaacccaaa	tgtataactg	360
cagttagctt	aaattacaat	ttgaagtctt	gtggnttnta	tatagctnng	cactttatta	420
ctcttttgaa	ctgaaagcac	actcccttat	agggtcatgt	aactgtcctg	taataagggtg	480
cttataaatg	ggaacaacta	cacagcctag	ttttgncaca	accttttagca	tctaaaaaag	540
ttttaaaagc	ttcttaaatg	nctaatataa	anggagatgc	tnatanccac	aacatctatt	600
ttaccaatat	tngtttcctt	acacttacct	tgggantttg	cattgagtga	ngttttngta	660
aaccccaaan	atnccccatta	atanaaaaaa	nttggtacgt	tttnatgact	ttaatccann	720
ttncctgtng	gnnttcncct	aaaangcttn	ccnnnggnnt	ggaantnnna	ntnattttntg	780
gggnaagggt	tnngttnt					798

<210> 625

<211> 793

<212> DNA

<213> Homo sapiens

<400> 625

ttcttaagcc	ncttttctaa	tgcttgcttt	naaatctttt	gnaancgctc	ggctntntgc	60
aggatcccat	cagattcgaa	ttcggcacga	ggaaatgcct	ctatgtangt	gaagtgttct	120
ctctgcatgc	aacagtaaaa	attaatataa	tattttcccc	acaaaagaaa	cacttaacag	180
aggcaagtgc	aattttataa	tttatatcta	aaggggaaatc	atgattataa	gtccttcagc	240
ccttggaactc	taaattgagg	ggattaaaaa	gaatttaaaa	taattttgaa	cgaatttatt	300
ttcccctcag	tttttgaggg	cattaaaaag	gcattaaatc	aagacaaatc	atgtgcttga	360
gaaaaataaa	attaatgaaa	acacagcact	tatgttggtt	tagctgcagc	ctccttggag	420
gtagaattta	tttattttaa	attactgggt	gcaccaagaa	ccccataggg	tgtacaaaag	480
gttctataaa	atctgcatta	tagagacaaa	gangcaggca	aatncatgtc	acaagggtna	540
agcttacagt	ttacaaactg	gggaacgccc	aggggtgtang	atttnaaaaa	cgncactcct	600
gagaaaaacan	atgtaatcan	ggntgctgaa	aactttgcat	ggnggctttt	aagacattta	660
gnccctgttc	aaacccaaaat	ttnttggnat	ttgccagatt	ccttantntt	gccatgggcc	720
atgacaccat	ttttggcctt	tatgncnctt	taaaattttt	aattaaaaat	accntttcca	780
gtaannctaa	ttn					793

<210> 626

<211> 825

<212> DNA

<213> Homo sapiens

<400> 626

ntttgaatnc	ctttgnaaat	ccttntttct	aatntntgga	tccttggcna	ctcgcntntt	60
ctgnangatc	ccatcgattc	gaaacggcnc	taggaatcat	cgaaggttga	gaccgtgacn	120
anttacatag	tgatnaatac	ccatctatgt	actgnngcct	nctaaatgtt	tntctncnnn	180
atggannttn	cctttaanct	ctagatccat	tgacanccctg	ancatntcta	aaaggcatta	240
ngaaactgaa	acacatctgat	acagaactct	gcattnnctt	ccnaantntg	cccannccna	300
gcectgntcct	nnttcacgct	tancacttat	natatgatcc	cactattcac	tnantctctg	360
aagcttaaaa	cctangattc	atgcttgact	actgnataat	nntacaatct	actcctaattg	420
cattagcaat	tcttgctagc	tctaccttca	aaatatattc	tgaatagact	atntccttgc	480
gnttcctctg	cctncnctt	tcccatctgc	accccttctc	tntncccaa	aatcaataca	540

WO 99/33982

PCT/US98/27610

ctagntgttt	ctaaaaaaaa	tatnganann	tagnnnaaaa	ncntaaataa	atntaaaana	600
angnntancn	tnacanaana	ttntaataat	aggnnanntn	ntgncaanaa	cnntaantnt	660
tnaatacgnn	aaaactctct	cnaanngann	aanntatnnn	agttaaaagn	naaatannnn	720
aanantncca	aatntanaag	ataangncat	aannntatna	gncnnaacgc	taantgnnga	780
tgannntntaa	tnngnatana	nnantngtta	nnacaaaatn	tacnn		825

<210> 627

<211> 772

<212> DNA

<213> Homo sapiens

<400> 627

tttttaaatgc	ttngtcgnac	ttctcccagn	aatcgnttng	aaactcngcn	actcgttctc	60
tctgcangat	cccatcgatt	cggaaatttg	cactgatggc	tcanaaggct	tacgttttgg	120
agagtatgac	ctacctcaca	gnagggatgc	tggaccaacc	tggctttccc	gactgctcca	180
tcgaggcagc	catggtgaag	gtgttcanc	ccgaggccgn	ctgncagtgt	gtgagtgagg	240
cnctgcagat	cctcgggggc	tngggctaca	caagggaacta	tccgtacgag	cgcatactgc	300
gtgacacccg	catectactc	atcttcnagg	gaaccaatga	gattctccgg	atgtacatcg	360
ncctgacggg	tctgcagcat	gccggccgca	tcctgactac	caggatccat	gagcttaaac	420
aggccaaagt	gagcacagtc	atggataccg	ttggccggag	gcttcgggac	tncttggggc	480
naactgtgga	cctggggctg	acaggcaacc	atngagttgt	gcaccccagt	cttgcnagca	540
gtgccaaaca	atttgaggag	aacacctact	gctttanctc	ngaccgtgag	acacttgctg	600
ntnccntttg	gcaaagacca	tcatgganga	ncanntnggt	nctnaancng	nntggccaac	660
atnctcatca	acctgtattg	gcattgnaccg	cncttgetgn	acnnncngnc	caaancnctc	720
nantccgcca	ttggggcttc	cggnaaccac	tnnacaccaa	ggttctnttg	gc	772

<210> 628

<211> 808

<212> DNA

<213> Homo sapiens

<400> 628

tcnctcgnaa	cnttttnann	ttggetactc	gntctctctg	caggatccca	tcgattcgaa	60
ttcggcacga	gatgacatcc	tcattatcca	cantgcaaag	ccaaccatcc	ctatgatggg	120
ttcattgtgg	atcatgactt	antgggtcaa	gagtttggaa	gtggctcagc	tgggcggnet	180
tctgtcncat	gtggctgcca	natggtnccc	tgctggtnng	cagnctngtc	tagagggtcc	240
atgatggctt	tactcacatg	cctggcatct	tgacaggggac	agctgggnang	caaagnnnat	300
ctgggactgt	ncacagagct	ncttcntgtg	gcctttccag	catggtgggtc	taagggtagc	360
tggacttnct	gcatnacagc	tcagggtccc	cagagctact	gtcccagag	atnnaaagtg	420
gnaactgnca	atctttttang	ctaangncca	gaaaccatta	cccctgcacc	ncacagtctt	480
ttntanctg	ntgaaataaa	cattnnnttt	atcaattnta	ancattcgca	aattggaatt	540
aaataccttt	tactaatttt	gncgtgacca	tctgccccn	gttcaagatc	taaaaaactt	600
ttatngntca	tentgnngat	ntaaaaaact	nttgtgttng	catttanaac	ccntaagcan	660
nttnggcant	tanannnaan	annttnnnaa	acccttntat	anaaccttat	taagttgang	720
catnngnant	ttcnccttna	aatecnaggt	ccttagggct	angnnatacc	nttctnatng	780
naactttngg	gaacctaaan	cctctcct				808

<210> 629

<211> 827

<212> DNA

<213> Homo sapiens

WO 99/33982

PCT/US98/27610

<400> 629

ggcenncttt	gaaccttntt	caaatcnttt	ggcactcgcc	nectctctgnt	ngntcccatc	60
gattcgctgt	gatccaaggc	atgaaaagag	tgcaaggtaa	ncangnggca	gcnttnatng	120
aagcatnaaa	taangcnaaa	gcnnatgctn	anctnangga	gcangnngct	aaagacaacc	180
acannctanc	tgntnctaa	tcattgctntg	cttnctnang	tgancctata	gnaacgcant	240
nagactncan	gcnttgcttg	gcncacaag	gnnacctana	ntcatnanga	agcnnttgaa	300
ctaangagtg	gctacnncct	ttntnctca	tgcntgacct	gtaatnatte	ttctganttg	360
aggcaanagc	gggttnaant	natngntnan	ntgnaaanac	tntnnnatcc	gnnnntnctg	420
attannttnc	attmntntna	atgatanann	ctcatcnngc	tcgnccctgna	ctttganang	480
ctnnnnctnn	anntnnctga	ctttaggagn	nnacctncag	cganatgtna	agnanngaaa	540
ttnanntncc	tnncgntccn	ccttgcnagc	tnanngtctt	gngnaacntn	angtanntan	600
tctacngggg	gnnacnttgg	nnaattgggg	ncttataaan	tnttctntna	agaatgantg	660
naccaattnt	nnaanntcta	agnttgggga	aatctnngtt	tcttgnatnn	gnacaaaaan	720
tcgattttnn	ngncnngntt	nnttgggcnt	catntgccat	tgatgcnatn	cnacttatgt	780
cctcntggng	cntnttnnaa	nnnggnngnn	aacatttttt	gtgtgcc		827

<210> 630

<211> 793

<212> DNA

<213> Homo sapiens

<400> 630

ttcnaatgct	tggnccngag	tecncctttg	aacnttttca	aatnncttgg	caactcgenc	60
tctctgcatg	atcccatcga	ttcgattcgt	gcacgaggcg	ngttgttcta	caactgcntc	120
ngaagntttt	ntaanaagcc	accacttagc	ngaggcnct	acangtcttg	gggnccttagc	180
gaagagaaat	cncgttgga	cttgncctgt	tcacntaagn	actnntgnct	gantccnagg	240
gtannngtnc	acctgngnn	ccancagaca	nacccaannt	gncntaaaa	gggcaggctc	300
aagcttacnc	tngactncac	nggcaagctg	nangcctgt	ctgccttccn	ctgcnnatnc	360
aaatngacag	tnngaccaag	agtcanagna	aaaactncaa	ggatacatnt	atcccantct	420
nttctacacc	tntanattcc	ntganctatt	gctcanaccn	atcgtgcggg	caaaggcaag	480
acttgggcaa	cattnttnaa	tacaatgatg	ctgacaanta	atttccngct	ngttgccagg	540
natntttacn	cgagctnttg	tgattccaaa	ctaaagaatg	gngccnnnan	gccntcntt	600
antnctggnc	ccccanaang	ancctaaactn	gcgaaaggnn	agnatggcat	tnacccaaac	660
caacttntng	gattacnnc	actccanaan	atccgacggc	atnnaanang	caaaaacaaca	720
acttcnncan	natnnaanna	atngnccnn	aaananaacc	cgngcntctn	aaacnattgt	780
ggacccatnc	ccc					793

<210> 631

<211> 752

<212> DNA

<213> Homo sapiens

<400> 631

gnagtnnctt	tngancctct	ntnaaatcgc	tttngcnant	cgctcttttc	tgntngatcc	60
catcgattcg	aattcggcac	gagatgttac	agacatgaaa	tatgaacaga	atnctaaaag	120
aacataaaa	aataagagct	ccttaaagat	tataaataaa	tggtgatgtt	aaagtaatag	180
caccattgga	cgaagctagg	gaatcaacac	ttgacagaaa	gatacatatt	ttttttatac	240
aaactacata	tatttgagca	atcaagtagt	agacatagag	aattttcttt	ttatggaagt	300
actctaataa	gtaaaagggt	gatagaatta	tatcagcatt	ttctagctcc	tggtgaatta	360
tgcatggggc	atccatggct	gccttagatc	acaaaaatac	caccagatat	atgcctgtgg	420
atgaaagatc	acaccaccac	ctgtgaaata	gtcttcccca	caaaaaatcc	aacccaaatc	480

WO 99/33982

PCT/US98/27610

ctatccagcc	tgtagatggt	actcgagatc	ttctataaga	aataaagaga	gcangctgg	540
cacggtggat	tgtgcctgta	atcccagcac	tntgggaggc	caangcaggt	ggatcgctg	600
angtaaagaa	gttcnagacc	agcctgccaa	catggtgaaa	ccccctctn	tacttaaaag	660
taccnaggat	gagcccggcc	gttgtggcaa	gcacctgtgg	tccccagcta	cttggaagc	720
tgagcangaa	aaatcgcttg	aanctgggga	ng			752

<210> 632

<211> 751

<212> DNA

<213> Homo sapiens

<400> 632

gnnnnnnttn	nnnnnttcta	atgcttggt	actcgttctt	tntgcaggat	cccatcgatt	60
cgcaactaga	gaagattgga	cagcaggtcg	acagagaacc	tggagatgta	gctactccac	120
cacggaagag	aaagaagata	gtggttgaag	ccccagcaaa	ggaaatggag	aaggtagagg	180
agatgccaca	taaaccacag	aaagatgaag	atctgacaca	ggattatgaa	gaatggaaaa	240
gaaaaatttt	ggaaaatgct	gccagtgtct	aaaaggctac	agcagagtga	tttcagcttc	300
caaactggta	tacattccaa	actgatagta	cattgccatc	tccaggaaga	cttgacggct	360
ttgggatttt	gtttaaactt	ttataataag	gatcctaaga	ctgttgctt	taaatagcaa	420
agcagcctac	ctggaggcta	agtctgggca	gtgggctggc	ccctggtgtg	agcattagac	480
cagccacagt	gcctgattgg	tatagcctta	tgtgctttcc	tacaaaatgg	aattggaggc	540
cgggcgcant	ggctcacgcc	tgtaatccca	gcactttggg	aggccaaggt	gggtggatca	600
cctgaggcca	aggagctcga	gaccagcctg	gccaacatgg	tgaaacccca	ttcttttctt	660
aaaaatacca	aaaaatttag	cccangtgtt	gaatggntgc	atgcctgtaa	ttcccagctt	720
ctnanntagg	ctnanacaag	gagcttnct	t			751

<210> 633

<211> 806

<212> DNA

<213> Homo sapiens

<400> 633

ttnnannnncn	ttttnaaaag	gcctnnnnntt	gannctttcn	aatgcttggc	tactngntct	60
ttctgcanga	tcccatcgat	tccaattcgg	ctntagggaa	ggggagggtt	ggtgagtcct	120
agaccttaaa	aatacaaggt	taagagggac	cccaaagcaa	aaaattccaa	cccttttctt	180
cccagtcatt	gaaacaccaa	aactattata	ccggagggtg	taatagtgtt	gctgcccagt	240
tgtggtaggc	cagtagtggc	ctoccaaagat	gcccattgtc	taatcccagg	aacctgtcaa	300
aattaccttg	tatggccaaa	ggggctttgc	agatgtaatg	aagttaagga	tctttcgcca	360
ggaagattat	cccagcttgt	cangagggtc	tgatgtcctc	acccgggtct	gtataacaga	420
agagcaggtg	acgggagagg	aggttggagg	tgtancgatg	gacangaaac	tggagtata	480
ggaggggcagc	tnaagccaca	gaatccaggc	cancttanga	gcccaggaaa	atgcatttct	540
ttccacaaaa	gcccttggaa	ggcccccaanc	cctgttctcc	acccttggac	tnggcttcaa	600
tgaggcttaa	tttttataaa	ttcntggctt	gatttttagaa	ctcntaaggg	gaaataaaatt	660
ttgtgttngn	tttaantcan	aaaataaaatn	aattaaaaaa	aacttgaanc	ctttanaaac	720
tntantggaa	ttcntattan	cttaaanccn	aancttggat	taaaggatnc	atttgtttna	780
anttttggga	cnaaccccca	antnt				806

<210> 634

<211> 775

<212> DNA

<213> Homo sapiens

WO 99/33982

PCT/US98/27610

<400> 634

ngggacttcg	cctnacgaac	cgctnngaaa	tcccntntnt	gnaggatccc	atcgattcga	60
attcggcacg	agtataaact	ttattttatt	ctcttctggg	tttgtgttac	atgacaagaa	120
attgaattaa	nncaatanaa	ttttagtctg	gggtgcttag	gtttttactg	ctccattctt	180
tgcttttact	aatttatcca	agattagatg	tgattactat	ttaataataa	tttagtcttc	240
acacttacaa	accacttaca	ataccagcat	gcttctatca	ctgtaattct	attcaattct	300
caggcccatg	aggcatgcca	gccagacgac	cagacagcat	ttatagagtg	ggcactcaat	360
accagccaca	aaagatcctg	tgtcagaagg	ggaaacaggc	ttggaggctt	ggagtatgtc	420
gtgatagcct	cctccagtc	cacacaactg	gtactgctgg	ggctgaaact	agaactcang	480
cctatgcctc	tcaagctcaa	gggtcggatg	tccatgtntc	tcgctcttag	aactatannn	540
gagtcgnaat	tacgtagatc	caagacatgg	gtaagataca	tnggatgagt	tnggaccaac	600
ccaccaacct	aagaatgcan	tggaaaaaaa	tgcttaattt	ggtgaaaaat	ttgtgatggc	660
tattnngctt	aaatttngnn	aaccatttna	taaagnctng	cnantaaan	aaagggttaa	720
ccaacccaac	caattggcaa	ttccatttca	anggtttcaa	gggtccaang	ggggg	775

<210> 635

<211> 784

<212> DNA

<213> Homo sapiens

<400> 635

ttgagngtcc	tnctttnacc	ctttcnaatn	gcttggcnac	tcgctctntn	tnnaggcatc	60
ccatcgattc	gaattcggca	cgagatatag	ctctggagggt	caggacatag	gagatattga	120
ttcaggactt	gccagagtat	ggctctgggg	tgtgccctga	tattacaaac	agggatctta	180
gtggctaggt	gatgaggcca	tggcaaatgt	agatggacca	agatcaattt	gcctttctag	240
atgaggtttt	ctaggtgaaa	tgtttttgaa	actattttgt	agcctagtat	aatttataaa	300
agtagagaga	aactataaat	ataaatgttg	aangggttag	ctaaaaggag	aaaacagcan	360
aatcttcata	tatatanaaa	tggatattaa	tttgctagaa	ttaanagact	gcaggtaaag	420
atagnntttt	ttaatacctc	tttttgctgt	anaaaggaca	ggattaaatg	atnaagggat	480
gctggaatga	ggaatggtaa	ctttaggcaa	gatagtcttc	tgngacggct	gatatgaaca	540
atngagagta	anacatttnn	aatacaanaa	attgtcctgc	tgctcaccca	tcaagccttt	600
tcangtttct	tccttgcca	aaantngtaa	naactnttgg	tacttttnna	ncttgatnn	660
ttcngtttna	ttggttanaa	ccccttcgat	naanaanncc	atantttnaa	tttgggnttg	720
accccnagg	ttaaaanttn	cnnttntctc	aatttcccct	tttcaaagnt	ttaacntaat	780
taan						784

<210> 636

<211> 765

<212> DNA

<213> Homo sapiens

<400> 636

ttnnannctt	tcnaatnctt	ggcnactcgt	tctttctgca	ggatcccatc	gattcgtcct	60
gcgcaggagc	cgcagggccg	taggcagcca	tggcgcccag	ccggaatggc	atggtcttga	120
agccccactt	ccacaaggac	tggcagcggc	gcgtggccac	gtggttcaac	cagccggccc	180
ggaagatccg	cagacgtaag	gcccggcaag	ccaaggcgcg	ccgcatcgct	ccgcgccccg	240
cgctcgggtcc	catccggccc	atcgtgcgct	gccccacggg	tcggtaccac	acgaaggtgc	300
gcgcggcgcg	cggttcagc	ctggaggagc	tcagggtggc	cggcattcac	aagaaggtgg	360
cccggaacct	cggcatttct	gtggatccga	ggaggcngga	acaagtccac	ggagtccctg	420
caggccaacg	tgcagnggct	tgaaggagta	ccgctccaaa	ctcatcctct	tcccaggaag	480
ccctcngccc	ccaagaaggg	aagacaagtt	cttgctgaan	gaacttgaaa	cttggccccc	540

WO 99/33982

PCT/US98/27610

```

ccaactgaac cgggacccgg tcatgcccggt tcnnggaaan gtctattata aaggagaaag      600
cttcgagtgca tcanttgang gaanaagaag aatttcacaaa gccttcgctt atnttcngta      660
ttngcccggtg ccaaacnccc cngcttttttn ggcttaccgg ccaaaaagaa gccaanngan      720
gcccnnaana cagggatntt gaaaaagaaa naatnaaacc ctcn      765

```

<210> 637

<211> 853

<212> DNA

<213> Homo sapiens

<400> 637

```

ttttggancc nttctttgan nctttctaatt gctgggntac tcgntctctc tgcaggntcc      60
catcgattcg aattcggcnc gaggatcagc ccacctcggc ctcncaaagt gctgggatta      120
caggcggtgag ccaccttgcc cagcccacat catacagttt gaaatgaaac tttgccacaa      180
ccagcctttg ctgtagcaca cacatatatc actgaacctg tttgaaataa agtttttttt      240
ctttntoctc tggattctg ggttctgaag tctgggtattc tggattctg gttcaaaag      300
tatgacttga gagtgttget ctgggtattct gagagttgct ctgtattctg ggttctgaag      360
attatttgaa aaataactcc tactacattg aaatgcagac ttaaaaaattt aaacattgga      420
ttangcagtc aaaaaaacca agcaagcata aaaggtcaat aagttgtaat cttgatagta      480
aaggtggaaa acttattata aatggnaang aaagttttat ttcttttttt gtttgaatgg      540
gcaagtatgc catattatac ccaaaagttc ttttaaaaaa atatttccca ttcaacccat      600
ttttaattna aaattaaaac cattttgnaa gggaaanttt acccaanggc aanccttttt      660
tttctcccaa aaaggttnac cntgttnatc cttcttttttn ggnaaattta nccaccaatt      720
tttttaaagg ngggncaatg gggnttaaaa ntanccctgn aagmnatttt ttnanccttc      780
caggtttaaa antccccttg gatngggtct taacctgggn gggtngnata naaaaaata      840
natcctnttt anc      853

```

<210> 638

<211> 740

<212> DNA

<213> Homo sapiens

<400> 638

```

anttgntctt tntgcaggat cccatcgatt cgcagcaaag actttatttt tgtacagaag      60
atgggtgaagt ccaagacggt ggctcagtgc gtggagtact actacacgtg gaaaaagatc      120
atgcggctgg ggcggaaaca ccggacacgc ctggcagaaa tcatcgacga ttgtgtgaca      180
agtgaagaag aagaagagtt agaggaggag gaggaggagg acccggaaga agataggaaa      240
tccacaaaag aagaaggagag tgaggtgccg aagtcctcgg agccaccacc cgtccccgtc      300
ctggctccca cggagggggc gcccctgcag gccctggggc agccctcagg ctccctcacc      360
tgtgaaatgc ccaactgtgg ggcgtgtgtc agctcccgac aggcactgaa tggccatgcc      420
cgcacccacg ggggcaccaa ccaggtgacc aaggcccagag gtgccatccc ctctgggaag      480
cagaagcctg gtggcaccca gagtgggtac tgttcggtaa agagctcacc ctctcacagc      540
accaccagcg gcgagacaga ccccaccacc atcttccctg caaggagtgt ggcaaagtct      600
tcttcaagat caaaagccga aatgcacaca tgaaaactta cangcagcan gaggaacaac      660
agangcaaaa aggccttaaaa aggcggtttt tcagctgaaa tggcaccnnc aattganagg      720
actacngggc cccgtggggg      740

```

<210> 639

<211> 774

<212> DNA

<213> Homo sapiens

WO 99/33982

PCT/US98/27610

<400> 639

ttttnnctnt	taatcaatcc	tttgttgact	ccttggctac	ttgttctttt	tgcaggatcc	60
catcgatnch	aattcggcac	gangtgatgn	cagattgnna	ntnactaaa	ctgggcannn	120
catcaggatc	acctgtgggc	cttcannaat	cananatnca	ccccaggcc	atgccctnga	180
cccagtgac	caggacaaga	aatccacccc	aggcctctcc	cnagaccac	tnnaccagna	240
caagaaatcc	acccccangc	cangcccnt	acnactgcc	ctangatntn	nnnggtgtnaa	300
ccnggtggtg	ctttgtaaaag	acgtgcangt	ggtaacccca	cggcgnchcn	ctcnnnacnt	360
tggacacatg	atcatccacg	tgtctgtgat	ttgnttcctc	ggnttnnttt	gtgaatngaa	420
aataantgtn	ncgtttgact	agggtttaag	agcagcaggc	agnccctcag	ctcagcaagc	480
ngccctctca	gctcagcang	cagcccaagt	ctcctgtang	acttctatgg	accatnctgg	540
cgggaatgaa	gaaactggtc	aagctggatt	cgggactgaa	agtgtaccnt	ggtgacaccg	600
tatgactnan	ctgactnana	aagatcactn	atctttccac	acttgnnngg	naggagccnn	660
tannangttc	aatatgcnnt	ggtngantcc	catngctaca	atttcatgga	cacantttga	720
ttacttnnga	taannnaggc	ccttggaggc	ccctntccc	cttttaacng	gaat	774

<210> 640

<211> 743

<212> DNA

<213> Homo sapiens

<400> 640

ctnnnccctc	ttgatccntt	cctnctttga	anncatnngc	tacttgttct	ttttgcagga	60
tcccatcgat	tcgaattcgg	cacgaggctg	acctacatca	gaagctgctg	gatgcagnaa	120
agtgaaaaca	gacaaaaaca	acacngggcg	aatcttnaca	ccattntggg	tgccnnatnt	180
nncennngat	atttgcttgc	tnagctctac	tcctccaaga	nannangnnt	caaacnctnc	240
agcangntag	agcanntnaa	gaccgcntnt	nctnacctnc	tnaagannct	ctgngaggan	300
cgcaatcctt	tngtggana	tagaatcaac	agaccacact	gcnetctgga	ccatgngctc	360
tcaaangngc	tagaagggtc	tgaccttttn	agactcttgc	agaagaggcg	angtggtgng	420
anaccctnna	ggaanacttt	cccgaactag	accnncnctt	ncngaacnng	ntcaactgtt	480
ggggnnngaa	ncntgtgann	tgtngncctt	cngagagacg	gcataattcta	tgatggcnga	540
cttnatnctt	ctgcggaacc	anactngacn	tactgaaaga	aanctganac	caagcgtctt	600
ccttaaggac	ccttatatcc	agacnatect	ttggataata	ccnctnggcc	aaaacctnnt	660
aactntgcat	acaatcngga	tggcaacatt	tgaactggng	gccttnanna	ccnttaccgg	720
cttttcncat	tatgnaagag	ntn				743

<210> 641

<211> 740

<212> DNA

<213> Homo sapiens

<400> 641

ctttcctttg	antcttcttc	tannaaacgt	tngaacgaan	tcngcacgag	accactaaca	60
gcattctactt	gactactgat	actttgatca	tggagtttgg	gcattgccact	tgatagaaat	120
ttgaagagca	atttatattt	tcaaaaagag	ttttgaataa	tgtaagata	gattgcaaca	180
tgactatcaa	ttcttccctt	cccatcaaag	gagagagtcc	gtttatccag	cctttgaatc	240
ttgattattc	aagtgacttg	cttcacccaa	tgtaacatta	ataagcaca	tacaagcaga	300
ggcttgccaa	gaacttggtt	tgtttcta	gcttagaaga	agaatggtgt	atgccatatt	360
ttgcatatta	gaactcacgt	ggagacatgt	gtggcccaat	tgctcctctt	tcattctcagg	420
caataaccag	acacgggact	gaggccatcc	atgaccagcc	agccctagtc	aacacacaac	480
acacaagctg	atcacagatg	catgagtaag	cctaactgag	accagccaag	accagcctag	540
aatagaactg	ctcagcagca	ataaaaacta	aataaattgt	taccttaagc	tactttttaga	600

WO 99/33982

PCT/US98/27610

```

gctattttgga agtgtatttt tgtgcagcta acattttacta tcagataaaa tgggtgattgn      660
ttatctctgn  tttaatgatg nttaaggaa atggttctat taaaaggaaa tatctggggc      720
ttgtcaccg  ttaaaaaaat                                     740

```

```

<210> 642
<211> 737
<212> DNA
<213> Homo sapiens

```

```

<400> 642
tancctttga nncctttctn ncntgncntn nnnгнаacga cctcggcacg aggacacccc      60
agatgcagcc accaccagca gaagcgatca nctgacccca caaggttttc gtggctgtgg      120
ccgtgggctc aggtggcagc tatggagccg aggatgaggt ggaggaggag agtgacaagg      180
ccgcgctcct gcaggagcag cagcagcagc agcagccggg attctggacc ttcagctact      240
atcagagctt ctttgacgtg gacacctcac aggtcctgga ccggatcaaa ggctcactgc      300
tgcccgggcc tgccacaaac tttgtgcggc accatctgcg gaatcggccg gatctgtatg      360
gcccccttctg gatctgtgcc acgttggcct ttgtcctggc cgtcactggc aacctgacgc      420
tgggtgctggc ccagaggagg gacccctcca tccactacag cccccagttc cacaagggtga      480
ccgtggcagg catcagcatc tactgctatg cgtggctggg gcccctggcc ctgtggggct      540
tctgcggtgg cgcaagggtg ttcaggagcg catggggccc tacaccttcc tggagactgt      600
gtgcacttac ngntacttcc tctttgcttc atccccatgg tggctctgtg gctcatccct      660
gtgccttggc ttgaatggct ttttggggcc tggncctggg ctgttaaacc gccgggctgg      720
natttaacct ntngcn                                     737

```

```

<210> 643
<211> 748
<212> DNA
<213> Homo sapiens

```

```

<400> 643
cttttaaccn tttgancnt cccnnaaac cttngatncc anttcggcac gaggaaggca      60
gaagtgtaaa tgaacataca nttaaggag aaagcctgct gtgtttnnct tgttcagcag      120
ggtattatga attagcacia gtattgcttg ctatgcctgc taatgttgaa gatcgaggga      180
ataaaggaga cataactccc ctgatggcag cttccagtgg aggttactta gatattgtga      240
aattattact tcttcatgat gctgatgtca actcccagtc tgcaacagga aacctgcgc      300
taacttatgc atgtgctgga ggatttgtat gacattgtta aagtgtcctc taatgaagg      360
gcaaatatag aagatcataa tgaaaatgga catactccct taatggaagc agccagngca      420
ggtcatgtgg aagttgcaag agttctttta gatcatggng caagcatcan cactcattct      480
aatgaattca aagaaangtg ctctaact ngcttgctac aaangccatt tggatatggg      540
gcgctttcta cntgaagctg gtgcagatca agagcncaaa acagatgana tgcacactgc      600
cttaatggan gcctgcatgg atnggacatg tanagggtggc acgtttgctt tttggatant      660
nggtgctcan gtgaacatgc ctgcataatc atnttgaatc tccattgacg ctactgcct      720
gtgganggac atgttgaaat tgcngcct                                     748

```

```

<210> 644
<211> 759
<212> DNA
<213> Homo sapiens

```

```

<400> 644
tcnnncnctt ttcgatcttt tgagncttgc ctttgaaccc cttggntacg anttcggcac      60

```

WO 99/33982

PCT/US98/27610

gaggggaacca	tgananccna	gagctagaat	tgctattgga	tnnctcttat	tctctntttg	120
cttattgggn	cgngntnctg	ggttnctggc	ctcangggtn	nncccgaang	anggggtatc	180
tnngagcnan	ttntgcnttt	tacnggctag	cttgntgggg	gcttaanntg	ccactnttan	240
acatgctnta	ctantcantg	agannntncn	ntcgaccatn	tannacnatn	ctgtgnnttc	300
cngtacnctn	tggecgngatg	gagctattag	cttcaanatg	nntcgngantg	ttacatgcan	360
ncactgannt	nactatccan	natntaagtn	ctcttngctt	actgtgaaca	nnngctactn	420
ncttggatat	tatagnaagg	ntcnttgata	cncgatnate	ntnctgtca	gatcnataaa	480
tancantat	accnactgtn	naaatnccat	ctggnggnet	tncnatccan	acataattgc	540
attannnctg	cnaattgnga	tanagtnttg	aaagantctn	ggtttagacn	ttggatgttg	600
caatgnttgt	gncttanaaa	ttatgtgctg	gctactgant	aanctggggg	catgacntta	660
ctggnttgac	ctaagngng	aantcnatgg	tccgattgct	ggnccttanc	cttaagnttt	720
gccatgaata	ggncnttttg	cctaaaataa	naccctttt			759

<210> 645

<211> 766

<212> DNA

<213> Homo sapiens

<400> 645

tnnnnnnnntt	tcaatntttt	ancgtccctt	aggatccntc	gattcgatcc	agatgggata	60
cctctaaaca	cgaaaagaaa	gaagattcca	ttantgaatt	tttaagtttg	gtttnatcaa	120
aagccgagcc	acctangcaa	cagtccaccc	ccttagtaaa	caaagaggaa	nagcatgcac	180
cagaatcatc	cgcaaataag	acagtcaaca	aagatgtgga	cgcacaggct	gaangagaag	240
gganccgcca	tccatggact	tattcatggc	catctttgcc	agttcctcat	atgaaaagtc	300
ctnatcctgc	gangatganc	acggtgacag	tnaanatgat	caggcacgct	ctggngagga	360
caacttccaa	agctggnaag	acactgactt	ggnggaaaca	tcctctgtgg	ctcacgctnt	420
tgtgccagng	ccctaggagc	cgtcaccttc	cttcccgaata	caaangatgc	agatagatna	480
naganaagag	ntcgcccnng	ngctgcctcc	cgtcttatgt	nccaatgctc	gtcagacact	540
tgaagttnct	canaaagaga	aacattccaa	gaacaaagac	nagcacaang	gcaatanaga	600
acacagccn	gaaagaattg	anangaaatt	ggaaacactn	gaagcacnaa	acacctaang	660
naatccaaaa	naattggcaa	accaggggaa	aagtaggtnc	ctncnggaag	tttcgacagc	720
cngcggacaa	gccanaattg	acnatgaaac	cgcatacgtg	tcttnc		766

<210> 646

<211> 752

<212> DNA

<213> Homo sapiens

<400> 646

tnnnnnnnntt	tttatectnt	natncttnct	ctttggatcc	atcgattcgc	tccaaggaaa	60
atccacctcg	cagcttgtaa	atctacagcc	tgattacatc	aaccccagag	ccgtgcagct	120
gggtccctt	ctcgtccgcg	gcctcaccac	tctggtttta	gtcaacagcg	catgtggctt	180
cccttggaag	acgagtgatt	tcatgccttg	gaatgtattt	gacgggaagc	tttttcatca	240
gaagtacttg	caatctgaaa	agggttatgc	tgtggagggt	cttttagaac	aaaatagatc	300
tcggctcacc	aaattccaca	acctgaaggc	agtcgtctgc	aaggcctgca	tgaaggagaa	360
cagacgcac	actggccgag	cccactgggg	ctcacaccac	gcagggagggt	ggggaagaca	420
gggtccagc	taccacagga	cgggctctgg	gtatagccgt	tccagtcagg	gacagccgtg	480
gagagaccag	ggaccaggaa	gcagacagta	tgagcatgac	cagtggagaa	ggtactagtc	540
aaccttcaga	aagagtatgg	agagaaaaag	aggcacacct	ggacgcagag	ccctgccagc	600
gcctctctg	ctgttgacgc	tgcaaggaga	ccatgcctgt	gggagccagg	cctcgcttgc	660
atgaanaagg	aacgatgcct	ttttcaatgg	tgtcttctct	ccattgtgca	naanaacctt	720

WO 99/33982

PCT/US98/27610

ttggtggctt ctcttccgac ttgtgectga tt 752

<210> 647

<211> 743

<212> DNA

<213> Homo sapiens

<400> 647

ttaatccttt	caattcggtc	ntctttggat	ccatcgatcc	gaattcggca	cgagccctcc	60
ccggcttccc	ccggagtggg	tcaccacact	gttttttacc	atcatgggaa	tcatttcatt	120
gactgtcaca	tgtggtttgc	tgggtggctc	ccactggcga	agagaagcta	caaaatatgc	180
tcgattggata	gcattcactg	gaaccactat	gagaagatta	taggaaaaac	acaaagacta	240
gaggactctg	ggttcctttt	atgcaaagtc	aactcttctg	ggtcacagtt	acccagcaac	300
aaaaataaag	agaggaccag	gacgatgcc	gcaccccggt	tatcctgagt	gaactctccg	360
gaggectctt	caagcttgtg	ggttctctgc	tgtcttgaag	ccatccatcc	atttgatagg	420
ttttgcaaag	acttggtcct	gccaaagatg	ttttaatcat	ttctgctaaa	aggaatggac	480
tcgaggattt	gatctcattt	tagatgcagt	tgtcctcact	tggccatttt	acagcacttt	540
agtaaataatg	gccagtgtat	ttggtcacta	ttaaataaat	ccccattcat	tatctgtcan	600
ggcaactcag	tgaactaaat	actatgttct	gacctctggc	actctttctc	atgttggtta	660
aatatttaat	attgnctaag	gcaattcaag	tatttttctt	aaataaaaaa	tatgaaaact	720
caaaaaaaaa	aaaaaaaaan	ana				743

<210> 648

<211> 759

<212> DNA

<213> Homo sapiens

<400> 648

ttttaatccc	tttcatttcn	ttccttngta	ggatcccatc	gattcgtttt	tttttttttt	60
ggtgattgga	ttaacaattt	tattctgnnt	ccactacaaa	ngggctggtg	ttttgttcca	120
aatgttttagc	tgggagggct	gtagggaccc	ctgttacccc	cattaaacac	agtaaagcat	180
ggatccagtc	agcccccctgc	tggcaggtgt	gggcctggca	actacacaga	tccaacccca	240
ccctcctggg	tgcggccaga	ggccaaggca	gtcgcccgag	ctcctgaatc	ccaagaatgg	300
ttctggcaag	tactgctgtt	tgtttgtagg	ggcaaagagt	taaaataaaa	cgaggttctg	360
ccatggctaa	gccttgtgga	aaccagaccc	caaagccctt	gccatgccan	gggtctcaac	420
nccagacgct	tgttatggag	gcaccancng	gtantggccc	ctgtaagcan	ggccagagtc	480
gggacaaaaga	gcaagantga	aacanccaag	agacanagga	ccatgctgga	ccattgggca	540
cncangaacc	tgcctgggaa	aaaccggggg	gcaangetgg	catgggaatg	aacacctgct	600
tgntgacacc	tatntgagct	tcanttnect	taacttgaaa	aattgaacan	gcccggtncg	660
gtggctcata	ccctgtaatc	ccanactttt	tgggangett	tangccgntt	ggatcattga	720
ngttagggaag	attaaagaac	cancctgggc	cnacattgg			759

<210> 649

<211> 746

<212> DNA

<213> Homo sapiens

<400> 649

tnancctttg	aatccttgaa	ngnngatccc	tcgattcgcc	ggaacctcat	ccagtgccac	60
ccatcttgac	accttctccc	tcttcagctt	ttccaacagt	cactactgtg	tggcaggaca	120
atgatagata	ccatccaaag	ccagtgttgc	atatggtttc	atcagaacaa	cattcagcag	180

WO 99/33982

PCT/US98/27610

acctcaacag	aaactatagt	aatcaacag	aacttccagg	gaaaaatgaa	tcaacaattg	240
aacagataga	taaaaaattg	gaacgaaatt	taagttttga	gattaagaag	gtccctctcc	300
aagagggacc	aaaaagtttt	gatgggaaca	cacttttgaa	taggggacat	gcaattaaaa	360
ttaaatctgc	ttcaccttgt	atagctgata	aatctcttaa	gccacaggaa	ttaagttcag	420
atctaaatgt	cggtgatact	tcccagaatt	cttggtgga	ctgcagtgt	acacaatcaa	480
acaaagtttc	agttactcca	ccagaagaat	cccagaattc	agacacacct	tcaaggccag	540
accgcttgcc	tcttgatgag	aaaggacatg	taacgtggca	tttcatggac	ctgaaaatcc	600
atacccatatc	ctgattttatc	tgaangcaat	tcctcagatt	tcaactatca	aaactagggg	660
aaactgngag	tttaacacca	agtnctacaa	cacaaggttg	gaaacacctg	aacttgngng	720
atcatgatatac	cacttnacca	ctccnt				746

<210> 650

<211> 789

<212> DNA

<213> Homo sapiens

<400> 650

tgaccctttt	gaaantcctt	gcatntttca	naccttttgg	tacnnncant	ttnnngtgg	60
tcctctgctt	gctgnacaaa	agatgttttt	caattaaaag	acttgagaa	nnttgctccc	120
aaagagaaan	gcattactgn	tgtgtcagtn	aaaggaancc	ttcaaagctt	tattngatga	180
tgggtttggt	tggactgtga	gaggatcgga	acttctaatt	attattgggc	ttttccaagt	240
naagctcttc	atgcaagggg	aacataagtt	ggaggttctg	gaatctcagt	tgtctgaagg	300
gaagtcaaaa	gcatgcaagc	ctacagaaaa	gcattgagaa	agctaaaatt	ggcccgatgt	360
gaaacggaag	agcgaaccag	gctagcaaaa	gagctttctt	cacttcgaga	ccaaagggaa	420
cagctaaagg	cagaaagtag	anaaatatac	agactgtgat	ccgcaagttg	tggagaaat	480
ccccagcaa	attaagtagc	caaaaagaagc	tgctaacagg	atggactgat	taccatattc	540
gcaataaaat	cttgggccaa	aagaaaat	gggttttgaa	agaaaataaa	aattgatnng	600
aacttttttg	aattccagaa	gactttgact	acatagactt	aaaatattcc	atggttggtg	660
aaaggatgta	ccaagctttg	tgaaatattg	taaattttta	aacctattat	ctactaaagt	720
ngtactggaa	ttgtccnttt	gcctgttnac	ttngngtnta	ntcatttnta	tttaatgntn	780
aaattaang						789

<210> 651

<211> 757

<212> DNA

<213> Homo sapiens

<400> 651

tnnnnnctaa	ncctttgaaa	tcgtccntgc	atgatccctc	gattcgaatt	cggcacgagc	60
agatattttac	tgaaggaatc	taggttggtt	tttcagtgg	caatgggaat	aanncatttc	120
taaagcaccg	actggagagg	aaggcaacag	agacaaggag	agaagccgag	agacatgtct	180
gcgtgctgcc	acgcactctga	gcgattgtct	tgtgaagagt	tgtacactga	acattttcag	240
gggaggctgt	ttacccaggc	aatgtcctca	aacaagcctg	tgccggggtg	tcctggaatc	300
tgtgccagga	ctgtgttttt	agcccttcac	ctctcagctt	tagcaggaca	tgaaccagtt	360
ataacaagat	ggccctgcag	ctggttacag	gaatgtgaca	tggcaggatc	tatggaacca	420
aatggaaggt	tttnaggtga	tgtaggtctt	tcacagttag	ctttggggaa	tacagaatac	480
tcaaataaag	tgctttgtta	ttatttcaga	gggaatggcg	attgaaatgt	tacaacagag	540
atttcttggt	ggtagctatt	tgggtaaang	tatatggata	ttntctgt	catgtgaaat	600
tatntaaaat	aaaagttata	taaattacat	tgacaaaaaa	aanangtana	aaaaaaactc	660
gaacctttaa	aaactatngt	ggagtcctga	ttacgttaga	tccagacctt	gataaganac	720
cattgatgaa	ttttggacaa	acccactng	aatgcnn			757

WO 99/33982

PCT/US98/27610

<210> 652
 <211> 759
 <212> DNA
 <213> Homo sapiens

<400> 652
 tcnnncccttt aatgctttga actcgttgca ctgcangatc catcgattcg aattcggcac 60
 gaggetgncc aggcagttnn atggcctnct ggttgtgtgc cttcacaccc gcctacagcc 120
 ccacctcacc atcaagcgct gagccaatgc ggntgtggct ggccctgagt tectgagtca 180
 gctccttgcc agggccagag ctggtnacag cggggcanca nggtgggtag cctctaccag 240
 ncagggcagt ccttgagggg ccagcanggg ggctgactgc ctagtggctn aacctactga 300
 acccaccac tccagcgat gctacccaga accccaacgg cntgaatcct gcacantgcc 360
 gggcattgcc agatcnaaa gggctcgtcg tggggacagc cccgtcatgg ccacanactc 420
 tgtcctcacc tttgattgtc aggatgacag nccccaccac catgatgagc gtctgcaggg 480
 cgtccgtgta gattacagca gccaggcccc ctgccaatgg aagcaagggt gctggaaggg 540
 gccctggtcc agggaggaag gacaccggga ggaacttctg ggcttctgct ggggccactt 600
 cctgggctgn tncctnggnc tgtatgggga agtggccttn tgacccttt acacgttccc 660
 tgggtggacc ttcctgntt gcangacccc ataccttgcg atggtgtnc a nggctnttga 720
 tgcccnaaac tttaggattg ttggatangt nnaatctnc 759

<210> 653
 <211> 820
 <212> DNA
 <213> Homo sapiens

<400> 653
 tgcaatcccn cngnnaatcg ctttgaaanc ncctncctg tatgatccca tcgattcgca 60
 acagtccagg ctctgcagac agcatccac ctgtcccagn tngctgacct gaggagcatc 120
 gtggnggaga ttgaggacct tgtngctcgc ctggatgaac tcgngggcnt gtatctccag 180
 ncanaanaan gacngcatac aacagaccat tangangntg tcatctacan tntnanngat 240
 catntgngna cngacccatc cattaatgag gatcanggcn tccanctgat gaacgctgat 300
 cttctgcaan aagaacgttc tagntctanc nnanngcent cancctncgn ctcttgagct 360
 cagtngtca ngetcntaan atcttnnec ntgccaanct gtngngnctg ccttnagnct 420
 tccggatagg caetntnatn ngaentgccc tatanttgcc ngcngnnant naaccaantg 480
 naccatngtc actctgttga catcanggcn atntgnntaa actaatnnet tngcngcact 540
 ctagtnnngc ttgncactgc ccnognnnnc tancntacca nttcncattn cccntttaat 600
 gggnaaagan atnatcccta cnatcatatt ncccntnnaa tggattcgag ncnnaantct 660
 tnmntantna tctnaancct aaatgntcac atnnaaactt tanangncat cnnnnatgna 720
 accnanchat ggctaaangg cctcattaan gccngntttt tcaaacttga aaantgcatn 780
 ccnccattga naaagganta cacgggcccc cntgngnggg 820

<210> 654
 <211> 768
 <212> DNA
 <213> Homo sapiens

<400> 654
 tttnncccn ttttgtncct nttgattcnc ttgctaentn ttcaaactng tnggatccca 60
 tcgattcgcc acattttaagt gagatatggg aaggaggagc agattgtttt tgaaggagg 120
 aagagcagtt acttagggtc aaattaagtt gtaaaatccc cccgggatt ttgtatgtaa 180
 gtcaaagtga attgtatttg gaagaagaac tggggagccc acctctggta ttttttttat 240

WO 99/33982

PCT/US98/27610

```

gtccctcata tggacaaata aacctctggt attaaatgaa ttttcttttg ggggattcta 300
tatattcggg atttcaacca ccaacctatc tggtttttcc cgctgaaatg ttgggtgatg 360
gaatcaggag agcagatttg gagactcttt atattttata attgagagag acaaagagaa 420
aaccgtttga tttgaaaaag ttttctaggt tccctcaggt agatggaaat tttcatcaaa 480
aacagtttat tcaaggtaca tagcctacta gtttcccatt tgagagtacc gcagaatgat 540
acgacgtgta ctgcttctct acgcagaatg aagtataaaa ttagcaccna atagtacttt 600
aatttgcaagg tgctaaactt tttacatgct tnatctcatt taattcttag aagaaactaa 660
ttttaccaag taaantgtct ggaccaacca tntgcaggtc caaaannctg gaaaaaccgt 720
nagggttgga ctectacata gcctnttttn taagtnnct nntaaatn 768

```

<210> 655

<211> 752

<212> DNA

<213> Homo sapiens

<400> 655

```

tntnccnttt gatccttgca ctannaaatc cgtggatccc tcgattcgaa ttcggcacga 60
gggtaaacct atttatataa tagaaggatg attataaaca tttataaat tatatcaaat 120
agatattata tattaaatgg gcagataata gaaatctgtc caagcaaac tctggataat 180
ttttatgttg ccttatTTTT tgttttctgt gaactccaag aaaaatgaga taccagtttg 240
gaacagatgt aatattgctg atttaacagt ttagggatac tccccaagtt caataatTTT 300
gccaagatac aaattttaa atggaaccttt atgaagcttc atagtgtgtg aagaacttac 360
cttgtttata tgtttgaaga catacatatt tcacatttca gaagagtcta tacatagctc 420
accaaataatc aaaaccacct tgtagaaaa catlaaggtc tgtcttattt atttgttcat 480
ttgnntatga gacacantct cactctgtaa tctcactctg ttgtagagggt tgagtgcagt 540
ggcacgatca cggctcactg caacctncat ctccctgact caaggaatcc ttccacctca 600
gccttccaag tagcanggac caccaggtgc accccactat gccagctta attttttgna 660
ttttattgga cagattgggg ttttgcccat gttattcagg ctggatcctt nnggcctcaa 720
actcctgggg cttcaagcca atctggcctg cc 752

```

<210> 656

<211> 754

<212> DNA

<213> Homo sapiens

<400> 656

```

ttttcctttt natcttgcct nanaancnt ggatccctcg attcgagag gctggttcag 60
aaaaggagga agaggcccgg ctggcagccc tggaagagca gangatggag gggaagaagc 120
ccaggggtgat ggcaggcacc ttgaagctgg aggataagca gcggctggcc cangaggagg 180
agagtgagga caagcgctg gccattatga tgatgaagaa gcgggagaag tacctgtacc 240
agaagatcat gtttggaan aggcgaaaaa tccgagaggc caacaagctg gcngagaagc 300
ggaaagccca cgatgaggcg gtgaggtctg agaagaaggc caagaaggca aggccggagt 360
gagtgcctgc ggccctcac agggctgang ccagcccta tcagctggat gtggcagagg 420
catgccanag gacctaatg tgatggacca gantcacttc tntcctcct tctncaacca 480
gccctgacct ctcatgctct ctggctgggc cantgggcaa ccctcgcttc cttggatgga 540
ctgctgctg gtgcctgggc agagaanagc ctnttttccc agnctgattc tntgctccca 600
ggaaccaatt gacctnaag gtgcaaaagc cnanccaatc cccttacnta ctggcccca 660
ttnatcctg gctttttcan aagcccccnt gccaaacann ttgggacccc ctgattnttt 720
aagggtgcct tttnatnggg gttaaagggt aant 754

```

<210> 657

WO 99/33982

PCT/US98/27610

<211> 734

<212> DNA

<213> Homo sapiens

<400> 657

tntgttcenc	natgaacgnt	ngaancnnna	tnccnttggga	tcccacgat	tcgctgcggc	60
cgcaggagct	gtggcggttt	tcctaatect	gcgnttatgg	gtagtgcctc	nttccatgga	120
cgttacgccc	cgggagtcct	tcagtatctt	ggtagtggtc	gggtccggtg	ggcataccac	180
tgagatcctg	aggetgcttg	ggagcttgtc	caatgcctac	tcacctagac	attatgtcat	240
tgctgacact	gatgaaatga	ntgccantna	aatnaantcn	tnngaactan	ancgagctga	300
ttganaccct	agtaacatgt	ataccaaata	ctacattcac	cgaattccaa	gaagccggga	360
ggttcagcag	tccctggncct	ncaccgnttt	caccaccttg	cactccatgt	ggctctcctt	420
tnccctaatt	cacagggnga	agccngattt	ggtgatngt	tacngaccac	gaacatgtgt	480
tcctatctgn	gtatctgncc	ttatccantg	ggatactagg	aataaagaaa	gtgatcattg	540
ntactttcaa	agcatctgcc	gggttgaaac	gatntncatg	tccnnaaaga	tttgttgatn	600
tgcagctnct	cantgctann	gtcggttttg	aanaaagttt	nccaaattnnn	tgtaccttgg	660
gccaattnnt	ngacaantng	aactgacttg	tnagaatctt	gcagntaacn	gtcttgtntc	720
ntccaattng	ggng					734

<210> 658

<211> 783

<212> DNA

<213> Homo sapiens

<400> 658

ttctcctgaa	acgcttngca	cttccctcnc	tgcaggatcc	catcgattcg	aattcggcac	60
gagacatgt	cccactccat	cacccaggct	ggagtccagt	ggtgtgatca	tagctcgtg	120
catcctccag	ttcctgggtt	caagccatcc	ctcctgcctc	agcctcccca	gtagctggaa	180
ctacagggtg	gtgccatcac	acctggcttt	acatttttct	gtggggtctt	actatgttgc	240
ccaggccggt	ctcaaaactcc	tgagctcaag	tgatectctg	nctcagcctc	cagagtatct	300
gggattacat	atgtcggcta	ccgtgtctgg	ccgttcacat	ctttggccac	tattngcttg	360
tgaaaaggta	tnatgagggtg	gtacttatca	tngttactgt	gtctcatgtt	nngtatattt	420
ttgcttcatc	aactaagatg	cactgtaaca	tctgtgaaat	ctggatata	tatcaaangg	480
tttatcatag	ttttgttaac	aatacactgt	cgttttactn	ggtgcctaan	ataatggtat	540
agttgngagg	tgatcttaga	tttgatgaag	cacagtatgc	aangtaggcc	taatggnggg	600
aaagaatggg	naattttcan	angcnnggaa	gtatttgnntn	ttttgtaaat	ggacttgaaa	660
agcttgttct	gnnggattgg	acccaacccc	ttcccttttn	aaaccccgaa	ttctnatnga	720
ctnttccaac	ttngaaaact	ttgctcnaac	ttaaatacct	ttnaaaaatt	aaccntgacc	780
ccg						783

<210> 659

<211> 741

<212> DNA

<213> Homo sapiens

<400> 659

tcttcctttg	tatacctgct	nttgetcttt	ntgcaggatc	cctcgattcg	ctttgagcta	60
ggataaaaaat	tgggtaaagg	acatttgctt	acctgcaa	gaatcactgt	ggaaatgtga	120
tcttcccata	tcataagaa	acttgttttc	tggatgaata	ctgggagaa	aaaatgagaa	180
ctctggagtg	agctaaattg	atcccaatta	agtttttctg	cttagcagac	agaaggata	240
atTTTTtgac	accctttccc	acctggtgcc	tatgetaggc	ttgtctgag	aacatccctc	300

WO 99/33982

PCT/US98/27610

```

agtaacttga tattcacatg acctacagga tgtcccatct gcagggctga gtcagttggg      360
gaacaccaga ggctacacag tagctcttcc tgctactcgg ttaatgagct tggcagggtc      420
tttgtctcac tgaattctta tcatggaaac agcagcagca gccgctagga aatcttcaag      480
tgtagtgtct gtgctaaccc agtggtaaat cccttagatc ccctgctggg ctctggcagt      540
ctccttgatt ttgggtacca tgtatatattt ccgctttgac tttaacgctt tctaggatag      600
ggtaagcacç ctttaattcan gcactgtcca ttagcttcct ttgcaaaagc tacttatggn      660
cggtcacaat ncaacactna nacagagcca aggcaatatc ctcttgccca tggctatgat      720
gtcagacagt ggatggctcn t                                     741

```

<210> 660

<211> 734

<212> DNA

<213> Homo sapiens

<400> 660

```

tctgnnctnt gtntccttgc tcgtgttctt ttgcaggatc cctcgattcg aattcggcac      60
gaggactgga gaagtcagaa gtagaaaagc agattgctag gagagacagg atgacagatt      120
ttggtcagaa aatgggatat tggagttaa agtatcaa acagaatagt tccagatgtt      180
cagagatcca gcatgggatt aggtactgaa atggattaga actaaaagtc actagaattt      240
agaaattgag aaccatgaga gtggatgcaa tgacttggtt cttgattgaa aaataaatta      300
ataataataa aggaccatga gactagcctg ttataggggt tatctccatg aacattgaat      360
tttcccagga tcatagcagg aattgggtag agaaaaagat tatgagaagg tgccagagtc      420
ttcagtgaat gtcaggaaat taccaggaag tcagcatatg acagagaaaa ggacagtatg      480
ttatctgcat caaaggaaaa tgtgcttttg ttgaaaagta cagaaaaagc caatactaca      540
atactgtgct aagcccctac ctgtactcct ctcccacagc tgcattccag ccctgtggta      600
taaaagggtg gagaatgagc ttttccacca gaatcagcag gtttagttaa agcatgagca      660
gaacaagcat nctatgaaga gactgaggat gtaggtgagt ggtctaaatc tcatnnaagg      720
acattgcagt ngat                                     734

```

<210> 661

<211> 762

<212> DNA

<213> Homo sapiens

<400> 661

```

ttnnnnnnct ccnaatcctc cngatnanat cnctttgnan ctncctgcag gatcccatcg      60
attcgaattc ggcacgaggt ccatacatgg agctccctgg agcccggtgtg ntntcgtgtg      120
actgaacggt ttgtgatgaa aggaggagag gctgtctgcc tttatgagga gccagtgtct      180
gaattgctga ggagatgtgg gaattgcaca cgggaaagct gtgtgggttc cttttacctt      240
tcagctgacc atgaactcct gagcccagacc aactaccact tcctgtcctc accgaaggan      300
gcctntggggc tctgcaaggc gcanatcact gccatcatct ntcagcaagg ngacntatat      360
gtnnntgacc tgnagacctc agctgacnct nccttngtan ggtnngatnt nggaagcatc      420
ccaaggngat ttagnacnnt tggantcctn atnactgata anacncnaac tatantnttt      480
tacccttggn agcccaccag caagaatgag ttggagcaat cttttcatgt gacctnctta      540
acanatatac tctgaatgaa tctacgttgt atttatcagg nggacaatgg gaataaagcn      600
ttntntaaag accnantgga catgaaagca acagacacna ggagnnaagc cttgagacat      660
gtctgnntc tgaccgcatn ttgatccant gntctgtgan gantntttca ctgaacattt      720
tcaagaggag ggtgnatacc cctggcaatn gccnaanaa ag                                     762

```

<210> 662

<211> 745

WO 99/33982

PCT/US98/27610

<212> DNA

<213> Homo sapiens

<400> 662

```

nanatccnnc nantncttnt tgttcntgtc cgnangatcc catcgattcg aattcggcac      60
gagggtttcat ttaagaagaa tgancatagat anatgtgctc ttctggttac cccaccctga    120
cagagtgcac ttttacacgg ctagcagggg ttgagactgc agcctggcct gccagccatt    180
ggaggtgttt aaggaagggc agataatgtg actctttgcg gggtgccatc tgcttaccac    240
ttagcgagca naggggggtt ctgcgggtga ccccgagcat atttctaggt tacttatggg    300
cagatttgta agtgacaaaa ctccagctga tgctgggaat ggggagaggg cccttgaggg    360
actttgtggt tttgtgcttc tggtttctct gccaacccca gggtcacttg tctggaggcc    420
cagctgggca ctaatgtctg ccaccgacta tgtaaagtgt tataaatgat tcctctattt    480
gggagagatc ttccaatcca gaggagcccn tcttgactg cctgggttaa atctgcatan    540
cagangtggt tgatgaagtt catctgaaga aattcagccc cacctnccca ccctgccntt    600
cctgctccct tttgatagtg gcttctgggt actcgggcnn gtncttggga caccancctt    660
ntctgggggt ctnaagccat ccggttgggg ctgtcgccca agcctaagtt aatcgtgtgc    720
ctntattggg aggatngctn ntccct                                     745

```

<210> 663

<211> 748

<212> DNA

<213> Homo sapiens

<400> 663

```

taatccnttt gataanaatc cttgtnccttg ctnttgance ntcgattcga attcggcacg      60
agggcaagtt tccaaagatc agtgtggagt gctacagaaa taattatagg agaggaaatc    120
ataatcacag aaggtataat gcttggttga ggctccggaa taagaactaa aaaaaaacia    180
aaaacactgg tttcatgctt acgggggtaca cactttgggt catcccgtga acacaaattt    240
taataccaaa caatccttga tgcttcacct ggggctgcca agcagtttgt aaaacagagg    300
aaaacattta gtgcagctcg tattatcctt ttccaacttt tctgtttgtg caagtttttg    360
aagattcatt ggccaaacaa tgaacaacaa aggttttctg agagaagaca aggtggactt    420
ttcattttgt tagtaaatac cagtggcact gttgaacgaa acaaatactt ttatctcagt    480
ctttcaaatc agtattaatg tctgtgtttc ctccactga cagctcttct tctagtttca    540
ctgaaaaaag ggtgttagta tttttatctt ggacactctc ttccaaatcc ttcagcagct    600
cctcttcttt atattctgcc acatcgacct ctaaaaccgga attgtccttc agtttgccgt    660
ggtgcttgag atantaccgg ctggttctga aagaacttga tgatggtgta ctttggaag    720
gtcnaactgg gcanacagag tctggatt                                     748

```

<210> 664

<211> 785

<212> DNA

<213> Homo sapiens

<400> 664

```

gtnnnnccnc nnaccctnnt gaatntaatc cttgttcttg ctgcatgac ccatcgattc      60
ggtcaagctg gccctggatg tggagatcgc cacctnccgc aagctgctgt agggcnagga    120
gtgcaggctg aatggcgaag gcatatggac aagtcaacat cnntgnagn gagtccaccg    180
ncttcagtgg ctatggcgtt gccagcgtng taggcagcng cttaggcctg ggnngnngaa    240
gcagntactc ctatggcant ngnccttgn nttggatgcn cnntagtncc agcagcggn    300
nagccactgg ggggtggcctn agctctgtng gaggcggcag ttccaccatc aagtacacca    360
ccacctcctt ctccagcatg aagagctaca ngcactgaan tgctgccgcc agctctnagt    420

```

WO 99/33982

PCT/US98/27610

```

ccccacagctt tcaggccccct ctctggcagc atagccctct cctnangttg cttgtccctnc 480
cctgncctcc antctcccct gccctaccgn gnagagctgg gatgccctca ctttntnctc 540
atnaataacct gtttctactga actcctgttg cttaccatca tgtcncagtt atcagcactn 600
aaancatgct aatgnccttt tataagnccc ngtattttatt acaagnatct tgaantctgc 660
cattaaattc ttgaggaang aaaatgacct attatccccc ataaagaacc tgaaacttca 720
agnctaangt ccagcntnc aacanggaag gagntccntt ttttnnattn gctaaaccan 780
tcctc 785

```

<210> 665

<211> 763

<212> DNA

<213> Homo sapiens

<400> 665

```

ggnnngntgnn nntnntaatt nctnttnaat nncantcctt ggntctngnt ntagganccc 60
atcgattcgc tgaaccctaa aggaaagcca gcaaaccagc tgcttgctct caggactttt 120
tgcaattgtt ttgttgcca ggcaggacaa aaactcatga tgtcccagag ggaatcactg 180
atgtcccatg caatagaact gaaatcaggg agcaataaga acattcacat tgctctggct 240
acattggccc tgaactattc tgtttgtttt cataaagacc ataacattga agggaaagcc 300
caatgtttgt cactaattag cacaatcttg gaagtagtac aagacctaga agccactttt 360
agacttcttg tggctcttg aacacttatc agtgatgatt caaatgctgt acaattagcc 420
aagcttttan gtgttgattc tcaaataaaa aagtattcct cagtatcaga accagctaaa 480
gtaagtgaat gctgtagatt taccctaaat ttgctgtagc agtggggaag agggacggat 540
ntttttaatt gattagtgtt ttttccctca catttgacat gactgataac agataattaa 600
aaaaagagaa tacngtggat taaagtaaaa attttacatc ttgtaaagtg gtggggaggg 660
gaaacagaaa taaaattttt gcactgctna aannnaaann actttccagc naanctaaaa 720
aactnnance tttaaactat antgagttcg nanaccnggn ccn 763

```

<210> 666

<211> 759

<212> DNA

<213> Homo sapiens

<400> 666

```

nnttnnatan nngctcttgt tctttttgca ggatccctcg attcgtctag acctctgaca 60
tcatgggtgtt ttcttaatgc ctcacattgc tggcacgggg atgtgccctg cctgccagca 120
cctaggactt cgagttgggt tgcagcttat gacatgcatg ataggttttg gaaggttaact 180
tttaactgca aacctataaa gtactatttt ttattttata aatgaacagg gttttaacgt 240
gctcaacttt aatttttttc aattgtatga aggccttaaa aaagctacat taagcgtagc 300
taaaattatt tattggacta aaaactaaca gaacttcatt tccagaattt ttttttttgg 360
caaatgttta cattcaatta aggggaaaaa gtagaaccag cacaaatgag tggcagttgc 420
tggagcataa ctgcttcaat aaatcttcat cttggggtaa ttacaggcaa gtcattttca 480
catcctcttg aggttcagag catcagaatg aactctatga atacatgtgt aagtccaga 540
cagctgaatc tttatcaggt attgnaaaga tacacatatg atatgnntat taaaattgaa 600
ataatgtaaa acacatgaat aaatttgcaa aaccaagatc acagtccacc atatgcactc 660
tggtacctta aatttttttt ataaataatt naaaagggaa tattggaagc ttcttaaaaa 720
aaaaaaaaan aaaaaactcg agcctntana acttttngn 759

```

<210> 667

<211> 760

<212> DNA

WO 99/33982

PCT/US98/27610

<213> Homo sapiens

<400> 667

```

ggmnttnaaa ctncataatnc tgtnttgcag gatcccatct atnctntatan angctctagg      60
cggngcggnt cccactctcg gaaccttgct ctgtttgtcc cccagctcgg caagcgccat      120
atgagcctgg cggcgccaga tgcgaatcct gttctgggct ttttggccta ttcccgcccc      180
tcagtcttgc cgggatggca ccgcccgcgt aggacttcca gggttgggct gantgggagt      240
tcgactgctg ggcctcgtaa ttctcgcttt ggggtctgct cttccagget gggacacact      300
ggggcccgt gtcggtctcc cgtcctccga catcttgtct ggaacttccg cctggcagtc      360
tccagtagga gtggagctct gtgcggcgta ntttggtgga aaaacnggcc ttgcgtcggc      420
ctcacccca gtgttttgtt ttcagaatga agactattct cagcaatcag actgtcgaca      480
ttccagaaaa tgtcgacatt actctgaagg gacgcacagt tatcgtgaag gggccagagg      540
aaccctgctg agggacttna atcacatcaa tgtagaactc anccttcttg gaaaagaaaa      600
aaaagaggct tccggtttga cnaaatggtg gggtaacaga aaggaactgg ctacccgttc      660
cggactattt gtaagtcttg tncagaacat gatcaaaggg tgttacactg ggctttccgt      720
tacaaagatg aangtctgng natgettaat ttccatnaan      760

```

<210> 668

<211> 763

<212> DNA

<213> Homo sapiens

<400> 668

```

gntctatgtg gctctngttn ttttgcggat cccatttgac gccttggcac gagaagaaaa      60
cccattgaaa gtagcagtggt tgtgagttgc agagacagga aagatagaag acgttccatg      120
tgttattctg atggctgaag tttacatttg gaaaaaaatg gaaatcacac accatcctcc      180
agtgtgggca gctctgtaga aattagttta gaaaattctg aactgtttaa agatttgtct      240
gatgccattg agcaaaccct tcagaggaga aatagtgaag ccaaagtgcg acgtagcacg      300
aggctacaga aggtatttaga aaacgaagggt cttgtatgga tttcacttcc acttccttcc      360
acttcccaaa aagccaaaag aagaacaata tgtacatttg acagcagtggt atttgaaagt      420
atgtctccca taaaagaaac tgtgtcctcc agacaaaaac cgcagatggc acctcccgctc      480
tcagatccag aaaacagcca gggccctgct gctggttctt ccgatgaacc tggtnagagg      540
aggaagagct tttgtatatc tacacttgca aataactaaag ccactttcca gttnaaaggc      600
tnccggagaa gatcctctct ttaatgggga aaggggagaga gctctcttga ctggccttgg      660
gaaagggatt ggaacataat gggggagaaaa gaaagccgta attgacattt tctggcanan      720
tcttgtnanc aagaggggna aagtnaccct tntntgcttg aaa      763

```

<210> 669

<211> 754

<212> DNA

<213> Homo sapiens

<400> 669

```

tgntttetaat gctngctctc gttcttttctg caggatccca tctattcgaa ttgatgagcc      60
ttattaacta tcttttcatt atgagacaaa ggttctgatt atgcctactg gttgaaattt      120
tttaactctag tcaagaagga aaatttgatg aggaaggaag gaatggatat cttcagaagg      180
gcttcgccta agctggaaca tggatagatt ccattctaac ataaagatct ttaagttcaa      240
atatagatga gttgactggt agatttggtg gtagtgtgct tctcgggata taagaagcaa      300
aatcaactgc tacaagtaaa gaggggatgg ggaagggtgt gcacatttaa agagagaaag      360
tgtgaaaaag cctaattgtg ggaatgcaca ggtttcacca gatcagatga tgtctggtta      420
ttctgtaaat tatagtttct tatcccagaa attactgcct tcaccatccc taatatcttc      480

```

WO 99/33982

PCT/US98/27610

taattggtat	catataatga	cccactcttt	cttatgttat	ccaaacagtt	atgtggcatt	540
tagtaatggg	aatgtacatg	ggaattttcc	actgacttac	ctttctgtcc	ttgggaagct	600
taaactctga	atcttctcat	ctgttnaaat	gtgnattaaa	gtatctacct	aactgagtng	660
tgantgtant	gaaagaaagg	ncatatntta	aacnttgaat	ttancaagcc	cacnctcgna	720
ttttatgncc	tttcttttgc	ctngggattg	aanc			754

<210> 670

<211> 752

<212> DNA

<213> Homo sapiens

<400> 670

tgnttcta	anttgctact	tgttcttttt	gcaggatccc	ttttgacgnc	tttggcacga	60
gaaagaaagg	gctcgtgaca	gagaaagaag	aaagagaagt	cgttcacgaa	gtagacactc	120
aagccgaaca	tcagacagaa	gatgcagcag	gtctcgggac	cacaaaaggt	cacgaagtag	180
agaaagaagg	cggagcagaa	gtagagatcg	acgaagaagc	agaagccatg	atcgatcaga	240
aagaaaacac	agatctcgaa	gtcgggatcg	aagaagatca	aaaagccggg	atcgaaagtc	300
atataagcac	aggagcaaaa	gtcgggacag	agaacaagat	agaaaatcca	aggagaaaga	360
aaagagggga	tctgatgata	aaaaaagtag	tgtgaagtcc	ggtagtctgag	aaaagcagag	420
tgaagacaca	aacactgaat	cgaaggaaag	tgatactaag	aatgaggtca	atgggaccag	480
tgaagacatt	aaatctgaag	gtgacactca	gtccaattaa	aactgatctg	ataagacctc	540
agatcagaca	gaggactact	gttcgaagat	ttttggaaga	atactgagaa	cggcataaag	600
tgaagatcga	catttaaaaa	atgaggtgaa	agaaagctnt	tgtggcatag	aaaaagtntt	660
aagctcaant	agttttttta	ttattattat	tattaaaagt	tattcaggac	tgatgtgact	720
ncngatttna	gaacatgtgg	taatagtnta	nt			752

<210> 671

<211> 752

<212> DNA

<213> Homo sapiens

<400> 671

tgnttcta	gttgctactc	gttctttttgc	ggatcccatn	ttattcgaat	tcggcacgag	60
gatattcaca	cagtatgtat	tatattaacc	atatcacact	taagttatta	aattcagact	120
at ttgtaa	tattgttata	gggcctgccg	tatggcttag	gatatttgag	taatcatata	180
tttaaagtaa	aaacttttggg	ctgggacacag	tggtcacac	ctgtaatccc	agcacttggg	240
gaagctgagg	tgggcagatc	agttgaggtc	aggagttcta	gaccagcctg	gtcaacatgg	300
cgaaacccca	tctctactaa	aaatacaaaa	attagctggg	cgtggtggca	cacacctgta	360
atcccagtta	cttgggaggc	tgaggcacaa	gaatcgcttg	aaccggggag	gcggaggttg	420
cagttagcca	agatcgccct	gctgcactcc	agcctgggca	acagagggag	actctgtctc	480
caaaaacaaa	aacaaaaact	gttagtgaag	gttccttggg	acttttgata	ttttaaaaaat	540
tggtcttatg	actagtagat	aaattcattg	ccataatgag	gctagctccc	agataaacag	600
tgtattttct	tctttttttt	ttttgggtgag	tggtccaaac	tttaagctac	tttttccagt	660
antttgccac	tttctccgan	gtaantttgg	ctgggtcttn	agtaatgcta	attgnngtgc	720
aaaatttgtc	tacaacagtt	nggcaacaga	tn			752

<210> 672

<211> 792

<212> DNA

<213> Homo sapiens

WO 99/33982

PCT/US98/27610

<400> 672

tgntttcta	actngctact	ngttcttttct	gcaggatccc	tctattcgaa	ttcggcacga	60
ggctgcttct	ggctgggggg	tccttggcct	tcacctctgt	gaggttgagg	aggaggagga	120
agagccctgg	aggagcagga	ggaggagcca	gtggcgacgg	gggattctac	gatccgaaag	180
ctcaggtgtt	gggaaatggg	gaccccgctc	tctggacacc	agtagtccct	ggtcccatgg	240
aaccagatgg	caaggatgag	gaggaggagg	aggaggaaga	gaaggcagag	aaaggcctca	300
tgttgccctc	acccccagca	ctcgaggatg	acatggagtc	ccagctggac	ggctccctca	360
tctcacggcg	ggcagtttat	gtgtgacctg	gacacagaca	gagacagagc	caggccccgn	420
ccttctgccc	ccgacctgac	cacgccggcc	tagggttcca	gactggttgg	acttgttcgt	480
ctggacnaca	ctggagtggg	acactgnctc	ccactttctt	gggactttgg	agggangtgg	540
aaccggcaca	ctggactttc	tccgtctcta	nggctgcatg	gggagccctg	gggagcttna	600
atnnttgggg	gatcccnnaa	aangaccccc	tgtcccccat	anacttgggt	ttttnngcttt	660
canccctttc	cccttggccc	cnnttgacca	cttcattggag	tttaattaaa	atngcccttg	720
gtangaaaan	anaatantnt	tcctcntttt	antgntnttt	tnntataatt	tnatnatcct	780
antnatcntn	nt					792

<210> 673

<211> 755

<212> DNA

<213> Homo sapiens

<400> 673

nttctaantc	tnngctacttg	ttctttntgc	aggatccctc	gatttcgaatt	cggcacgagg	60
cagcttcgag	ccaatgggtga	gtcccttctg	gatcagctcc	ttcagctcct	tcttgctcag	120
gatgctgaaa	ttgcaaggct	gatggaagac	ttggaccgga	acaaggacca	ggaggtgaac	180
ttccaggagt	atgtcacctt	cctggggggc	ttggctttga	tctacaatga	agccctcaag	240
ggctgaaaa	aaatagggaa	gatggagaca	ccctctgggg	gtcctctctg	agtcaaatcc	300
agtgggtgggt	aattgtacaa	taaaattttt	ttgggtcaaat	ttaaaaaaaa	aaaaaaaaaa	360
ctcgagcctc	tagaactata	gtgagtcgta	ttacgtagat	ccagacatga	taagatacat	420
tgatgagttt	ggacaaacca	caactagaat	gcagtgaaaa	aaatgcttta	tttgtgaaat	480
ttgtgatgct	attgctttat	ttgtaaccat	tataagctgc	aataaacaag	ttaacaacaa	540
caattgcatt	cattttatgt	ttcaggttca	gggggaggtg	tgggaagtgt	tttaattcgc	600
ggccccggnn	gccaatgcat	tgggccccgg	tacccaactt	ttgttccctt	tantgagggg	660
taattgcncc	ccttgggcgt	aatcatggta	atagctgttt	cctgggtgnga	aattgtttcc	720
cgtnacaaat	ncacacactt	ttcancecgg	ggacn			755

<210> 674

<211> 753

<212> DNA

<213> Homo sapiens

<400> 674

tgtttcta	gcttgctact	cgttctttnt	gcaggatccc	tcgattcgca	gattttttgac	60
aaggaaggct	aattctaaac	ctgaaagcat	ccttgaaatc	atgcttgaat	attgcttttga	120
tagctgctat	catgacccct	ttttaaggca	attctaattc	ttcataacta	catctcaatt	180
agtggctgga	agttacatgg	taaaacaaag	taaatttttt	tatgttcttt	tttttggtca	240
caggagtaga	cagtgaattc	aggtttaact	tcaccttagt	tatggtgctc	accaaacgaa	300
gggtatcagc	tatttttttt	taaattcaaa	agaatatatc	cctttatagt	ttgtgccttc	360
tgtgagcaaa	acttttttagt	acgcgtatat	atccctctag	taatcacaac	attttaggat	420
ttagggatac	ctgttctctc	tttttcttgc	aagtttttaa	tttccaacct	taagtgaatt	480
tgtggaccaa	attttcaaagg	aactttttgt	gtagtcagtt	cttgacacaat	gtgttttggt	540

WO 99/33982

PCT/US98/27610

```

aacaaaactca aaatggattc ttaggagcat tttaatgttt attaaataac tgaccatttg      600
ctgtanaaag atnanaaaac ttaagctttg ttttactaca acttgtacaa agttgtatga      660
cagggcatat tctttgcttn caanattttg ggttgggggc actanggggt caaaacctg      720
gcanaattgt cnactttagn ctgaccataa tnc                                     753

```

<210> 675

<211> 760

<212> DNA

<213> Homo sapiens

<400> 675

```

tgntttctaa acnttgctct cgtntttntt gcaggatccc atctattcga attcggcacg      60
aggttccctc acctatttcc tccaagttcc ccttgggaa cctctgagat taacttgata      120
agctccttgg gcaagctctt taccctaaga ttctcagtg agccttatag agttgctgcg      180
agaattacat ttgttcatga tgtcaagtgt ctgggatgaga gctaattgctt attgaacaca      240
tagtaattta ttgaataatt gtcatgatca ctggatgaga tatagccact gtggaggtag      300
gcacaccagg gttttagagg cttgggatct tgcaacagga ttttctctct gcctctccaa      360
actgcccttt gccagatgg cttcagcatc tttttgcac cctgtttcct tgtttggtga      420
acacctgtct caacctgtct gcaaggcgtg gtgagattct gcatccttgg taagcactca      480
tgtcactcca aaacagctgt ttgatgctaa tagcacacat gaggtcttgc aaatttgtct      540
gaggaactac aggacattgg agagatattt atcaaacacc cactacatgc ctgatactta      600
actanggaac tatnaaagtg ggtggtgaag acaagtngga agtaaaantgc aaacctattt      660
ccatatatgt ttgnncgcta gattgntncc ancaattngc ntcttggaaat tgttgaattn      720
ggccctgtgt gtgtgcctgt ggtaantgga nntgngtttc                             760

```

<210> 676

<211> 751

<212> DNA

<213> Homo sapiens

<400> 676

```

ntttgaaact tntactngt tcttttttgc gatccctcna ttcgaattcg gcacgaggca      60
gaaccttttc cctctactc ttgtctaaaa gttctgtgtg gcacacagag atgcgacctta      120
ctcaatctga cttagtaaaa ccatgctgta gaatttttgt cttaaaaaga ccacataccc      180
agcaccatg aaataaaaga ttcatctgta attgggattc aaagtgatta aattcctttg      240
ttcatactca taaatagcac taaagtgtta taacattttc atttacctat ttttagttcc      300
ttcattttta cttaataaaa atcttggatt gatattcttt tttttttttt ttgggacgga      360
gtctcgctct gtcacccagg ctggagtaca gtggctctat cttggctcac tgcgagctcc      420
gcctnccggg ttcaogccat tctcctgcct cggcctgccg agtagctggg actgcaggcg      480
cccgccacca caccggcta atttttttgt atttttagta gagacggggt ttcaccctgt      540
tagccaggat ggtctcgatc tcctgacctc gtgatccacc tgcctnggcc tccaaagtgc      600
tggaatttca ggcgtgagcc accgcgcccg ggnctaaaatt ggatattctt taaccattaa      660
aaggtttact ggggtgncna tttgccatat tattggaaac ttggaaaggg taatttgaaa      720
caaagntttg aagttaactg aaatttgggg a                                     751

```

<210> 677

<211> 756

<212> DNA

<213> Homo sapiens

<400> 677

WO 99/33982

PCT/US98/27610

tgctttgaat	cctttgtaan	cgccctntnt	gcatgatccc	tcnattcgaa	ttcggcacga	60
ggataaactc	ttcagtgacg	aatattagaa	ttagttagtt	atacatttga	ggaaaactat	120
aaaagtacca	ataatgagta	ggaaatcact	tctgcagtat	ttttggagca	ttttccttaa	180
gcatgacata	aaagccaaag	gtcacaaggg	aaaaaactga	tagatttgtc	tgtgatattg	240
agagatgtat	gcacatatac	atacaacagt	catagtaaga	caccgttaga	caaaaggtga	300
tgtatgaaaa	agaggcaaaa	caacaagaag	aaaagattga	aaaaatgaga	gctgaagacg	360
gtgaaaatta	tgacattaaa	aagcaggcag	agatcctaca	agaatccagg	atgatgatcc	420
cagattgccca	gcgcaggttg	gaagccgcat	atttggatct	tcaacggata	ctagaaaatg	480
aaaaagactt	ggaagaagct	gaggaatata	aagaagcacg	tttagtactg	gattcagtg	540
agtttagaag	cctgaaactt	ttctcgtatg	gggtggtttt	tgcatataat	netgggggtcc	600
attttacaat	ccattatttt	tgaccactgc	tatgtgttca	agtagtatga	gaatgtgatt	660
gntnttatct	ggntcatata	tatttctttg	gctaatttaa	tatgtcaaat	aaatgagttc	720
atttaaaaaa	aaaaaaaaaa	accgggactg	ttttnt			756

<210> 678

<211> 756

<212> DNA

<213> Homo sapiens

<400> 678

gnnnnnnnnn	nnnttnnaat	agnnagctac	ttgttctttt	tgcaggatcc	catcgattcg	60
aattcggcac	gaggggtgtt	ggagcagatt	gtagttgatc	cacagcaaag	agcatcacca	120
aagccattcc	aggaggaaact	agatccacca	cttcctctgc	tgggcatgct	ccaaaaatgg	180
ttgtggcttc	cagagaggac	tccaaaagaa	agcacaaaaa	ctagacagtg	ggagggcata	240
cccaaaagcc	ctgagtttct	gaaaaaatat	tgaaagtttc	tatggtgaaa	taggaagtta	300
atgtgcttag	gaagaaaaaa	gtggtaatga	ttcaaggaaa	cataatcaca	cacggtttta	360
gttttaatgg	acatgggagg	agccataaaa	gtagtctatc	tatcatcagt	tacatatcta	420
atgaactgtc	tatctgggat	accctatcct	gttttaatct	gagtgaactc	ctctcagctg	480
agagagctgg	acagactcca	ttttagcctc	ttcacttgca	gtccccttat	ccccctccct	540
taaggggaata	actagtgcaa	gctgacttca	agcacattca	ggaatgcact	tactgataag	600
atattgaggc	aagctgtacc	agcagcttct	gggggacctg	ctcantggat	ggtcccaacc	660
cctgcattta	tctctttggg	atagtttaag	cccctgnacc	tggaaactgng	tatttttctg	720
tactatctct	gtancattaa	tttttttact	ttttgg			756

<210> 679

<211> 747

<212> DNA

<213> Homo sapiens

<400> 679

tctaatnctt	ggctctcggt	ctttctgctt	gateccctcg	ttcgaattcg	gcacgagaaa	60
tgactccctg	caaaacccaa	cccatgctgc	tggctgtggg	atttttgggt	taagccctatc	120
tatgcactct	atcagccaga	atttggcatt	tagctcttag	ttaaactctag	taaaggacag	180
tctattgttt	aaagagaagg	tgcatttgtt	cctcaatcaa	gcaagagcac	ctgtgttgta	240
ctgctttata	tctcatgtat	atttatagta	atgaaaagac	tttttaaatt	gtacacgttt	300
cagtgccttt	cttgtgttat	gaaaggcagg	tagatattat	agccataggt	aaaaatccat	360
agttaaattg	cacactgacc	ttaaactctc	ctgtgtatgc	ccttgtatct	tgcatgttaa	420
aagttggatt	attgggcagc	tgtggcagcc	tgccctgcta	catgctagac	aagtgtgctt	480
tagtacatag	ccacaagttc	ttcattcttt	aaaatgtttt	gacagatcat	ctcataataa	540
aaataattca	ngaaaaactat	ggggaaatag	ttacatttca	caaaagatat	tttaaactct	600
ttgtaaaact	tagataatag	agcctancaa	gttactttgn	atctaattgg	atacatttta	660

WO 99/33982

PCT/US98/27610

tgnttaat	ttt	taccaccata	cattttatta	atcaaaaattg	gtttagcatgt	gactcttttt	720
ggcttcanaa	gttntcaaaa	aaattat					747

<210> 680
 <211> 750
 <212> DNA
 <213> Homo sapiens

<400> 680												
ttcta	atnct	tggtc	ctcgt	tcttt	ctgca	ngatccc	atc	gattc	gaatt	cggc	cacgagg	60
accgg	ctggg	cctaca	aaaaa	gacga	gctg	gaggat	ctca	ggttt	cctct	ggtct	gtggg	120
gaggg	caaaa	aggct	cgggt	gatgg	ccacc	attggg	gtga	cccga	ggctt	gggag	accac	180
agcct	taagg	tctgc	agttc	caccct	gccc	atcaag	ccct	ttctc	ctctg	cttc	ccctgag	240
gtacg	agtgt	atgac	ctgac	acaat	atgag	cactg	cccag	atgat	gtgct	agt	cctggga	300
acagat	ggcc	tgtgg	gatgt	cactac	tgac	tgtga	ggtag	ctgcc	actgt	ggac	aggggtg	360
ctgtc	ggcct	atgag	cctaa	tgacc	acagc	aggtata	caaa	gctct	ggccc	aagct	ctggg	420
cctggg	ggcc	cgggg	taccc	cccga	gaccg	tggtc	ggcgt	ntcccc	aaca	acaag	ctggg	480
ttccg	gggat	gacat	ctctg	tcttc	gtcat	ccccct	ggga	nggcc	aggca	gttact	cctg	540
agggg	cttga	acacc	atccc	tnccac	tagc	ctctcc	atac	ttact	cctct	nacag	cccaa	600
attctt	gaaa	gttgt	ctccc	ttgacc	cttc	ttta	atggca	actta	actga	anaaa	gggat	660
gtncn	cttat	atccaaa	att	cagct	atttg	gcaata	aaac	canat	ggatt	aaaaaa	aata	720
attnt	ntctt	aanana	anaa	actcc	ggcct							750

<210> 681
 <211> 748
 <212> DNA
 <213> Homo sapiens

<400> 681												
cta	atncttg	gctc	tgctt	cttct	gctng	atccct	cgat	tcga	attcgg	cacga	gcccc	60
gctg	ctcagg	aggct	gaggc	aggaga	aattg	cttga	accca	agagg	cggag	gttgt	gggtga	120
gccga	gattg	cacct	tttgta	ctccag	cctg	ggca	acgagc	aaaaa	actct	gtct	caaaaa	180
aaaaaaaa	aaagaaaa	ag	aa	aatgg	ct	ccagg	acag	agcat	gctca	tttgc	tggcg	240
gacag	ttcca	gaaac	agacc	ctgtt	agtcc	ttctac	ttac	ctgct	ggatt	tttca	agcac	300
t	aaat	ttata	acttt	tttgaa	acaaa	ataat	gtgta	atttt	ccatt	ttggg	gcaaa	360
ttctt	gtgag	cattat	taaaa	atctt	gtttg	t	aaat	atatt	gtctt	ttctct	taata	420
tctgg	gtcan	gaaga	agctg	ttcac	ggtgt	gataa	tactc	tttan	attgt	gcttt	catta	480
ttatag	atgc	atcat	gtctt	ctgct	ttcac	gtgtc	tggga	tgggg	gtcaga	aatgc	atnct	540
ccagnt	gaca	naaaa	atccn	agnat	gagat	caana	aggat	actgg	gtgtt	tctga	ctttt	600
acaaaa	atta	ctttg	ntgtt	ttcatt	aaaaa	aaagct	ttt	aacct	antgn	ttncn	tantc	660
ctttt	tagaaa	ntatta	aaatt	tnaaa	atgaa	ttcnat	anaa	atana	annac	naaaaa	actt	720
nntnc	cttta	naact	tttagt	gangc	gtn							748

<210> 682
 <211> 755
 <212> DNA
 <213> Homo sapiens

<400> 682												
cta	atgctng	gcttt	cgctt	cttct	gcagg	atccct	cgat	tcga	attcgg	cacga	gcagg	60
agca	atcaat	tcctg	tcgaa	gtga	atacca	tgca	gctttt	aacag	tatga	tgatg	gaacg	120

WO 99/33982

PCT/US98/27610

catgaccaca	gatatcaatg	cactgaagcg	gcagtactct	cgaattaaaa	agaagcaaca	180
gcagcaggtt	catcaggtgt	acatcagggc	agacaaaagg	ccagtgacca	gcattctccc	240
gtctcaggtt	aacagttctc	cagttataaa	ccaccttctt	ttaggaaaga	agatgaaaat	300
gactaacaga	gctgccaaga	atgctgtcat	ccacatccct	ggtcacacag	gagggaaaat	360
atctcctgtc	ccctaccgaa	gaccttaaga	cgaagctcaa	ctncccgtag	cgaactnaca	420
tccgagtgca	caaaaagaac	atgccaagga	ccaagagtca	tnccggctgt	ggggacaccg	480
tanggtgat	agatgagcag	aacgaggcca	gcaagaccaa	tgggctgggg	gcagcagagg	540
cattcccctt	tggntgtcan	gcgacagctg	ggagagaang	caagnaagcc	ctgaangcna	600
gtccaggagg	accnncnaag	ggcagtttcc	ggagcccgnt	gttccggaga	tgctgatgtg	660
ggntgtgtct	gcanttcang	gccaaanttg	gggacccctg	ggaactgtac	cctangggnt	720
ncttgnagnt	taaaacttga	ccttaanggn	ngcct			755

<210> 683

<211> 755

<212> DNA

<213> Homo sapiens

<400> 683

ggntttnnnt	cttttctaag	cttggtctct	gcctntctgc	ttgatcccat	cnattcgaat	60
tgggcacgag	aattagtatc	aacttacaat	ccaagtccaa	gtatcatctt	ataatcactt	120
ttttctacta	tattaagatc	taatgaattt	gatttctttt	ttgaagtttt	ttcttgtaac	180
atctgagatt	agaagtttaa	gatcacttga	ccccaaacct	ttgtttatgt	aagaattttt	240
aaacataaaa	gtgtttgttt	ctgttatgtt	accataattt	gatgtatata	gtgtccagat	300
ccatttagaa	atttaatat	tattaataac	tgaaactgtt	tgtcttcctt	tggtatatag	360
tctcgcatat	tatattatag	caggccaaga	taaaattttg	acagctcttt	aagcccacat	420
gcagcagtg	gtcagataac	cctgtggcag	tgacacgggc	aaattggcat	ttgaataaag	480
ccctgggacc	acctcaacat	gcgtagcctc	ttgtcttaaa	tgtactcccc	atggcagcat	540
ggaggaggca	agacctgtgg	gtcaattttg	aactggnctt	actttgattt	taaaacaaga	600
gactcagggg	aaagtactaa	accaaaaact	ctgatntnac	tttgcgtttt	ctggaagttn	660
ttggtttact	gagatgcttt	tgtaaaggaa	aataatgctt	gngacanttt	agtaatttct	720
acanaattcn	ttaatatattc	ttcctctgtg	gcttn			755

<210> 684

<211> 774

<212> DNA

<213> Homo sapiens

<400> 684

ggntttannn	cttttnaatn	cctttgctnc	tcgntctttt	tgctggatcc	catcgattcg	60
caagatctgg	aggaatgcag	agaggaaact	gatcacagat	aatatgaaga	aacccaaaaag	120
gaaactctgg	agcaactaag	tgaatttaat	gattcactaa	agaaaattat	gtctggaaat	180
atgacttttg	tagatgaact	aagtggaaat	cagctggcta	ttcaggcagc	tatcagccag	240
gccttttaaaa	ccccagaggt	catcagattg	tttgcaaaaga	aacaaccagg	tcagcttcgg	300
acaaggttag	cagagatgga	tagagatctg	atggtaggaa	agctggaaag	agacctgtac	360
actcaacaga	aagtggagat	actaacagct	cttaggaaac	ttggagagaa	gctgactgca	420
gatgatgagg	ccttcttgct	agcaaatgca	ggtgctatac	tcagccagtt	tgagaaagtc	480
tctacagacc	ttggctctgg	agacaaaatt	cttgctctgg	caagttttna	ggttgaaaaa	540
acaaaaaaaa	tgacatgggt	gcagaagcct	gtaacattga	tcacattctt	aatgtaaatg	600
gtgtctttct	tctgggggtt	cagtatttgc	aaagaaantg	aagaagaatt	ctggaaatgc	660
cattcaatta	accctnagga	aaaaagccga	ccttanaaat	ttaccttant	gcnttgnnnn	720
ttaaaaanaa	aaaaaantna	aaaaactttt	accctttana	ccttttgtgg	ggnc	774

WO 99/33982

PCT/US98/27610

<210> 685

<211> 759

<212> DNA

<213> Homo sapiens

<400> 685

```

ggntttnnan nctttctaata ncttggettn agttcttttg caggatccca tcgattcgaa      60
ttcggcacga gagtaccag agttgcgagg agtttttttaa ctgatttagc cnnntggcaa      120
tcatgagtga atggatgaag aaaggccctc tagaatggca agattacatt tacaaagagg      180
tccgagtgac agccagtgag aagaatgagt ataaaggatg ggttttaact acagaccag      240
tctctgccaa tattgtcctt gtgaacttcc ttgaagatgg cagcatgtct gtgaccggaa      300
ttatgggaca tgctgtgcag actgttgaaa ctatgaatga aggggaccat agagtgagg      360
agaagctgat gcatttggtc acgtctggag actgcaaagc atacagccca gaggatctgg      420
aagagagaaa gaacagccta aagaaatggc ttgagaagaa ccacatcccc atnactgaac      480
agggagacgc tccaaggact ctctgtgtgg ctggggctct gactatagac ccaccatag      540
gtccagaaaa ttgcagcagc tctaatagaga atattctgtc ncgtgttcaa ggatcttatt      600
ggaaggacat cttacagctt ccaatgagaa gccaaagagt tgtgaacata ctgattgaaa      660
aaagacttta ttttaatccc tcattaaan ggttttaaat gttaaaaaaa aaaaaaaaaa      720
acttcgagct tttaaactat ngtgagtcga ttcntataa      759

```

<210> 686

<211> 749

<212> DNA

<213> Homo sapiens

<400> 686

```

ggntttnnnn nctttgaaat cccttngctn ctagnctttt ttgcaggatc ccacgatcc      60
gaattcggca cgagggcaat tagcctcgct taagtgtgct tttttacaca ccaaaacttt      120
ttacatgaag ggctggtttc acatgaatac tatactgaaa tctgtgctct caagatctag      180
cagtgaccag ggctgcccgg cgggggctct cctggcaagt caggaagggt tctgttgcta      240
atataacata gaaacacatt agtgactgg gcctctctga ggtcagcata tttgtactct      300
tggaatatatt gtttttttct tcagtaacaa cagaaacccc agttgggagt ttaacaaata      360
actgactacc actcactcat gcatttttat ttccaattaa agcaaagcac tgtgtgtgct      420
tcagataata atagtttgta agtaaaagtt ttttagttttc agtgttcagg ttatagaata      480
taactgacca taaaaattac ctgcaggtat tttcttttta tgaacttggt tttaaattac      540
caagtaatta ctggtgtcat tttgttttat gacagacaca cgtatctaac aaacaaacaa      600
acagtgacct tctccatggg tcaaggactt cttacaatt tctnctgagt taacttttgt      660
gaaaataatc ctaagggttt ctggcttatt gaggaatttn ctacaaacaa caaaccaaca      720
acngaagaga agatcatcaa ccactgttt      749

```

<210> 687

<211> 760

<212> DNA

<213> Homo sapiens

<400> 687

```

ggntttctaa tgctttctaa taccttggtc ctngctcttt ctgcaggatc ccacgatcc      60
gaattcggca cgaggaaatg tgtatttcag tgacaatttc gtggtctttt tagaggata      120
ttccaaaatt tccttgatt tttaggttat gcaactaata aaaactacct tacattaatt      180
aattacagtt ttctacacat ggtaatacag gatatgtctac tgatttagga agtttttaag      240
ttcatgggat tctcttgatt ccaacaaagt ttgattttct cttgtattac attttttatt      300

```

WO 99/33982

PCT/US98/27610

```

tttcaaattg gatgataatt tcttggaac attttttatg ttttagtaaa cagtattttt 360
ttgttggttc aaactgaagt ttactgagag atccatcaaa ttgaacaatc tgttgtaatt 420
taaaattttg gccacttttt tcagatttta catcattctt gctgaacttc aacttgaaat 480
tgtntttttt tttctttttg gatgtgaagg tgaacattcc tgatttttng tctgatgtga 540
aaaagccttg gtattttaca ttttgaaaat tcaaanaagc ttaatataaa agtttgcatt 600
ctactcanga aaaagcatct tcttgatat gtcttaaaat gtatttctgt cctctataca 660
naaaagttct taaattgatt ttacagctct ggaatgcttg gatgntttta aatantaaca 720
ttttatattt tttaaaagac aaancttata ttnatcctng 760

```

<210> 688

<211> 752

<212> DNA

<213> Homo sapiens

<400> 688

```

tgntttctaa tgcttcta atgttggtct tngttctttc tgcaggatcc catcgattcg 60
aatteggcac gagacaaaac ctacagatgg agataaaaat tactactgtt attcaacatg 120
tgttccagaa ccttattttg gggagtaaaag tcaattgggc agaggatcct gcccttaagg 180
aaattgttct gcagcttgag aagaatgttg acatgatgta ataagaattc atttctgaca 240
tattttacat ttctggcaat ctcaactctt atttggaata cttctgtgca tttgtctgtc 300
caccgtaatt ttagaaaagc atatccataa cgtttacagt ttagtagacag ttgtgggttag 360
ttattttag tagggattgaa agtaattttt ttctttttat atttctatat ttagtttgtt 420
tttttgttgt tgttgttttt tgagatggag tctcgctttg ttgccagac tggagggcag 480
tggegcgac tcggtcact gcaacctctg cctcccgggt tcaagcagtt ctgcctcagc 540
ctnccaagta gctgtgacta aagggtgcac cgccatgcc canctaattt tttggatttt 600
aagtagaaac cgggtttcac ccgtgttgcc caagctgtc tnaaaactcc tgagctcaag 660
cagtcacccc gncctngcta ccggantget aggattcaga cgtaagcccc cgaanctgg 720
ctagtttgcn ttnttttctn tcattttata ag 752

```

<210> 689

<211> 806

<212> DNA

<213> Homo sapiens

<400> 689

```

gtgntttcta atgtttctaa tngcttggt actcgttctt tntgcaggat cccatcgatt 60
cgaattcggc acgaggannt ctntgctatn gaacagnggc tggtnnacac tnnngantta 120
nnntgnacn ntannnattg nancanntan tactggnnnt ccntaatnctn nttaatgtna 180
cntnttgcaa gnngnncctga tnaaatacac gacaggaggg aaanctantg cgtcataggc 240
acaggcagac ctaccgnnta aggagatnat ntncennang gntggctgtt gagnncatgc 300
aactctggna tgtatttccc tttataggac caccttgtnc atngtggata aagcccctaa 360
agnaggatgn naaagatgat cngatccaat acgttacnct gacannaaan nntgtnatac 420
ntcngctgan caatctntcc ancnntnta atatcgtgna tcacctaggg tgtatgacn 480
taggaactct gncctnctn tcnngactgt ccatcacnga ctntgggct nctactgtac 540
antancgna gaanancnnt canncctacan ntaaccagat tgggtgctgnn anatggtant 600
gcnntttnan cneccacgac ncaataaagn ncnctntnc cccanancct nttnagggaa 660
gaaaggaatt tncatagtg ggtcagtga anggggtacc cttggncttt ntaaaaaacg 720
ttncatggnn cctaccttaa acctgngtna actnanancn ntnngncata anggtctaa 780
cgnctatang gggnacnnat ttttnc 806

```

<210> 690

WO 99/33982

PCT/US98/27610

<211> 772

<212> DNA

<213> Homo sapiens

<400> 690

```

ntnttttgaat ctttgaata cttttgctat ngttctttnt gcaggatccc atcgattcga      60
attcggcacg agaggttgct cacctgaagg agcacaggag ggttttccag gccatgtggc      120
tcagcttcct caagcacaag ctgcccctca gcctctacaa gaagggtgctg ctgattgtgc      180
atgacgccat cctgccgcag ctggcgcagc ccacgctcat gatcgacttc ctcacccgcg      240
cctgcgacct cggggggggc ctcagcctct tggccttgaa cgggctgttc atcttgattc      300
acaaacacaa cctggagtag cctgacttct accggaagct ctacggcctc ttggaccctc      360
ctgtctttca cgtcaagtag cgcgcccgct tcttcacact ggctgacctc ttctgtctct      420
cctcccactn ccgcctacc tgggtggcgc cttcgccaag cggtctggcc ccttgacctc      480
gacggctccc cctgaggccc tgctcatggt cctgcctttc atctgtaacc tgctgcgcgc      540
gcacctgccc tgccgggtcc ttgtgcaccg tccacacggg cctgagtttg gacgcgcacc      600
cctacgacct tggagaggag gacccagccc aagaccggg cctttggaaa acttccctgt      660
gggaagcttt aagnnccctc nanangccac ttaccaacc ttgaggggnt ccaaangccc      720
gccanccggt nattaaccaa ggccttggn c aatgcctgaa ggtcaaacaa tn      772

```

<210> 691

<211> 755

<212> DNA

<213> Homo sapiens

<400> 691

```

ntgctttcna atctttntaa atgcctttgg cttctcgntc tttctgcagg atccccatcga      60
ttcgaattcg gcacgagaaa aagtaaagct tttcatgagc acaaatncct tgcattgttt      120
gatgttactg atattcgtaa aatgaatatt ttttgttttg ttttgtttta tttttttgag      180
acaagtcttg ctttgttgccc caggctggag tgcaatggca tgatcttggc tcaactgcaac      240
cctgccttg cgagttcaag tgattcttct gcctcagcct cctgagtagc tgggattaca      300
ggcgctcacc accacacca gctaatttct gtatttttag tagacacagg gttttaccat      360
gttggccagg ctggtctcaa actcctgacc tcaaaactct cacacctgta atctcagcac      420
tttgggaggc tgaggtggaa ggatcacttg aagccagagt ttgagaccag cctgtgcaac      480
acagcaagac ccggtctcta caaaaactta aaaaattagc tggctgtggt gttgctcacc      540
catagttcca gctactcggg aagctgagca ntaagatcac ttgagccan gaggcnatg      600
cttncantga actgtgattg tttccantac agnccacctg ggtgacanag taaanaaaan      660
gaaacattac ataatttggc tagagcataa taaattgatt tctgggttnt gaaattnnag      720
ttgccataaa aggnntttna atgngcnant tcant      755

```

<210> 692

<211> 748

<212> DNA

<213> Homo sapiens

<400> 692

```

tgnttttaat cnttctaata cttggctctt gttctttttg caggatccct cgattcgaat      60
tcggcacgag gtccgaagaa aaagactgtg gtggcggaga tgctctctcc aatggcatca      120
agaaacacag aacaagtttg ccttctccta tgttttccag aaatgacttc agtatctgga      180
gcatectcag aaaatgtatt ggaatggaac tatccaagat cacgatgcca gttatattta      240
atgagcctct gagcttctta cagcgcctaa ctgaatacat ggagcatact tacctcatcc      300
acaaggccag ttcactctct gatcctgtgg aaaggatgca gtgtgtagct gcgtttgctg      360

```

WO 99/33982

PCT/US98/27610

tatctgctgt	tgcttctcag	tggaacgga	ctggaaaacc	tttcaaccca	ctgctgggag	420
agacttatga	attagtgcga	gatgaccttg	gatttagact	catctccgaa	caggtcagcc	480
atcacccacc	aatcagtgc	tttcatgctg	aaggattaaa	caatgacttc	atctttcatg	540
gctctatcta	tccaaactg	aaattctggg	ggaagagtgt	agaacagAAC	ccaaaggaac	600
catcaccttg	gagctncttg	aacacaatga	ggcatataca	tggacaaatc	cacctgctgt	660
gtgcataata	tcattngggg	taaactgtgg	atcgaacagt	ntggcaatgt	ggaaattnta	720
accncagact	ggggacaaat	ntgtgttg				748

<210> 693

<211> 881

<212> DNA

<213> Homo sapiens

<400> 693

tgnnnngtna	accagggaaa	agctnngttt	gaactccttg	ggcatgatcc	catcgattcg	60
aattcggcac	gaggcgggtga	cccacgtgtc	cttttgattg	ccctactgct	gtggagacct	120
cgtgctgacc	atctggcagt	gntcttcgta	ttctctggcc	tgtggggcgt	ggcaagatgc	180
ccgtctggca	gacacaaaac	aatgctctct	acggcgcttc	gtttganaag	agcaaggaag	240
ctgccttcgc	caattaccgc	ctgtgggagg	ccctgggctt	cgtcattgcc	ttcnggtaca	300
gcacgttttn	gtgcntgcac	gtcaagctct	acattctgct	gggggtccng	agcctgacca	360
tggtggcgta	tgggcttggt	gantgcgtgg	agteccaaga	accccgaaatc	anaccnact	420
ctttcaggac	aggtcaanca	agtcagagga	tgaagaanat	tcanacaaan	atgtgatanc	480
cngngaggcc	naangaggan	naantnataa	aagcaccagc	cagaagaatt	ttcttanaan	540
atgcctnagg	gacatatcan	ccgggggttct	cattacccat	cttaancncc	anatttngnc	600
ccattcttga	aataagantc	nttgnttnaa	ttntcaactt	ctttttatgg	tnatttconat	660
ntatctantt	antaaaacca	caaatntgtt	nncnatnacc	accantttctt	ttaaaccatn	720
tagnaattca	aangntgtgt	nnttacnaat	ntntaanggg	ttattcaaan	ttcnaaattt	780
taaanattnt	tatgcantnc	ncacaatnta	tataanangg	tcctnaaaac	gnngnnccaat	840
atnnccannnc	nataatntag	nanatntntn	nnccntgtan	n		881

<210> 694

<211> 742

<212> DNA

<213> Homo sapiens

<400> 694

atngcttggc	tctngttctt	tctgcaggat	cccatcgatt	cgaaaattta	tagtaatgac	60
aatgactta	tcagtgttca	tcacttgaaa	gctaagtggg	tcgttcaatc	actttttcaa	120
agttgatagt	agattgcatg	gtttcatggt	tcctcatatt	ggtttattaa	ttctatttaa	180
tcaaggaaaa	taacttcaga	ttccataaag	tttcagttta	tttttagttt	actactaggt	240
gagatagcac	attacatact	tttactatca	aatattatgt	tagcagcttc	ccatagtacc	300
aatgatttg	attccctact	ctcatttttt	aaagcatata	aatattttatg	ggcttaaaaa	360
gggggttttt	aaaaactgag	gatatcanta	ataaattgca	gaatattttg	caaagctttc	420
ttttggaaaag	caaacttttg	tgcttgcta	tatgcnaagt	attttatcag	ggacttgaac	480
aaagacctca	ctctttttca	cttgtcttat	gtcgagagaa	aaggttattg	gcagncacat	540
tcctaanact	gggggaatgg	gtgtnctttt	naaatttgaa	gataactttt	agggtaatta	600
tggaaaactcc	tcaaangagg	ganaaagtna	tttttttcca	gacatttttc	ctcaattctg	660
ggtctttcac	acactanttt	tccatagtnc	nagaatttct	gnnttttttac	catttgggct	720
gtgaaatgtt	cacaatntcn	ng				742

<210> 695

WO 99/33982

PCT/US98/27610

<211> 745

<212> DNA

<213> Homo sapiens

<400> 695

tttcaaatng	cttggetact	tgttcttttt	gcagggatcc	catcgattcg	aattcggcac	60
gaggctagac	gaagtgggtga	agcccaaaga	cttattttttg	agctcgctgt	aagactgaga	120
aatcacgtag	tccttctctga	aaccactaag	aggaaaaatg	tctgtgacac	tgcatacaga	180
tgtaggtgat	attaaaaattg	aagtcttctg	tgagaggaca	cccaaaacat	gtgagatgga	240
gtctcgctgt	gtcccccagg	ctggagtaca	atggcgcgat	ctcggtcac	tgcaacctcc	300
gcctcctggg	ttcaagcaag	tcttctgcct	cagcctcccc	agaactggaa	gaggaggcaa	360
cagtatttga	ggcaagaagt	ttgaggatga	atacagtga	tatcttaagc	acaatgttag	420
aggtgttgta	tctatggcta	ataatggccc	gaacaccaat	ggatctcagt	tcttcacac	480
ctatggcaaa	cagccacatt	tggacatgaa	atacaccgta	tttggaaagg	taatatagtg	540
tctggaaaact	ctagatgagt	tggagaaaagt	tgccagttaa	tgagaaagac	ataccgacct	600
cttaatgatg	tacacattaa	gggcntaac	tattcatgcc	aaccattttg	ctcagtacct	660
attgatngan	ctggacaaat	tactttgncc	aaattgctng	aacacacttt	attgggggggt	720
taccccgntt	ttaattatgt	canaa				745

<210> 696

<211> 795

<212> DNA

<213> Homo sapiens

<400> 696

tttcaaatng	cttggtant	ngttcttttt	gcaggatccc	atcgattcga	attcggcacg	60
aggctggcca	aagccaaatc	tcctaagtcc	accgcccagg	agggaacct	gaagcctgaa	120
ggagttacgg	aggccaaaca	tccagctgca	gttcgcctcc	aagaaggggt	ccatggccct	180
agtcgagtc	atgtgggctc	tggggaccat	gactattgtg	tccggagcag	gaccccccca	240
aaaaagatgc	ctgccctagt	cattccagag	gtgggctccc	gatggaatgt	caagcgccat	300
caggacatca	ccatcaaacc	tgtcttgtcc	ttggggccag	ctgccctcc	gccccatgc	360
atanctgcct	cccgaggagc	gcttgatcac	aggactagca	gtgagcaggc	agatccctca	420
gcacctgccc	ttgccccatc	cagcttgtctg	tcccctgagg	cctnacctg	ccggaatgac	480
atnaacacta	ggactncccc	tgaacctca	gccaaagcanc	ggtcaatgcg	ctgttacccg	540
aaaaagcctg	caggtcaagc	cagccccctta	agccagggt	tggcangggc	ccgcnaagg	600
ccgnaacaag	accgntctgt	naactcttgg	gttccaaacc	cggaaactttg	cccgaagca	660
tttntttccc	ttaattcctt	caattcaatc	cggntttcc	ttaatttcen	ggattcttng	720
ggtccaaggg	tccccttttt	tccccccaa	naacaaagaa	aaggttgggc	ccgaaanggt	780
cccaaccttn	ttntt					795

<210> 697

<211> 734

<212> DNA

<213> Homo sapiens

<400> 697

ctaatagctt	ggctactcgt	tcttnttgca	ggatcccac	gattcgcagc	cctcttccct	60
ccccgtcaa	gtcacttacc	atgcaaacca	caggctctaa	gagtttgtcc	ccagggacat	120
ccatccaagt	catctccatg	gtcctgggt	ccccgtgtga	gcatggagtc	aggaggtcat	180
caatcatcat	gctggggttg	gtgcgagagg	ggccacagac	ctgaaaccaa	atggatctga	240
ctggggcagc	tgccccctcag	tgtcagaggg	gctcgacccc	tccggtctct	aaggaagtc	300

WO 99/33982

PCT/US98/27610

caaagagaat	gctctgtggg	tccctagcat	ctgaggagga	cggtctcctt	cagaactcgg	360
gctgggtggt	ccgagcgact	catgatttgc	atgggactct	ggcaatctgt	agccccaatg	420
ccttgatgtc	ttcctcatta	acactgtcac	gtctcaccag	gaatacagtg	acattaaaag	480
tgtgatatgg	tntagctgtg	ccccaccca	catttcaact	tgaactgtat	ctatctccca	540
gaattcccac	atgttggtgg	anggacccag	ggggaggtaa	ctgaatcatg	gnngctggtc	600
ttttcccggt	ctattctcgt	gaatngtgaa	ntttnacgag	atctgatggg	tttatcaggg	660
gttttccaat	ttttggttct	tatttttctn	ttgcaatctg	catttaagna	antgccttn	720
ggtctetaac	antn					734

<210> 698

<211> 728

<212> DNA

<213> Homo sapiens

<400> 698

ttcnaatngc	tnggcttttn	gttctctttg	caggatccca	tcgattcgaa	ttcggcacga	60
ggtttaattt	aaacctctca	tcttttttta	agcactcact	gantttgacc	gagacagcca	120
gtcgccgttg	aggaatcctc	tgttgtaaac	atcgagaccc	ctggttttcg	ggaaacccaa	180
tggatgatga	gttgattatc	agaaacagct	gaagcagatg	attaaggatt	tagccaaaga	240
aaaagataaa	actgagaaag	aattgcccac	aatgagccag	agagaattta	tccagttctg	300
taaaactctg	tacagtatgt	tccatgaaga	tccagaagaa	aatgatttgt	atcaagccat	360
cgccacagtc	accacactgc	tgctgcagat	cggggagggtg	gggcagcgag	gcagcagctc	420
tggaaagctgc	tcccaggagt	gtggggagga	gctgcgggct	tcagctcctt	ctcctgagga	480
ctcggttttt	gcagacactg	ggaagacgcc	ccaggactcc	caggcatttc	cagaggcggc	540
agaaggggac	tggactgtct	cccttgaaca	tatttttagct	tcacttctga	ctgaacagtc	600
attagtcaac	tttttttgaa	aagccactgg	acatgaaatc	caaacttgaa	aatgccaaaga	660
tcaatcagtn	caatctcaaa	cttttgaaat	gaccncaatc	caatctggac	ntaagctgag	720
tacttgtn						728

<210> 699

<211> 746

<212> DNA

<213> Homo sapiens

<400> 699

tttcaaaten	cttggtctnt	ngttcttttt	gcaggatccc	atcgattcga	attcggcacg	60
agggaaaaac	aacaggtttg	agtcctataa	agccataatt	taactccagt	agctgatgtc	120
agacaagctt	gtcctatgtc	ctatttgagt	ggcagcagcg	ccagcccagc	aagaaggctg	180
ggggttgtca	aggttgctcc	cagaccttgc	ttgcagtggg	tggagaaccc	agggggctgc	240
cttgggccct	ctggccagag	ggaagcgggc	agctctagcc	ctggagattg	tggtcacatt	300
ggggcttggt	taggattgga	gggccaggtc	acctccccag	ccacctccc	ttctctcctc	360
tggggctccc	actttagggc	gactttgccc	gagcccacgc	atccatccac	tccttttagtg	420
ccttgaatct	cattcacaag	cagccccctc	ccttccccctc	cccttctcac	tctgttgatg	480
taatcctncc	acccccagtg	tccatcctaa	gacaggcatc	aaaaagaggc	cctaacttta	540
cttnccaaat	ggtgcttttt	aaaaaacacc	atcactacat	tangggcaat	tttttcacac	600
cttctgtctc	tcagaatgta	aaagggtggg	ggaattattg	tctctgggta	aatntgcacn	660
cccttgactt	gtggggggtt	tggggcatgt	tcanntatct	angaatgaat	tncaattnga	720
caaaaggggg	tttantnaat	tgtn				746

<210> 700

<211> 759

WO 99/33982

PCT/US98/27610

<212> DNA

<213> Homo sapiens

<400> 700

gntttgaaat	ccctttgctt	tnaaatcctt	tgetanttgn	tctttttgca	ggatcccatc	60
gattcgaatt	cggcacgaga	taaggggtgg	gccttaattc	agtagaattg	gtggcctcct	120
aagcagagga	agagagattt	ttctttctct	ctctgccatg	tgaagacagt	gaggagtcgg	180
ccgtctgcaa	gccaagaaga	gcccttatca	ggaacagact	tggctagcac	cttcacgtg	240
gacctccagc	ctccagaatt	gcaagaaaat	acatttcctg	cgttgaaacc	acccagtctg	300
tggtattttg	ttatggcagc	ccaggcagac	taatacgtga	agcctgctct	aaatagataa	360
aataagaaat	tactacagag	ggctctttag	aaattgtatt	taaaaacaag	acaatccata	420
tttacctaag	atttacagaa	tgtatgtcta	taaaaggagg	gatttctgga	ctagatgatg	480
atgaaaaatg	ttcatataaa	ggcaccttca	gcttcgagtt	gccaacacag	gaggaagaat	540
gctccctgct	gttcagatgc	tgatatgtgt	cctgtgcttt	ctggatggcc	agtgggatca	600
taagctggta	gaagccagaa	ctttcatcca	ctgacttcat	attcttncac	atnctggaac	660
tgtgggtggt	tgacctttta	aaaaataaat	ttaagcaa	at	tgaaatgntt	720
nttttggcca	naaaccac	at	nganatttt	ncgtctncc		759

<210> 701

<211> 751

<212> DNA

<213> Homo sapiens

<400> 701

gcttnnaatt	ccnttccaaa	gnaaaccctt	tgnaaattnc	cctttctgnt	tggatcccat	60
ccgattcgaa	ttcggcacga	gggtaagtca	ggtgattgaa	tcccggant	nttcattgtc	120
ttcaagctca	caatactatt	ttgggacaaa	cagttgtcta	gtggttgga	tcatgaaccc	180
tgattcttga	gggtggtatt	ttactgcttt	tgtgatttgg	tttcaacata	tatagtcttt	240
tctccggagt	taccttaggt	cagtggccag	tgtttcagcc	cctggaaagg	gcatgggctg	300
ccactgaggt	tggtcacagg	cctctcagct	cattggtgga	gtgggttcag	gagttggtaa	360
gtagggttca	gttctgttgt	tgccaccgat	ggcaacagg	gtttgtaata	atccctagtt	420
gtgtcaatta	tgctacttaa	ttttcacaac	aggtctctga	agtgtttctc	atctcatttt	480
tacagatgag	gcctgectgt	gttaatacac	ctagtgaaga	gtggagctga	atgtgaatgc	540
aagccttggc	accttaattg	agcaagtttg	aaacctcgct	tgttgccctt	ctggaaggag	600
tcangaattt	ncagttctgg	gcctgggctg	tgggtctggc	agacagacct	ctggccctaa	660
ggtttgggtn	ccangttctc	tgcttccaga	atgagaagct	ttgctgtgca	ccaagnanct	720
gggcccctct	ggnatctcnt	gaatnaaaan	n			751

<210> 702

<211> 748

<212> DNA

<213> Homo sapiens

<400> 702

gntttgaanc	ccctttnttt	naaatecttt	gctacttgnt	ctttttgcag	gatcccatcg	60
attcgaattc	ggcacgagcc	tgaatataaa	gaggaggagg	aagaccaaga	catacaggga	120
gaaatcagtc	atcctgatgg	aaaggtggaa	aaggtttata	agaatgggtg	ccgtgttata	180
ctgtttccca	atggaactcg	aaaggaagtg	agtgcagatg	ggaagaccat	cactgtcact	240
ttctttaatg	gtgacgtgaa	gcaggtcag	ccagaccaaa	gagtgatcta	ctactatgca	300
gctgcccgag	ccactcacac	gacatacccg	gagggactgg	aagtcttaca	tttctcaagt	360
ggacaaatag	aaaaacatta	cccagatgga	agaaaagaaa	tcacgtttcc	tgaccagact	420

WO 99/33982

PCT/US98/27610

gttaaaaact	tatttcctga	tggacaagaa	gaaagcattt	tcccagatgg	tacaattgtc	480
agagtacaac	gtgatggcaa	caaactcata	gagtttaata	atggccaaag	agaactacat	540
actgcccagt	tcaagagacg	ggaatcccag	atggcactgt	taaaaccgta	tatgcaaacg	600
gtcatcaaga	aacgaagtac	agatccngtc	ggataagagt	taanggcaag	gagggtaatg	660
tgctaattgga	cccgaactgt	gacgatcctc	atgtgatcat	gaagtaccag	tactgacttt	720
ttatgttaaa	aaatgtccat	ttactgng				748

<210> 703

<211> 769

<212> DNA

<213> Homo sapiens

<400> 703

ggnnntnnna	gnntttgaan	tcccttnnt	tctaattcta	ggcttctnng	tctttttgca	60
ggatcccatc	gattcgctca	gctgaggcaa	ttaaaactgga	aaagaaatag	attgaaaaga	120
tactacagaa	gaagcagtac	agaagttggg	ggactgaagg	agagggagcc	actgcaggtg	180
ctagctgctt	aaggggatac	cagtcctttt	acagatataa	tagatacagc	ttctgaggtg	240
gaggggtgata	ggagtgtgta	gagaaattgc	agttcagaac	tggagcatgc	agttaggcaa	300
gagggcatccc	atgtgaagat	gtcaagcaag	tactggaaaa	tgctgaacta	aaactcaggg	360
atggatatgt	agatttagag	aacttcattg	tagaggcagt	cattgaaagc	taaaagggct	420
gataataaaa	ttgccaagga	tggaaatagt	aagagggagt	cagtgttatt	aggattagaa	480
ttctgttttg	ttttttcttt	aaacagattc	tcgctctgtc	accctggctg	gagtgaagtg	540
gtgtgatctc	ggctcactgc	ggcctcgacc	tcccaggctc	aagttatcct	cccaactctc	600
agccttccaa	gtagctggga	ccacagccat	tcaaacacat	gcctgcctta	tgtttggtt	660
tttttgtna	aaccaagggt	ttgccatgtt	tnccaggetg	gnctnngaac	ttctgggctt	720
aagccattcc	cccacccttg	ggtctcccaa	aatgctngcc	attatangg		769

<210> 704

<211> 759

<212> DNA

<213> Homo sapiens

<400> 704

cnaannncnn	ggnntcnaat	annaggctac	ttgttctttt	tgcaggatcc	catcgattcg	60
aattcggcac	gagaccgctc	cggggccggc	caatttgcac	atgttgaatg	cgccgctata	120
aaccgggctg	gggttttgca	gcgatttctt	agatgtaaaa	atgagatctc	aatagcagcg	180
ggctgggcac	atcctctcct	ctctccttct	ctctctgccc	ggagctgggt	tccgtctctc	240
ggctcggggc	tggaactccg	gcccaccta	ggcgcgagc	cgccacgaga	tggcgcactt	300
ccgatcaatg	tcaaagccgc	cggggagccg	ggaaccccag	catgattctt	ggcctttggt	360
cgcttctgat	actaagagca	gcacggtaca	ttatttcaact	tgtcccgcctc	cccttcataa	420
cagaaaaagg	ggactcacc	tcaagaagtg	attggtatgg	taattttaaag	caacgcgcac	480
tcgctaggcc	tcgcgagcgt	cgccgcgcgg	agaagccagc	tgcccttggt	cagtgtattc	540
ggaaatgtgt	caaggcaatt	ccaaaggtga	aaacgcagcc	aactggctca	cggcaaaaga	600
gtggtcngaa	aaaagcgctt	gccccttaca	cgaagcacca	gacactggag	ctggaagaan	660
ggagtttctg	ttcaatatgt	acccttactc	gaaaagcggg	gcctagagaa	taaccgcgan	720
cgttccacct	taacggacag	gacaagtgga	aaaatcttg			759

<210> 705

<211> 777

<212> DNA

<213> Homo sapiens

WO 99/33982

PCT/US98/27610

<400> 705

tttgaaatcc	cntttnttna	aatcctttgc	tncttgttct	ttttgcagga	tcccatcgat	60
togtcctgaa	gctcgggggg	ctgcaggtec	tgaggacct	ggtgcaggag	aagggcacgg	120
aggtgctcgc	cgtgcgcgtg	gtcacactgc	tctacgacct	ggtcacggag	aagatgttcg	180
ccgaggagga	ggctgagctg	accagggaga	tgtccccaga	gaagctgcag	cagtatcgcc	240
aggtacacct	cctgccaggc	ctgtgggaac	agggctggtg	cgagatcacg	gcccacctcc	300
tggcgctgcc	cgagcatgat	gcccgtaga	aggtgctgca	gacactgggc	gtcctcctga	360
ccacctgccg	ggaccgctac	cgtcaggacc	cccagctcgg	caggacactg	gccagcctgc	420
aggctgagta	ccagggtgctg	gccagcctgg	agctgcagga	tggtagggac	gagggctact	480
tccaggagct	actgggctct	gtcaacagct	tgctgaagga	gctgagatga	ggccccacac	540
cangatagga	ctgggatgcc	cgctagtga	gcttgaaggg	tgccaaccgt	gggttgggct	600
ttcttaagca	tggaggacat	ttttggcaat	gcttggcttt	gggccattta	aatgggaaac	660
cttgaaaggc	caaaaaaaaa	aaaaaantna	tntnaaaaan	aaacttnnac	cttttaaaac	720
ttttaantgn	ngnecgnttt	tacnttanat	tccagacttg	attaggaatc	cattttt	777

<210> 706

<211> 760

<212> DNA

<213> Homo sapiens

<400> 706

gntttgaaat	ncenttnntt	caaatnctng	gctacttggt	ctttttgcag	gateccatcg	60
attcgaattc	ggcacgagna	atgcaaaggg	ctgcagttct	cattcaggct	acttttcagga	120
tgcacagaac	atatattaca	tttcagactt	ggaaacatgc	ttcaattcta	attcagcaac	180
attatcgaa	atatagagct	gcaaaattgc	aaagagaaaa	ttatatcaga	caatggcatt	240
ctgctgtggt	tattcaggct	gcatataaag	gaatgaaagc	aagacaactt	ttaagggaaa	300
aacacaaaag	ttctattgta	atacaaggca	cctacagaat	gtataggcag	tattgtttct	360
accaaaagct	tcagtgggct	acaaaaatca	tacaagaaaa	atatagagca	aataaaaaaga	420
aacagaaagt	atttcaacac	aatgaactta	agaaagagac	ttgtgttcag	gcaggttttc	480
aggcatgaa	cataaaaaaa	cagattcagg	aacagcacca	ggctgccatt	attattcaga	540
agcattgtaa	agccttttaa	ataaggaagc	attatctcca	cattagagca	acagtagttt	600
ctattcaaag	aagatacaga	aaactaactg	cagtgcgtcc	ccaacaagtt	atttgtatac	660
agtcttatta	cangancttt	aaagttccaa	aaggatatcc	aaaaatatgc	caccgggctt	720
gccacactta	attcagncat	tctatcnaat	gccccagggc			760

<210> 707

<211> 856

<212> DNA

<213> Homo sapiens

<400> 707

gttgctttga	agcctttgaa	atnctttggt	tnaaatnctt	ggctttngnt	ctntttgcag	60
gateccatcg	attcgctccc	ctggatgtgc	agacatggag	gaggacagaa	ggcccagctc	120
agtggcccc	gctccccacc	ccccacgccc	gaacagcagg	ggcagagcag	tctggaggtg	180
gtgntccccc	ttgatgaaga	gcaggcgact	ggnttggaga	gggagatcat	gctggctgna	240
aagaanggac	tggaccata	caatgtactg	gccncaaagg	gancttcagg	caccagngaa	300
gacccaaant	tantncccta	catntccaac	aagagaatag	naagctgcac	ntgtgaanag	360
gacaatacca	gcntcnantg	gttttggtcn	nacaaangcc	angnccancn	atgccccenn	420
tttgnaaccc	attacaanct	gntgccccan	tagctggcac	actgancncc	tnntctaaat	480
tacttaaaat	natgctgtan	aagtatantn	tttncagaan	agactaanca	ntncatngnc	540
tactttctcca	aaaaaaaaantg	anaaaaaatna	taaaantcaa	antaaatact	aaatnannan	600

WO 99/33982

PCT/US98/27610

ataanancan	tannaantta	tatttcnnan	atantanann	nancnnttta	naannantta	660
nggnnancan	nnattantnn	tnnatanttt	acattaaant	tattnanann	anaaannnan	720
nananannat	atattannan	anantnacnt	aaactnnnnt	naatnntcca	nanacttnaa	780
naanaataag	nnntanatna	nnnnttangn	ntnatatann	ttnanatann	nnnnacnata	840
nnacatnnnn	tangga					856

<210> 708

<211> 766

<212> DNA

<213> Homo sapiens

<400> 708

ctaatactgg	ctacttggtc	tttcnaagcn	ctgggnnttt	annnatnnag	ctacttggtc	60
tttttgagg	acccatcgat	tcgccccaaac	ttatcggggg	tgccagaggg	agagtagaca	120
agccttagtg	gcccgcattt	gttgaatatc	tactgtgcgc	caagcagtg	gtcacactt	180
tatgaagtag	gtattattat	catccccatt	ttacaggtga	agaaactgag	tctctgagag	240
accaactttt	ccaaggtcac	acagaggtgg	gatccagccc	acttccgtct	gaccccaagc	300
ccctgctgtt	aacccctgcc	ccattgtggg	gaggttcggg	cccactctgg	agttctctgg	360
tctgcgtcag	tcctcaggag	aagaaagaat	gggggtgatg	ctccaaatat	tgaggctccc	420
atctgtctgt	cctgcactag	gcagagccag	gcttctccat	ggggcacagg	agagagggca	480
ccagatctga	ggagcaaata	ggttcttggg	ctgagatctc	atgggatcag	gttgccagcc	540
ctgcaaacc	ccgctcangt	ctagaggaca	tggagctgcc	tttcaagggtg	catttgcttc	600
ctttacagac	tcggactctg	tnctctggct	actttgggcc	gtcccggact	cggaatgcg	660
tnctacactt	gtaggggcaa	aaccccggtt	tgactctttc	cgggttccta	cccttaacca	720
agcctttact	ttctngggat	caccctgttg	ggactttttg	tccacc		766

<210> 709

<211> 743

<212> DNA

<213> Homo sapiens

<400> 709

gaannccntt	nnnttgcaaa	tnntnggcta	cttggtcttt	ttgcaggatc	ccatcgattc	60
gaattcgcca	cgaggttttt	tttttttttt	tttgagaaat	gaatgcaaga	tttattgagt	120
ggtggaagta	gctctcagca	gatggctggg	gagccagaag	ggggatagca	tgggaaggta	180
gtcttctct	ggagtctggc	tgctcagcag	ccgggatctc	ctactgtcct	tggccgaatt	240
tcccttgggc	tccgaatcgt	tccaccatca	atggcctgcc	agcgtctttc	gatgtgttct	300
tctgccagtg	tgttctctt	gacgtccagc	cgcttgtgtg	tgtgcccgt	gggtctcag	360
ggtttttata	ggcacagaat	gggtggcatg	gcaggccaga	gtggtcttgg	aaaatgcaac	420
atttgggcaa	gaagacagga	gtccttggtc	tcattaggtc	catgggcaca	agcctgaggg	480
tggagccctt	gccagtgaac	ctgcccttct	ctaccagca	cttccctgtc	cccctcccat	540
atcaccggtg	ccatcttgtc	cttgatgagg	aatacaactc	ccaattcagt	gnttgcttgt	600
gggaagatgc	aatcctcttt	atgacaagtt	tctaanaagt	tgataagaaa	aatggggacc	660
tgctaagggt	ctagtatctc	atttaatact	ctatagaata	ttatgngggt	ttccctttta	720
ngtttttaaat	gttgaananc	nan				743

<210> 710

<211> 753

<212> DNA

<213> Homo sapiens

WO 99/33982

PCT/US98/27610

<400> 710

```

gnnnnnnnnnn nagngtttga antcctcctt ngaaatcctt tggcnactcg ctctttntgc      60
aggatcccat  cgattcgaat tcggcacgag gggcaatgca gttataatac tgtgttaatt      120
tcagacatct  tctggtcctc cgagccttgt atttacatac tagctgaaac tgcaagtgga      180
aatgaatgga  gctgatgata tttgccttat cctaattttt ctgtgaggag gagaaaaaca      240
cttgtgcttc  aaataagcag atgtgaaaac acttctcact aatcaaaatg tttaccacta      300
ggttatgaga  gtctgcctct cataggcagt gaatctgata tgtatactta gtaatataag      360
tctatttagt  ttgacaaaac cttagagcag aatttttgca gcttagttca ggatgatcac      420
tagcaatgcc  aaacttcatt ttttattgaa cttggatcca agaaggcctg ctgtgtctat      480
ttcagtatag  actctcatac caatatattt atgtctcaag tcactacacc cagaagtgat      540
gcagtggggg  aaatgcaaag acaacatcac tgtaagattc acagaatgga tcttttgtaa      600
aatattttat  attgacttaa ggaaaacctt tcattgggaa ttaattaaat taagtctcta      660
atatectgga  agacagtaaa aantnaagcn ggtgntctca antttgaacc cggcnattng      720
naatttcatt  ataggaattt ctgaaaataa tcc                                753

```

<210> 711

<211> 718

<212> DNA

<213> Homo sapiens

<400> 711

```

naatngctag  gctacttggt ctttttgtag gatcccatcg attcgaattc ggcacgagcc      60
tacttattgg  atgttggttc tttggtgtca tggagatggc tttactgtag gtttgttgtg      120
ttgcattact  tttcattggg attgaactga gaaataacaa acaagcttta agtgggaaat      180
taaaaaaaag  aagtaacctt tgtagatcca aacttaaaat gtgagaaatt attgaaattt      240
cattttctac  aaacttgaaa ttagcctgct aattgtaaaag ttgttttaat aatgctgaca      300
aatgtcagtt  acgtttgcaa aggagtgtat ggttctaggt atttgacctac tgtaaccgt      360
tgagaaaaac  attgtcaggt tagcaagtct attgaaatag agacctcctt agtttacagc      420
aaagaataaa  tagctgatga ctggagattg ggactaagggt tttatttatt tatattcttt      480
gaaagaaatc  ggacagttaa taagtggttt gtggttagagt tgaaggatgt ctgagagatg      540
gaaagagagt  gacaaaggag gagaaggaaat agtatctctt ttttagtatt gntttgaaat      600
taaaactctg  ntattttaat atggtaaaga gcaagaattt gggttgggcc gcngtgactc      660
acgcctataa  tcccagcact ttgggaagcc ntggtgggca aatcacctga aattangg      718

```

<210> 712

<211> 783

<212> DNA

<213> Homo sapiens

<400> 712

```

agttgaantn  cttgctacnn aaaacctttg genactngct cttntgnag gatcccatcg      60
attcgcaaag  atggtcgtat tactaaagggt gaataaccag cgcggnnngc acgtggagtc      120
actggaacat  ttgtgcaatg ctggtgggaa tgtcaaccctg tgcggccctc tggaataagc      180
ctggcagctc  ctccaagagt taccngtga cccancaatt ccactcctag ctccaccac      240
aggaattgaa  agcaaanacg caaacagatg cctgtncacc aaagttcacg gcagcatnct      300
tcgncatagt  ggcagcatcc gtcgtcacag cggcatcatc cttcatcata gcggcagcat      360
ccgtcgtcac  aagcggcagc atccttcgcc acagnggcan gcactcgtcg tcacancggn      420
agcatccttc  gacaaagcgg cagcatnctt cgtnatagcn gcagcatcct ttgccatanc      480
cggcaagggtg  gaaacctgtt ccatccactg aggcgtgcat agactaaaca tgggcagtc      540
agcactggaa  ttccaagcgg tacaacggng nccacngtca aaaangaatg aggaccctga      600
ngcacctgng  cnganaacaa gaacnnngcg nccaanact tttnagacat tattgcctta      660

```

WO 99/33982

PCT/US98/27610

```

agtngaaaaa cccagngcac caacgggaaa ccngaccgnc ntgnanccct gnttaacntt      720
nantnngttn cccgaaaatg ggggcacntt nccaaaaagg ggaataaaaag gggagaattn      780
cct                                                                    783

```

```

<210> 713
<211> 765
<212> DNA
<213> Homo sapiens

```

```

<400> 713
gttgaantcc ttccctttcaa atngcttgge tactcgntct ntntgcagga tcccatcgat      60
tcgaattcgg cacgagccca catgtaccag gttgagtttg aagatggatc ccagatagca      120
atgaagagag aggacatcta cactttagat gaagagttac ccaagagagt gaaagctcga      180
ttttccacag cctctgacat gcgatttgaa gacacgtttt atggagcaga cattatccaa      240
ggggagagaa agagacaaaag agtgctgagc tccaggttta agaatgaata tgtggccgac      300
cctgtatacc gcactttttt gaagagctct tccagaaga agtgccagaa gagacagtag      360
tctgcataca tcgctgcagg ccacagagca gcttgggttg gaagagagaa gatgaaggga      420
catccttggg gctgtgccgt gagttttgct ggcatangtg acaggggtgtg tctctgacag      480
tggtaaatcg ggtttccaga gtttggtcac caaaaataca aaatacaccc aatgaattgg      540
acgcagcaat ctgaaatcat ctctagtctt gctttccttg tgagcagttg tctttctatg      600
atccccaaag aagtttttct aaagtnaaaa ggaaaattcc tagtgggaatt cancccccac      660
gggaaaaaag ccacttgnc cacannagga agcnggntn ccccttngtt ccggcttaan      720
ggccccctgt tcaggaaacc acactggggg ancttntttt ttttn                      765

```

```

<210> 714
<211> 740
<212> DNA
<213> Homo sapiens

```

```

<400> 714
gtttgaannc cttngntttc naatgctnng ctacttggtc tttntgcagg atcccatcga      60
ttcgccaaaa gcttgtggca aatttgaaat ttctgccatt agggacctta caactggcta      120
tgatgatagc caacctgata aaaaagctgt tcttcccact agtaaaagca gccaaatgat      180
caccttcacc tttgctaata gaggcgtggc caccatgcgc accagtggga cagagcccaa      240
aatcaagtac tatgcagagc tgtgtgcccc acctgggaac agtgatcctg agcagctgaa      300
gaaggaaactg aatgaactgg tcagtgtctat tgaagaacat tttttccagc cacagaagta      360
caatctgcag ccaaaagcag actaaaatag tccagccttg ggtatacttg catttaccta      420
caattaagct gggtttaact tgttaagcaa tatttttaag ggccaaatga ttcaaaacat      480
cacagggtatt tatgtgtttt acaaagacct acattcctca ttgtttcatg tttgaccttt      540
aaggtgaaaa aagaaaatgg ccaaacccaa caaactaaca ttccactactaa aaagttaggc      600
ttggacatat tttgaatttt tgtaagttaa agatttttaa actgactaac ttaaaaaaat      660
agattgtaat tgatgtgcct taatttgcac aaatcataaa tgtatgtcct ctctgtgaatt      720
ggtttaatgt gtgcttgaan                                                    740

```

```

<210> 715
<211> 708
<212> DNA
<213> Homo sapiens

```

```

<400> 715
tttgcaaatn gcttggctac ttgttctttt tgcaggatcc catcgattcg aattcggcac      60

```

WO 99/33982

PCT/US98/27610

```

gagggaggct agactcaagc tgtctggaga gtgtgaaaca aaagtgtgtg aagagttgta      120
actgtgtgac tgagcttgat ggccaagttg aaaatcttca tttggatctg tgctgccttg      180
ctggtaacca ggaagacctt agtaaggact ctctaggtcc taccaaatca agcaaaattg      240
aaggagctgg taccagtatc tcagagcctc cgtctcctat cagtccgtat gcttcagaaa      300
gctgtggaac gctacctctt cctttgagac cttgtggaga agggctctgaa atggtaggca      360
aagagaatag ttccccagag aataaaaact ggttggtggc catggcagcc aaacggaagg      420
ctgagaatcc atctccacga agtccgtcat cccagacacc caattccagg agacagagcg      480
gaaagacatt gccaaagccc gtcaccatca cgcccagctc catgaggaaa atctgcacat      540
acttccatag aaagtcccag gaggacttct gtggctcctga cactcaacag aattatagat      600
tctaactctg tgagttactg agctttggtc ccttaaaaca agctgacttg gtccttaaac      660
cagatgaaaa tccagatgct ctatacttgg ctttaagaac tgctttcn      708

```

<210> 716

<211> 730

<212> DNA

<213> Homo sapiens

<400> 716

```

ttgcaaatng ctnggctact tgttcttttt gcaggatccc atcgattcgc tcccatggag      60
gtggtgggaa tggcacccag aagtttgatg acagttatct aatggactag aggttggcaa      120
actttctgta aatggccagg tagtaaatag ttctgctttt gaaggcatat ggtctcttgc      180
acctactcga ggctgaaagc agctatagac aatacataaa tgaatgagcg tgagtgtgtt      240
ccaataagaa aaaaacatgg ctgtttgctt cggccccagg gttgtagctt accagtctctg      300
taacagatca cagtttgctc ttttggtcac aaatacttga accctccct agttcagagc      360
atttgatacc gtaatattta aagctcactt gtaaaacatc gtttggtgcc tccatccata      420
gtatctcaaa cagaatgtct ctcccaata tacctaaatt ccatattctc tgaagcacia      480
ccagctattt tcttgacata cttcctaaca caccacacag ttcacaattt gatctgaaaa      540
cttgtaagg gaggttcttt ggcatgtgat gccataaaaa gagaggtatg ggctctcctt      600
taaaaaagag acccttttta tgagactcac aataggataa aagagcccat gcctatTTTT      660
aaacattttt ttcactatat aagacatgca tgctgnaaa atggttttta attagtatna      720
ntgcttaatn      730

```

<210> 717

<211> 728

<212> DNA

<213> Homo sapiens

<400> 717

```

naatngctng gctcttggtc tttttgcagg atccctcgat tcgctgcagt gagattctct      60
gcaatgactg gcctcagcaa gggggcagct taggaccctg acatcccagg tcactaagcc      120
acataggata agtaatgggt ggacagaagc gggaaaggag aagggcaggg cacatgttta      180
aaacttgaac tttctgaggc taagactgga aaaggaatgg ttacagctga tatatttga      240
taccagttga ctatttttag gaaaaaaaca caaatggctt ttaaacaatca cagtgtgata      300
cagtctaact cagaattaga gacaggcaaa acagaactcc atcttaaaaa ataaataaat      360
aaaataaaat aaatgacatc actttggttc agagctctaa aatggaggga ggaagccatt      420
ctaaaaagga ctccctacat gacctgcaac ttgaaaaaaa attaaaagct ccaaaaaaaa      480
caatncagga gtttaccttg aaccttttga attgggcca attgccgatg accactgcat      540
cctggaaaat tttatttcac cagcactaca acttctcaac agcaccaacc aatttaacta      600
tggaattttg tactaanccc agttgcctct ttnaaaaca cttgtcaact ttgtctaate      660
acctcagct tttttttaa aacctnct ctacctnt ctcttcagaa caccaaagtg      720
gncttttn      728

```

WO 99/33982

PCT/US98/27610

<210> 718
 <211> 730
 <212> DNA
 <213> Homo sapiens

<400> 718
 gaantccttn nntttnaaat cnttggetac ttgttctttt tgcaggatcc catcgattcg 60
 aattcggcac gatctagata ttgccaatc gctgcccaca gtgcacatac ctttccacca 120
 gtcacatgtg agagggcaga ttttccaaat gtcctacacc acttggcact gtgtggacta 180
 taattttggc cagttaggaa atggcatctc attgttttca tcttaatttg cgtcagcctg 240
 attactcatt gaaacttgtg aggttgagaa acttttctta agcttatttg ccattcaagt 300
 ttcttccttt atgaaatggt tgttcattgtc atttgcctcat ttttatatta gattgttttt 360
 cttttttcca gctgacttgt aggaactcta catcttatca atattaatca tttatcgaaa 420
 actatttggg tgccattatc ttctcctagt caatgttttt tgtttgtgat atcttttata 480
 atatataagt ttttaatggt ggcagaagta aagttaactt ttttggctgt gttgtgtgtc 540
 ttgtttgatg taaagatagt ttctgtaata gttttgcagt ttgattgggtc atcttttaggt 600
 cttcaattac aacctgcaca ttcatccctc taccctcttt cttactctgg ttttctccat 660
 agcacttatc atccaataat atggcatgca cttatttaat ctgggtttgca tatatatattt 720
 ngctggtagc 730

<210> 719
 <211> 733
 <212> DNA
 <213> Homo sapiens

<400> 719
 ttcaaatcgc ttggctactt gttctttntg caggatccct cgattcgctt cagtgcacac 60
 aacaggagag aggagaaaga agaaacgcta gtaattccaa gcactggaat taagttgcct 120
 tcatcagtgt ttgcttcaga gtttgaggaa gatgttggat tgttaaataa agcagctcca 180
 gtttcaggac ctgactgga ttttgatcct gacattgttg cagctcttga tgatgatttt 240
 gactttgatg atccagataa ttctgcttga ggatgacttt attcttcagg ccaataaggc 300
 aacaggagag gaagagggaa tggatataca gaaatctgag aatgaagatg acagcgagtg 360
 ggaagatgtg gatgatgaga agggagatag caatgatgac tatgactctg caggcctatt 420
 gtcagatgaa gactgtatgt ctgtgcccgg aaaaactcac agagctatag cagatcactt 480
 gttctggagt gaggaacaa agagtcgctt cacggagtat tcgatgactt nctcagtcct 540
 gaggagaaat gaacagcttg accctacatg atgagangtt tgagaaagtt ttatgagcca 600
 tattgatgat gatgaaattg ggagctctgg ataatgccag aatttggaag gggtctattc 660
 aagtgggaca gcaattcgct ttcnaggaag ttttgaatga ctactattaa agagaangcc 720
 caanaattnt ntt 733

<210> 720
 <211> 740
 <212> DNA
 <213> Homo sapiens

<400> 720
 agttnnnttn ntncntttca aatccttggc tacttgntct ttttgcagga tcccatcgat 60
 tcgaattcgg cacgagaaga gaaggaccta gagattgaga ggcttaagac gaagcaaaaa 120
 gaactggagg ccaagatggt ggcccagaag gctgaggaaa aggagaacca ttgtcccaca 180
 atgctccggc ccctttcaca tcgcacagtc acaggggcaa agcccctgaa aaaggctgtg 240
 gtgatgcccc tacagetaat tcaggagcag gcagcatccc caaatgccga gatccacatc 300

WO 99/33982

PCT/US98/27610

```

ctgaagaata aaggccggaa gagaaagctg gagtccctgg atgccctaga gcctgaggag      360
aaggctgagg actgctggga gctacagatc agcccggagc tactggctca tgggcgccaa      420
aaaatactgg atctgctgaa cgaaggctca gcccgagatc tccgcagtct tcaacgcatt      480
ggcccgaaga aggccagct aatcgtgggc tggcgggagc ttcacggncc cttcaccagg      540
tggaggacct ggaacgcntg gagggcataa cngggaaaca gatggagtcc tttctgaagg      600
caaacattct ggggtctcggc ggccgccanc gctntggcgc cttctgaccg tcgctnctac      660
ttncgncttt tcaaatTTTT ggnataaccc cegtgtttgn gtaaaatcca gtttttgttc      720
cgntaaaaaa aaaaaaaaaat                                         740

```

<210> 721

<211> 736

<212> DNA

<213> Homo sapiens

<400> 721

```

nnttnnnttt tnnaaatccc ttggtactt gttctttttg cagggatccc atcgattcgc      60
atgagtgata ttttggctctg ggtttcctct taagatttta gtttgtctga attaaggaaa      120
aatgttttta atatacattc ttattttgtc ccaccctcc agaaataagc tggaaatctt      180
aacttttttg ggggtctttt ttggtgtttt aatgggcccc gaactgtggt ttaaattttt      240
atgtatgtat tttctttttt gtggagtata aatttaaaaa ctggatttgg gacctaaaat      300
actcctcagg ttgatgtatt catgaagttt taaaacatct ttagttttca aagtaaactg      360
gatatgtgga ccttaaagtt attgagttta agctacaaat tgtaacgtca ttactggaca      420
tgtcagcatc aaccctctca aaatagcttg gtcactttat gaaggggcgt tttaaagtgt      480
ttgttttagca gtgacattta atatgggtcca attgcttttc tttttaacgt gacaaaaaga      540
gaataaggaa caaacactat tgctgccgaa tgccataaca ctgagttgtc aaattgtgat      600
tgaggaaatg aaaaggttta tactttttta aaaaaaaaaa cnnaanccaa aaaacccaaa      660
cttcaaattg aataaattat tcatgaagcc cttaaaaaaaa aaaaaaaaaa aactcgaacc      720
tntaaaactn tngngg                                         736

```

<210> 722

<211> 751

<212> DNA

<213> Homo sapiens

<400> 722

```

attncttgg cttttcaaat ccttggtac tngttcttn tgcaggatcc catcgattcg      60
aattcggcac gagattatag agattaatct ctttgcctcg aagtctattt aaatattagt      120
cacatctaaa acatactttt acagcaacat ctgactgggt gtttgaccaa acaactgggc      180
atcatagctg acacataaaa ttaaccatca caaccatggt ctaggcactg ttcctcactg      240
cctgagaaga caccgttatg tttattaggg tttttgagtt ttatccacag cttttggtta      300
tctgcaacca tgtctcccac cattaacata gtccacactg agatgaggat tccctattta      360
acacttggtc ccaacttctt cacagtccat ctggttttgt agaggggaaca taactggaca      420
ttctggtcag gttaggtgag gtcaggcett caggacgcta ttttactga gttgctttat      480
aaggcacatt atgcaaaatt ccatcagctc ttctgttcac tacattcact gttgaaatc      540
taagagtgag actgctgtct cacaccaaaag ccagtgggta ctatcttcag taggcacgca      600
gcatcatggt tgtatttgat ccantagat gacatgtaag agaaaacttt attgnggact      660
ctgtaaagtg tgacattcgt ttgtgactca atttgcctcat gtatttggtc ctggggagtc      720
attacatagc taactttcag ctgctttcaa t                                         751

```

<210> 723

<211> 749

WO 99/33982

PCT/US98/27610

<212> DNA

<213> Homo sapiens

<400> 723

tttaatncct	ttcnmtaate	cttngtttten	ngcnctttnt	gcaggatccc	atcgattcga	60
tgctagccaa	agcctgctgc	cagctccata	gcctggacct	acagcactcc	atgggtggagt	120
ccacagctgt	ggtgagcttc	ttggaggagg	caggggcccg	aatgcgcaag	ttgtggctga	180
cctacagctc	ccagacgaca	gccatcctgg	gcgcactgct	gggcagctgc	tgcccccagc	240
tccaggctct	ggagggtgagc	accggcatca	accgtaatag	cattccccctt	cagctgcctg	300
tcgaggctct	gcanaaaggc	tgccctcagc	tccagcctgg	accttgcccc	caggtgctgc	360
ggctgttgaa	cctgatgtgg	ctgcccgaag	ctccgggacg	aggggtggct	cccggaccag	420
gcttcctgaa	ctagaggagc	tctgcctgnc	gagctcaacc	tgcaactttg	tgagcaacga	480
ggctcctnggc	cgnctactcc	acggctctcc	caacctgcgc	ttactggatc	ttcgtggctg	540
tgcnccgcatc	acgccggctg	gccttcagga	tctgccatgt	cgggagctgg	agcagcttca	600
tctgggctctg	tatggcacgt	cagaccggct	gactttttacc	aangagggca	agnccctttt	660
gaccagaant	ggtgcataca	ctgcgaagaa	ctggactttg	aatggccaag	ggttcaattg	720
agaaagacct	ggaacangcc	cttgcctnct				749

<210> 724

<211> 761

<212> DNA

<213> Homo sapiens

<400> 724

ttnnnnccct	ttttaatncc	ttctactaat	ccttggtctct	cgntctttct	gcaggatccc	60
atcgattcga	attcggcacg	agcctcagcc	ttctaaaaag	ctggggctac	accagctga	120
agaaattgta	actaaagata	gattgtttta	agcaaagcaa	gaaacttctg	aagaaatgga	180
acaaagtgga	gaagcctcag	gaaagcccaa	cagagagtgt	gcacccaga	ttccttgtag	240
tactcctatt	gctactgaaa	ggacagttgc	acatttgaa	actctgaagg	accgtcaccc	300
aggtgatttg	tgggcccgc	tgacatctc	atccctggaa	tatgctgcan	gagacattac	360
ccgaaaaggg	agaaaaaaag	acaaagctcg	agtgagtga	ctgctccaag	gcctctcatt	420
ctctggtgac	tcagatgtgg	aaaaagataa	tgagcctgag	atccagcctg	ctcaaaagaa	480
gttaaaggta	tcatgtttcc	cagaaaagag	ttggaccaa	agagacatta	aacccaattt	540
tccaagctgg	tcagcactgg	attctggact	tttgaatctc	aagagcgaaa	agtttgaacc	600
cagtagagct	ttttgaatta	ttttttgatg	atgaaacatt	caacttaatt	gtcaatgaaa	660
ccnataatta	tgcttctcag	aaaaatgtca	gctttggaag	tccagttcag	gaaaaaaaaa	720
nnnnannaaa	aaactcgagc	ctntanaact	atngtgagtc	c		761

<210> 725

<211> 760

<212> DNA

<213> Homo sapiens

<400> 725

tttcncccn	tttttanccc	cttncctctaa	tccttggnct	tngttctttt	tgaggatcc	60
catcgattcg	aattcggcac	gagggcgact	ctcaggacga	aaagagtcaa	acctttttgg	120
gaanttcaga	ggaagtaact	ggaaagcaag	aagatcatgg	tataaaggag	aaaggggtcc	180
cagtcagcgg	gcaggaggcg	aaagagccag	agagttggga	tgggggcagg	ctgggggcag	240
tgggaagagc	gaggagcagg	gaagaggaga	atgagcatca	tgggccttca	atgcccgctc	300
tgatagcccc	tgaggactct	cctcactgtg	acctgtttcc	aggtgcctca	tatctcgtga	360
ctcagattcc	cgggactcag	acagagtcca	gggctgagga	actgtcccc	gcagctctgt	420

WO 99/33982

PCT/US98/27610

```

ctcccttgct agagcccatc agatgctctc accagcccat ttctctactg ggctcctttt      480
tgactgagga gtcacctgac aaggaaaaac ttctatcagt actttgatat gtcacagttt      540
catgtttatc cagttcaatg tatttttaaa ttttcccttg agacttcttt gactgataga      600
ttattgtgaa gtgtgttttt aaatttncaa atgttttangg attttcatat ctttcttatg      660
ctgatttcca attggattcc ttacaatgat ttttgggttt catctgctct tggatgatta      720
ctatctcttt taaatttggg gtggccaagt tttagggccn      760

```

<210> 726

<211> 741

<212> DNA

<213> Homo sapiens

<400> 726

```

ttntgccctt tgtntnatcc ttgntcttgc ctttttgcag gatcccatcg attcgaattc      60
ggcacgagac aagttctatt gagtgctatt cagaatagga acaaggttct aatagaaaaa      120
gatggcaatt tgaagtagct ataaaattag actaatctac attgcttttc tcctgcagag      180
tctaatacct tttatgcttt gataattagc agtttgtcta cttggtcact aggaatgaaa      240
ctacatggta ataggcttaa caggtgtaat agcccactta ctctgaatc tttaaagcatt      300
tgtgcatttg aaaaatgctt ttgcgcatct tcctgctggg attacaggca tgagccactg      360
tgctgacct cccatatgta aaagtgtcta aagggttttt ttggttataa aaggaaaatt      420
tttgcttaag tttgaaggat aggtaaaatt aaaggacatg ctttctgttt gtgtgatggg      480
ttttaaaatt tttttttaag atggagttct tgttgccag gctagaatgc aatggcaaaa      540
tctcactgca atctcctcct catgggttca agcaattctc ctacttcagc ctcccaagta      600
gctgggatta caggcatgtg ctaatttggg gtttttaata gagatgaggg ttttccatgt      660
tggtcangct ggtctcaaac tcctgcctta ngtgategcc tcggcctnct aaagtgtctg      720
aattcaggca tgaancncca t      741

```

<210> 727

<211> 751

<212> DNA

<213> Homo sapiens

<400> 727

```

ccttcttcen aanctntgt tgaacnctt tcmnategc gcttgcgctt tgagctagga      60
taaaaattgg gtaaaggac atttgcttac ctgnntnatg aatcactntt tgaaatgtga      120
tcttgccata tcatcaagaa acttgttttc tggatgaata ctgggagaat aaaatgagaa      180
ctctggagtg agctaaattg atcccaatna agtttttctg cttagcagac agaaggtata      240
attntttgac accctttccc acctggtgcc tatgctaggc ttgtcctgan aacatnctc      300
agtaacttga tattcacatg acctacagga tgtcccatct gcagggctga gtcagttggg      360
gaacaccaga ggctacacag tagctattcc tgctactcgg ttaatgagct tggcagggtc      420
tttgtctcac tgaattctta tcatggaaac agcagcagca gccgctagga aatcttcaag      480
tgtagnggcc tgtgctaacc cagtggtaaa tcccttagat cccctgctgg tctctggcaa      540
aactccttga tnttgggtac catgtatant ttgcctttga cntttaacgc tttctacgat      600
anggtaanca cncntttaat ttangcnctg gancattaac tttctttgca aaggetactt      660
atngccngnc acaantgcag cctcggacan ancnnangnn atatcctgtt ggccatggct      720
ntgatgtttg acanccgata ngccttctnc g      751

```

<210> 728

<211> 765

<212> DNA

<213> Homo sapiens

WO 99/33982

PCT/US98/27610

<400> 728

tnnntttnt	ttacnttgt	ttgacgcctt	tctgcaggat	ccctcgattc	gcactggcta	60
cctgcagatt	gcagagcggc	gagagcccat	aggcagcatg	tcattccatgg	aagtgaacgt	120
ggacatgctg	gagcagatgg	acctgatgga	catatcggac	cangaggccc	tggacgtctt	180
cctgaactct	ggaggagaag	agaacactgt	gctgtccccc	gccttagggc	ctgaatccag	240
tacctgtcac	aatganatta	ccctccaggt	tccaaatncc	tcagaattaa	gagccaancc	300
nccttcttnt	tcctncacct	gcaccgactn	ggncacceng	nacatcanng	aggggtgggga	360
gtncncnnt	gttcagtcgg	atgaggagga	anttcangtg	gacactgncc	tgncacatn	420
acacactnac	agagangcca	ctcnngatgg	tgntnangac	agcaactntt	aaattgggac	480
atgggcgtng	tntggccaca	ctggaatcca	nntttggetg	tatgcggaat	ttcacctgcn	540
aagccaggtt	nnttnataga	cgttcttgat	tattacataa	ttgccaatca	tgtggtgagn	600
aaacttgtn	aacantttta	caattaantg	tgaagaccgt	acaangaatt	agttaaangc	660
natnnagggc	taaacaagct	attacttntg	annnaantta	angnatntaa	nntttntctgn	720
ttctnaaaat	nttcaatntn	nngggaacan	ttgtaanttt	nncnt		765

<210> 729

<211> 743

<212> DNA

<213> Homo sapiens

<400> 729

tannnnnttnc	tntannnttt	ctgangccct	tntgcaggat	cccatcgatt	cgaattcggc	60
acgaggagat	ctctgggatg	tcagtgaggc	tggttgaaga	ccagaggtaa	actgcagagg	120
tcaccacccc	caccatgtcc	caggtgatgt	ccagcccact	gctggcagga	ggccatgctg	180
tcagcttggc	gccttgtgat	gagcccagga	ggaccctgca	cccagcacc	agccccagcc	240
tgccacccca	gtgttcttac	tacaccacgg	aaggetgggg	agcccaggcc	ctgatggccc	300
ccgtgccctg	catggggccc	cctggccgac	tccagcaagc	cccacagggtg	gaggccaaag	360
ccacctgctt	cctgccgtcc	cctgggtgaga	aggccttggg	gaccccagag	gaccttgact	420
cctacattga	cttctcactg	gagagcctca	atcagatgat	cctggaactg	gaccccacct	480
tccaactgct	tccccangg	actgggggct	cccangctga	nctggcccag	agcaccatgt	540
caatgagaaa	gaaggaggaa	tctgaacctt	gggtaaggat	ttggggcaca	gtaccaggaa	600
gggggcttgg	tgccagacct	tatgaggaag	aaggattttc	ctatgtacag	agaangggac	660
cctgtntctgt	tgggaagtgc	ttgtgcaaac	ctaaccaagt	tactaaccce	tctgnnttct	720
gtgctacaca	aaggggataa	att				743

<210> 730

<211> 744

<212> DNA

<213> Homo sapiens

<400> 730

ttnttctctt	cctctaatec	ttttancgcc	tttctgcagg	atcccatcga	ttcgaattcg	60
gcacgagggg	tcctccaaga	gtttggggcg	cggacnnnag	tacettgcgt	gcagttatgt	120
cggcgtntgt	agtgtntgtc	atttcgcggt	tcttacaaca	gtacttgagc	tccactccgc	180
agcgtctgaa	gttgctggac	gcgtacctgc	tgtatatact	gctgaccggg	gcgctgcagc	240
acggttactg	tctcctcgtg	gggaccttcc	ccttcaactn	ttttctctng	ggcttnatct	300
cttgtgtggn	ttagtttnat	cctagcgggt	tgccctgataa	taengatcaa	cccacngaac	360
aaagcngatt	tccaaggcnt	ctgccagag	cnagcctttg	ntgannttct	ctttgccagc	420
accatcctgc	accttgttgt	natnancnta	ggtgnetgaa	tcattctcan	ttncntaatt	480
gangagtang	anactaaaag	aatgttgact	ctttgaaatct	gctggataag	agactngaga	540
tggcagctta	ttggacacat	ggattttctt	cngatntgca	cttactgcta	gctntgctan	600

WO 99/33982

PCT/US98/27610

```

ctatgcagga gaaaagccca tagttactgc gtgtnacaac aactntctaa cnaacattca      660
ttaatccann nganncccttt caangaatgg taancctatg ccnttcaana tactgaactt      720
mntgccactt ntggcaaaaa aaat                                           744

```

```

<210> 731
<211> 746
<212> DNA
<213> Homo sapiens

```

```

<400> 731
cttattccct ttgnaactna ctctttntca tccctttgtg caggatccca tcgattcgaa      60
ttcggcacga gtgtccttat ctgaaattca ggcattctnt tgaataagca tttctctgat      120
tgtggtatat gcctttaatt ttatttctag agtgacaaat ttttggtttt gcacagttttt      180
ttctagcttt atagtttctt cttggggaga gaatatgtca acctcactcc atcatgctga      240
agtaaatctt catctcttaa ttttatctct caaaaatata ctaaggattc cctctggagc      300
ctgataagta attgcagtat ctggtttcta tggttggatg attcaggatt ccaggaataa      360
tagttacttt ttagacctct aaagaagaag taacaaccac gtaaataaaa agatgcttct      420
taaatacatgg agaatacagg cttagtatca ctgtattttc aaactgtttc agccttactt      480
tataactgat ttagtatatt tttcttttaa tttcagactt cagtgaagtt ccttatgact      540
tcccctgaaa ttgcttcctt atcatggggg caaatgaaag taaaaggctc taatacaacc      600
tataaggact gcaaagtatg gccagggggt agtcngactt gggattggag agaaacagga      660
actgagcatt ctctggtgtg gcacctgcag atgtgaagga agttgttgag aanggtgtcc      720
agactcttgt gattggnacna nggata                                           746

```

```

<210> 732
<211> 756
<212> DNA
<213> Homo sapiens

```

```

<400> 732
ttnnnnnnnn nnatcctttt gatttnattc ctntntcang tccctttgtg aggatcccat      60
cgattcgaaat tcggcacgag gtggcccata agttttacct tttaaacata cggctgcctg      120
tgaatgagaa gaagaaaata aatgtgggaa ttggggagat aaaggatata cggttgggtg      180
ggatccacca aaatggaggc ttcaccaagg tgtggtttgc catgaagacc ttccttacgc      240
ccagcatctt catcattatg gtgtggtatt ggaggaggat caccatgatg tcccgacccc      300
cagtgtcttct ggaaaaagtc atctttgccc ttgggatttc catgaccttt atcaatatcc      360
cagtgggaatg gttttccatc gggtttgact ggacctggat gctgctgttt ggtgacatcc      420
gacagggcat cttctatgcg atgcttctgt ccttctggat catcttctgt ggcgagcaca      480
tgatggatca ncacgagcgg aaccacatcg canggtattg gaagcaagtc ggaccattg      540
ccgntggctc cttctgcctc ttcataattg acatgtgtga gaaaggggta caactnacga      600
atcccttcta cagtatctgg actacagaca ttggaacana gctggccatg gncttcatca      660
tcgtggctgg aatctgcctc tgctctact tccgttttct atgcttnatg gnatttcaag      720
tgtttcngac atcantggga agcaatccac ctgccc                                           756

```

```

<210> 733
<211> 742
<212> DNA
<213> Homo sapiens

```

```

<400> 733
cntatccttt nntttattcc ttnataagnc cttnngcagg atccatcgat tcgaattcgg      60

```

WO 99/33982

PCT/US98/27610

cacgagctca	cacctgcttt	ggatgcttca	agcacctcag	ccctctgaac	tacaaaacag	120
aagagcctgc	aagtgacaaa	ggaagtgagg	cagaggccca	catgccccca	ccgttcacac	180
cctacgtgcc	tcggattctg	aacggcttgg	cctcggagag	gacagcactg	tctccgcagc	240
agcagcagca	gcagacctat	ggtgccatcc	acaacatcag	cgggactatc	cctggacagt	300
gcttggcgca	gagcgccacg	ggcagtgtgg	ctgctgcccc	ccaggaggcc	tgaggctggg	360
tctcactgct	ctgaaaagac	acaaccagaa	tggcctgggg	ctcaggccct	tggtctgagt	420
ggaatgcgtt	gggactgccc	agctgagcta	tcaggtgccc	atcttttctg	gtcccagcag	480
tggtgaggag	agcacaggca	ggcctcgccc	ctcccttget	cacccagttt	ccccnecggc	540
acaagcttcc	agctctgcag	ctggggtgac	atccccagtg	gtttgtcgcc	aagacatgtg	600
gtggactttt	cgccccccaa	actgatgagt	nccggagaat	atatggagag	agagatgtaa	660
aaaaaaaaaa	nnnnnnnnnt	nntnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	720
nnnnnnnnna	annnnananc	tc				742

<210> 734

<211> 749

<212> DNA

<213> Homo sapiens

<400> 734

nntanaatcc	ntttnnctnt	aatccctcta	ncaaatecct	tgggcaggat	cccatcgatt	60
cgaaaattta	tagtaatgac	aaatgactta	tcagtgttca	tcacttgaaa	gctaagtggg	120
tcgttcaatc	actttttcaa	agttgatagt	agattgcatg	gtttcatgtt	tcctcatatt	180
ggtttattaa	ttctatttaa	tcaaggaaaa	taacttcaga	ttccataaag	tttcagttta	240
tttttagttt	actactaggt	gagatagcac	attacatact	tttactatca	aatattattt	300
tagcagcttc	ccatagtacc	aaatgatttg	attccctact	ctcatttttt	aaagcatata	360
aataatttatg	ggcttaaaaa	gggggttttt	aaaaactgag	gatatcagta	ataaattgca	420
gaataatttg	caaagctttc	ttttggaaag	caaacttttg	tgcttgccct	tatgcaaagt	480
attttatcag	ggacttgaac	aaagacctca	ctctttttca	cttgtcttat	gtcgagagaa	540
aagggatttg	gcagccacat	tcctaagact	gggggaatgg	gtgtcccttt	aaatttgaag	600
ataactttan	gtaattatng	gaactcctca	aagaggagaa	agtaattttt	tncagacatt	660
ttctcaatct	gggnctttca	cacactantt	tncatagtcg	agaatctggg	tttaccatt	720
gggctgngaa	tgtccaatat	cagtccctgg				749

<210> 735

<211> 770

<212> DNA

<213> Homo sapiens

<400> 735

gngntnngnn	gttnnnntnt	tttnaatnta	atccttgtnt	naantccttt	tgcaggatcc	60
catcgattcg	aattcggcac	gagggtgccc	atcaccacac	ccagctaact	tttgtatttt	120
tagtagagac	gggttttcac	catgttgccc	aggctggctc	tgaactcctg	acctcggtgat	180
ccgcccgcct	tgcccccgca	aagtgtctggg	attacaagca	tgagcccagc	gcctggctgt	240
atctttcatt	ttacccaagt	cactttaccc	aagtaagtaa	ttaggggaaa	gcctgagtct	300
tgtaccacct	gttcatttgg	ggaactgtgg	gaaacggagc	caacggacct	aagtgccctt	360
tgacagtgg	tttcatacca	tttcagtagt	gtatttcttt	cttaatctga	ataaaccaga	420
atgatactct	cagcacagaa	gaataaaggg	agcgagtcac	taacggtntc	tttttaaacc	480
tttatgatga	cttncttatg	aattactgaa	cgaacactgg	aatgggactc	acgtatcctg	540
aggacatctc	tcaactctgg	ccttantttc	ccctctgtaa	aattagggtg	ccaactaaat	600
gatctacaag	gtccctttnc	aagcgcccgn	cattctgtaa	ttacatcatg	tggaaactgna	660
ttaaacatac	accagtgaac	tggcangcat	tgggaatgta	actttccag	taaaatgctt	720

WO 99/33982

PCT/US98/27610

tnggtttggt tcaaaatata cnttgaactt cttttcaaag acnggttnng 770

<210> 736

<211> 746

<212> DNA

<213> Homo sapiens

<400> 736

tttnnctttt attcaaatnc ttgcnggatc ccttgattcg aattcggcac gagggatgnc	60
catcgatgct natcnggcac gaggtgatgn cagcttgcaa actggtctac atnncaaact	120
gatagtacat tgccatctnc aggaagactt gacggctttg ggattttgtt taaactttta	180
taataaggat cctaagactg ttgcctttta atagcaaanc agcctacctg gaggctaagt	240
ctgggcagtg ggctggcccc tgggtgtgagc attagaccan ccacagtgcc tgattggtat	300
agccttatgt gctttcctac aaaatggaat tggaggccgg gcgcagtggc tcacgcctgt	360
aatcccagca ctttgggagg ccaagggtgg tggatcacct gaggtcagga nctcgagacc	420
agcctggcca acatggtgaa accccatctc tactaaaaat acaaaaatta gccangtgtg	480
atggtgcatg cctgtaatcc cagctcctca gtaggctgag acaggagcat cacttgaacg	540
tgggangcag angttgcagt gagcccgaga ttgcaccacc gtactnnaac ctgggtgaca	600
gagcgagact tatcttatan ataaatagat ngatcttcac ctgggtgaca naacgagact	660
tatagataga tagatagata gatggataga tngatngatn gatagataga ttgataaacg	720
gaattggggc ttttgcttta atgaaa	746

<210> 737

<211> 751

<212> DNA

<213> Homo sapiens

<400> 737

ntnnnncttt ttgatcantc ctttnttgga tcccnttgct acttgttctt tttgcaggat	60
cccatcgatt cgaattcggc acgaggctga cctacagcag aagctgctgg atgcagaaag	120
tgaagacaga ccaaaacaac gctgggagaa tattgccacc attctggaag ccaagtgtgc	180
cctgaaatat ttgattggag agctggtctc ctccaaaata caggtcagca aacttgaaag	240
cagcctgaaa cagagcaaga ccagctgtgc tgacatgcag aagatgctgt ttgaggaacg	300
aaatcatttt gccgagatag agacagagtt acaagctgag ctggtcagaa tggagcaaca	360
gcaccaagag aaggtgctgt accttctcag ccagctgcag caaagccaaa tggcagagaa	420
gcagttagag gaatcagtca gtgaaaagga acagcagctg ctgagcacac tgaagtgtca	480
ggatgaagaa cttgagaaaa tgcgagaagt gtgtgagcaa aatcagcagc ttctccgaga	540
gaatgaaatc atcaagcaga aactgaccct tcttcaggta gccagcagac agaaacatct	600
tcttaaggat acccttctat ctncagactc ttcttttgaa tatgtccac ctaagccaaa	660
accttntcgt gttaaagaaa agttntctgga caaaacatgg acatngagga tctaaaattt	720
ggtcanagca tctgtgaatg agcatganga t	751

<210> 738

<211> 795

<212> DNA

<213> Homo sapiens

<400> 738

aatccctttg ctttaancct tgtttgaacc cctttggaac tncctctntn tgnaggatcc	60
catcgattcg aagagcncan gcaggaagag agagaccctn actgctgggg anttntctgcc	120
acactcaagt ccccaaccca ctggaatctc ccctactaca agtgccatgt anacccttg	180

WO 99/33982

PCT/US98/27610

```

aaaaggggag gggcctaggg agccgacctt gtcattgtacc atcaataaag taccctgtgc      240
tcaacccaaa aganaantan anaaaactcn agcctctaga actatagtga gtctttattac      300
gtagatccag acatgattng anacattgat gagtntngac aaaccacanc tccaatgcng      360
tgaaaaaaat gcnttatntn tgaaanntga natgctatat nmntcattnn ttaccattnt      420
antctgcagt aaacaaantt tacagcancn nttgnntnga tttcatgtnt caagttcaag      480
gnganntggt tggcgtnnat ntaattcggc ccnaccngng acccttttgc attggggccn      540
mnaccanct ntagttccct nttagnagg ggnaattgcg cnctttggcg taataatngg      600
gcanangctg nttttcccn tgnnaaatt ggtttatcca gtttannaat ttcaacacga      660
tnaatatcaa acccggttaag cnattaaatg gtnaaaaacn ntgnngggng cccttaanga      720
gttgaaactta accnganatt aaattgcnn tncgcnttna atntcccn nttttaaacc      780
nggaaaacct tcccc

```

<210> 739

<211> 763

<212> DNA

<213> Homo sapiens

<400> 739

```

ttnnnnnccct catnaatccc ttctttgatc cctcncnca aaacccttgg cnaactcgtc      60
ttnttgcagg atcccacga ttcgaattcg gcacgaggca nccttcgcct cctgggttca      120
agtgtattctc ctccctcaca tcccagtag ctgggactac aggcacgtgc caccacaccc      180
agctaattnt tgcattttta gtacaggcag ggcttcatca tgttggccag gctggtctca      240
aactcctgat ctcaagtnat ctgcccactt tggcctccca aagtgtctggc attacaggaa      300
tggagccacc gcgccagcc tgatttcttt anntangtct tgtcangaaa natattgant      360
ctnttgatc ntnaacatgg cnttnggtcg tctttaatnn gnetcatcan tgcctccatg      420
tgtnttggat gccttngaac tggatatttt aaaatnncaa tttctaattg nnnattatnn      480
aaacacaatt gggntnnata tattggcatt gtattaatgc aactttccta aactcactag      540
taattctagt agcntnantt ggtanattct taaggatttn ctgngtnaat agncatgtca      600
tctgtgaatn aagccattct ttganccttt tcaaattttg agccttgtat ttcttattct      660
taccatatca cattggcaaa gacctcagt atganattga ataaangtgg tganagaaaa      720
caccctncta aaantgctng aattacaggc atgaaccacc ntn

```

<210> 740

<211> 765

<212> DNA

<213> Homo sapiens

<400> 740

```

tnnnnnnnnn tttttnaacc nttnttigna tncntctntc aaatcgcttg gctacttgtt      60
ctttttgcag gateccatcg attcgctagc ctgggcaata tagtacgacc ctgtctttac      120
taaaaatgca aaaattaacc acgtatgggtg gctcacacct gtagtcctgg ctactgagga      180
ggctgatgca ggagaatcat ttgaaccag gaggtcaagg ctgcagttag ctatgattgc      240
accactgcaa tccagcctgg acaacacagt gagaccctgc ctcaaaaaa ttatattctg      300
atcttctgag tccatgaaca cattgtccaa atggattttt ctagctcctc caagttacag      360
atagttccac gcacacacag aactcaccac tctcaaatat tttccccact agtattacta      420
ttaaattttt caaacatgca aaagatgaaa gaattgtctca gtgaacacca tgtaccaccc      480
acctagattc tacaattaac attttaccct actttcttta tcacatatat gtacctatcc      540
atctatccat tcttccatga atccatcaat tcatctaatt tttatatat ttcaagttaa      600
gttgacagata tgtagcttat gtttcacctt aaatgtttct gcctggctat tattaactgg      660
agtgcaatat gtttttggnt cttctttatg gtaaaatcta tgttcagtga aatgcacaag      720
acttangtat gccattaata gggtttgacg aatagacaaa ccttn

```

WO 99/33982

PCT/US98/27610

<210> 741
 <211> 753
 <212> DNA
 <213> Homo sapiens

<400> 741
 ttngancnt tnnntnntn nntnaatgaa gccatttget acttgntctt tttgcaggat 60
 cccatcgatt cgaggaaggt ggaggggcag gnaacaggac ggacaggccc cgggctctgg 120
 cacatcctgg ggaacaaggg accacaagga cgggggcagt ctccagactt cccctgggcg 180
 cttgaccca ggcccttgag gggagagagc cagggcctcc ctccaggtctt tgttcattgt 240
 gttttccctg ccgtggacac cctttcccgc tctccgattc tctaaatcct gccccatctc 300
 ccagatcttg ttcattgtcc agcttttcca ggaagtctta gcagctccca caccgcagag 360
 ctccagatgt tccctgact tggctccaga cccaactat gtgcaagcat ccacttatgt 420
 gcagagagcc cactgtact ccctgcgctg tgcgcggag gagaagtgtc tggccagcac 480
 agcctatgcc cctgaggcca ccgactacga tgcgcgggtg ctactgcgct tccccancgc 540
 gtgaagaacc agggcacagc agacttctnc ccaaccggca cggcacacct gggagtggca 600
 caactgccac cagcattacc acagcatgga cgagttcanc cactacgacc tactggatgc 660
 aaccacaggc aaanaangtg gcccanggcc acaaaggcca atttctgnct ggaggacanc 720
 acctgtgact tnggcaacct naaacgctat gcn 753

<210> 742
 <211> 767
 <212> DNA
 <213> Homo sapiens

<400> 742
 tnganccttt cgnttctnnc ctcctaagcc tttgetactt gctctttttg caggatccca 60
 tcgattcgca ggacatggag cagtacctgt ccaactggcta cctgcagatt gcagagcggc 120
 gagagcccat aggcagcatg tcattccatgg aagtgaacgt ggacatgctg gagcagatgg 180
 acctgatgga catatcgagc caggaggccc tggacgtctt cctgaactct ggaggagaag 240
 agaacactgt gctgtcccc gccttanggc ctgaatccag tacctgtcag aatgagatta 300
 cctccagggt tccaaatccc tcagaattaa gagccaagcc ancttcttct tccnccact 360
 gcaccgactc nggcaccggg gacatcagtn aggggtgggga gtcccccggt gttcaanccg 420
 atnaggagga agttcagggt gacactgccc tggccacatc acacactgac aganaggcca 480
 ctccggatgg tggtaggagc agnactctt aaattgggac atgggcnttg nctggccaca 540
 ctggaatcca ngtttggtg tatgcngaatt tncacctgga aaagccaagg ttggtntata 600
 ganggtcttg atttttacnt anttgncaat aatgggttga gnaaacttaa agaaccagtt 660
 taacaataaa atngttaggg acccgtnnan aaaatggang tctnccttcc atntnaacct 720
 ggannccctn aaacntttnt gngtcncaat tttcgtnca tccannn 767

<210> 743
 <211> 768
 <212> DNA
 <213> Homo sapiens

<400> 743
 naancctttc mnncttcgcn attcnaang ntnggaaagc tcantcgtc natagnncnn 60
 gggcttcgag agnnntggga natnacanag gctngttanc ataccngttt ttnactgcan 120
 aggnnnccac angcagcatg gcccatgnaa tgnccatgcc antgatggcn ggnggccatg 180
 ctgtcagcgg annccgactt gtgaggancc nntntggann cngtannca canncacccc 240
 cagtctggna cccnagtgtt cttactacac caantgaaac gctggnnagc caagagcccn 300

WO 99/33982

PCT/US98/27610

```

gatggccac gtnccctgca tgganccccc tgancngact ccaccagcct atacangngg      360
aagccanaag cagctgtttt cngccntgcc ctgctgataa tgccttgaag accccatacg      420
acctnnacgg nctacattga cantnngact gtgncancct ngatcagatn atccctggaac      480
tgggncennng attccaggan cttncntca atggacctgg gngcttgtaa tcngttntgg      540
accatacanc cnttganna gataaaagan ngaggaaatc tgaaaccntn gnaataagat      600
ctgnggcatt agtnmntcaa ggggaggntn ggttncaaaa cncatagagg aagaacgatg      660
gnactatgtc catgnaaggg gaacatntan tgttgganna tgcnatgcaa ncntnnccnt      720
gatntaacnc tttganaaac tnangettna caaaggggga aaaanact      768

```

<210> 744

<211> 757

<212> DNA

<213> Homo sapiens

<400> 744

```

tnnnnnncnnt tnnnnttnat ncntctctca aatcgcttgg ctacttggtc tttttgcagg      60
gateccatcg attcgcttga cctctgtact ttaaaggaaa tcactaacca aattttcaaa      120
gtttcctttt aaatgcgttt agctagaaat ctatgtattt atccctttcc tattttgcat      180
tcttctccca ctatttttaa aaactcattt acagtagaaa ccattcttct ttctcccaac      240
agtatccttt gccaaacca tgagaacagt aaggagcatg ttgttggtca gggtttcaga      300
atacgctgga tgtcactgag aatgtttgct cacagtcaat aattgtcttt gtggatgtga      360
taattttgga gatacacttc tggtcagaac tcaggtgaga taatcttgca atactccaaa      420
tgcagatact ccagccaccc gcaaggttcc aggaaaggac aatgtcctgc gagaaaatca      480
ggaggcctcc acttccctggg ccacttgaga agttccctggg catgtcacta catgttggtt      540
gactcagcca tttctcatgc tgnnttggtt cttgcgggtg ccacttaacc ccaaagaatg      600
aanggaggat ccacagtgaag agtgccctgag tttctctatg agaccagatg ctgtcgaaac      660
caaacatctt ttcttttgct ctatnggaac attttaaggg ttgggtttgca caactggttt      720
tcagactngg aagattacca agtttggtgc cccctn      757

```

<210> 745

<211> 751

<212> DNA

<213> Homo sapiens

<400> 745

```

cttnttnnnt ttnntttgat ncctctacnc aaacccttgg ctactngctc tttntgcagg      60
atcccatcga ttcgaattcg gcacgaggaa naacagacag gtttcaacat ggatggatct      120
gaaatgctgt tgaagcatat catttgcata aaaatcaggg acagtttcca aagaattata      180
tatttttttc agttggtctc ctagttagtt tttttgggag taaggacaaa cctggaatag      240
atagcaaaaac tgaaaatcan cagtgtctgat ggtggtacat atgtctttcc tttagcttct      300
cccctgataa ttcccatctg cttttacttc gggtagcag agggggatgt gtgtgtgcgt      360
gtgtgtcagt ctgtttgtga gtgtgttaaa ggctacagac cacagttggt ttaaaatgct      420
tggaacttcc caaactggct ttactttatg tttatacagt gctcagggtt aacgcagtac      480
atccatgcca ttgctgtggg aggtatcccc ggatgcatgt gttttgagtc tataaatata      540
gaaaatataa attggtttct ttttccaaact taatangttt attaaagcat gaaatgaaag      600
ggtgcataac atgcattcaa gntatntcct aatttttggt ctgacagtgc atgtctttgg      660
agcatgctga aacaanaatn acacagggaat tgantaaccn gaaagaaaca ttgttaaagt      720
tccaacattt gttatgcatt tntattgggg g      751

```

<210> 746

<211> 760

WO 99/33982

PCT/US98/27610

<212> DNA

<213> Homo sapiens

<400> 746

tnnnnnntntn	nnnnnttttn	nttcntnnnn	ctttgaancc	ctttgctact	tgtctcttttt	60
gcaggatccc	atcgattcgc	tgaacacaaa	gatgtatttc	aattaaaaga	cttggagaag	120
attgctccca	aagagaaagg	ctttactggn	tntgtcangt	aaaagaagtc	cttcaangct	180
tagttgatga	tggatggtt	gactgtgaga	ggatcggaac	ttctaattat	tattgggctt	240
ttccaagtaa	agctcttcat	gcaaggaaac	ataagttgga	ggttctggaa	tctnagttgt	300
ctgagggaa	tcaaaagcat	gcaagcctac	agaaaagcat	tgagaaagct	aaaattggcc	360
gatgtgaaa	ggaagagcga	accangctag	caaaagagct	ttcttcactt	cgagacccaa	420
gggaacagct	aaaggcagaa	gtagaaaaat	acaaagactg	tgatccgcaa	gttgtggaag	480
aaatacgcca	agcaataaaa	gtagccaaag	aagctgctaa	cagatggact	gatnacatat	540
tccaataaaa	tcttgggccca	aaagaaaatt	tgggtttgaa	gaaaataaaa	ttgatagaac	600
ttttggaatt	ncagaagact	ttgactacct	ngactaaaat	attccatggt	ggtgaaagat	660
tttcaagctt	gngaatttgt	aaattttnaa	ctattatcta	actaatgtnc	tgaattgccn	720
ttggctgtac	tgggttatca	ttttattaat	ggtaataaaa			760

<210> 747

<211> 786

<212> DNA

<213> Homo sapiens

<400> 747

tnngncttta	nncnttttn	attgnnnnnn	nttgaaaccc	ttggcnactn	gctctttntg	60
caggatccca	tcgattcgaa	ttcggcacga	ggaggtgtg	tcaaagaatg	aatggaacgc	120
ctactatgag	gaggtgggtg	tacgtnctag	anggagatcg	agtacatgat	ccagaagctc	180
cctgagtggg	ccncggatga	gcccgtggag	aagacgcccc	anactcanca	ggacgagctc	240
tacatccact	cgagccact	gggcgtggtc	ctcgtcattg	gcacctggaa	ctacccttc	300
aacctcacca	tccagcccat	ggtgggcgcc	atcncctgcan	ggaactcagt	ggtcctcaag	360
ccctcggagc	tgagtggaga	catggcgagc	ctgctggcta	ccatnatccc	ccagtacctg	420
gacaaggatc	tgtaccagct	aatcaatggg	ggtgtccctg	agaccacgga	gctgctnaag	480
ganaggttcg	accatatact	gtncacgggc	agcacggggg	tggggaagat	catcatgacc	540
gctgntgcca	agcacctgac	cctgtnacgc	tggaaactggg	aaggaaagat	ccctgctacg	600
tgggacaaat	aactgtgaac	tggaccttgg	ncttntaacc	attggntctg	gggggaaatt	660
catnaacaag	ttngccaana	cctgcgtggg	cccctgaaat	acattctttt	nggacccctt	720
tgnatccaga	acccaattg	nnngnngaaa	acttnaaana	aantnncttt	naaaannntt	780
tttnct						786

<210> 748

<211> 722

<212> DNA

<213> Homo sapiens

<400> 748

tggaaactngc	tcttnttgca	ggatcccatc	gattcgaatt	cggcacgagg	aggaagaggg	60
ctgtccact	tgtctgggaa	cctgggcagg	aggcacagag	gaagccaagg	cctggagctg	120
caggctcccc	ggcatctctc	tctgtcccg	cagcccagga	tggcctgggtg	ccccacctg	180
ctgcagcagg	agccccaagg	agtgtctagct	gaggggtgggt	gctgggggtg	tcctcatgga	240
cagtgaagg	tgcaaggggtg	cactgaagg	ggtgggagg	gatcacctgg	gttccaggcc	300
atccttgctg	agcatctttg	agcctgcctt	cgggtgggag	canaaaaggc	cagaccctgc	360

WO 99/33982

PCT/US98/27610

```

tgagttanag gctgctggga tccactgttt ccacacancn ggaaggtctgc tgggaacagg      420
tggcanagaa gtgccatgtt tgcgtngaac cttgcantct tncanctggg gactggtnct      480
tgctgaaacc cacgagctgn acantnanga gctgtccanc ttgcttggtc cactgngacc      540
aggaaaacct gtctttggtt agctcgtgtc ttctgcagga aaaaaaaaaag gatgtgtcat      600
ttggccatga tatttgaaaa aggggaagga tngccnaant ttgttncca tttattccag      660
tanttgaaa attttttgac cccctnngct taattctttt gcaanaacta ctggggggtn      720
tg                                                                                   722

```

<210> 749

<211> 821

<212> DNA

<213> Homo sapiens

<400> 749

```

tttnaannc cttgctactn gttctttttg caggatccca tcgattcgtt gacatagaaa      60
acatacagta agaatatggt attataatct tacggggacc actgtcaaat cgcggtctgt      120
ctttgaaaag ttgtnatggc ggcgcgatgac tataaatacc ctagctgggtt agcattttaca      180
ttccttgcca gggagtttga aatttatnct nggcgggctg nctttaggnt ttaggttagag      240
ttaaagaggt aaagcacatg tttgccacaa cccaggaaag tttttttaag aaagatttgg      300
attttcctac ctttagagat ctaaaaaaaaa tttaatataa aaaatcattt tgagntggtg      360
tttattacta gttcagaatg agtggctgct gaagggggcc ccttgnnat tttcattata      420
acccaatttt nacttttatt ttgaactctt aagtcataaa tgtataatga ctttatgaat      480
tagcacaggn taagttgaca ctttgaaact ggccatttct gnattacact atcaaatagg      540
aaacattgga aagatnggga aaaaaaatc ttatttttaa atggcttaga aaagttttca      600
agattacttt ggaaaattct aaacnttntc ttctgngttc caaaactttg gaaaatatgg      660
tagatnggac ctcatgcca tttaagactg gttttcaaaa gctttccctc aacatttttt      720
aaaggtgtgg anttttccct ttttaaatat tcataaattt aantttcctt ttnaaaggcc      780
nctnnttttc ccaaaccat ngncttttgg gnaaatccc c                                                                                   821

```

<210> 750

<211> 770

<212> DNA

<213> Homo sapiens

<400> 750

```

gnntnnnnn nncttnttn nntgnctntt tctaagagct tngcnnatgc tnggtcgga      60
cgaggcaaca tttgtctaca actctactgt aaaattggaa atgcttttcc acagaaaaac      120
ctctcaaaat gctgaatgca aaagttggga tcacagaaac attgtgccta tttttggtct      180
gctggaaact gtatttntac aaggtaatcc ctgttctcaa tatagttcct gtcttgccac      240
tggcggtttt cttgtagcat ttttctagtt ctgagattgc tactacccaa agtattcatt      300
tctttcttac tggggtgtcc tctgtcttca cagcctgctt ctggattgta ggttttttcc      360
tttctttctg ttgagatatt tatggcattt gatagagtca aaccagatgt attgcagccg      420
gacatactta tgtggcttca gatgtgtaaa ataagtaact tcctatcttt gtctgtctag      480
ctcaagagtt gactgtggac gaggaatgcc tgtattgatt cattaatgta ataactattt      540
actgactgcc taccatgtac aaccagaaac acagtcccta acctcatgaa cttaccatgt      600
aacatgggaa gacaagccta agttcttatt tggntggnaa ttgcgataac gctcacagaa      660
caaattcccg attcctacga acccatgtat aggggggaaa tatttaaggt cccatttaat      720
actgacattn gccncccc ctnntatttt aagctgagaa tctgaaggnn                                                                                   770

```

<210> 751

<211> 774

WO 99/33982

PCT/US98/27610

<212> DNA

<213> Homo sapiens

<400> 751

cgtnnnnttt	ccncctttga	agcccttttt	gcaggacttt	cnaatncttg	gtagacttta	60
tgtcagttct	gtgtagactt	tatgtcagtt	tttgtcatta	tttgaaaatc	tattctgaca	120
actttttaat	tcctttgatc	ttataagtta	aagctgtaac	aactgaaatt	gcatggatca	180
agtaagcata	gttttatcca	gggagacngc	tcnnnggaag	ccatagaatt	gctctgggtca	240
aaaccaagca	caccatagcc	ttaactgaat	atttaggaaa	tctgcctaatt	ctgcttatat	300
ttggtgtttg	ttttttgact	gttgggcttt	gggaagatgt	tatttatgac	caatatctgc	360
cagtaacgct	gtttatctca	cttgctttga	aagccaatgg	gggaaaaaaa	tccatgaaaa	420
aaaaaagatt	gataaagtag	atgattttgt	ttgtatccct	acccatctcc	tggcagccct	480
actgagtga	attgggatac	atttggctgt	cagaaattat	accgagtcta	ctgggtataa	540
catgtctcac	ttggaaagct	agtcctttta	aatgggtgcc	aaaggtcaac	tgtnatgaga	600
taattatccc	tgccctgntgt	ccatgtcaga	cttttgagct	gatectgaat	aataaagcct	660
tttaccttat	ctggaaaaaa	aaaacattnt	anancaaaaa	aaaactnnga	gccctttana	720
actnttagng	agnccntttt	ccgtagaatc	ccngacntgg	ntaaggaanc	nnnc	774

<210> 752

<211> 778

<212> DNA

<213> Homo sapiens

<400> 752

gnnttgann	ccnttgtttc	gnatccctttt	tnnaggactc	tgaagnccctt	tgttcggcnc	60
gagaagaaac	tctgcctcag	aaaatgttta	cagcttccag	tggaatcaaa	cataccatga	120
ccncaattta	tccaagttct	aacacattag	tagaaatgac	tcttggtatg	aagaaattaa	180
aggaagagat	ggaaggggtg	gttaaagacn	ttgctgaaaa	taaccacatt	ttagaaaggt	240
ttggctcttt	aacctggat	ggtggccttc	gcaacgttga	ctgtctttag	ctttctaata	300
gaagttttaag	aaaagtttcc	gtttgcacaa	gaaaataacg	cttgggcatt	aaatgaatgc	360
ctttatagat	agtcacttgt	ttctacaatt	cagtatttga	tggtgtcgtg	taaatatgta	420
caatatgtga	aatacataaa	aaatatacaa	atttttggct	gctgtgaaga	tgtaatttta	480
tcttttaaca	tttataatta	tatgaggaaa	tttgacctca	gtgatcacga	gaagaaagcc	540
atgaccgacc	aatatgttga	catactgac	ctctactctg	agtggggcta	aataagttat	600
tttctctgac	cgcctactgg	gaaatatttt	taagtggaa	caaaataggc	atcccttacc	660
aaatcaagga	agactgactt	ggacaccgtt	tggaaaatgg	gtaaaaacgg	tggnttactg	720
gtganttggg	gagcnagaac	cggacccact	ggtatactgg	ggantaacaa	tttttttc	778

<210> 753

<211> 775

<212> DNA

<213> Homo sapiens

<400> 753

gcttttgaaa	cccttttggt	aacgcctttc	tgcattgatct	tctcgtcctt	gaaagggccc	60
taaaagagat	gaacaatacc	gtatcatgtg	gtttgaatta	gaaacccttg	tcagagccca	120
tatcaacaac	tcagagaaac	atcaaagagt	cttggaatgt	ctgatggcat	gcaggagcaa	180
acccccagaa	gaggaagaac	gaaaganacg	cggctgaaag	aggaagaca	aagaggacaa	240
gtcagagaaa	gcagtgaag	attatgaaca	ggaaaagtct	tggaagact	cagagagatt	300
aaaaggaatc	ttagaacgtg	gaaaagaaga	attggctgaa	gctgagatta	taaaagattc	360
gctgatattc	ccagaacctn	caaacaaaaa	accccttggt	gaaatggatg	aaactccaca	420

WO 99/33982

PCT/US98/27610

```

agtggaaaaa tcaaaagggc cagtgtcggt attatccttg tggagtaata gaatcaatac      480
tgccaattcc agaaaacatc aggaatttgc tggaccgttt gaactctgtt aataacagag      540
ctgaactata tcaacatctt aaagaggaaa atgggatgga gacaacagaa aatggaaaag      600
ccagccggca gtgaagagtg acttgangaa ctaaatttta gcatattgca aaaatatattt      660
gtgcggggaat tcgatatnag tacttttacc agcaagatgg natngttatg tttgcctgga      720
ctggntttta catttttnaa attttttcag tgnccctttt tggtcctaaa ttatc      775

```

<210> 754

<211> 1032

<212> DNA

<213> Homo sapiens

<400> 754

```

ggnnntttttt ccaaaaaaaaaa ggggccccct nggggntttt tncncaannng gnccccctttt      60
tctttgncca gggnaacntt ttttgngaaa aganccccct ttttgatnn accggggccc      120
cccggaaggt tccnaaattt tnagggttna aaccctaaatc cttggggaaa aaaaaaaaaac      180
ccagggccnt ntntggggnc cccctngggg gggtngggaa aaaaaaaaaa gggggaatgg      240
cccccaaaaa aaaatnnggg gccctngggg ggaaaaaaaaa gggaaagccc aggtngggaa      300
nggaaagggg gaagntccc ccggggggaa aggaaatggg tgggtnggna atggcccaat      360
ggttggaaaa ggcccaaacc aatttgggnt ntaaaacaat ttcaacctgg gggggtcctg      420
gcccaaaaaa aatgcngggc acccncngg ggtctggctt aagaattggg tacaagggca      480
aagggaaagg gaagagttct agagataaag aactatatgc ttggatgaag tgtgtgaagg      540
gacagcctca tgatcacaaa catttaatgc caaccctaat tatacctggg tctgttttga      600
cagatcttct agatgccatg cacactctta gggaaaaata tggattaaa tcccatgnc      660
attggactaa caaacagaat ttacaagttg gaaattttcc tacaatgaat ggtgtatctc      720
aagttttaca gaatgntctt aatcacagna ataaaatttc tctgtgcatg cctgagtctt      780
cagcagcaaa aatactctc cgaagtctga gaaaaatggg ggcagcagcc caagaagagt      840
gatgtaggca cagataacna aggntaacct cctccagaat cccagtcac cactgcactg      900
gttaagcaga ccttngcagg agcaaaaaag ccngangan ggaaaaaaaaa aannaaaaaa      960
aactcggagc cctcttagaa ctatangggg ggcggnntta ccgnangatc cccgacctga      1020
anaggaaacc cc      1032

```

<210> 755

<211> 798

<212> DNA

<213> Homo sapiens

<400> 755

```

ngnnnnnttt nccccnacna aatccctttt ttgaagcctt ctantgnctt catcgtncctg      60
gtaaattggg tgaattattg tattgaagct tgagctgtat tttnaagtaa tttnggttnc      120
ccctaagatg ttattatgtt agggacataa cacttttggg aggttggtgt gggagatggg      180
tgatttaggt tttcaaaagc tagaaataaa atttacatnn ccccggnntnn cataaaattc      240
tgctctaatt gggtggaagg tgctgtatct aacttgtgtt cctnctaagg ttatgtccta      300
ataactattc ttttaggagt atacttctac tttatagaag gttgcttttt ctttttaatt      360
ttntctaaca aagaaaagaa tnaagtattt attaataaag aaccagaaaag cacttgaaac      420
tgatgttttt aaatgggctc acttanggta gatttattta tctcattaac ttaaaaaacag      480
ctatgtgnat tgaataagt cacaacagaa cttgaacacc aggggtgggtg tctgagcaat      540
cccctttctt atgggggaaa acaaatggtt cttgttgaa cangaaggta tcattgcagt      600
cngcattcac ccgtgtataa ttgnnatata agntgnataa tatgctcgta aaggctnaag      660
gtnagctgga tctggatgcc ctttnaccaa ttangatttt aacttttaan aataaaattt      720
naaanctaata tgncaaaata aaaaaaatan naaacttcgg ncctctacaa nttntagatg      780

```

WO 99/33982

PCT/US98/27610

ngtcgattnn cgnncanc

798

<210> 756

<211> 834

<212> DNA

<213> Homo sapiens

<400> 756

tttgaaaccc	ntttnttnaa	gccttttttaa	tgacttttanc	gnccttttatt	cggcacgagg	60
tccttcagct	ggtagcttnc	attcgnaant	nnanatanta	tntgtgcatg	cncnnttgaa	120
tttttggtga	agaacagant	gcagaagaag	gcnaggaaag	ccgaagagan	tnntnecggca	180
ncagaagctt	aaagnaggcc	aaactggtgg	tgcnctttcc	tcggnacaga	agctggatga	240
ctatggccaa	tttgagaaa	nagctccagg	agatggagcc	acggttcgag	aaggagtgtg	300
nagatggatc	ggatgaaaat	gaaantggaa	gaacatganc	tcaaagatga	ngatggatgg	360
taangacagt	gatgaggnc	gaagacnctg	agctctatga	tgacctttta	ctgnccanca	420
tgtgacaaat	cgtnaanaac	agtaaaggcc	atgaanaatc	acntagaagt	caaangaaag	480
cnnttgggaa	aaatggnggn	nctttgntaa	aaccacnagc	tgganggang	gaagaannna	540
aaatTTTTTA	agnacctcaa	attgattgaa	aaatncatta	tgatgacaat	tcctgnanga	600
ataaattggn	agatgcncta	naancaaaan	gcnttttttn	antnnaaana	nacaaanmnt	660
nnagcctntt	ngaacntata	gtnnannctn	cntttanctn	tntatcccg	actttntnt	720
ggataccntt	gactnagctt	ttggacaaaa	ncncnacttt	gtattncatt	ngnnaaaaaa	780
atgcntttat	tttccgnaaa	tttggtgaat	ncntaattng	ntnntattnn	nnnc	834

<210> 757

<211> 1062

<212> DNA

<213> Homo sapiens

<400> 757

ttttccaaa	aaaatcnccc	cnnttttttg	gccttnaana	nanngggccc	cctttttttt	60
gggccagggg	aatnccccca	atnccggaat	tttccgggt	ntttgggggg	nttgaaagg	120
gcccccttgg	gaaagggn	tttccnaagn	aaagggtng	gaaaattttt	taaatggcct	180
tttngggggg	aaaaagcccc	ctnggaatnc	ccccaaaaa	cccttgggaa	aaagggggga	240
aaaagggggg	aacctttngg	gnaatccttn	ccnttnaat	aatttggggg	aattaaancc	300
ctggttttgg	aaagggaaaa	gggttggtct	tggtcttggg	ggaanggaat	tgggggccaa	360
nttaaaatgg	aaggtttggc	canaatnggc	cncttcgggg	gcttnttcaa	aagccaagcc	420
tttgggancc	ctgcttcatt	tttngggccc	tttctgccca	aggaanccca	acccttaact	480
tancaggaaa	anggagatga	aaggccttct	tccaagggaag	gtaaggtcct	ttggtgccc	540
cnacttaaat	gctttttgaa	antctcttag	atgtggnaaa	tattttttcc	gaaccttgaa	600
atcaactngg	tagaatttca	attggaagca	taatccattg	taaaatatat	tttagttgat	660
atttggtaaa	atgccttttt	tggtggtgtg	gttngaatec	tgggtttccc	agaatcttg	720
natttcaa	ggtttaacaa	angggaagga	aaggganctt	ttcccttaac	cttccctttt	780
tgaccaggaa	agatttttna	aagtaccttt	ctttttaagg	aaaaaaaaa	attaaatttt	840
gaagaaaaat	tgggatttgg	attttanaaa	aaangggaaa	aaaaatatna	ntattnatan	900
ntcnmannat	nnttnatnnt	ctanntant	nctntnnnta	ntnctnntnt	ntnnannnna	960
nannnnannaa	ataaatantc	nnncatnctt	anctacanat	nccnntcttn	nttntannac	1020
tttnannmta	nntatctaan	tctntcccta	ttntaccctn	nc		1062

<210> 758

<211> 845

<212> DNA

WO 99/33982

PCT/US98/27610

<213> Homo sapiens

<400> 758

aaancccttn	tttnaaatcc	tttttanang	attcatcgat	tcgaattcgg	nacgaggcgc	60
tagegtcggn	tccgcntggg	cccttgcggt	gcgctgnngg	caggcggtga	ggcttacgcn	120
tntgcttacg	ggcaaaaacc	tgcacacgca	ccanttcccg	tnnccgttgt	ccaacaacca	180
gaagggtgatt	gccttttggg	aancttctan	gncaacnacn	tgaacntatg	gacagtgcgc	240
tgntttggac	agaantggga	acnttnaggn	tgntgtgcgc	ttcnagcatn	tgggcacctt	300
tgtgttctctg	tcantcacgg	gtgagcanta	tggaagcccc	atccgtgggg	cagcatgaag	360
gtccacggca	tgcccaattg	caacacgcac	aaatacttgg	aangccatgg	aangcatntt	420
natcaagcct	aatgtgggag	cccttttgca	agtcacgaat	taactctnaa	nngtntggat	480
ggattgggtg	ggantggang	gttgcaagtt	ngggccnttt	tgaaaggcca	ctttttggna	540
aaaaactttt	gggtttttta	ngggttcntc	aaaatgccct	ttgnnaattn	aaagaaatgt	600
tgggcctatt	naaaaaaaaa	atnatacttt	atntaatctn	nataataata	nttantaata	660
aaantcttnn	agccttttta	aaanttttta	atgaantctc	ttattttanc	gttananctc	720
ntaacnttta	attaaaggaa	taacaatttg	ttgaantttt	ggtataaana	ncccccantt	780
tttaaaattc	ntntngaaaa	aaaatncntt	tattttggta	aaaatttgng	gaatcnnntt	840
tgctn						845

<210> 759

<211> 947

<212> DNA

<213> Homo sapiens

<400> 759

tngggggggg	cccnannttt	ggggccccaa	acccttnggg	gaaaccccc	ttnnnnnttt	60
ttnccttttt	gggggggaaa	ngcccccccc	caaangnaaa	aacccttttt	nnnnaatttn	120
ngggnganggg	ntntggggnc	ccnttaaccc	caangggggg	gggttttnan	cctggggggn	180
naaaatnggg	ggaanaantn	nnnaatgggn	antcccttna	angggaaaaa	naatttnncc	240
ttaagggnnat	gggncattaa	tnttnatccc	tantggattn	caatttcatt	cgnattaaag	300
gcttttactg	gnataatcct	tnnccggccc	cnctggtagt	ttaaagtgcc	canaanttga	360
atgggaaatn	acgggttttg	aaaatcgcac	aaagcagtg	cnggcacnga	ggngtcacgc	420
cngtaatncc	agcatttttg	gaggcctgag	gcangcggat	cacganggca	anagagtcca	480
gaccattnct	ggctaacacn	gggaaacccc	gggnctaata	aaaaatcaaa	aattaggntg	540
gacatggtgg	cacgtgccng	taatcncagc	tacttangga	agctggatgc	aggaagaatt	600
gcgtggnnanc	cngggcccng	tggaangntg	cattgatacg	aagaaccgtg	ccaaatgaan	660
ttanannctg	ggcngaannn	gagcggaaaa	agccctnttt	aaaaaaaaan	gggantggaa	720
aaantggtgc	canagncatn	nggggaaaaa	attttnnnnt	tnnttnancg	gttttnanct	780
tgnggaaggc	cntctttaat	nttggggaaa	aggcactttt	gggntngggt	ttggaaaacg	840
nntggctttt	ccctttnaaa	agggaaaaan	ggnnnttaanc	ccctgaaaaa	ngngcngnnt	900
tttaaaanggg	gnnnnaaaca	nggggncttt	ggaancccca	nnaaacc		947

<210> 760

<211> 759

<212> DNA

<213> Homo sapiens

<400> 760

gnntttctaa	tgcttgtnnn	nngcntttnt	gcaggatccc	atcgattcga	attcggcacg	60
agaagatatg	cagagatatt	ccaggatctt	ttagcttttg	tgcggtctcc	tgagacagt	120
gttatctgcc	aacagtgtgt	tgaatatgtc	acatccattt	tcagttctct	ctgtgatcan	180

WO 99/33982

PCT/US98/27610

gacattgcac	ttatcttacc	ggctcttctg	aagggctctat	ttctgaactg	gagcagctct	240
ccaattctct	accaaataaa	gaattgatga	cctcaatctg	tgactgtctg	ttggctacgc	300
tagctaactc	tgagagcagt	tacaactgtt	tactgacatg	tgtcagaaca	atgatgtttc	360
ttgcanagca	tgattatgga	ttatttcatt	taaaaagttc	tttaaagaaa	aacagtagtg	420
ctctgcatag	tttactgaaa	cgagtgggtca	gcacatttag	taaggacaca	ggagagcttg	480
catcttcatt	tttagaattt	atgagacaaa	ttcttaactc	tgacacaatt	ggatgctgtg	540
gagatgataa	tgggtctcatg	gaagtanaag	gagctcatac	atcacggacg	atgagtatta	600
atgctgcaga	gttaaaacag	cttctacaaa	gccaaagaag	aaagtncaga	aaaatttgtg	660
ccttgaacta	gagaaacttg	ntntggaaca	tttcaaaaga	tgaatgacaa	tctggattcn	720
ttggtngaca	gtgtaatttg	gactttaacc	ngatgctcg			759

<210> 761

<211> 752

<212> DNA

<213> Homo sapiens

<400> 761

cctnactaaa	cctttgcnaa	ngcctttnnt	gctgatecca	tcgattcgca	ggcctggact	60
tcgccccag	gcctaggacc	gcgggtgggtg	ttaaccctgc	tnctgcccc	acagggactc	120
caatcaatcg	gagttctccc	cttgccggag	ctgcccttca	cctttggggc	ccgagacagt	180
cataagggat	ggacttacnt	ttcttgacag	gaaaaaggtg	gacagccgtg	tttcttaagg	240
atgctgaggg	catggggcca	ggaccagggg	agaggcacag	ctccttctctg	agcagcctct	300
caccactgcc	acaaggctcc	ctaattgctgg	tctctgctcc	actccccggc	ttcccgtgag	360
gcangaggca	gagccacagc	caaggccctg	accacttctg	tgccagttgt	ctaagcagag	420
cgctcaggg	acgctggaaa	tgccttaagg	atagaggctg	ggcatcacat	caaatgggac	480
tgtggtgtt	ggtgaaaacc	ttcctgagga	tctggattca	ggaccctcca	tgactggcct	540
atttactggt	tacagctggc	cagtgcanaan	ctgctgctct	tttacctttt	taggccctctg	600
taacttncca	cctttaaact	gcccaanaag	catgcctntt	ccacaggaag	aaggggagcag	660
acaggggaaat	ctgcctacca	anaagggtgt	tgtgtgtctt	tgtgcccaca	cgtggtggct	720
ggggaatgcc	tggatggtgc	cgtggntgat	ct			752

<210> 762

<211> 1032

<212> DNA

<213> Homo sapiens

<400> 762

ttctaattgct	tggaaacgcn	ttgatgnang	atnccatcga	ttcgaattcg	gcacgagggc	60
aagtggtagt	ggcgcttntc	gggtgntgtg	cttcacgttt	tgggtctaaag	gncgagactg	120
ttgtggcnac	ngngnaantn	tacnggaang	gnttaaantn	tnnntgnagt	nggaanaatt	180
cnatcnga	gaanttgggg	gggntagnnn	nggttanatn	attgatgaat	ggnntcaana	240
tngnaaantt	tatnancgan	atgnnatant	tnnaaangan	gaccaactgg	gntnanatgg	300
agnannnatn	aannggntaa	ncnatanana	tantncattt	ggtanganaa	tngangaagg	360
attntcaaat	agncatgtng	gangatgaac	ntnnagggnn	nagaatattt	ggataaaatt	420
ggtantatga	agatntgggn	taataatacc	nanaaatnnn	nnanttttnat	nanngangaa	480
ntagganttn	atgncatagn	ggatanntn	nanntatnat	agnataaaan	tatgatactg	540
tttannttat	ntnganttag	tnattnaatg	ntctgttnan	aanttatattt	ncngtagtta	600
gntagnmnta	tnnactttgg	naancanana	tgtaattctc	tctanacggg	aatntttnta	660
tnntnnntat	caagaggtn	ntnnattgna	aatantatac	nnttgnanaa	antatatcna	720
tanaanaaan	ggnnattatt	ntatatganc	aaanaaaaaa	ntattgngga	nntanattat	780
ctctcatnat	ngattatncn	gtantgtata	atggnnnata	antatgtnnn	tntaanataa	840

WO 99/33982

PCT/US98/27610

```

atggatataa gtnttatant atgcnentna agngnggtcng anaantatgt aattatattn      900
angctanata cnatnnanat gtntnactaa atatngntgt gaaangtntg cngngnaaaa      960
tntgttanta ntnaaacang gtataganat atanatgnng ngaatatcta ctatntgtan     1020
atacttatan ca                                     1032

```

<210> 763

<211> 817

<212> DNA

<213> Homo sapiens

<400> 763

```

aanncccttn ttctaatnc ttggtactc gtncctttctg caggatccca tggattcgaa      60
tttcggcacg aggggagga cccttggggn caggttggtg gtagccagtt gcagtctgtg     120
gcctccctca gaggtttgga gtcgggcgtg gcatgctgct gttggcctct ttccgagga      180
gtgccatcca ctccctgtcc caccgctnnc cctngtgagg acagtgaggg cagtgtctacg     240
tgggtggggag gtgtgtgtga agccacggaa gggttcaca gggcaaatgc caaggccagt     300
gggccccgga cagagtnagg ctccctgggc ggncttggtg cttggtggcc ctgatcatcc     360
tgccaatgca naaagccagc aggcaagaga cccctactcc ctttaaggac cattagcata     420
aacaaccat tgngttgaat gcaatgatcc aggtgcactt tnagggtaca agctggactn      480
gttgaacag gattacatgg aaaannggaa angggggcan gctgtctctt gggacatnag      540
taatgtcttt ttaccantt gncactctng aanttcaaan ttggncatgt tttctggggc      600
ctnctngnaa aagcagtttt ttcaccncat natgaagaaa aaacttggtg gcttgganng      660
tannnggatt nttgntnana cttncctctaa anggntncct ttnggggcat ttntgaagg      720
taaataatgg gggatacctt tttaannttc cttgcagatt taaaaatgtt ccttaaanga      780
nncctcaatg nttnggtctt nttccaaaaa acnattc                                817

```

<210> 764

<211> 777

<212> DNA

<213> Homo sapiens

<400> 764

```

taatgcttgg ntctcgnntt tntgcaggat cccatcgatt cgaattcggc acgaggtcca      60
cgggtgctgaa catcatcatc tttgaagact gtaggaacca gtggtctatg tcccgaccac     120
tacttggctt gatattgctt aatgaaaagt atttttctga cctaagaaac agtattgtga     180
acagccagcc acccggaag cancnggcca tgcacctgtg ttttgagaac ctgatggaag      240
gcctcgagcg aaatcttctt acgaaaaaca gagacaggtt caccagaaac ctgtcagcat      300
tccgtcgaga agtcaacgac tcaatgaaga attccactta tggcgtgaat agcaatgaca      360
tgatgagctg acacctnctt ggactctacc tgtacagagc agcgtccctt tgggttggcc     420
cagaggggag aacaattgca agggagaggg cctggctgat cctggctctt ttctccaggg     480
gtgtggggaa aaatggcaaa ggtcaactag ctgcttcccc aagggaatag ggggtgtgagt     540
acactcata nggggcaagg cgctgcttgg ttcttggggg gactgggtgg gaaaggggtg      600
tgnganggag ataaagagat tcaaactgag actccagtct ttcttcttgg gggccacca      660
aagttgggga gnaacccctt antggtncct gccacaacc ttgccttggg attaaacatt      720
ntncatTTTT ttcantana tttttgaaca aagggttant attgnctnaa gtttann          777

```

<210> 765

<211> 774

<212> DNA

<213> Homo sapiens

WO 99/33982

PCT/US98/27610

<400> 765

nttttetaatg	cttggtctct	gntttgatgc	angatcccat	cgattcggga	aatgcaagtc	60
aaaacagctt	tgtaggctct	agagtttgct	tttaagaagt	agtacaagaa	ggaatagtta	120
tatcaataca	ccagtggctg	aaattatcat	gaaaccaa	gttggacaag	gcagcacaag	180
tgtgcaaaaca	gctatggann	gtgaactcgg	agagtctagt	gccacaatca	ataaaagact	240
ctgcaaaagt	acaatagaac	tttcagaaaa	ttctttactt	ccagcttctt	ctatgttgac	300
tggcacacaa	agcttgctgc	aacctcattt	agagaggggt	gccatcgatg	ctctacagtt	360
atgttggttg	ttacttcccc	caccaa	tagaaagctt	caacttttaa	tgcgtatgat	420
ttcccgaatg	agtcaaaatg	ttgatatgcc	caaacttcat	gatgcaatgg	gtacgaggtc	480
actgatgata	catacctttt	ctcgatgtgt	gttatgctgt	gctgaagaag	tggatcttga	540
tgagcttctt	gctggaagat	tagtttcttt	cttaatggat	catcatcagg	aaattcttca	600
agtacctctt	tacttacaga	ctgcagtgga	aaaacatctt	gactacttaa	aaaaanggga	660
catatttgaa	aaatcctggg	agaanggact	atttggctnc	ttttgccaac	ttacttcata	720
ctggnaagcc	agattantng	ctcaagggaag	ttttgatgag	ccaaaaaagt	tttn	774

<210> 766

<211> 779

<212> DNA

<213> Homo sapiens

<400> 766

ttnnncgctn	ntgaanaccc	cttctcctna	aatccttttt	aantnccttg	ctgnntgatc	60
ccatcgattc	gcgaaattcg	gtggcgccac	gtccgcccgt	cttngccttc	tgcattngcgg	120
cttcggcggc	ttccacctag	acacctaaca	gtcgcggagc	cggccgcgtc	gtgaggggggt	180
cggcacgggg	agtcggggcg	tcttggtgat	cttggtacc	tgcgggtcga	agatgtcggga	240
catcggagac	tggttcagga	gcatcccggc	gatcacgcgc	tattggttcg	ccgccaccgt	300
cgcctgcccc	ttggtcggca	aactcggcct	catcagcccg	gcctacctct	tcctctggcc	360
cgaagccttc	ctttatcgct	ttcagatttg	gaggccaatc	actgccacct	tttatttccc	420
tgtgggtcca	ggaactggat	ttctttat	ggtcaattta	tatttcttat	atcagtattc	480
tacgcgactt	gaaacaggag	cttttgatgg	gaggccagca	gactatttat	tcattgtcct	540
ctttaactgg	atttgcatcg	tgattactgg	cttagcaaat	ggatattgaa	gttgctgatg	600
attcctctga	tcattgtcagt	actttatgtc	tgggcccanc	tgaacagaga	catgattgna	660
tcatttttgg	tttggaacac	gaatttaagg	cctgctat	accctgggggt	atccttggtat	720
tcaactatat	catcgggangc	tcngtaatca	atgagctaat	tggnaaattn	ggtggacac	779

<210> 767

<211> 799

<212> DNA

<213> Homo sapiens

<400> 767

gnnnnnnnttn	cccgcctttn	gaaanccct	tctttetaat	gcttggtcaa	cgcctttgct	60
gcaggatccc	atcgattcgt	ggatactgac	aatggtggca	ggcatttcaa	gccttttaaa	120
ttagtacttt	ttgtcgnctt	gcttattaaa	attttggttaa	ttttagcaaa	gaccaattgt	180
tgtgataaac	tgggtgtttt	nggatgcttc	aagcacacgt	taaccaatcn	gccaatnccc	240
ctttnggttc	ctcccattgn	tctaaaatag	gactttcata	ttattaaaac	ctcaaaagat	300
gatccaccca	ggatgaacaa	agatcaccaa	ggggaaagaa	aacatttttt	atctttacag	360
aaaacatggt	aagattatat	atagatgtat	tctttacatt	ggatattgta	ttagagtcc	420
ccttacaaga	aatgaaatag	gttttttagca	ctcttagcat	tagagtccct	agattggtgt	480
tgatagctac	agtttttaaaa	tgtataacct	gaaaatgaag	gttaattttg	cattgtaaag	540
agcacatttg	atctatgtaa	aaagtgtcca	tttgggtgat	tttttttaaa	aaagagaaag	600

WO 99/33982

PCT/US98/27610

```

cactttcata ttaagtagca tgtgtatgaa ttttaagattt tcatatttgn tgngtctggt      660
attcagtga gtaaaattga gcattttaaa agtttggtgg atggcaacca ttaactatta      720
aattaaaagc caccttatac tctgtgctt aacttgcttg naaattgcac ctttggnacc      780
ctgcacattt tcatattnc                                         799

```

<210> 768
 <211> 826
 <212> DNA
 <213> Homo sapiens

```

<400> 768
gnmnmntnncn ccctttctaa tggtctgttt ctaaatgctt tttcnaatcc ttggtacatg      60
atcccatogn ttgcgctgt gcttgagacc aacctgacgg gtaccttcta catgtgcaaa      120
gcagtttaca gtcctggat gaaagagcat ggaggatcta tcgtcaatat cattgtccct      180
actaaagctg gatttccatt agctgtgcat tctggagctg caagacnggg tgtttacaac      240
ctcacaaat ctttagcttt ggaatgggcc tgcagtggaa tacggatcaa ttgtgttgcc      300
cctggagtta tttattccca gactgctgtg gagaactatg gtccctgggg acaaagcttc      360
tttgaagggc cttttcagaa aatccccgct aaacgaattg gtgttcctga ggaggctcc      420
tctgtggtct gcttcctact gtctcctgca gcttccttca tcaactggaca agtnggtgga      480
tgtngatggg ggccnggagt ctctatactc actcgtatga ngtcagatc atgacaactg      540
gccccaggga gcangggacc tttctggtgt caaaaaagat gaaaggagac ctttaaggag      600
aaagctaagc tcttgagctt gangaaaaca aggggtcctt ccatncccca aatgccttta      660
catttttgga ggatatgcct nnnngnacnt ttttaaaaaa gcttatnagt tngntatggg      720
naaaacaatt ttttccttan tttttaaaagt ggntaataaa tnaaantcct aatggnaaaa      780
aaactantcc ttgnaanta ttttcaggn cttnantgtn cccnncn                                         826

```

<210> 769
 <211> 802
 <212> DNA
 <213> Homo sapiens

```

<400> 769
gnmmttctaa tgetgttcta atgcttgtea atncttgana cgttcacga ttccgggaagc      60
caagcctgga gctgcaggtc ccccgccatc tctctctgtc ccggcagccc aggatggcct      120
ggtgccccca cctgctgcag caggagcccc aaggagtget agctgagggt ggttgctggg      180
gtggtcctca tggacagtga ggtgtgcccg ggtgcactga ggggtggtggg aggggatcac      240
ctgggttcca ggccatcctt gctgagcatc tttgagcctg ccttccggtg ggagcagaaa      300
aggccagacc ctgctgagtt agaggctgct gggatccact gtttncacac agcgggaagg      360
ctgctgggaa cagggtggcag agaagtgcc tgttngcntt gagccttgca gctcttcagc      420
tggggactgg tgcttgctga aacccaagag ctgaacagtg aggaggctgt ccaccttgct      480
tggctcactg ggaccaggaa agcctgtctt tggttaggct cgtgtacttc tgcaggaaaa      540
aaaaaaagga tgtgtcattg gtcatgatat ttgaaaagg ggaaggangc cnaaanttgt      600
tcccatttta ttcaagtatt ggaaaatatt tggccccctt ttggctgaaa ttctttttgc      660
aanaactaac tngtggctt gttcncttac cctttttcan gnttaattgg tttnaatttt      720
ttgcattgaa attaaagacg tttttaaaatt tcntttncan naacaaaggg cttanatncc      780
ngantcnana nattggnant tc                                         802

```

<210> 770
 <211> 1157
 <212> DNA
 <213> Homo sapiens

WO 99/33982

PCT/US98/27610

<400> 770

cccttttttt	tttttcccn	aaaaaaaaat	tgggggcccn	tttttttggg	nttttttttc	60
ccnaaaaaaa	aattgggncc	ctttttgggg	ggmntnaaaa	aaannnnnnn	ncceccntt	120
tttttggggg	nnnnnaaann	tnnnnnncnn	ntnnnnnnnn	nnnnnnnnnn	ggntttnnng	180
gggnnnnanc	cncceccaa	tttcccggn	attnttccg	gcccaatttt	tgggaccccc	240
cagggnnnag	aataaggccc	ggggnntttt	tttncnagg	ncceaaaagg	gcccttgggc	300
caaaggnaaa	tcnttgga	aattttgga	atttggccct	tggnanntcc	caataccggn	360
aaaaatgggg	aaangnaaaa	aaggnttncn	ccaaattggt	tggggggggg	ttccaaagat	420
tttcattggg	ggtncntggg	ctttcaaccc	naaggnaang	ggtttntctt	caaaaaatta	480
cctttaattg	ccattaagca	attcccaang	gttannaaag	ggtgtttntt	ctcanctatg	540
cttcganagn	gaaaatcaac	naatggaaaa	tgtgttgtaa	ttggtctgca	ntctacanga	600
gaagctagaa	cattagaagc	tttggaanag	ggcgngggag	aattgaatga	tnntttgntc	660
aactgccaaa	gagtgtgttt	gcagtcactc	cgattgaaaa	ctattttcct	gtccagaca	720
ngaaaaaaac	tttatangtt	tactaggaat	cgatttgaca	agcnttcang	taacaaacag	780
ttctnccaag	agatatecct	gttnaagaan	nattanaata	ncmngaaagc	ggaaanngtg	840
aataaatnnc	ttcnagaagc	ccaaaaannc	acngaanaag	tatggtgggn	cttactggtt	900
agcacgttct	tgacnacaga	tggaaattga	antctngatt	ncctctgatt	antgaatgaa	960
aaggtgacta	ttnaanagct	cttnanatac	catgagtntt	tggancattg	attgaccaat	1020
ttcaanncca	tttttangat	ngaattntta	tnaatgattn	attnanaant	gannnccctn	1080
gtttaaatta	nnaaanaanc	cntcnaaana	cnaaggggga	tttataaaat	ctaataanan	1140
ttttnnmcnt	ntnaann					1157

<210> 771

<211> 760

<212> DNA

<213> Homo sapiens

<400> 771

ngnccttttna	tnccctntga	ancnttttgn	aattnctcnn	nnngttgatc	ccatcgattc	60
gaattcggca	cgaggtggaa	gaaaattttt	tgtctgttct	ggttnccaga	aaaggagacc	120
attttaacag	acacatctgt	caaaagaaat	gacttgtcga	ttatttctgg	ctaatttttc	180
tttatagcag	agttttctac	acctggcgag	ctgtggcatg	cttttaaaaca	gagttcattt	240
ccagtaccct	ccatcagtgc	accctgcttt	aagaaaatga	acttatgcaa	atagacatcc	300
acagcgctcg	taaattaagg	ggtgatcacc	aagtttcata	atattttccc	tttataaaag	360
gatttgttgg	ccaggtgcag	tggttcatgc	ctgtaatccc	agcagtttgg	gaggctgagg	420
tgggtggatc	acctgaggtc	aggagtctga	gaccaacctg	accaacatgg	tgagaccccc	480
gtctctacta	aaaataaaaa	aaaaattagc	tgggagtggg	ggtgggcacc	tgtaatccta	540
gctacttggg	aggctgaacc	aggagaatct	cttgaacctg	ggaggcanag	gttgcaagtg	600
agcccgagat	cgtgccattg	cactccaacc	agggcaacaa	gagtgaact	ccatcttaaa	660
aaanaaaaaan	gaaaactcga	gcctctagaa	ctatagttag	tcgtattacg	tagatccaga	720
catgataaga	tacattgatg	aattttggac	aaacccann			760

<210> 772

<211> 777

<212> DNA

<213> Homo sapiens

<400> 772

gaaancccat	ttnnnnnttc	cnettcnaat	cccttggnnta	ctcgnctctt	ntgcaggatc	60
ccatcgattc	gaattcggca	cgagctctac	taaaaataca	aaaattagct	ggcggtgggtg	120
gcacacacct	gtaatcccag	ttacttggga	ggctgaggca	caagaatcgc	ttgaacccgg	180

WO 99/33982

PCT/US98/27610

gaggcggagg	ttgcagttag	ccaagatcgc	cctgctgcnc	tccagcctgg	gcaacagagg	240
gagactctgt	ctccaaaaac	aaaaacaaaa	actgttagt	aaggttccct	gggacttttg	300
atattttaaa	aattgttctt	atgactagta	gataaattca	ttgccataat	gaggctagct	360
cccagataaa	cagtgtat	tcttcttttt	tttttttggt	gagtgggtcca	gagctttaag	420
ctacttttcc	agtagtttgc	cactttctcc	gagggtanttt	ggctgctctt	tcagtaatgc	480
taattgtgtg	tcaaattttg	tctacaacag	taggcaacag	atgaagataa	gttggttgaa	540
tgtctccagc	actatgcac	cctattttct	atattattggg	gtacactcac	tttcagtaat	600
gngtttcaaa	ctggatattt	ttaaaaaaca	aatcaatgta	aggactgaag	ttgaaatanc	660
caatgtaata	aagttaatta	gggttatattt	taaaaaaaan	aaaaataana	actcnagccc	720
tctagaaact	atangtgagt	cgnnttacct	tgaatcccag	accttgataa	gatacnc	777

<210> 773

<211> 782

<212> DNA

<213> Homo sapiens

<400> 773

gnntnnat	ccctttcnaa	tncttgccaa	acgctctctn	tggtggatcc	catcgattcg	60
aattcggcac	gagacagtct	cgggtttcat	atattgtctgt	ttttgatgga	catggaggaa	120
ttcgagcctc	aaaatttgct	gcacagaatt	tgcatcaaaa	cttaatcaga	aaatttccta	180
aaggagatgt	aatcagtgt	ncnccgcgcg	tgaagagatg	ccttttggtg	actttcaagc	240
atactgatga	agagttcctt	aaacaagctt	ccagccagaa	gcctgcctgg	aaagatgggt	300
ccactgccac	gtgtgttctg	gctgtagaca	acattcttta	tattgccaac	ctcgagata	360
gtcgggcaat	cttgtgtcgt	tataatgagg	agagtnaaaa	acatgcagcc	ttaagcctna	420
gcaaagagca	taatccaact	cagtatgaag	agcggatgaa	gatacagaaa	gctggaggaa	480
acgttaaggg	atgggcgtgt	tttgggcgtg	ctagangtgt	cacgctacat	tggggacngn	540
cantacaagc	gctgcngtgt	nacctttgtg	ccccgacatc	agacgctgcc	agctnacccc	600
caatgacagg	ttcattttgn	tggccttggt	atnggctctt	naaaggncct	tnccccatna	660
aggaagccng	tggaactttc	atcttgncc	gnantcgang	atnaaaaaagn	atncagaacc	720
cggggaagg	gaaaatcctn	aannctgact	tcccgtttc	caaaccagtn	ttgnaacaaa	780
nc						782

<210> 774

<211> 793

<212> DNA

<213> Homo sapiens

<400> 774

gnannngccn	cgnttttgat	tcccctnttt	caaatccttt	gmnaatcgcc	ctcncgtttt	60
tgatcccac	cgattcgaat	tccgcacgag	atggcagttg	cttttgaagt	atatgatgnn	120
ttcctccact	acaaaaagg	gatctaccac	cacactggtc	taagagaccc	tttcaacccc	180
tttgagctga	ctaatacatg	tgttctgctt	gtgggctatc	ngcactgact	cagcctctgg	240
gatggattac	tggattgtta	aaaacagctg	gggcaccggc	tggggtgaga	atggctactt	300
ccgatccgc	agaggaactg	atgagtgtgc	aattgagagc	atagcagtgg	cagccacacc	360
aattcctaaa	ttgtagggt	tgcttccag	tatttcataa	tgatctgcat	cagttgtaaa	420
ggggaattgg	tatattcaca	gactgtagac	tttcagcagc	aatctcagaa	gcttacaaat	480
agattttccat	gaagatattt	gtcttcagaa	ttaaaactgc	ccttaatttt	aatatacctt	540
tcaatcggcc	actggccatt	tttttctaag	tattcaatta	agtgggaatt	ttctggaaga	600
tggtcagcta	tgaagtaat	agagtnttgc	ttaatacttn	ggaattcaaa	catgctatat	660
tttttttaaa	aatcaatgtg	aaaacataga	cttattttta	aattgntacc	aattacaata	720
aaaataatgg	gcaattaatt	tttnaaaact	ttttaaaata	gnatgctcat	attttttaaa	780

WO 99/33982

PCT/US98/27610

ataaaaanttt tnc

793

<210> 775

<211> 1009

<212> DNA

<213> Homo sapiens

<400> 775

agcntttttt	ngaanttccc	ctttntttna	aaaatcccct	tttttggcaa	aaaattnccc	60
ccntntntna	nngtttttnn	gatncccaca	tnengnaatn	tnccggcncg	ggnnactgnc	120
nannggcnc	cttcgggggn	ccngtgntaa	gncnatnctt	gtntntanaa	agntggnnnt	180
ntttntcgat	ngngactatt	gncnacnctc	tccntnttg	gcagngngtc	tgganggttg	240
nggtngctca	tntggntaan	ccnatcctgg	ngaccaann	gccgnggtgn	gcntgcaagc	300
tttgncacn	tgggaaancc	gnnagtggtn	gtctcanttg	cntgntgggn	ncntgncccc	360
atcttgnetg	ctgnancctt	ggggagcagg	nnctnggtng	tggtnctgcc	tgcttgctgc	420
tngttccccg	ggcatgcgtn	nncannaagg	gncatgcntn	gggcaanaag	gtgcgtggnc	480
ancgtnnnga	tnnnnaggac	cacnttgggt	cgngaactnn	tgggttncct	gataggaacc	540
ntnaannnct	gcngntttta	ttaaattggga	nnananggg	ncanttcaaa	gccagtmaaa	600
tgcccttatg	gaangngtg	natnacatan	cnnntatgt	gtentanann	angaaatcgt	660
tnnncaaatt	tnnacaanaa	tnntntaan	aaagggtatt	tnantntngg	tgaaanaaca	720
angntttaaa	gtnaaatgnt	tntancanaa	ttaantaaac	nggtnttnat	gattncttac	780
naaantaacn	atncnnaagc	atttacngct	tanangtcn	cnngatactn	ncanaatatg	840
gnnnnaattn	tannanatng	cgataatctn	gnananactn	tcatnnnnna	tngtgtaate	900
antanntacn	tgatttnnnt	naaatgaaaa	catntgatnc	aagattaatn	cattanmtat	960
acnaaaatnt	tcanatanta	natntacata	taatggtttc	naataaaacn		1009

<210> 776

<211> 785

<212> DNA

<213> Homo sapiens

<400> 776

gnnnnnnnnt	cccccttcta	atcncttggga	ntcgcctctn	tntgnangat	cccatngatt	60
cgaattcggc	acgagagaaa	cacaggtgtc	gtgaaaacta	cccctaaaag	ccaanatggg	120
aaaggaaaag	actcatatca	acattgtcgt	cattggacac	gtanattcng	gcaagtccac	180
cactactggc	catctgatct	ataaatnngg	tggntcgcac	aaaagaacca	ttgaaaaatt	240
tganaaggag	gctgctgaga	tgggaaagg	ctccttcaag	tntgcctggg	tcttgataaa	300
actgaaagct	gagcgtgaac	gtggtatcac	cattgatata	tccttggtga	aatttgagac	360
cagcaagtac	tatgtgacta	tcattgatgc	cccaggacac	agagacttta	tcaaaaacat	420
gattacaggg	acatctcagg	ctgactgtgc	tgncctgatt	gttgctgctg	gtgtnggtga	480
atttgaagct	ggtatctnca	agaatgggca	naccnnaaag	catgcncttn	tggcntacac	540
actgggtgtg	aaacaactaa	ttgtcggngt	taacaaaatg	gattcacttg	accaccctan	600
aggccngaag	agatattgan	gaaattgtta	aaggaaagtca	gcacttncat	taagaaaatt	660
ggcctacaaa	tccnnganac	aataancatt	tgtgccaat	tnngggttgg	gaatgggtga	720
ccaacattgc	ttggagccca	agtgnntaac	aatgccttng	gttnaaagg	antggaaaag	780
ttacc						785

<210> 777

<211> 1366

<212> DNA

<213> Homo sapiens

WO 99/33982

PCT/US98/27610

<400> 777

ananaanann	annnnnnnaa	ggnaaanana	nnnnnannnn	naanangnaa	anananannn	60
tnnanaannn	aagngnttc	nanncttttc	aaagcttgga	aaacgcannc	aannnnnggg	120
aaagcaagaa	agaacagcta	aagnnngncn	cagaganagc	ttttangang	tntangaaga	180
aggaatannn	gnngncaata	nnnnannnnc	ngaaantatc	atganacnca	aatganggan	240
aaggcgagcac	aagctgngca	aacagctatn	gngacggggg	ggccggggaga	gnctaaangn	300
cananatnca	atatataagg	actgcatgcn	aagggatacn	aaacaagnan	actnntctag	360
gaagaaataa	ntnttgacnt	ancnnacntt	cataacgaat	agcaccgtag	atcgagncaa	420
ccaactaana	ggntaagga	aatggcaaan	nacnttaatn	nntgagcnaa	ggaagggngt	480
atngnccnan	anngaaatgc	ntcntaacca	antttttaatn	gtaacggnat	nangatnaan	540
ncntnanccc	acgcaactca	aaaaanattac	attanntaaa	aaaganctat	ancaaaaacta	600
gtnttcaaaa	tngnacgagn	aaatgggnaa	nantttntnn	ccgggaaaat	tggnagagat	660
ccanaaacac	tggntnaggg	naatanatgn	ccgcccnaaa	aaacctnnc	cataggnatn	720
ggctancata	gangagatat	ancnatnagg	ggatcaanan	cntaggnatt	ngaaaantaa	780
ncgagttaaa	acancnagat	nnggnantac	gaganatagc	ttggacnggt	atcaaactcg	840
accctnggat	gggcntangg	aaaaanaaaa	aggntngagn	gaanttcctc	anaggaanng	900
tganagagcn	aaanaanatn	aagggccttg	gngaaaangg	aaaaacagat	agngtcatnc	960
natatatncn	natgananan	tggggnaatn	taatctacnn	tanatnnggg	ggaaaaaaat	1020
cnncatgac	nnnaaaanga	gntaatgnna	nnatgagaga	ttaaaccnat	aaaacnagag	1080
aantttgngn	aaanctgnga	gataaaaaat	aaataaattc	tntntggaac	atntanaccn	1140
tctatnnaaa	aaaaagaggg	gaaaccatct	ngattatgca	cananaaatn	tnacntngng	1200
gaaataaatn	gggnacaata	acatatatgn	ggatgtacan	tnntggncng	aaaaactata	1260
caacntgaga	nnnnacnang	atataaagcn	nnaggnagtn	tatangggca	tcatcaangg	1320
gaagntataa	agcaactgna	nnctcatata	naaaactgnn	cnncaa		1366

<210> 778

<211> 775

<212> DNA

<213> Homo sapiens

<400> 778

gnnttnnatn	cctctttcta	atnncttggc	tactcgntct	ntctgnanga	tcccatcgat	60
tgaatttcgg	cacgagagat	tatgagcatg	tagaagatga	aacttttcct	cctttccac	120
ctccagcctc	tccagagaga	caagatggtg	aaggaaactga	gcctgatgaa	gagtcaggaa	180
atggagcacc	tgttcctgta	cctcccgccg	ccgaacagtt	aaaagaaata	tacccaagct	240
ggatgctcag	agattaattt	cagagagagg	acttcagcc	ttaaggcatg	tatttgataa	300
ggcaaaaattc	aaaggtaaag	gtcatgaggc	tgaagacttg	aagatgctaa	tcagacacat	360
ggagcactgg	gcacataggc	tattccctaa	actgcagttt	gaggatttta	ttgacagagt	420
tgaataacctg	ggaagtaaaa	aggaagttca	nacctgttta	aaacgaattc	gacttgatct	480
ccctattttta	catgaagatt	tttgtttagca	ataatgatga	agttgcggag	aataatgaac	540
atgatgtcnc	ttctactgaa	ttagatccct	ttctgacaaa	cttatctgaa	agtgagatgt	600
ttgcttcttg	agttaagtag	aagcctaaca	gaaggagcca	accacaaaga	attgagagaa	660
atnaacaact	gggccttngg	aaagaaangc	nggccaagct	gcttgagtaa	tagtcaganc	720
ctanggaaat	gatntgggtta	atgaattcac	cccaggncac	accngttga	agagc	775

<210> 779

<211> 781

<212> DNA

<213> Homo sapiens

<400> 779

WO 99/33982

PCT/US98/27610

```

gcttttnann nccctncttt cnaancctct tcaaatecctt ggntatcgtt ctntctgnng      60
gatcccatcg attcgaattc ggcacgagag acaaagaaaa aggtggcaat catagaagag      120
ttagtagtag gttatgaaac ctctctaaaa agctgccggt tatttaaccc caatgatgat      180
ggaaaggagg aaccaccaac cacattactt tgggtccnnt nctacttggc acaacattat      240
gacaaaattg gtcagccatc tattgctttg gagtacataa atactgctat tgaaagtaca      300
cctacattaa tagaactctt tctcgtgaaa gctaaaatct ataagcatgc tggaaatatt      360
aaagaagctg caaggtggat ggatgaggcc caggccttgg acacagcaga cagatttatc      420
aactccaaat gtgcaaaata catgctaaaa gccaacctga ttaaagaagc tgaagaaatg      480
tgctcaaagt ttacaaggga aggaacatca gcggtagaga atttgaatga aatgcagtgc      540
atgtggttcc aaacagaatg tgcccaggct tataaagcaa tgaataaatt tgggtgaagca      600
cttaagaaat gtcatgagat tgagagacat tttataggaa atcactgatg accagtttga      660
ctttcataca tactggatga aggaagatta cccttagatc atatgtggac ttattnaaac      720
tatgaagatg tacttttnaca gcatncattt tacttcaagg cagcaagaat tgcttttaga      780
c                                                                781

```

<210> 780

<211> 783

<212> DNA

<213> Homo sapiens

<400> 780

```

gnntttnnan nncngnttt ctaatnctnt tcnatnctt tgnnancgtt ctntatgcan      60
gacccatcga ttcgggaatc tcctagaaaa gttgtgattt tcgagccata tccttctgtg      120
gtagatccta atgatcctca natgttggcc ttcaacccca ggaaaaagaa ctatgatcga      180
gtaatgaaag cactggatag cataacttct atcagcnaaa tgacacaagc accatatctg      240
gaaatcaaga agcaaatgga taaacaggac ccccttgctc atcccttact gcaatggggt      300
atatcaagta atagatcaca tattgtgaaa ctgccagtta acaggcaatt gaagtttatg      360
catactccac atcagttcct tcttctcagc agtccaccag ccaaagaatc caattttaga      420
gctgctaaaa aactcttttg aagcaccttt gcatttcatg gctcacacat tgaaaactgg      480
cactccatcc tgaggaatgg tctggttggt gcttctaata cagcattgca gctccatggt      540
gcaatgtatg gaagtggaat ctatcttagt ccaatgtcaa gcataatcatt tggtagtcag      600
ggatgaacaa gaaacagaag gtgtcagcca aggacgagcc agcttcaagc agtaaaagca      660
gcaaatacat cacagtcaen ggaaaaaagg acagcaatcc caattcctgc caaagccgta      720
acttaaaatg catagnocct atgtgaaagg gatcaccttc atctggacct gcacaaacat      780
ggc                                                                783

```

<210> 781

<211> 796

<212> DNA

<213> Homo sapiens

<400> 781

```

gnnntncgcc ttcaatnctn ttcantctnt tcaatctttg aatentcttt gttgtccatc      60
gttcaattcg gacgagaccc ttatggcaga tccccacagt ctggggcaga agaggcgctc      120
aggngccaga agtgncggca gcagcagccg cagcagccca aagagaggca agagaaagag      180
aaagcggccg gtggaggggt nnnccgaaga gctgggtccc gtggttgagc tgggtccccg      240
tggttgaatt ggaagaggcc atagccccag gctcagaggc ccagggcgct tgggtctggt      300
ggggacgcgg ggggtgcccc caatggtgca gctgcagcag tcaccactag ggggtgatgg      360
agaggaaggg ggccacccca gggccattaa caaccagtac tccttcgtgt gagccaaccc      420
caccgcctcc acccttttta aacccccag cccttgctcg tgagattggg cttgggtagg      480
gacagaagag gcccgaaatc cctcccccat gcttntctgac ccttgtttgg ccaaagggca      540

```


WO 99/33982

PCT/US98/27610

tctttgatgg	tacaaagcag	angcttcggg	anaagcttcc	gtcacaacac	tncaaggtcc	600
cttcccaagg	gcaaggggat	ttnggcttca	tgagctnctt	tgaggggctt	ttttttggtc	660
annccccacc	ttnggggccca	tttttcccaa	ttaaacttacc	cccaacccca	agncanggtt	720
naggggggnaa	agggctttcn	anttcatta	aaggggggtt	gtttgttgnt	gttttaaacc	780
aaaatgggga	aancnn					796

<210> 782

<211> 886

<212> DNA

<213> Homo sapiens

<400> 782

cggnnnnnnn	gnagcccntt	tggnaaangc	ctctaaggga	aangcctttt	tgaaaacnan	60
angaaaacct	ntgggaaaag	nccncannna	ttttngngaa	annggcnnga	gcnnanantn	120
ggacacngtt	ntaannnnan	nagnnnngt	tttnnganan	agggnnnnna	gnggnannna	180
ngngnnggag	ggaannaagg	nanagnannn	ggnagnnaag	gnnnnaaaga	agnagnnang	240
gaganggnnn	gngngggggc	atgangnngg	nncagaggca	cgaggagccc	aagaccatca	300
cngangagna	ngagcagggn	accnacatnn	acnnggacna	cgagaagngg	ggccagcgga	360
agaaggaagg	nagnacctng	agnaccgnta	ccaggaggan	cgggaccnac	agnagcanag	420
gnccnnnncn	anacggannn	nanaaacgng	aagcaggann	nnnanggacc	aaggggaagg	480
nncnngnncn	ggaaaganng	ggagggaggn	ncgaaggcaa	aggggggann	cgnnannncc	540
aggaagnang	gaaggggggn	cgggaggnna	annganaaga	ngaaccnngg	gggnncagg	600
gggagagggn	agcanaannn	nnccnnagnc	aanngaagg	gananaagag	ngggaaaann	660
aannagaaag	agggaaaana	agnnaaggaa	anaaaagang	ngnnaannng	gganaaaaana	720
ngngganann	gngnganaaa	ngngnannan	aaaanngagg	aggncannng	gnaaaaana	780
nggggagggg	nganananag	ngaannagac	aaggaanagn	gaannagnng	anagnannng	840
gnannaaagg	nannggggna	anaagnanna	nannnnnagn	gaagan		886

<210> 783

<211> 805

<212> DNA

<213> Homo sapiens

<400> 783

cnaatncttg	ctcttgncct	ntttcnaatn	cttggcnact	cgctttctnt	gaggatccct	60
cnnganncna	togttcgaat	tcggcacgag	cacaaggaga	agaaagttaa	ttaacattga	120
aagatgagaa	gacatcttg	aagacttgaa	ttgggccttg	gaagaagaac	agccattcaa	180
atagatagaa	ttgtggtagc	aaaggcatac	ngntcggaaa	gtatagatct	ccagggacag	240
tagtcatggg	gttggggcac	tgttggaatt	taaggttgga	aggatatatt	ggagcccctt	300
gaatacggta	acaaggcaca	ccttgggcag	tgagaggtta	tcagagtgtt	tgaaaaggag	360
ggttattgag	tataataata	gactggtact	ttaggaattt	taaaatgtgg	atcattgtac	420
tactaataac	tatntatttt	atatttacta	tctactaagt	aattttacatg	tattttcttg	480
tactgactgt	aaaccttctg	ggtgtgggtg	ttttaagtgc	catttttactg	ataaagaaac	540
tgangcttaa	atagntgaaa	tanntcacc	tgtagtgag	tggcacaatg	acaagtcann	600
atcttanggt	tgccnanntc	caaaanncat	ttaaanttnn	agnatnattg	annnttttnc	660
cttatggcnt	nnnaaatttg	gggagccatt	attgaaatcc	nttacnacnt	angaattgnc	720
caaaaaaaat	acttttttgg	gaaaactgga	tttattaatt	atccaaaata	attnnantgg	780
cttgnttggc	ttntttccac	tntnc				805

<210> 784

<211> 776

WO 99/33982

PCT/US98/27610

<212> DNA

<213> Homo sapiens

<400> 784

taatgctggt	tactgccctt	caaatccttg	caatcccttg	gnaancggnc	cngcngaccc	60
atcgattcga	attcggcacg	aggttatatt	aaattattct	ttgntnttct	ttgtctttta	120
ataaagcctg	caagttacta	aattgnagtt	ncataaattc	tgtagtnaag	tatcatcttg	180
gcagngtgcc	aaaggtgaaa	angntgcttn	ctctaacaga	gaaattctta	gngactccag	240
tcgtanaaaa	acgtctttac	aacctgaata	agatnganga	attgngaaca	taccatggcc	300
tattggatga	atcatttgcc	ggnggctana	ncagactgta	gggtttgtga	tggatntatg	360
gagtatgtgg	gtatagaaat	catgaatntn	ccatttgnnn	ncagagattc	aagcntanac	420
ttaatgggta	gatcataaat	gacagaatga	attcaaaacc	tagcacgtgc	attgtaaattg	480
tgtgcccgaga	tatgtnttgg	aaatggcagn	tccttggggg	catgtntcta	ctggcaaaat	540
ttgctatagn	gmactatttg	nantgtaatt	ataaaaattna	tcannattat	ncaccgattn	600
gccaagtaaa	ctgtactgtg	cataggaatt	ttgggaattg	tgcanaaaatt	ggatcaattg	660
aanttnagaa	cngatgtctg	ggcttaaaaa	tttatcnggg	accacnnatt	angaaactna	720
catntttcgg	ngetgaggtt	cattgnccaa	ggccangaag	gtnttttncg	aaaanc	776

<210> 785

<211> 778

<212> DNA

<213> Homo sapiens

<400> 785

ttngaaaacn	ccttngcttn	gttnccctta	cngaaaccct	tttgaaaacc	ntttgcnann	60
tcctctttnt	gnaggatccc	atcgattcgt	gaaagaggag	atcggtgacc	tgggctcctt	120
atgtgcctga	atgagtttga	gtttcctgtt	aactccaaat	caacagtatt	ttcaacaaga	180
aatgtgcaat	tgaaatcaag	tgctgtttta	gtgcagctag	gantccacag	gaagacactt	240
gcagtgaaca	gagttatgga	gcagcaaaaa	cacagatcta	tttggaaaaa	gagaaaaacat	300
atgcgttgta	ttttgcttca	attataaaat	accatcctct	caaagggtgg	tctaaattac	360
aaaggacttt	gattttctagg	tagattctgg	gtagagactt	cctttcatat	tgaggcatta	420
atgacacctt	ttaacctggg	aagcaatatg	actggagttg	tactttgaga	agattaatca	480
ggtttggttg	cagaatgaaa	gagaagatga	agtcaagaga	ttggtttaga	ggctctagca	540
gaagcttagt	catatttcaa	aatgatcaaa	tatcaagaaa	aattctgagc	tgcataactt	600
gtataaagta	attttcagtg	atttttttca	tggttatgat	aaaagaactg	gatttagcaga	660
aacttttacc	ctgaatcaag	atttaatttt	tctttgagct	catcttaagg	atatcggaac	720
atagggagca	aacgatggtg	tggetgcctc	antgcttgaa	ttttaacngt	tttgaaan	778

<210> 786

<211> 805

<212> DNA

<213> Homo sapiens

<400> 786

ngccccccct	ttccccctn	ttgaaanccc	ctttggnana	nnccnntttc	aaatcncttg	60
naaatccttg	gcnactcgtg	ctntctgcag	gatcccatcg	attcgaattc	ggacgaggag	120
aggatcactt	gagcttagga	gttcaaatcc	agcctgagcc	aacataacaa	gactttgtct	180
ctaaacaaaa	cagttattgt	ttaaagaatc	tgaaatcttc	atctttaatt	caggtagccg	240
tgaatcgagc	ccaagtttgt	ttgatatcca	gttccaagtc	tggagagagg	catctttatc	300
ttattaaagt	atcgagagac	aaaatatcag	acagcaatga	ccaagagtca	gcaaattgtg	360
atgcaaaagg	gctatcaaag	ggaggctttt	tacagagAAC	taaggaagag	aaggagggtg	420

WO 99/33982

PCT/US98/27610

ttaaagagac	ttgagatcag	aaaaagatca	agaacaactt	gaatctcaaa	gtatgaattt	480
gaagtatttt	gctgagcaaa	catttgaatg	cctgtatgta	ccgtaatcct	ctatcaactgg	540
ggcccccaac	cccgtacca	gcccgtggcc	tgctagggac	tgggccgcac	agcaggaggt	600
gagcagtggg	tgggcaagcg	accattccca	cctgagcttc	ccctcctgtc	agatcagcag	660
cagcgttaga	ttctcatagg	agtgcaaaac	cctattgtaa	actgcccatg	ccaagggatc	720
tangttgcaa	cgcttcctta	tgagaanttg	aatgcctgan	ngaactgtca	ctgncttcca	780
tnaacccecca	gatgggtact	ngttc				805

<210> 787

<211> 775

<212> DNA

<213> Homo sapiens

<400> 787

ccttggnnag	nngccccctt	naaanccttt	gaaaaccctt	ggcaaangcc	ctnnengnnn	60
gateccatcg	attcgaattc	ggacgaggag	aggatcactt	gagcttagga	gttcaaatcc	120
agcctgagcc	aacataacaa	gactttgtct	ctaaacaaaa	cagttattgt	ttaaagaatc	180
tgaaatcttc	atctttaatt	caggtagcac	cgactcgagc	ccaagtttgt	ttgatatcca	240
gttccaagtc	tggagagagg	catctntatc	ttattaaagt	atcgagagac	aaaatatcag	300
acagcaatga	ccaagagtca	gcaaattgtg	atgcaaaagg	gctatcaaag	ggaggctttt	360
tacagagaac	taaggaagag	aaggagggtg	ttaaagagac	ttgagatcag	aaaaagatca	420
agaacaactt	gaatctcaaa	gtatgaattt	gaagtatttt	gctgagcaaa	catttgaatg	480
cctgtatgta	ccgtaatcct	ctatcaactgg	ggcccccaac	cccgttacca	gcccgtggcc	540
tgctagggac	tgggcccgcg	cagcaggagg	tgagcagnng	gtgggcaagc	cgaccattcc	600
cacctgagct	tnccccctct	gtcagatcag	cancagcggt	agattctcat	aggagtgcaa	660
ccctattgta	aactgccatg	cnagggatct	aggttgcacg	ctccttatga	ggaattgaat	720
gccctgatga	acttgncact	gncttccatc	acccccagaa	ngganctggc	taacc	775

<210> 788

<211> 774

<212> DNA

<213> Homo sapiens

<400> 788

gaaaaccctt	tgtnaanagc	cncttcaacc	cnttctaatt	cttggcaatc	gtctctntctg	60
cangacccat	cgattcgaat	tcggcacnag	attattttcca	aagcagccta	cagtagaaaa	120
tagtcattat	ggcagcagct	tctgatgttt	ttgtttggta	ggttttctga	tttcaatata	180
tagaatcata	ttcatagagt	atcttctntn	ccgcctngca	caaagtaccc	atttaaaatt	240
tacatgcaca	gttcattgcc	acctttctta	ggcctatgca	tagttaataa	ggttataatc	300
tactcaacat	ggaaaatgga	gcctatttgc	aaacacacaa	gtaattaaag	taccaattct	360
ctcttagttt	ctttttttat	agttgggtta	ttttgcaatt	ataaatgtta	aacatcccta	420
gagatgaaag	ttaaaatggg	tgatcacaga	tcagtagcaa	aatacaaat	gacaattcaa	480
aattataaat	aaaactctgt	tgaggatgtt	taactttgag	tctccaaatt	taagagctaa	540
gcttgggaaga	aacaaattta	taggttatat	ttccctctta	aattaaanaa	acaaacttcc	600
tctggcagta	gtttggtgaa	ttcctttcat	tgnaatgata	ccatgattac	aggatcaaaa	660
atgcttaact	tacttgccat	tctgtccaca	tcacacagag	ttgttntttt	tttaaagcac	720
tcnatgtagg	cattttaaac	cttcnggata	accagagtat	cttttgagaa	annc	774

<210> 789

<211> 773

<212> DNA

WO 99/33982

PCT/US98/27610

<213> Homo sapiens

<400> 789

ngcccctttg	aanccnacng	aaatcctttg	gcnantcnen	ctntctgtng	gatcccatcg	60
attcgaattc	ggcacgagag	cagatttgng	ataaacntnn	tnaggttna	accnaagggg	120
aactnntggt	gcaactatgn	ngnttggaag	atgctgenta	tgtttattga	ggattgcann	180
anananatcc	tgaatnctcg	ccntttncaa	aggcttggat	aaagcactca	agccagctac	240
atatgtatag	aacggnntaa	aatcnatgag	gaagcctgga	ctaaatatnc	catnggactg	300
gngccnanaa	ngctgncgat	gaactttgna	tctggnnaga	agtntaaaga	atggcaggat	360
nantnnctaa	ngatgaattt	cannacnggn	nnnccaccan	tcttnaatnc	tttaagatca	420
ttatacgaag	ncnangaaaa	ggtggcaatc	atngaanaat	gnnatnatg	ttangaaacc	480
tctctaaaaa	gntgacggca	ctttaacccc	natgatgatg	ggaaggagg	accaccaacc	540
acattanttt	gggtccagt	actactggc	acanccttat	nacgaaactg	gncngtncnt	600
ctattgcttt	gggagtaccn	taaaatacng	ccntngngag	tncacctnca	atgaatnnaa	660
netctttntc	anganagctn	nngatccata	ngacntgctg	ganatnttta	aggaancttc	720
nangngngan	tggattaggc	ncaggccntt	ggacacance	ntncttnatt	tnc	773

<210> 790

<211> 953

<212> DNA

<213> Homo sapiens

<400> 790

aanannnngg	gnnnnnnnnn	nnnnannnnn	nnnnnnnnan	nggngnnttn	aaanccttnt	60
aannngcnnt	ncngetttaa	accttggnaa	ncnccgeccn	nttgcannta	angngaannn	120
atgcttngtg	aagcctgann	ccaaancnta	aggngaggac	ctggatcccc	ttatatngaa	180
naancgggnt	ggaggaanga	gnntgtcngg	gaggatgggg	cagaaaatga	ngnnggcaga	240
ntggnccecg	gggctctgca	naccagcctt	ggagcctgct	cattctgggc	ccttgetgcc	300
aagganccca	gcctnaccta	gcangaaang	anatgaaagc	ccttctccca	ngaggtaggg	360
tctaggetgc	ccnaacttaa	atgcattnag	aaancctnta	gatgtggaaa	natttttncg	420
aacctgaaaa	tgcagctggg	anaatntcaa	tgggaagcat	aaatncatgt	aaaatataat	480
tnagntngaa	tatnanngta	aaaatgcact	tttnngcggg	gtgacngatc	ctgggncccc	540
annatctggn	attnaagngn	tttacnaang	gaanggaaag	gacctttnc	taaaactacct	600
ttttgaacag	ancattaaga	angnncttcc	ttttaagnaa	aaaaaaatca	aattttgang	660
aaaantggna	ttngaattgn	nagaaaaang	gatananaan	aaaanccaat	nntaannacc	720
nannctctct	gganttcnac	tatctccact	acntacntnt	acntatngcg	ntaanatnna	780
ctnttacntc	nnntantcn	cacanaacntc	ntcnaacnta	atnangcnen	canaatcctc	840
tatannatnt	antgtnnntc	acannncnna	cnggntaant	ntnnncaacg	ccatatcacc	900
nctnnnatcg	ncnagntana	taacacntat	atcgncactc	ncacananac	tcc	953

<210> 791

<211> 798

<212> DNA

<213> Homo sapiens

<400> 791

tggnancgcn	ctntntgttt	gatcccatcg	attcgaattc	ggcacgagga	tcattgttaa	60
ttagtgcacat	agtaacatct	gtagcagctg	gttagtaaac	ctcatgtggg	ggtgggggtg	120
gggtgtattc	cttgggggat	ggtttgggcc	gaatggggag	tggaatatatt	gcntcttccc	180
tgtttttaaat	tctaggatag	attttaacat	cctttgcggg	cccagtccaa	ggtangctgg	240
tgtcatagtc	ttctcactcc	taatccatga	ccactgtttt	tttctatttt	atatacaccg	300

WO 99/33982

PCT/US98/27610

```

gtagcctact gagttaatat ttaagttgtc aatagataag tgtccctgtt ttgtggcata    360
atataactga atttcatgag aagattttatt ccaccanggg tatttcannc ttgtgaaacca    420
aatctgtgta tctaatacta acccaatctg ttgggatgtg gatttttaaaa aaatgttttgc    480
taaacctacc caaagtnaga ttacacctgna tttaaattggc ctttnggggtc ttgaaaaagc    540
ttntnaacc tcttggcttt aaaatgcgtt ttattctnga taagatactt cnaaatanc    600
tnncaaaagg tgttngatnc naattacttt aaaataaaac ctgtaattgn ataatgncat    660
aatgntgntc catgcctnan tccccttcta gnnntanaaa cntnantaan aantatatca    720
atnntcgatn aaatnntann actataaaaa ctncggccct cttananact tnatncttga    780
agttctcant ataaccnc

```

<210> 792

<211> 788

<212> DNA

<213> Homo sapiens

<400> 792

```

ctnttgttct ttttgcagga tccatcgatt cgaattcggc acgaggcaga gctcacatcc    60
tgtgcgcagc atcttctgtc cctcatgtc cttccgccag ggggcctgcg tggtagcggg    120
cagtgaggac atgtgcgtgc acttctttga tgtggagcgg gcggccaagg ctgctgtcaa    180
caagctgcag ggccacagtg cacctgtgct tgatgtcagc ttcaactgcg acgagagcct    240
actggcctcc agtgacgcca gcggcatggt catcgtctgg aggcgggagc agaagtaggg    300
tctgtcngc cctgctgctg tctccatcc caccctctt actccacctc gtgttgtaaa    360
taaagtttcg gtggtcatgc tganggccgg ccccagctc tgccggggac ggacagggca    420
gaaggcancg ggcaacttca ggaacacggg gaaaaaaaa aaaaaaaac tcgagcctct    480
agaactatag tgagtcgtat tacgtagatc cagacatgat aagatacatt gatgagtttg    540
gacaaaccac aactagaatg cantgaaaaa aatgctttat ttgggggaaa atttgggatg    600
ctattgctta atttgnnaac cattntaaac ctgcaaatta aaccaagttt aacaaccaan    660
caattggcan ttcatTTTTa atggTTTTna aggttcaagg ggggaagggt tttgggaagg    720
TTTTTTTaaa attnncgggn cennngngnc ccaatgcatt tggggccccg gnncccaaaa    780
ntTTTTTT

```

<210> 793

<211> 806

<212> DNA

<213> Homo sapiens

<400> 793

```

gaatcccttt gcttctgtcc ttttaaggnat cgttgaaca accatgnctt tttgtaggtg    60
aagtgttctc tctgcatgca acagtaaaaa ttaatatat atttttncca caaaagaaac    120
acttaacaga ggcnagtgcc aatttataaa atttatgatc taaaggggga aatcatggat    180
tataaagtcc ttcagccctt tgggactcta aattgngggg ggattaaaaa gaatttataaa    240
taattttnga accgaattta ttttccctc agtttttgag ggcattaaaa aggcattaaa    300
tcaagacaaa tcatgtgctt gagaaaaata aaattaatga aaacncagca ctttatgttg    360
gtttaacntg canctnctt tggaggtaga atttatttat ttaaaattac tgggtgcac    420
angaacccat aggtgtgaca aaangttcta ttaaaatctg cnttatagag acaaagaggc    480
aggcaaatcc atgnacaaa gggtaaagct tacagtttac aaactngaa cgccanggtg    540
taggatataa aaacgcactc ttgagaaaac anatggtcat caggggtgctg aaaacttgca    600
tgggtgcttt caacattagc ctttggcca caaatctctt gtatttgaca ggatccatag    660
tgtgccatgg ggcaaganac natTTTgccc tctatggtnt tctttaaaaa ttttcanttt    720
aaaaatacct cttttnncag gaatccta atTTggcnccg aagentattn ntggtnccac    780
atttaccgtt gcccttgccn ttggan

```

WO 99/33982

PCT/US98/27610

<210> 794
 <211> 815
 <212> DNA
 <213> Homo sapiens

<400> 794
 tttcaaattnc cttggcttta nccctttgtt tganntcett gttegaattc ggcacgagge 60
 cttctctggc ctcaccaatt aggtcaaatt ttccttattt tgtgttgtgg ggcattggctc 120
 tncctgtgag gacctgtccc agcttggacc tccgccttcc tgcgactgta ttggtgtctn 180
 tccctctcaa gcctatgagc tcttgcaagg gcagggaccc tgtatgattt tgcctatcgt 240
 atgtctctca gccccagca cangcgcctg gtgtccagtg agagctcagc aaatactttg 300
 tgagttaaan gacangcggg cttggggtag atggatccgt ctgcctanac agggcangtt 360
 attcccgtct gtgagcaact cttaanagaa acttcatttt ttttcggcgc ctgcnccgac 420
 tttcaaagat gtttcccggc cangaacngt ggctcacacc tgtaatccca gcactttggg 480
 aggcttgaag tgggtngatc accttgaggt cangannttn tagaccagnc tggccaacac 540
 cggtgaaacc ccgtctctn ctaaaaatac aaaanttaac tgggtgtngt tggtngggcg 600
 ctttgnantc tcactacttn ggaangctga ngcnatgaan aatttgcttn aaccccgga 660
 nggengaagt ttcaattgan gtcnanactt nanccattt gcgccttcan accctggggc 720
 aacangtatc annaacttna acnattaaaa aatnaanana nctcttatcc ctttannaac 780
 nattattgan gntacntatt ntcntagaaa tcctt 815

<210> 795
 <211> 1050
 <212> DNA
 <213> Homo sapiens

<400> 795
 tttctaattgc ttggctttga gncctctntt taaaatecctt tggcnactac tctgcacgat 60
 gcggcgctga cccggncggg cccacacccg ctcttttctc ttctttgccc cggactccct 120
 ttctgtcctc caagacctgg gtgtctacaa ctgtgagccc agcttgnccc aaaggcagtc 180
 cccatgggac ctagactcac cttncccttg cctctatgaa accttctgct tgggcccanc 240
 ccctgttcca gctcccgacc tgcacttcc tgetgggact cangcctcca agctccctgc 300
 ccagcnagcg gnettcagcc accgtcttcc cttttcttcc gggccctgnt tgnagcanc 360
 tttgcagaaa cccananggg acctngtgcc cttgcnag nctgtcgcct tgggtgcaaga 420
 ctgncctgtn ctgcatcatt ttncatggtt gncgggggtg tggggntnnn cngnccggnn 480
 cntgntcaca atcaancatn tatnccctn ntnggggatn acnaatggcc tnaagantgc 540
 tacntctan nnnnganttn tcangnnntn ttactaacnt ncnatngnnc ntnganatag 600
 ncatgnantn ttagtntntg atntanccnc nattgcagcc ncataattat cctacaccac 660
 anannaancc ntccttnnag aanntgnent ctatgnaana gnetnnnaat gtggcnmna 720
 atataanntn ntntnctnnc atcntannnn nntcctacgt nannnnnecat nnnctntn 780
 ggnnactatc ncatantaca tcnntnannn caccatnct nntntnanat ntctcntggg 840
 nantnnntc tcctnnanac ncnctaatna ngatctctca nntacatgan ntanatnacn 900
 natanngnnn anactnannn ngtctctent atnnnttatn nanngntcan nttacnnan 960
 nannnaanng tatnntngtt cnaaanntat ntataaancn ncgtnnnttt nmannagatg 1020
 tacnccnntn anntaannat ctangctccg 1050

<210> 796
 <211> 884
 <212> DNA
 <213> Homo sapiens

WO 99/33982

PCT/US98/27610

<400> 796

ggnnntttng	agctcgga	aa	tcncttnggt	nnagcctttc	nttgacccca	ttgttcgaat	60
tcggcacgag	acggcctggt	ggagcagctg	tncgaccttt	ncctggagtt	cctgcacagc		120
caggcacact	gcacggtt	cccgacctg	gggctgcctg	tggctcctgca	gntgaagtgc		180
ttcctccggg	agtgcgaagt	ggccaactac	tgccggcagg	tgacgacgct	gcttggaag		240
gttcaggaga	actcggcata	catntgcaag	ccgccgccag	agggttncct	tnggcgtttc		300
tgagcagcag	gcagtggaag	cctggganaa	gctgaccccg	gaagaggga	cacccttgac		360
cttgctctac	agccacttgg	cgcaagcttg	cgttgaccgg	ggaagatcca	acttgggaga		420
tcaanngggc	aaaagaaccg	gcttggaag	acctggaact	ttcccttgag	atcaaaaccg		480
aaanggaaga	atgggcttga	canggaangg	atgaaggaca	gggaagccaa	ttttaaaaga		540
ccctctttga	cctgnacaag	ctcttgaaaa	aggacgacac	ccgaggggat	tcttcggaga		600
nnagggatac	tgangccccc	tgagcacctc	ggcatggggg	tngggaagac	cattgnaaac		660
aaggaccaag	gaaggaagg	ccnaaggaag	ggacaagcan	ncaaactcgg	aangntgna		720
atgggncctt	ngggantngg	aggaacccca	naaccccaaa	aaggccggg	ggcttgggc		780
cccttggggg	gaancttunc	aacaaaatnt	ggccccaag	ggggcccg	aaaggaacga		840
aaccttgga	gggaatcttg	ncaagcttct	tanaaaagg	ancg			884

<210> 797

<211> 773

<212> DNA

<213> Homo sapiens

<400> 797

taatgcttgg	ctctgtctnt	tgttgaccen	tngttcgttt	gtgcctgagc	acccacaatt	60
tcaggattta	gactgtgtgg	gcacctcagc	tttccctctgg	ntgtaaccac	tccttggtga	120
nagagggaac	tcctaaccan	tcccatttgn	caaaggctag	gcaatcttca	ttctgcttgg	180
ctttagtcat	tcttgtcatt	gggctgcaga	agaaaaacaa	ctttgctggg	tgatcccaact	240
gccttgattt	cacctcggan	cgaggctggg	ccatgtccaa	gtcttatgag	gtcaccctga	300
ctagaaaaaa	ttgaactcac	ctacaaatag	tctgaaagag	tgatatattt	ataaaaccag	360
ggtagtgttg	catttcaaat	ganctcttc	tgggttgaaa	tgatatattt	ataaaaccag	420
aatatcaaaa	atgggtgatg	tataatgtct	ctttagtttt	tttggtattt	ggcctctttt	480
aaagcctgtc	ngatgtatgg	gagaaaaaca	atgaaccgtg	ctttgatttc	ctatcaagtc	540
actcttaaga	acatacatat	tggttaaagt	aactcggctc	ttttttatct	gattctttga	600
ggcactatgg	gtagcaaat	aaccacttac	aaatttaaat	gtaatatata	cttcttttct	660
gngtgtcaag	tccttatttt	tangtgccta	attggacatt	ttaaaagggt	aaattattng	720
gttggcatat	taatntcaaa	aatctatta	attnatttta	atgcctggta	ccg	773

<210> 798

<211> 812

<212> DNA

<213> Homo sapiens

<400> 798

gtcaatnctn	ttcatgacc	tatcgattcg	aattcggcac	gaggctggag	cacgctggag	60
aggccatccc	tgccctggca	gcccgcggt	gggggagact	cctttgcccc	attctttgcc	120
ggtttcctgc	cattattggt	gtgcaagaca	aaacagggt	gcacagtggc	agagaagtcc	180
tttgacgtgg	ggaccttggc	agagactatt	cagggcctgg	tgctgcctc	agcccagttt	240
gtgtctcggc	tgctccctgt	gctgttgagc	accgcccaag	aggcagacc	cgaggtgcga	300
agcaatgcc	tcttcgggat	ggcggtgctg	gcagagcatg	ggggccaccc	tgcccaggaa	360
cactttccca	agctgctggg	gctcctttt	ccctctggc	gcgggagcga	catgatcgtg	420
tccgtgacaa	catctgtggg	gcacttgccc	gctgttgatg	gccantccca	ccaggaaacc	480

WO 99/33982

PCT/US98/27610

```

agaccccaag tgctggctgc ctactgcatg ccctgncaet gaaaggagga acttgnaaga      540
atgggtcacc atttgggcgc ctttttaact ttctgtacca gancaacccc ttgacaaggt      600
tataaaatgt nggctccccg aaccttnttg cgtattcttg cagnccctca ttcttggttt      660
gaccaaccaa aggattccca cccangaaaa ccnaaanggg ccnaaaactt gttnncttgn      720
ttnccttgga ccgtttcttt ggggccaaaa acaggnanaa cccggacang gttttttnaa      780
accagntttt tggggcttta aattggcctt gg                                     812

```

<210> 799

<211> 758

<212> DNA

<213> Homo sapiens

<400> 799

```

ctaatagctt ttcattcnaa tgcttgatg ccctcgatgc gaattccggt gctgtcggac      60
agattgccct agtaccacc caccatcag ggttatgcaa tggaacatcc tcgcccgaagc      120
tcttgagaaa ggcaaagaca actttgtaca gtgccctggt gaagcactca aatgggaaga      180
aaggaaatgt ctcatcctgg aagaaatcct ggctaccag cctgatatat tgtgcctcca      240
agaggtggac cactattttg acaccttcca gccactcctc agtagactag gctatcaagg      300
cacgtttttc cccaaaccct ggtcaccttg tctagatgta gaacacaaca atggaccaga      360
tggttggtgc ttattttttc ttcaaaaccg attcaagcta gtcaacagtg ccaatattag      420
gctgacagcc atgacattga aaaccaacca ggtggccatt gcacagaccc tggagtgcaa      480
ggagttaggc cgacagttct gcatcgctgt taccatcta aaagcacgca ctggctggga      540
agcggtttcg atcagcttaa ggcttggtga ctcttcagaa cctgcaaac atnacccaag      600
gagcccaaga ttnccttat tgtgtgtggg gacttcaatg canaccaaca gaanaaggtc      660
tncaaacact ttgcttcttn cagctnaac cttganagnc ggctacaag ntgctgaatg      720
cttgatgggc aatttagaac ccccatcac ctacctgg                                     758

```

<210> 800

<211> 770

<212> DNA

<213> Homo sapiens

<400> 800

```

ttnaaaneng cnttgactc cttgcaggat cccatcgatt cgtttaaact gagctccaaa      60
tgacgttcaa acacccctct cgggtagagt tttcatgggt gaacggttgc gccaccacaa      120
cagaagctta tgtttttggc acagaagcct gggccatttt catggacacc tggctggacc      180
tcggtggaag tgaactccgt aggttggtgc gttcactgca gcacctcaca tgataccgtc      240
ccctctcatg gaacggagcc tccccatgc agccccact caaatggagt tttaaaggct      300
gggttcagggt tacggggggc tttctcaccg tctgaatgcg gaggacagag acnagctcca      360
gggagcgtgg gcgggtgacg gcgctgagat gcgtgatgtc tcggaaacgt cctcgcatcc      420
ctcancgagg gcgctgactg ccggggccct tgctgtctt caggagcgct ccagcttcgc      480
ccacacaccc cgggtgatg tccccctcgt ccggcgccct gcagacccca nagtgccctgt      540
ctcgggaggg ctccccatte acacgacct gagtttggtt ccaagtttag ttctgtccca      600
aagtaccngt attcccaaag cgcacccggt aaagganccg ggccggncct tntttgcggg      660
gccggggggc ggggccggga actcgtnggg ggttgccnng aanggggtta accgtncggg      720
ttnttcgnc cttncgtgca aggcttnccc cgttaagngg cccaaacctt                                     770

```

<210> 801

<211> 573

<212> DNA

<213> Homo sapiens

WO 99/33982

PCT/US98/27610

<400> 801

ggagccctag	agctccacaa	caggactcag	agcctctaac	cagttccagc	actccagact	60
ccagccacac	tccaacacag	caccatgatc	ccagccaccc	gctcgcttct	ctgtgcagcg	120
ctgctgctgc	tggccaccag	ccgcctggcc	acaggtaggt	ctcgccactg	ccactggggg	180
aggagggacc	tctggtgagc	gcagcctccc	acagtcccgc	tgaccaagag	tcttctccca	240
tagggcgctt	atcgccaatg	agctgcgctg	tcagtgcctg	cagaccatgg	ctgggattca	300
cctcaagaac	atccagagct	tgaagggtgt	gccctcaggg	ccccactgca	cccaaaccga	360
agtcatgtga	gtatcttccc	ggttagcttc	tgccacttcc	agactcgccc	aaacctctcc	420
gcgccccac	acttctccta	gtgggaatgc	ctaacatgtg	ggtctatcct	tctctctgca	480
gagccacact	caagaatggg	cgcgaggctt	gccttgaccc	tgaagctccc	ttggttcaga	540
aaattgtcca	aaagatgcta	aagtgaattg	tga			573

<210> 802

<211> 1390

<212> DNA

<213> Homo sapiens

<400> 802

tttttttttt	cacaaggaat	atcattttat	tactgtaatc	acaaaatcgt	aattttctgta	60
caggaatgta	taagtgaaca	ttattcaaag	cattggtaat	tcacttcata	aagagggtaa	120
acatactaca	gaacatattg	taaagaaaaa	atattgtaaa	attttctggg	cttgcagtgc	180
actatttagt	gcaagtattt	aagacacaat	agtgttcaat	tcagcaaagt	attgcagaat	240
gtcatgccac	agtccactta	attcaaagag	ggtcaggaca	tgcagcttgt	aataaaatgt	300
cagagtgtgt	gtgtgtgtgt	gtgtgtgtat	ataaaaccac	atgtaattca	taaaatatat	360
agtggtttat	ttagatgggt	ttaaagtatt	tcactgtgga	atccagcata	actggaacaa	420
catccaaggt	cttcttaacg	gcaacaatct	tattgctagg	caatggcytt	ggcttcagggt	480
argaatgcyt	cccagtattt	tatcagctgt	tggtgtgttt	gaactagtga	ttctaagtac	540
ttgatgataa	cggtttttaa	atccttcact	cgttctttct	caaactctcc	cacttctttt	600
cgaatcgttt	tagatatctg	ttcaaaatct	ctttcccctt	gttgcacttt	cgcctccac	660
tctcttattt	catttttagc	ttgctgtatt	ttatctgggt	tgttagcaac	catcattttt	720
gcttcagctt	cacgtttttt	gagcaaagta	atttgagcat	cttcccattt	ctgccagcac	780
ttcattcgat	ggtcaaacac	acctttcact	gcagcaataa	gacgaatgta	gtcactaagt	840
agttctgaaa	acatatataa	gtcagmaaaa	gcttggtctt	gatgtaactg	gtctatcttc	900
tcttcaacct	ctgcaagctg	agacaaagct	ctagataaag	cagtatgatc	ctcagaatta	960
cctaacatgg	cagcactttt	agcaaaggca	gctgtgttgg	ctgaaagtcc	ttttctatga	1020
cagamcaagg	cttcaacact	gacatgaagt	ttcctaagtt	gctgatccag	attctcaaat	1080
tgctgctgct	tttcttcaaa	ccatgcatcc	gattcattca	tcttgattgt	cattttgttg	1140
acagegtcgg	cagccttggt	caccatcctc	aatattcctg	ctccactcag	agcctgtgta	1200
ttaactgctc	taggcagctc	tgaactttcc	aagaactgcc	ttaaactcagg	atcctgtagt	1260
aaagttggat	gttttactgt	tctttgaaga	tacctttcaa	gagctgctct	ccgtttttct	1320
acaaactcag	tggatgatga	gtcttcttta	cccactttga	ccttggtcat	ccctactata	1380
ctcttttctg						1390

<210> 803

<211> 947

<212> DNA

<213> Homo sapiens

<400> 803

ggaacttctg	agtaattggg	atcatttctt	agtgactcgg	ctcttgtagt	ccaatcccac	60
agtaaaaccc	attgatctgc	actactatgc	ccagtcacgc	ctggacmtky	kkcwsgsagg	120

WO 99/33982

PCT/US98/27610

```

ngagagcagc ccagaacccc tggacaacat cttgttggca gcctttgagt ttgacatcca      180
tcaagtaatc aaagagtgca gcacgcacct gagcaactgg tggtttgtgg cccacctgac      240
agacctgctg gaccttgca agctcctcca gtcacacaac ctctatttgg gttccaacat      300
gagagagttc ctctgctgg agtacgcctc gggactgttt gctcatccca gcctgtggca      360
gctgggggtc gattactttg attactgccc cgagctgggc cgagtctccc tggagctgca      420
cattgagcgg atacctctga acaccgagca gaaagccctg aagggtgctgc ggatctgtga      480
gcagcggcag atgactgaac aagttegcag ctttgttaag atcttagcca tgaaagccgt      540
ccgcaacaat cgcctgggtt ctgccctctc ttggagcacc cgtgctaagg atgccgcctt      600
tgccacgctc gtgtcagaca ggttcctcag ggattactgt gagcgaggct gcttttctga      660
tttggatctc attgacaacc tggggccagc catgatgctc agtgaccgac tgacattcct      720
gggaaagtat cgcgagttcc accgtatgta cggggagaag cgttttgccg acgcagcttc      780
tctcctctcg tcttgatga cgtctcggat tgccctcggg tctttctgga tgactctgct      840
gacagacgcc ttgccctttt tggaaacagaa agaggtgatt ttctcagcag aacagactta      900
tgagttgatg cgggtgtctgg aggacttgac gtcaagaaga cctgtgac      947

```

<210> 804

<211> 532

<212> DNA

<213> Homo sapiens

<400> 804

```

cctctgccct cccaggttca agccattttc ctgcctcagc ctcccagant agactgggac      60
tgcagggtgcg catcaccacg cctggntaat ttttgtatct tgagtagaga tggggtttca      120
ccatgttggc caggctggtn tcgaactcct ggccctcaag tgatccaccc acctcagcct      180
cccaaagtac agggnttata ggctgctgcc antntgcccg gccgagaaca attnttcaca      240
agnttacttt tctagttttg ccaatgcatg gtgaaagtga acccaagcct gggaactgca      300
ggcctagaca atgcaggrmm ykksttsamm cwsrsmrsmr smsstysmar ywmrsssagm      360
cttggaaggg agaagtgtga ggcagggtgtg ggtaggacct ctttttagta cctagaaaaa      420
ggctaagaaa gtggcctgga gatgtttaga aggttaaaac caacgaagaa aaaaatcaat      480
gacaacctat caggaaacgtg attgactctc agaatggaga actggcgaat cg      532

```

<210> 805

<211> 552

<212> DNA

<213> Homo sapiens

<400> 805

```

aatgcattnt tgatttttta ttgcagatga tgaaaaagtt ttagatatag acagtgccga      60
tggttacaca atgttgtaaa tgtatttaat ccacttacg aatgattaaa atgataaatc      120
ttatgtttat ttcatacta ccaaaaggct gtgggtgcag ggggtgctgt ttctgggtcct      180
agcctaagag actggcagtt tccaccttct atctcttggg acagtagctc tgggagccct      240
gagctgtcat gcaggaagtc cagctacctt gagaccacca tgctggaaag gccacagggg      300
ggagctctgt ggacagtccc agctgaacct tgcttccag ctgtccctgt caagatgccca      360
ggsatgtgag taaagccatc atggaccty tagaccagac tgcccaccag cagggtaccw      420
tctggcagcc acatggagca gaagaaccgc ccagctgagc cacttccaaa ctcttgacct      480
actaagtcac gatccacaat gaacctatca tagggatggg tggctttgca gtgtggataa      540
tgaggatgtc at      552

```

<210> 806

<211> 1646

<212> DNA

WO 99/33982

PCT/US98/27610

<213> Homo sapiens

<400> 806

aactagtata	tttacaacat	cagaaacttc	aatatggaga	tttgttggtc	ctatatcatg	60
atcttttagca	gcaactacac	cataggcact	gcacaacctg	ggtccttagat	caggacgtac	120
aaaaaatcct	ggcaaatgag	aggccaaatt	gaattttcct	tctggattac	aatattcttg	180
caatggcaga	ctttttaaaa	gatcttcgta	tcttgctggc	atcatagtct	tgaagtcttc	240
tcttgaaggc	caatctttca	attttaaaac	aactgtttct	ccactcttgt	ttttctgceg	300
ttttgaaact	tcttcaaaaac	catcccagaa	ttccttaaca	ttggcatttg	aaatgatgct	360
atctttgcag	ttcaggagat	cagcttggtg	gtctccaaaa	tcaagactaa	ttgattccgc	420
cttccatagg	ctaattgttca	ttttcttatg	cacaccagaa	accactgcag	gctgtccttg	480
tttccaacat	cttttgaaaa	gcttccaatt	actgctattc	ttataatcct	taagccataa	540
aatatgcttc	tcacagatcc	aagaatgtgg	tatatcactg	tataatttat	cattttcctc	600
cactgcagat	attatgcttt	cttcaggctc	ttctttaagc	tctggtttta	tattttatctt	660
ggagggttta	cttgggtggaa	ttttgttttc	aacaactgaa	gcaattatgt	catcaagaat	720
gttaggcata	gtcgtccac	ttttgtact	tggggctccc	attgaatata	ctggggcaaa	780
ggcaatgcca	gcactctgtas	acccacacag	tagctttcca	gctgtttag	tcagcaaate	840
ccgtaagggt	gagccttggt	cattattctg	ggacacaaga	ggatgatgtc	tgccatttgg	900
agattcagag	ttgtcttggt	ctctttcttc	tttaatttgg	ttttcaaggg	taagttcttt	960
gttttctttt	ttttctctc	tggctttttg	ctctgcaaga	tctgctaacc	agtgcagtgg	1020
tgactgggat	tctggaggag	ttaacttggt	atctgtgcct	acatcactct	ctgggctgct	1080
gccaccattt	ttctcagact	tgggaggagt	attttgcctg	tgagactcag	gcattgcacag	1140
agaaatttta	ttactgtgat	taagaacatt	ctgtaaaact	tgagatacac	cattcattgt	1200
aggaaaattt	ccaacttgta	aattctgttt	gttagtacia	tgacaatggg	atttaataacc	1260
atatttttcc	ctaagagtgt	gcattggcatc	tagaagatct	gtcaaaacag	aaccagggtat	1320
aatttggtgt	ggcattaaat	gtttgtgatc	atgaggetgt	ccyttcacac	acttcaccca	1380
agcatattag	ttctttatcc	ctagramyyt	tycctttcct	ttngccttgt	aacaatctaa	1440
gcaganccac	aawkccacat	tttkggcaga	cccagtnraw	kktaancawt	gntgcttcac	1500
atgcatcaca	catctcccgg	actcctctca	ctgctctttt	ccaggcaatt	ttggcatcct	1560
ttttcaccca	ggacaaagct	gttttttcag	atgttactaa	ttgacagaac	ttatcaccta	1620
ttatatccaa	gatataattta	gaagtc				1646

<210> 807

<211> 1029

<212> DNA

<213> Homo sapiens

<400> 807

tggggctgtg	actgtattta	cttcattctt	gaatcccgcg	tccccgtggc	tgggggctga	60
cacatccctg	ggcaccactg	tgacttctctg	tgggtccctt	cccttctgtc	cctgactctg	120
tagaccccc	acaggaagg	tcctaggtag	ggggagggtc	ctcctccctt	gaaaccctgg	180
gccactctgt	caaggcaaa	ctctgggccc	agcaccttgt	aaaggctttg	atgagaggag	240
ctctggcttt	tgtcagggc	ctttggaccc	cacctctcag	ccccaggaa	tgcaggcgct	300
caaagcctgt	ggttaggctg	cccgaagcac	gtgcgcagct	tcttctggag	tgggagcagg	360
gggacagagc	tttgggtaga	ggagggtcac	ctgcaaagct	ggaatgccag	gggagtgggc	420
ggtgcctcca	gtcctgggg	gccagggtgt	ctccatacct	catgggcctg	agcctgggca	480
gggtgtctga	gtgcacatag	ccccaggga	gggagagggc	agtgcagga	cagagccact	540
catctgtccc	aaagctgcac	caagggtgt	cagcaacccc	aacctactga	cctactttgg	600
gaccacaggc	ccatctagt	caaattaggc	ccagaaagga	gaaatgcttt	gtcacaagc	660
cacagtaggc	tgacgtaacc	tatgtaatt	agggtcagg	tgggcctgag	ggatgancca	720
ggtggtgggc	aggtganaca	ccaggctccc	tcctggcctc	tgccccaccc	agccctctcc	780

WO 99/33982

PCT/US98/27610

tgcacggcta	ccagaagatg	tccgggaaga	acanactagc	cctgagtagg	gagtgtggtc	840
aggtgcagag	gagggcaggg	gcccggatcc	tggcccagaa	acactctaaa	acagaatccg	900
atcctgagat	gatccaaatc	aaacagaata	cttgacggaa	atagtagagt	ctgaaaatga	960
tgcactctgc	gcacacatat	acaagacaca	cacacacaca	cgaatccacg	cacacgagggc	1020
acacccccac						1029

<210> 808

<211> 836

<212> DNA

<213> Homo sapiens

<400> 808

aaaacccgggt	ataacacttt	aatatagatt	tgtggaactc	tggcccttgc	agccagaata	60
cacatttata	agccataaat	aaagcacgca	gaaaccataa	attaatcgga	cccagagacct	120
ggatttcacc	gtgtcaagat	tgggaatgct	ttttttttct	ttttcttggg	cattttacaac	180
agacccttac	attatttttt	ttcctgtttt	taaacaatag	tacaaccctc	tggttctgtt	240
aaaactacat	ggttttacac	cgagtcactc	acaaaatttt	tttttttttt	taagtaagac	300
ttccctgcaa	caacagcaat	ggaggagaac	aacaacaaca	aaaaaatcag	aatctgcagg	360
tgcttgaaga	agcaggagtc	tacacagtag	tggaaaccgg	aggctttttt	ttaactttat	420
attctttccc	gttttcctcc	ttatatagaa	cgtgggggat	ctgtgtggcc	ctctgtttgg	480
gacggaacrg	ctgcagcggg	tgaaggaaga	ctgctgtcct	gggggtgttg	gggtgggggt	540
gttatggatt	tcttctccct	tgcgtctctg	caacaccgtc	tccccaaagt	ctcgaccccc	600
acttgcctct	tcacttrtcc	tcgatccggg	gtgccagagt	tagccnggcc	tgaagccgtc	660
gtctttcttaa	gaggagtcca	taatgggccg	ggagtacacc	ccctggtagt	aggaggtatc	720
tgcggccagg	ggcgaggcgt	ccaggcccgt	tttgttcgtg	accgggcccc	tggccaagct	780
gccaggcatg	ggggaaccgt	agccggggta	gtgcatcacc	tgttcgtagg	ccttga	836

<210> 809

<211> 1844

<212> DNA

<213> Homo sapiens

<400> 809

atcaggtgtt	cctcccatgg	caggagggaa	gaaaccacgc	aaacggccag	cctgggactt	60
aaagggtcag	ttatgtgacc	taaatgcaga	actaaaacgg	tgccgtgaga	ggactcaaac	120
gttggaccaa	gagaaccagc	agcttcagga	ccagctcaga	gatgccacgc	agcaggtcaa	180
ggccctgggg	acagagcgca	caacactgga	ggggcattta	gccaaaggta	aggcccaggc	240
tgagcagggc	caacaggagc	tgaagaactt	gcgtgcttgt	gtcctggagc	tggaagagcg	300
gctgagcacg	ccaggagggc	ttggtgcaag	agcttcagaa	aaaacagggt	gaattgcagg	360
aagaacggag	gggactgatg	tcccaactag	aggagaagga	gaggaggctg	caacatcaga	420
agcagccctg	tcaagcagcc	aagcagaagt	ggcatctctg	cggcaggaga	ctgtggccca	480
ggcagcctta	ctgactgagc	gggaagaacg	tcttcatggg	ctagaaatgg	agcgccggcg	540
actgcacaa	cagctgcagg	aactcaaggg	caacatccgt	gtattctgcc	gggtccgccc	600
tgtcctgccc	ggggagccca	ctccaccccc	tggcctccct	ctgtttccct	ctggccctgg	660
tgggcccctc	gatcctccaa	cccgccttag	cctctcccgg	tctgacgagc	ggcgtgggac	720
cctgagtggg	gcaccagctc	ccccaaactc	ccatgatttt	tcctttgacc	gggtattccc	780
accaggaagt	ggacaggatg	aagtgtttga	agagattgcc	atgcttgtcc	agtcagccct	840
ggatggctat	ccagtatgca	tctttgccta	tggccagaca	ggcagtggca	agaccttcac	900
aatggagggt	gggcctgggg	gagaccccca	gttggagggg	ctgatccctc	gggcccctgcg	960
gcacctcttc	tctgtggctc	aggagctgag	tggtcagggc	tggacctaca	gctttgtagc	1020
aagctacgta	gagatctaca	atgagactgt	ccgggacctg	ctggccactg	gaacccggaa	1080

WO 99/33982

PCT/US98/27610

```

gggtcaaggg ggcgagtgtg agattcgccg tgcagggcca gggagtgagg agctcactgt      1140
caccaatgct cgatatgtcc ctgtctcctg tgagaaagaa gtggacgccc tgcttcatct      1200
ggcccgcagc aatcgggctg tggccgcac agcccagaat gaacggtcac cacgcagcca      1260
cagtgtattc cagctacaga tttctgggga gcactccagc cgaggcctgc agtgtggggc      1320
ccccctcagt cttgtggacc tggccgggag tgagcgactt gaccccggtc tagccctcgg      1380
ccccggggag cgggaacgct tcgggaaaca caggccatta acagcagcct gtccacgctg      1440
gggctgggta tcatggccct gagcaacaag gagtccacag tgccttaccg gaacagcaaa      1500
ctgacctacc tgctgcagaa ctctctgggt ggtagtgyta agatgctcat gtttgtgaac      1560
atttytccay tggaagagaa cgytccgag tccctcaact ctctacgctt tgcctccaag      1620
gtgaaccagt gtgttattgg tactgctcag gccaacagga agtgaagacg gatccagatc      1680
tgtgtgtgtg tgtgtgtgtg tgtgtgtgtg tgtgtgtcct atgtctatgt acggggtgag      1740
gggtggggag gttgctggag ggtgctttat tgggtggagg gcaccatgtc ccagggctat      1800
caaataaaga atagtttggg ttttttttta aataaagggt ttat      1844

```

<210> 810

<211> 489

<212> DNA

<213> Homo sapiens

<400> 810

```

gccccgctcc atgagcagtg actccccagc tectcctggc accagtcccc agggctctcc      60
tgtttggtakw wmmwgtwyw ywtsyysswm mywmmycgkg racctcraga tctyyaccct      120
aaaatarctc tgttgaattt caccctggcr atgtaaaytg akagcttacc ttcacagatg      180
ysrganaakr gmcmayycmy cwkcawcct swgncwmays tswrwcwrat ksmtkycykw      240
kccctattta tgtaaaaata cagggtccct gagccagcct aaggcataag tgacttatcc      300
ctcctccctg ctcacatata aattgtgtat ttagtgaaag gctgatcaaa grttcaaagr      360
atgttatttg ttatctacct gtggaccagc naggtcccca attccagtta ttccacctt      420
tccaggaccg ggaccaatgt atatatgtaa ctggattggc tgttctcgtg tgtttgttaa      480
aatgtgtgg      489

```

<210> 811

<211> 471

<212> DNA

<213> Homo sapiens

<400> 811

```

gcccctcagc acccccaccc ctgccccctc tgagactcac agcaccctt tccctcctct      60
cctcccacct cctcccctcag cccctcattc tccttgggaa tctgcagagg gctctgggac      120
tactgcccgg atgtgaaatc caggcgctcag ctgtttccta ggcaagggca ggaaagtggg      180
ctccagccct tgcctcactc atgcctgggg gncctgggsyy gagtggatc cctacctggc      240
ctccccctgg cctctggcct ccagcgctgg gtttgtcgag tgagagagag agaggagctt      300
gggttgettc cctgtccccg cccctctgtg ggcattgtcc ctcccactct tatttttcta      360
ccaattgcta tttttccgaa caatccttgt agagtatgta ccattcaaag gcaggagggc      420
cctcgggtggc cggctctggg tggagatggg acagttttat tgtacaggtg c      471

```

<210> 812

<211> 579

<212> DNA

<213> Homo sapiens

<400> 812

WO 99/33982

PCT/US98/27610

cccaatgaat	caacatactt	tattagaccc	actaagtgcc	aggggagggg	cctgtgccta	60
ngagccaggt	tacagggctc	accgtagat	tcagtctggg	ctctcccat	catgcctctc	120
acttccagtc	tgggcttcta	ataggagggc	cccgacttct	tccctcccag	tcattctctc	180
gaatggagaa	tctttcctca	ttccagggac	accaaggctc	aggaaggggc	ctatccatca	240
tcagtagagc	cagacaagct	ctcccatcgg	acgtcctgtg	gctgggccc	gaaatgggtg	300
ccgctgcctg	tgggaactgcc	cttccgggaa	ggaccagggg	gtcttcagt	ctcttgacct	360
gcacgtggna	ggagagtagg	cagatgtctg	gtgctcttta	agctcaaagg	catcatggcc	420
ctctckgnwg	sarcrrrsrs	akamragkym	sssatcncag	scagcscwnk	arskstsgca	480
nswmwcatts	casmtgcasc	mmcmgrrrs	mkcsksywcm	kmagnsktnm	scmtsgsrgy	540
cagcgccagc	taggggtggc	tcctcattgc	agatgcagc			579

<210> 813

<211> 562

<212> DNA

<213> Homo sapiens

<400> 813

tttttttttt	tccagatgta	actcttgtct	tttattccag	catctcccag	agctccaata	60
tgtacagact	ttatttatac	acatataata	tacaccatat	atacttattt	atagatatct	120
acacaccagc	ccacacactc	gcacacactc	acacgcacac	acccttccag	gaggggctg	180
tggctgcctt	ggagtccegc	tagscceaaa	caagtgtata	tgggcttgcc	aggcagttgt	240
gaggttttgt	gttttttgct	tttaaaaaga	aggccatttc	ctccagatgt	gtcctccctc	300
tccccaagcc	ctaaaactcc	tccccaaaac	actctgaaaa	aaattttttt	aaaacaagrg	360
gnnttttctt	tgctytggsc	caagtagttt	ctnngganagn	tccrggscca	tccacaagny	420
ccgtgcaggt	cctagagcac	gagagccggg	cgtggccttg	gtcaggcctg	cagctgtgcc	480
ctctgagggg	agaggggagg	cgctatagca	tcaagggcac	ctgccagatg	aggaggggtg	540
tgtccgtctc	cccacacggg	gc				562

<210> 814

<211> 594

<212> DNA

<213> Homo sapiens

<400> 814

agcctcgctt	gggcccgcct	gtggctccca	ttttcctttc	agcgggacaa	aggggacttg	60
ttaccaggcc	atttttctga	tggcctgtga	gatctctgcc	cctccaagac	cckccaaryc	120
tsmsyckgwc	scmswgytsk	smsmmwgmmt	yewgmsygs	smrccttgss	rryktswrk	180
tggcaccagg	ctgnagnctc	cccaatccca	gccacttttg	ctgtgtctct	ggcggtgtgt	240
cctccttggt	gggagctgtc	ctgcacactg	taggatgctt	aaaggatatc	ctkgcctcca	300
cccaccctca	gccagcagct	cccagtcaga	caacagccag	awatgtctcc	agactctgcc	360
cagcctcccc	aggtagccac	cctcgagaca	cgacctcaga	gtctctgtgt	ctcctagaag	420
cctgacagag	acccccaggg	cagtgggtgg	gtngcgggct	agagaccctt	gcctgtntcc	480
gggaccctgg	cgccgtctc	ccctcctgtg	gatccctccg	gactaacagt	gttcttagtn	540
ggcagangct	ggggcacccc	ttnggccttg	ncaggcatng	ccattggcgc	angc	594

<210> 815

<211> 812

<212> DNA

<213> Homo sapiens

<400> 815

WO 99/33982

PCT/US98/27610

```

aaaaccgggt ataacacttt aatatagatt tgtggaactc tggcccttgc agccagaata      60
cacatttata agccataaat aaagcacgca gaaaccataa attaatcgga cccgagacct      120
ggattttcacc gtgtcaagat tgggaatgct ttttttttct ttttcttggt catttacaac      180
agacccttac attatTTTTT ttctgtttt taaacaatag tacaaccctc tggttctggt      240
aaaactacat ggTTTTtacac cgagtcactc acaaaatttt tttttttttt taagtaagac      300
ttccctgcaa caacagcaat ggaggagaac aacaacaaca aaaaaatcag aatctgcagg      360
tgcttgaaga agcaggagtc tacacagtag tggaaaccgg aggcTTTTTT ttaactttat      420
attctttccc gttttctctc ttatatagaa cgtgggggat ctgtgtggcc ctctgtttgg      480
gacggaacrg ctgcagcggg tgaaggaaga ctgctgtctt ggggggtgtg ggggtgggggt      540
gttatggatt tcttctccct tgcgtctctg caacaccgtc tccccaaagt ctgcaccccc      600
acttgctctc tcacttrtcc tcgatccggg gtgccagagt tagccnggcc tgaagccgtc      660
gtctttctta taatgggccg taatgggccg ggagtaacac ccctggtagt aggaggtatc      720
tgcggccagg ggcgaggcgt ccaggcccgt tttgttcgtg accggggcca tggccaagct      780
gccaggcatg ggggaaccgt agccggggta gt                                812

```

<210> 816

<211> 999

<212> DNA

<213> Homo sapiens

<400> 816

```

aagccgcctt ctgagccttt ngcctctgtt gttcctcctg ctgcctgtga gttttcatgt      60
gtgcatttcg gcttttgatc ttgaagaaga ctttgccnca ctccctgcag gggaagatgg      120
tgggtggggtc tgtctcgccg ctggtgggtgc tgtgagaggg tgancncttt accncnacag      180
taccactctt ggggtgccnc aggettctgc ttcccagags gkrtrrrmmmc kmgggccttg      240
ctttgcccc tgnaaaagct gccccctanc catagtatct cccaggcaaa gatgccatgc      300
tcaactgcaa ctatggaatg aggtcagaac agaatcaaag taacgcttga tgggaaaagt      360
tggcccccaag accccagtac taagagggtc gcctgcgtct cacacacaca cactcacagc      420
aagctttggg ataaaaggca accgggatgg ttgacatctg aatgcaatgg aacatgaagg      480
tcagcttcag tccctactgg gaatgatttc atgagaagg agcccagatg aaacacctct      540
taaagatagt tgtgccatt atttattccc ccaaccccc acaaaaacaa atttttttaa      600
ataaaaggaa aagaaatagg attttttttt ctaaacctga ataaaatgac cactttttaa      660
acagrtagtt taaaagggtt acaaaacaag caggcagtc aggtttcctg attaatgaag      720
atggaggccg tgggttttca ctgtctctaa gtgacacaca gggctttata gttctgcgtc      780
accctgaagc aagactgaat cttgatcatc caagagaaga tcggtgtcca caacttcagc      840
ctcttccatg acacctcca actgctggac gacgtcgtcg tcgaggatgt ccacatcctt      900
gtatgggttt gatcagactc agctggtcca ggggcagcag cmcgrcagca cccacgggc      960
cgtagtcct ctcaatcgtg gctgccatct cagctgcaa                                999

```

<210> 817

<211> 653

<212> DNA

<213> Homo sapiens

<400> 817

```

atttttaywt ttaaaacatt ttatgaggga taaaatatag tctttttcta tcagtatgtt      60
cacacttcct ggcctctcat tgggaagctg taagatgtcc ttcaataaga tcctgaacac      120
gcgacagaat aatctcatta gagctgctgc aattttctgg accatatggg ggggtctatag      180
tcaggacccc agccacacag agagtccttg gagcgtctcc ctgttcagtg atggggatgt      240
ggttcttctc aagccatttc tttaggctgt tctttctctc ttccagatcc tctgggctgt      300
atgctttgca gtctccagac gtgaacaaat gcatacagct ctccctcact ctatgggtccc      360

```

WO 99/33982

PCT/US98/27610

```

cttcattcat agtttcaaca gtckgcacag catgtcccat aattccggtc acagacatgc      420
tgccatcttc aaggaagttc acaaggacaa tattggcaga gactgggtct gkagttaaam      480
cccacctttt atactcattc ttctcactgg ctgtcactcg gacctctttg taaatgtaat      540
cttgccattc taaggggcct ttcttcatcc attcactcat gattgccacc tggctaaatc      600
agttaaaaaa ctctcgcgaa ctctgggtac tcagcaacca tgctttgagg aag              653

```

<210> 818

<211> 1225

<212> DNA

<213> Homo sapiens

<400> 818

```

ggattctttc actgagcaca aagagttggt ggggcttttag catctgactg attttgttac      60
ggggttgatt ctgaccatag gaagtatgca atgtgaatca ctatttacag agaaacctac      120
aacagatgct tgatgttgta gaaactggga catatagata ccaagcaaaa ttataagaaa      180
cctataagggt gttcaatacg cttgtgtttc caaaattcac tgtacatgat cagtttggtg      240
ttcttgtagc acagttttta actgaaggaa ccagttgtaa cagtctcaat tttaactaaa      300
acttgaagaa ctaaaacaac aatgcaaacc tttcagcatt gtttggccaa acttgttaaa      360
actgtaatgc aagaaccaa tgcactgtga tgtggcacca actaattagc aagcatgaat      420
ttttcaccca agagtgaaaa aaggaaaatc taccatggct tgaagttaaa gacgagaact      480
cctgactacc attctatgac tgatcaaaag actaatagtt aaaaacctca gcaggccttg      540
ttcacgatat gcagaaaaaa aagtgcctga gtttagatac ctctggaatt tttccacagt      600
gtcacagggt tgtaatactt gaagccctac atttctaaga atatatctct tgctcagttg      660
tttcakgcaa gcccaagact ttgtaatttt taaagggccc aagatTTTTT tttttttttt      720
tttttcaaat aacagaccag cttctttttc ttgcagttac agatgtaatt tcctttttgt      780
tgtcaaacat aaggtaccaa atatgatgca ataaattggt ttgaaaaaca gttgtgtgaa      840
tatttcaact aatctgtgtt gggcttctgt gaaatacaca ggtggaaaca gaggtgcaag      900
ccagagcaat ngtaatatgc tgtaaggcta gtgcagatgg gagcttttta gaaggggcta      960
agtgtcgggtg tcagggaaat tccataatga agtagaatgc tgctcctgca ttaagatttc     1020
attgagggca aggtcgttg caggactatc gaatgtaatt cataatttaa aaggaaaact     1080
aaaaactatt ttgatttggg aaaatgagcc ttaatttggt aaacctatac actgaggaac     1140
tagcctcagg ctttaatat ctcattgggc tttgccaagg tcctgaggcc aaataagggt     1200
taagttaaaa caaatccaat tgtnt              1225

```

<210> 819

<211> 1024

<212> DNA

<213> Homo sapiens

<400> 819

```

gacacccag atgcagccac caccagcaga agcgatcagc tgaccccaca agggcacgtg      60
gctgtggccg tgggctcagg tggcagctat ggagccgagg atgaggtgga ggaggagagt     120
gacarggccg cgtcctgca ggagcagcag cagcagcagc agccgggatt ctggaccttc     180
agctactatc agagcttctt tgacgtggac acctcacagg tcctggaccg gatcaaaggc     240
tactgctgc cccggcctgg ccacaacttt gtgcggcacc atctgcggaa tcggccggat     300
ctgtatggcc ccttctggat ctgtgccacg ttggcctttg tcctggccgt cactggcaac     360
ctgacgmtgg tgctggccca gaggaggac cctccatcc actacagccc ccagttccac     420
aaggtgaccg tggcaggcat cagcatctac tgctatregt ggctgggtgcc cctggccctg     480
tggggcttcc tgcggtggcg caagggtgtc caggagcgca tggggcccta caccttctcg     540
gagactgtgt gcatctacgg ctactccctc tttgtcttca tccccatggt ggtcctgtgg     600
ctcattccct gtgcctntgg ctacagtggc tctttggggg cgctggccct gggcctgtnc     660

```


WO 99/33982

PCT/US98/27610

```

aaccaccggg ctggtaatca ccctctggcc cgtgggccgt gaggacacca ggctgggtggc      720
cacagtgtctg ctgtccgtgg tcgtgtctgn ccacgccctc ctggccatgg gctgtaagtt      780
gtactttcttc cagtcgctgc ctcnngagna cgtggctcct ccaccccaaa tcanatctct      840
gccctcaaac atcgcgctgt ccctacctt gccgcagtcc ctggccccct cctaggaagg      900
nccgggtccc acaggcaaca cctaagtgga ccaaccctc tgccctgtcct gccccccaga      960
cgatgactga aggtctcttt gacaccttga gatgantctg ctactttcca gacttttctt     1020
acaa                                             1024

```

<210> 820

<211> 631

<212> DNA

<213> Homo sapiens

<400> 820

```

atttttaywt ttaaaacatt ttatgagggg taaaatatag tctttttcta tcagtatgtt      60
cacacttcct ggcctctcat tgggaagctg taagatgtcc ttcaataaga tcctgaacac     120
gcgacagaat aatctcatta gagctgtctg aattttctgg accatatggg ggggtctatag     180
tcaggacccc agccacacag agagtccctg gagcgtctcc ctgttcagtg atggggatgt     240
ggttcttctc aagccatttc tttaggctgt tctttctctc ttccagatcc tctgggctgt     300
atgctttgca gtctccagac gtgaacaaat gcatcagctt ctccctcact ctatgggtccc     360
cttcattcat agtttcaaca gtckgcacag catgtcccat aattccggtc acagacatgc     420
tgccatcttc aaggaagttc acaaggacaa tattggcaga gactgggtct gkagttaaam     480
cccctccttt atactcattc ttctcaactg ctgtcaactg gacctctttg taaatgtaat     540
cttgccattc taaggggcct ttcttcatcc attcaactcat gattgccacc tggctaaatc     600
agttaaaaaa ctctcgcgaa ctctgggtac t                                             631

```

<210> 821

<211> 635

<212> DNA

<213> Homo sapiens

<400> 821

```

aggttgctca cctgaaggag cacaggaggg ttttccaggc catgtggctc aggttctctca      60
agcacaagct gccctcagc ctctacaaga aggtgtctgt gattgtgcat gacgccatcc     120
tgccgcagct ggcgcagccc acgctcatga tcgacttctc caccgcgcc tssgacctcg     180
ggggggccct cagcctcttg gccttgaacg ggctgttcat cttgattcac aaacacaacc     240
tgaggtaccc tgactttctac cggaagctct acggcctctt ggacccctct gtctttcacg     300
tcaagtaccg cgcccgcttc ttccacctgg ctgacctctt cctgtcctcc tcccacctcc     360
ccgcctacct ggtggccgcc ttcgccaagc ggctggcccg cctggccctg acggctcccc     420
ctgaggccct gctcatggtc ctgcctttca tctgtaacct gctgcgccgg caccctgctt     480
gccgggtcct cgtgcaccgt ccacacggcc ctcgagttgg aacgccgacc cttacgaacc     540
ctgggagagg aggaccagc ccagagccgg gctttgggag agttccttgt tggatttttc     600
agggccttnc agcggcatta ccaacttgag gttttt                                             635

```

<210> 822

<211> 752

<212> DNA

<213> Homo sapiens

<400> 822

```

tgcttttatc ttgaatgtag ccttcaactt tgtgtaattc cttacaaaa aggccacatg      60

```

WO 99/33982

PCT/US98/27610

```

gcttaaaatt caacacacat ttgtccccag tcttgtgggt tataatttcc acattgccat      120
actgttcgat ccacagttta cccacaatga tattatgcac acagcaggtg ggatttgtcc      180
atgtatatgc ctcatttgtgt tcaaggagct ccaaggatgat ggttcctttg ggttctgctt      240
ctacactctt cccccagaat ttcagtttg gatagataga gccatgaaag atgaagtcac      300
tgtttaatcc ttcagcatga aatgcactga ttgggtgggt atggetgacc tgctcgga      360
tgagtctaaa tccaaggtea tctcgacta attcataagt ctctcccagc agtgggttga      420
aaggttttcc agtccgttcc cactgagaag caacagcaga tacagcaaac gcagctacac      480
actgcctcct ttcacagga tcagagagt aactggcctt gtggaygagg taagtatgct      540
ccatgtattc agttaggcgc tgtaggaagc tcagaggctc attaaatata actggcatcg      600
tgatcttggg tagttccatt ccaatacatt ttctgaggat gctccagata ctgaagtcac      660
ttctggaaaa cataggagaa ggcaaaactg ttctgtgttt cttgatgcca ttggagagag      720
catctccgcc accacagtct ttttcttcgg ac                                     752

```

<210> 823

<211> 899

<212> DNA

<213> Homo sapiens

<400> 823

```

tttgccacag ggtaaacttt tattttagaa tccaatcttt tccccacaca tacacaataa      60
attaaacaga atccacagta aatgtacatt ttttaacata aaaagtcagt tactgttact      120
tcatgatcac atgaggatcg tcacagctcc gtgtccatta gcacattacc ctcttgttcc      180
ttaactctta tccgaccgga tctgtacttc gtttcttgat gaccgtttgc atatacgggt      240
ttaacagtgc catctgggta ttcccgcttc ttgaactggg cagtatgtag ttctctttgg      300
ccattattaa actctatgag tttgttgcca tcacgttgta ctctgacaat tgtaccatct      360
gggaaaatgc tttcttcttg tccatcagga aataagtttt taacagtctg gtcaggaaac      420
gtgatttctt ttcttccatc tgggtaatgt ttttctrttt aaaaagttgt tacagtaaat      480
atTTTTTgaa ggaagggaag aatttaatga gaggggtggag caagtttgta cctatttgtc      540
cacttgagaa atgtaagact tccagtcctc cgggtatgtc gtgtgagtgg tctgggcagc      600
tgcatagtag tagatctgta aagacacaca gtcagtctgc cttttctcca gagatggtta      660
aactatggag gagaacactt ctggaaacat accactcttt ggtctggcat gacctgttcc      720
acgtcaccat taaagaaagt gacagtgatg gtcttcccat ctgcactcac ttcttttcga      780
gttccattgg gaaacagtat aacacggcac ccattcttat aaaccttttc cacctttcca      840
tcaggatgac tgatttctcc ctgtatgtct tggctcttct cctctctttt atattcagg      899

```

<210> 824

<211> 1980

<212> DNA

<213> Homo sapiens

<400> 824

```

accggtccgg ggcgggcca tttgcatatt tggaatgcgc cgctataaac ccggctgggg      60
ttttgcagcg atttcttaga tgtaaaaatg agatctcaat agcagcgggc tgggcacatc      120
ctcksmwytc ysskwskskm tstgccrga gctggtttcc gtctctcggc tcggggctgg      180
aactccggcc caacctaggg gcgcancgc sacgagatgg cgcacttccg atcaatgtca      240
aagccgcggg ggagccggga accccagcat gattcttggc ctttgttcgc ttctgatact      300
aagagcagca cggtaacatta tttcacttgt cccgctcccc ttcataacag aaaaagggga      360
ctcaccctca agaagtgatt ggtatggtaa tttaaagcaa cgcgcattcg ctaggcctcg      420
cgagcgtcgc cgcgcggaga agccagctgt cccttggcag tgatttcgga aatgtgtcaa      480
ggcaattcca aaggtgaaaa cgcagccaac tggctcacgg caaagagtgg tcggaagaag      540
cgctgccccct acacgaagca ccagacactg gagctggaga aggagtttct gttcaatatg      600

```

WO 99/33982

PCT/US98/27610

```

taccttactc gagagcggcg cctagagatt agccgcagcg tccacctcac ggacagacaa      660
gtgaaaatct ggtttcagaa ccgcagatng aaactgaaga aaatgaatcg agaaaaccgg      720
atccggggagc tcacagccaa ctttaatttt tccatgatgaa tctccaggcg acgcggtttt      780
ttcacttccc gagcgtggt cccctccctc tgtcttcagg ctctgccagg aactcgcacc      840
tgtgtcggag ccctgttcct cctctccaca ctgcgccatct cctggggcgt tacatctgtg      900
cagggctggt ttgttctgac tttttgtttc tttgtgtttg cttggtgctg gttwatttgt      960
tgttttctgg gggaaaaagc catatcatgc taaaattcta tagagataga tattgtccta     1020
agtgtcaagt cctgactggg ctgggtttgc tgtcttgggg tcccactgct cgaaatggcc     1080
cctgtcttcg gccgagcntg gtttctctgc cagcctgggg caaacctagc cgaaggccga     1140
gggtccattg ttggcgctga ggtgtctggc ctgaggtcaa tgggtgcaaag gagccgccac     1200
cggcatgtct gcctggagtg ctgtgctgtg tttaatcagg ggatacaggc ccctgggttt     1260
cttttttctt tcttctttc ttccttggcc aagagaaggg cttacaggca tggacatgca     1320
ggttgcaaaa cgggcttgac tttggctgat ttaaaaagtg agaaagaaag taaaaaagggt     1380
taatttttcc ttctctgtga agatatccca gctttaaaaa gaaaaaaaaa aagaattacc     1440
aagagaaggg gacttctctt ccagtttctg taaggcttta cattgcctga ctaaaatggt     1500
tcatttacct ctaaaatttc atatccttct ggctgtgat aaataatgta gttttgttta     1560
tgcatttgga attagtggat tttttgttca ttaaaattgt taccactggt aacatgtgac     1620
aagcacacca caattctccc tatctgttga agttgttttt ttaaactgcc ttgaacaaaa     1680
agtttttttt tttgtttgtt tttgctttct gaaattcaca gaagcctagg aggactgggg     1740
taagcggaat aaactagaga agggagacat tgtttggatt tccttcctat aaatacaaatt     1800
ctgtataaat gtctattatt atgaagaatt gccaatcttg ttttaagcaa atgcattcta     1860
tcgttattat aaatgttagt tctagctcta tttacttcta atcttaaata agaataaatt     1920
aatattgtat tgctgctgtg cgtggaaaaa gacgatgttt atgttcttat agaataaaag     1980

```

<210> 825

<211> 333

<212> DNA

<213> Homo sapiens

<400> 825

```

tctagatatt gcccaatcgc tgcccacagt gcacatacct ttccaccagt cacatgtgag      60
agggcagatt ttccaaatgc tcatcaccac ttggcactgt gtggactata attttggcca     120
gttaggaaat ggcatctcat tgttttcata ttaatttgcg tcagcctgat tactcattga     180
aacttgtgag gttgagaaac ttttcttaag cttattggcc attcaagttt cctcctttat     240
gaaatggttg ttcatgtcat ttkctcattt ttatattaga ttgkwtttmt wttttccagc     300
tgacttgtag gaactctaca tcttatcaat att                                     333

```

<210> 826

<211> 658

<212> DNA

<213> Homo sapiens

<400> 826

```

tttttttttt tttttttttt ttttgaaggc ttcatagaata atttattcca tttgaagttt      60
tgttttttgt ttttgttttt ttttttttaa aaagtataaa ccttttcatt tcttcaatca     120
caattttgtac aactcagtgt tatggcattc ggcagcaata gtgtttgttc cttattctct     180
ttttgtcacg ttaaaaaanaa agcaattgga ccatattaaa tgtcactgct aaacaacaac     240
tttaaaacgc cccttcataa agtgaccaag ctatttttgag agggttgatg ctgacatgtc     300
cagtaatgac gttacaattt gtagcttaaa ctcaataact ttaagggtcca catatccagt     360
ttactttgaa aactaaagat gttttaaaac ttcatagaata catcaacctg aggagtattt     420
taggkcccaa atccagtttt taaatttata ctccacnaaa aangaaaata catacataaa     480

```

WO 99/33982

PCT/US98/27610

```
awtttaaacc mcngttytgg gccattwaa acaccmaaaa agacccccn aaaagttaag      540
anttcagct tanttctgga ngggtgggnc aaaatarraw kktwtawwma wwwmytwwt      600
ccnkmattca gacaaactaa aatcttaaga ggaaaccag accaaaatat cactcatg      658
```

<210> 827

<211> 453

<212> DNA

<213> Homo sapiens

<400> 827

```
attatagaga ttaatctcct ttgctcgaag tctntttaaa tattagtcac atctaaaaca      60
tacttttaca gcaacatcta gactgggtgt tgaccaaaca actgggcac atagctgaca      120
cataaaatta accatcacaa ccatgttcta ggcaactgtt ctcactgcct gagaagacac      180
cgttatgttt attagggttt ttgagtttta tccacagctt ttggttatct gcaaccatgt      240
ctcccacat taacatagtt cacactgaga tgaggattcc ctatttaaca cttggtccca      300
acttcttcac agtccatctg gttttgtaga gggaacataa ctggacattc tggtcagggt      360
aggtgagggtc aggccttcag gacgctatct tcaactgagtt gctttataag gcacattatg      420
caaaattcca tcagctcttc tgttcactac att                                453
```

<210> 828

<211> 657

<212> DNA

<213> Homo sapiens

<400> 828

```
aagagaagga cctagagatt gagaggctta agacgaagca aaaagaactg gaggccaaga      60
tgttggccca gaaggctgag gaaaaggaga accattgtcc cacaatgctc cgcccccttt      120
cacatcgcac agtcacaggg gcaaagcccc tgaaaaaggc tgtggtgatg cccctacagc      180
taattcagga gcaggcagca tccccaaatg ccgagatcca catcctgaag aataaaggcc      240
ggaagagaaa gctggagtcc ctggatgcc tagagcctga ggagaaggct gaggactgct      300
gggagctaca gatcagcccg gagctactgg ctcatgggcg ccaaaaaata ctggatctgc      360
tgaacgaagg ctacgcccga gatctccgca gtcttcagcg cattggcccg aagaaggccc      420
agctaactgt gggctggcgg gagctccacg gccccttcag ccagggtggag gacctggaac      480
gcgtggaggg cataacgggg aacagatgg agtccttcct gaaggcaaac atcctgggtc      540
tcgcccgcgg ccagcgtgtt ggcgcctcct gaccgtcgtc tctcactcc gccttttcaa      600
atttttgtat aaccccggtt tgtgtaaata cagtttttgc tccggtaaaa aaaaaaa      657
```

<210> 829

<211> 775

<212> DNA

<213> Homo sapiens

<400> 829

```
ggtttgagaa aatcaattca aatctgnccc ttctgattgc anctctaacc aggttctgan      60
cggtgtcaga gacttcccaa tacatttccc ttctagnatg cctcataaat ccactcaaaa      120
gtaagacacc aaacacacac ctcatctcct gaactgtgac ttccaagctg acatttttct      180
gagaagcata attattgggt tcattgacaa ttaagttgaa tgtttcatca tcaaaaaata      240
attcaaaaag ctctactggg ttcaactttt cgctcttgag attcaaaagt ccagaatcca      300
gtgctgacca gcttgaaaaa ttgggtttta tgtctctttt ggtccaactc ttttctggga      360
aacatgatac ctttaacttc ttttgagcag gctggatctc aggetcatta tctttttcca      420
catctgagtc accagagaat gagaggcctt ggagcagttc actcactcga gctttgtctt      480
```

WO 99/33982

PCT/US98/27610

tttttctccc	ttttcgggta	atgtctcctg	cagcatattc	cagggatgag	atgtgcatgc	540
gggcccacaa	atcacctggg	tgacggtcct	tcagagtgtt	caaatgtgca	actgtccttt	600
cagtagcaat	aggagtacta	caaggaatct	ggggtgcaca	ctctctgttg	ggctttcctg	660
aggcttctcc	actttgttcc	atttcttcag	aagtttcttg	ctttgcttta	aacaatctat	720
ctttagttac	aatttcttca	gctgggtgta	gccccagctt	tttagaaggc	tgagg	775

<210> 830

<211> 413

<212> DNA

<213> Homo sapiens

<400> 830

agagcctgca	agtgacaaaag	gaagtgaggc	agaggcccac	atgccccac	cgttcacacc	60
ctacgtgcct	cggattctga	acggcttggc	ctcggagagg	acagcactgt	ctccgcagca	120
gcagcagcag	cagacctatg	gtgccatcca	caacatcagc	gggactatcc	ctggacagtg	180
cttggcgcak	agcsmcasgk	gcagtgtggc	ntgctgcccc	ccaggaggcc	tgaggctggg	240
tctcactgct	ctgaaaagac	acaaccagaa	tggcctgggg	ctcaggccct	tggctgagtg	300
ggaatgcgtt	gggactgccc	agctgagcta	tcagggtgcc	atcttttctg	gtmccagcag	360
tggtgaggag	agcacaggca	ggcctcgccc	ctcccttgct	canceagttt	ccc	413

<210> 831

<211> 876

<212> DNA

<213> Homo sapiens

<400> 831

gctgacctac	agcagaagct	gctggatgca	gaaagtgaag	acagacccaa	acaacgctgg	60
gagaatattg	ccaccattct	ggaagccaag	tgtgccctga	aatatttgat	tggagagctg	120
gtctcctcca	aaatacaggt	cagcaaacctt	gaaagcagcc	tgaaacagag	caagaccagc	180
tgtgnykaca	tgcaakaagat	gctgtttgag	gaacgaaatc	attttgccga	gatagagaca	240
gagttacaag	ctgagctggg	cagaatggag	caacagcacc	aagagaagg	gctgtacctt	300
ctcagccagc	tcagcaaaag	ccaaatggca	gagaagcagt	tagaggaatc	agtcagtga	360
aaggaacagc	agctgctgag	cacactgaag	tgtcaggatg	aagaacttga	gaaaatgcga	420
gaagtgtgtg	agcaaaatca	gcagcttctc	cgagagaatg	aatcatcaa	gcagaaactg	480
accctcctcc	aggtagccag	cagacagaaa	catcttccct	aggataccct	tctatctcca	540
gactcttctt	ttgaatatgt	cccacctaag	ccaaaacctt	ctcgtgttaa	agaaaagtcc	600
ctggagcaaa	gcatggacat	cgaggatcta	aatatttggt	cagagcattc	tgtgaatgag	660
catgaggatg	gtgatgggtga	tgatgatgag	ggggatgacg	aggaatggaa	gccaaacaaa	720
ttagttaagg	tgtccaggga	agaacatcca	aggggtgttc	tgcaaggggt	gggtgtgggaa	780
ccangccagt	gtgggggttc	aggnaagcca	aaagtncaga	ctggtggtgt	tgactgtttg	840
ctgtgacccc	cacaaagttt	ncggaaccgc	ccacca			876

<210> 832

<211> 768

<212> DNA

<213> Homo sapiens

<400> 832

tagacataga	aaacatacag	taagaatatg	gtattataat	cttacggsam	mamygysrmm	60
trnsckkknw	rwmktkgwaa	agykgyrmyr	sgresyanra	mtanmmmtas	ctrgytrrky	120
mrywtwwmma	tycctksccm	gggagtttga	aatttnatac	tatagaaata	acttttaggtt	180

WO 99/33982

PCT/US98/27610

ttaggtagag	ttaaagaggt	aaagcacatg	ttgnccacaa	ncccaggaaa	gtattttttaa	240
gaaagattgg	attttcctac	cttttagagat	ctaaaaaaaa	tttaatatata	aaaatcattt	300
tgtgttggtg	tttattacta	gttcagatga	gtggctgctg	aaggggcccc	cttgtcattt	360
tcattataac	ccaatttcca	cttatttgaa	ctcttaagtc	ataaatgtat	aatgacttat	420
gaattagcac	agttaagttg	acactagaaa	ctgcccattt	ctgtattaca	ctatcaaata	480
ggaaacattg	gaaagatggg	gaaaaaaatc	ttatttttaa	atggcttaga	aagttttcag	540
attactttga	aaattctaaa	cttcctttctg	tttccaaaac	ttgaaaatat	gtagatggac	600
tcatgcatta	agactgtttt	caaagctttc	ctcacatttt	taaagtgtga	ttttcctttt	660
aataacata	tttattttcy	ttaaagcagc	tatatcccaa	cccatgactt	tgggrgatat	720
acccataaaa	ccmatataac	agcaggggta	ttggagcagc	tttctcaa		768

<210> 833

<211> 1604

<212> DNA

<213> Homo sapiens

<400> 833

aactagtata	tttacaacat	cagaaacttc	aatatggaga	tttgttggtc	ctatatcatg	60
atcttttagca	gcaactacac	cataggcact	gcacaacctg	ggtcctagat	caggacgtac	120
aaaaaatcct	ggcaaatgag	aggccaaatt	gaattttcct	tctggattac	aatattctgg	180
caatggcaga	ctttttaaaa	gatcttcgta	tcttgcctggc	atcatagtct	tgaagtcttc	240
tcctgaaggc	caatctttca	attttaaaac	aactgtttct	ccactcttgt	ttttctgccg	300
ttttgaaact	tcttcaaaaac	catcccagaa	ttccttaaca	ttggcatttg	aaatgatgct	360
atctttgcag	ttcaggagat	cagcttggtg	gtctccaaaa	tcaagactaa	ttgattccgc	420
cttccatagg	ctaagtcca	ttttcttatg	cacaccagaa	accactgcag	gctgtccttg	480
tttccaacat	tctttgaaaa	gcttccaatt	actgctattc	ttataatcct	taagccataa	540
aatatgcttc	tcacagatcc	aagaatgtgg	tatatcactg	tataatttat	tattttcatc	600
cactgcagat	attatgcttt	cttcaggctc	ttctttaagc	tctggtttta	catttatctt	660
ggagggttta	cttgggtggaa	ttttgttttc	aacaactgaa	gcaattatgt	catcaagaat	720
gttaggcata	gtccgtccac	ttttgctact	tggggctccc	attgaatata	ctggggcaaa	780
ggcaatgccca	gcatctgtas	accccacacg	tagctttcca	gctgttgtag	tcagcaaatc	840
ccgtaagggtt	gagccttggt	cattattctg	ggacacaaga	ggtgatgttc	tgccatttgg	900
agattcagag	ttgtcttggt	ctctttcttc	tttaatttgg	ttttcaaggg	taagttcttt	960
gttttctttt	ttttcctctc	tggctttttg	ctctgcaaga	tctgctaacc	agtgcagtgg	1020
tgactgggat	tctggaggag	ttaacttggt	atctgtgcct	acatcactct	ctgggctgct	1080
gccaccattt	ttctcagact	tccggaggagt	attttgctgc	tgagactcag	gcattgcacag	1140
agaaaatttta	ttactgtgat	taagaacatt	ctgtaaaaact	tgagatacac	cattcattgt	1200
aggaaaattt	ccaacttgta	aattctggtt	gttagtacaa	tgacaatggg	atttaatacc	1260
atattttttcc	ctaagagtgt	gcatggcatc	tagaagatct	gtcaaaaacag	aaccagggtat	1320
aatttggggtt	ggcattaaat	gtttgtgatc	atgaggctgt	ccyttcacac	acttcattcca	1380
agcatantag	ttcttttatcy	ctagaactnc	tycctttcct	ttngccttgt	aacaatctaa	1440
gcaganccac	aawkccacat	tttkggcaga	cccagtnraw	kktaancawk	gntgcttcac	1500
atgcatacaca	catctcccgg	actcctctca	ctgctctttt	ccaggcaatt	ttggcatcct	1560
ttttcaccca	ggacaaaagct	gttttttcag	atgttactaa	ttga		1604

<210> 834

<211> 617

<212> DNA

<213> Homo sapiens

<400> 834

WO 99/33982

PCT/US98/27610

gtccgtcagc	tggtagcttt	cattcgtaaa	agagataaaa	gagtgcaggc	gcatcgaaaa	60
cttgtggaag	aacagaatgc	agagaaggcg	aggaaagccg	aagagatgag	gcggcagcag	120
aagctaaagc	aggccaaact	ggtggagcag	tacagagaac	agagctggat	gactatggcc	180
aatttgagga	aagagctcya	ssangrtgrm	srcrsgkkac	gagaaggagt	ttggagatgg	240
atcggatgaa	aatgaaatgg	aagaacatga	actcaaagat	gaggaggatg	gtaaagacag	300
tgatgaggcc	gaggacgctg	agctctatga	tgacctttac	tgcccagcat	gtgacaaatc	360
gttcaagaca	gaaaaggcca	tgaagaatca	cgagaagtca	aagaagcatc	gggaaatggt	420
ggccttgcta	aaacaacagc	tggaggagga	agaagaaaat	ttttcaagac	ctcaaattga	480
tgaaaatcca	ttagatgaca	attctgagga	agaaatggaa	gatgcaccaa	aacaaaagct	540
ttctaaaaaa	cagargaaaa	agaaacagaa	accagcacag	gatgtacctg	gcaaagattc	600
atatctgcct	gcagctc					617

<210> 835

<211> 542

<212> DNA

<213> Homo sapiens

<400> 835

tttttttttt	agaccaacat	tctttaatca	caaaggcact	tgaggacccc	tacaaaccca	60
aagtctctgc	caagagtggc	cctgcagacg	ccccacctgc	cacctcccat	ccacccatcc	120
atccacacac	tcagagttca	tcgtgacctg	cagagggctc	cacactaggc	ttgatgaaga	180
tgctttccat	ggccttccac	gtattgtgcg	tgttggcact	gggcatgccg	tggacctcat	240
gctgcccacg	gatggggctt	ccatactgct	caccctgtgac	tgacaggaac	acagagggtgc	300
ccacatgctn	grarsgcaca	gcagcctcac	gctcccagnn	gctgntccag	agcagcgcac	360
tgtccatann	gktccaggtc	gtcgccctcg	ccgtcttccc	caaaggcact	cacctcctgg	420
ttgttggaca	gcggcgangg	gaagtgggtgc	gtgtgcaggt	tcnttgnccg	taagcacatg	480
cgtgagcctc	accgcctgcc	cgcagcgcac	cgcaagggcc	caggcggagc	cgacgctcgc	540
gc						542

<210> 836

<211> 542

<212> DNA

<213> Homo sapiens

<400> 836

tttttttttt	agaccaacat	tctttaatca	caaaggcact	tgaggacccc	tacaaaccca	60
aagtctctgc	caagagtggc	cctgcagacg	ccccacctgc	cacctcccat	ccacccatcc	120
atccacacac	tcagagttca	tcgtgacctg	cagagggctc	cacactaggc	ttgatgaaga	180
tgctttccat	ggccttccac	gtattgtgcg	tgttggcact	gggcatgccg	tggacctcat	240
gctgcccacg	gatggggctt	ccatactgct	caccctgtgac	tgacaggaac	acagagggtgc	300
ccacatgctn	grarsgcaca	gcagcctcac	gctcccagnn	gctgntccag	agcagcgcac	360
tgtccatann	gktccaggtc	gtcgccctcg	ccgtcttccc	caaaggcact	cacctcctgg	420
ttgttggaca	gcggcgangg	gaagtgggtgc	gtgtgcaggt	tcnttgnccg	taagcacatg	480
cgtgagcctc	accgcctgcc	cgcagcgcac	cgcaagggcc	caggcggagc	cgacgctcgc	540
gc						542

<210> 837

<211> 719

<212> DNA

<213> Homo sapiens

WO 99/33982

PCT/US98/27610

<400> 837

aaaaggtccc	ccttctggga	aagaccgagt	gaagaaaggt	ggatcctaca	tgtgccatag	60
gtcttattgt	tacaggtatc	gctgtgctgc	tcgagccag	aacacacctg	atagctctgc	120
ttcgaatctg	grnttccgct	gtncagccga	ccgctgccc	actatngact	gacaaccaag	180
gaaagtcttc	cccantccaa	ggagcagtcg	tgtctgacct	acattgggct	tttctcagaa	240
ctttgaacga	tcccatgcaa	agaattccca	ccctgaggtg	tttnacatac	ctgcccaatg	300
ncaaaggaac	cgcttgtga	gaccaaattg	ctgacctggg	tcagtgcattg	tgctttatgg	360
tgtggtgcat	ctttggagat	catcgccata	ttttactttt	gagagtcttt	aaagaggaag	420
gggagtggag	ggaaccctga	gctaggcttc	aggaggcccg	cgtcctacgc	aggctctgca	480
caggggttag	acccaggtc	cgacgcttga	ccttcctggg	cctcaagtgc	cctcccctat	540
caaatgacag	ggatggacag	catgacctct	gggtgtctct	ccaactcacc	agttctaaaa	600
agggtatcag	attctattgt	gacttcataa	gtgagaattt	atgatagatt	attttttagc	660
tattttttcc	atgtgtgaac	cttgagtgat	actaatcatg	taaagtaaga	gttccctta	719

<210> 838

<211> 579

<212> DNA

<213> Homo sapiens

<400> 838

aagatatgca	gagatattec	aggatctttt	agctttgggtg	cggctctctg	gagacagtgt	60
tattcgccaa	cagtgtgttg	aatatgtcac	atccattttg	cagtctctct	gtgatcagga	120
cattgcactt	atcttaccaa	gctcttctga	aggttctatt	tctganctgg	agcagctctc	180
caattctcta	ccaaataaag	aattgatgac	ctcaatctgt	gactgtctgt	tggctacgct	240
agctaactct	gagagcagtt	acaactgttt	actgacatgt	gtcagaacaa	tgatgtttct	300
tgcatagatg	attatggatt	atttcattta	aaaagtctct	taaggaaaaa	cagtagtgct	360
ctgcagagtt	tactgaaacg	agtggtcagc	acatttagta	aggacacagg	agagcttgca	420
tcttcatttt	tagaatttat	gagacaaatt	cttaactctg	acacaattgg	gatgctgtgg	480
gagatgataa	tgggtctcat	gggaagtagg	aggggagctc	atacatcacg	gacgatgagt	540
attaatgctg	cagagttaaa	ccagcttctt	ccaaggcaa			579

<210> 839

<211> 1172

<212> DNA

<213> Homo sapiens

<400> 839

aaccaaacct	cccaacttag	tgaaaacaag	gcattcaatg	acagaccagc	agcagaaact	60
gcntattacc	tcctaatcat	tttatgaaga	aatacctata	taaaaacaaa	cactaaagag	120
nacaaataga	tttaactaaa	gtgacaagca	taattataaa	taaataccag	attatcagat	180
tttaaacaaat	aatctataac	agttttacta	tctaaggatt	ttcactccaa	gaagaaaaaa	240
tacatagtaa	cgccaagctt	gcaggacgat	gacttaacag	atacattttc	tcttaatgga	300
aacttatcta	gcttcagtaa	tatttctgga	tgtagcatca	agttgctggt	gcacattttt	360
aaaagactgg	tccagcagtg	tttcctcttc	atttaaagta	ttggcaatag	catcattaca	420
tggattgtcc	agaatgtctt	cgtttaatec	atttgactcc	tccttttgat	cctcatcagt	480
attaacctct	tcaaccgtgt	gtgccctggg	tgtattcatt	aacatatcat	ttccyagggg	540
ctgactatta	ctcagcagct	tkgcctgcct	tctttccarg	gccagttggg	twatttcycy	600
caattctttg	ttgttgctct	tctgttaggc	ttctacttaa	ctcagaagca	aacatctcac	660
tttcagataa	gtttgtcaga	aagggatcta	attcagtaga	agtgacatca	tgttcattat	720
tctccgcaac	ttcatcatta	ttgctaacaa	aatcttcatg	taaaataggg	agatcaagtc	780
gaattcgttt	taaacaggtc	tgaacttcct	ttttacttcc	caggtattca	actctgtcaa	840

WO 99/33982

PCT/US98/27610

```

taaaatcctc aaactgcagt ttagggaata gcctatgtgc ccagtgtccc atgtgtctga      900
ttagcatctt caagtcttca gctcatgac  ctttaccttt gaattttgcc ttatcaaata      960
catgccctaa ggctggaagt cctctctctg aaattaatct ctgagcatcc agcttgggta     1020
tatttctttt aactgttctc tttggaggta caggaacagg tgctccattt cctgactctt     1080
catcaggctc agttccttca ccatcttgtc tctctggaga ggctggagggt gggaaaggag     1140
gaaaagtttc atcttctaca tgctcataat ct                                     1172

```

<210> 840

<211> 1145

<212> DNA

<213> Homo sapiens

<400> 840

```

cctctacttc ccaaacaaat ctttggggaa aaaaaaacta ccaactgtca gccatgggcc      60
tgacggcgct aagctctggg gctccgtgca ctgacgtggg gccagccaca gggaggcggg     120
gatsmrgymg cnggassscm ggakywkgrs cswcswcsrs gymrgkwgca gnrgcrgygg     180
crhrsganc mrmagcagcn tgmwgcagct cawgcacctg gagtcccttt aygaaaaamc     240
yyctcctggg cttatcaagg aagatgagac taagccagaa gattgcatac cagatgtacc     300
aggcaatgaa cacgccaggg aatttctggc tcatgcacca actaaaggac tttggatgcc     360
actggggaaa gaagtcaaag ttatgcagtg ttggcgttgc aaacgctatg gtcaccgaac     420
gggtgacaaa gaatgccctt tctttatcaa aggcaaccaa aagttagagc agttcagagt     480
ggcacatgaa gatcccatgt atgacatcat acgagacaat aaacgacatg aaaaggacgt     540
aaggatacag cagttaaaac agttactgga ggattctacc tcagatgaag ataggagcag     600
ctccmgttcc tctgaaggta aagagaaaaca caagaaaaag aagaagaaag aaaagcataa     660
gaaaaggaag aaagaaaaga aaaagaagaa aaaacggaag cacaaatctt ccaagtcaaa     720
tgagggttct gactcagagt gacaaggatg tgacttgttc aacattctct tctcaaacac     780
tgaccaagga acagaggaag atgcagtcag agaaagcagc aggatagaga cgccgagaga     840
ggagtatatg tgggtcacag cagtgcagtc ccaccgcct tgcaagtgaag atgtgacccc     900
aggagagggg gtgtctcctt ccaggtgcta gctctggaca gcagctgatt ttaggcagga     960
aagtttcttc atcgttgttc tccctgctgg tcacatgagt ttacgattcc tttgaagtgt    1020
ctcccacagg gtggcaggac tgggagaatc tctgaggcgt gtcttccagg ccctcccaca    1080
gcttggtgcc tccacagtgt ggactcaggt cccatagaca tcaggctgga gtcttctctg    1140
ttgtt                                     1145

```

<210> 841

<211> 642

<212> DNA

<213> Homo sapiens

<400> 841

```

ttttttataa aaataaatat ttattgccat ttgaagcttt atgtacacct ttaaaagcac      60
atgtacaaat gtgggaaatt acaaaaatca acctaaaacc ctttttctca aagtatacat     120
aaatgtacat ccaagatcag tgggtgctacc atcattagaa taaaaaataa gtctgtctgg     180
acataaacia gcaatcattt taagtgtcat tcagatatte tcctttatat ttaaaactcc     240
aaaaaatact aagaggccca atatatccag aaaatttgtt tttcacttta ccctaactta     300
tgaatagtggt tatacaaata tatttccatc tttttgtcca gccagcaaat gagagtctgt     360
acccgaccat ttcacaaaag accaatgttg gtcagagaca gskskgagrr ksgymktasr     420
stkamysasa akkarstsmm amayrgsrmt tnykcmasra stcamkmtyk ytgysrcasr     480
gwkrrwctyws rmswmwmnwkw msargmmcca tttcagaata ggctttgtga cagactgaag     540
cttggtgaag atcatcaatg tgcattcttt tcaggagttg accagttttt aaattccaaa     600
taacaatggt gttcataata gtagtaccaa gcagagcttc tt                                     642

```

WO 99/33982

PCT/US98/27610

<210> 842
 <211> 452
 <212> DNA
 <213> Homo sapiens

<400> 842
 acggcctggt ggagcagctg tacgacctca ccctggagta cctgcacagc caggcacact 60
 gcatcggctt cccggagctg gtgctgcctg tggctctgca gctgaagtcg ttcctccggg 120
 agtgcaaggt ggccaactac tgccggcagg tgcagcagct gcttggaag gttcaggaga 180
 actcggcata catctrcagc cgccgccaga gggtttcctt cggcgtctct gagcagcagg 240
 cagtgaagc ctgggagaag ctgacccggg aagaggggac acccytgacc ttgtactaca 300
 gccactggcg caantgcgtg accgggggat ccagctggag atcagtggca aagatcggtc 360
 ggaagacctg wacttccctg agatcaaacg aaggaagatg gctgacagga aggatgagga 420
 caggwagcaa tttaaagacc tcttttgacc tg 452

<210> 843
 <211> 805
 <212> DNA
 <213> Homo sapiens

<400> 843
 ggcttatata acatagtggg gaacgcatgg gaatggactt cagactggtg gactgttcat 60
 cattctgttg aagaaacgct taacccaaaa ggtcccccct ctgggaaaga ccgagtgaag 120
 aaaggtggat cctacatgtg ccataggtct tattgttaca ggtatcgctg tgctgctcgg 180
 agccagaaca cacctgatag ctctgcttcg aatctggrnt tccgctgtnc agccgaccgn 240
 ctgcccacta tngactgaca accaaggaaa gtcttcccca ntccaaggag cagtctgttc 300
 tgacctatat tgggcttttc tcagaacttt gaacgatccc atgcaaagaa tccccacctt 360
 gaggtgtttt acatacctgc ccaatgncaa aggaaccgcc ttgtgagacc aaattgctga 420
 cctgggtcag tgcattgtgt ttatggtgtg gtgcatcttt ggagatcatc gccatatttt 480
 actttttgaga gtcttttaaag aggaagggga gtggagggaa ccctgagcta ggcttcagga 540
 ggcccgctc ctacgcaggc tctgcacagg ggttagacct caggctccgac gcttgacctt 600
 cctgggcctc aagtgcctc ccctatcaa tgacagggat ggacagcatg acctctgggt 660
 gtctctccaa ctaccagtt ctaaaagggt tatcagattc tattgtgact tcataagtga 720
 gaatttatga tagattattt ttagctatt ttttccatgt gtgaaccttg agtgatacta 780
 atcatgtaaa gtaagagttc cctta 805

<210> 844
 <211> 702
 <212> DNA
 <213> Homo sapiens

<400> 844
 tttttttttt tttttttgca ggtgcatttg tttctttatt taaaaaatc atctgggggc 60
 atggtctgag gaggacacct ctcccatggc tttggggagg acgcaggttc caggagtac 120
 agggcagaaa cacgcggggg ggtggggggc gtggccggag tggggagggg ctgtscagg 180
 cacctggggg tggctccac ggaccagggt gggctagggc aacagtatgt acaggcgagc 240
 agtgctcctg gacccggctg gggccggctg gggccattt ctgcggcagg ggagctctgg 300
 ggcacagggt ctgagtccca tcttgggctk cagggaccgc gaggscgtcc agggaggctg 360
 gacagcgggg gcctttatct gggcccatca ggtggatgag aacggacact gcaaaccgct 420
 caccacctgg gccagggcta ggctatccgg cagggcctcc cmmctgaat cctgctgctg 480
 cagaactcaa gccggcatnc aggcagtkgg aacgnccgc angctgggct tggktgsyck 540

WO 99/33982

PCT/US98/27610

crsgcacgtg	acaggtgggg	cccggtgtcct	gataaacgga	caggaacaaa	aggaacgcaa	600
ggtctgggac	ccacggctct	gggagcagcg	ccaccaggc	tggctcctag	cagagaaatg	660
ggaatcgcaa	atgcattgca	atgtgcagtg	aagagacgcg	ag		702